
# 20231018 control1 | dip-19648-1697616701 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:50:33.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 23:50:33.000000000 UTC

Endpoint known-by: 2023-10-17 23:50:34.341368601 UTC

Parent: 20231018:dip-19648-1697616701:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697615580 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:50:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 23:50:36.000000000 UTC

Endpoint known-by: 2023-10-17 23:50:37.450529818 UTC

Parent: 20231018:dip-19648-1697615580:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697660442 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:50:37.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 23:50:37.000000000 UTC

Endpoint known-by: 2023-10-17 23:50:38.950457395 UTC

Parent: 20231018:dip-19648-1697660442:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697604860 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:50:40.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 23:50:40.000000000 UTC

Endpoint known-by: 2023-10-17 23:50:41.950542462 UTC

Parent: 20231018:dip-19648-1697604860:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697611311 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:50:40.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 23:50:40.000000000 UTC

Endpoint known-by: 2023-10-17 23:50:41.950542462 UTC

Parent: 20231018:dip-19648-1697611311:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697608674 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:57:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 23:57:05.000000000 UTC

Endpoint known-by: 2023-10-17 23:57:06.400284654 UTC

Parent: 20231018:dip-19648-1697608674:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697609036 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:57:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 23:57:20.000000000 UTC

Endpoint known-by: 2023-10-17 23:57:21.650560998 UTC

Parent: 20231018:dip-19648-1697609036:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697611909 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:57:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 23:57:29.000000000 UTC

Endpoint known-by: 2023-10-17 23:57:30.650579462 UTC

Parent: 20231018:dip-19648-1697611909:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697628769 | SAME


One whole lifecycle: opposite_hold3 | 116 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:14:02.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:15:57.000000000 UTC

Endpoint known-by: 2023-10-18 00:16:00.091961858 UTC

Parent: 20231018:dip-19648-1697628769:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697605007 | FLIP


One whole lifecycle: opposite_hold3 | 113 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:14:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:15:57.000000000 UTC

Endpoint known-by: 2023-10-18 00:16:00.091961858 UTC

Parent: 20231018:dip-19648-1697605007:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697616757 | FLIP


One whole lifecycle: opposite_hold3 | 113 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:14:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:15:57.000000000 UTC

Endpoint known-by: 2023-10-18 00:16:00.091961858 UTC

Parent: 20231018:dip-19648-1697616757:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697584321 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:20:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:21:02.000000000 UTC

Endpoint known-by: 2023-10-18 00:21:03.025072100 UTC

Parent: 20231018:dip-19648-1697584321:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697605405 | FLIP


One whole lifecycle: opposite_hold3 | 262 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:21:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:25:26.000000000 UTC

Endpoint known-by: 2023-10-18 00:25:27.133564671 UTC

Parent: 20231018:dip-19648-1697605405:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697589274 | FLIP


One whole lifecycle: opposite_hold3 | 260 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:21:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:25:26.000000000 UTC

Endpoint known-by: 2023-10-18 00:25:27.133564671 UTC

Parent: 20231018:dip-19648-1697589274:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697621060 | FLIP


One whole lifecycle: opposite_hold3 | 257 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:21:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:25:26.000000000 UTC

Endpoint known-by: 2023-10-18 00:25:27.133564671 UTC

Parent: 20231018:dip-19648-1697621060:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697626302 | FLIP


One whole lifecycle: opposite_hold3 | 256 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:21:11.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:25:26.000000000 UTC

Endpoint known-by: 2023-10-18 00:25:27.133564671 UTC

Parent: 20231018:dip-19648-1697626302:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697583686 | SAME


One whole lifecycle: opposite_hold3 | 255 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:21:12.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:25:26.000000000 UTC

Endpoint known-by: 2023-10-18 00:25:27.133564671 UTC

Parent: 20231018:dip-19648-1697583686:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697606912 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:28:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:28:10.000000000 UTC

Endpoint known-by: 2023-10-18 00:28:24.278887400 UTC

Parent: 20231018:dip-19648-1697606912:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697612244 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:28:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:28:10.000000000 UTC

Endpoint known-by: 2023-10-18 00:28:24.278887400 UTC

Parent: 20231018:dip-19648-1697612244:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697605703 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:36:58.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:36:58.000000000 UTC

Endpoint known-by: 2023-10-18 00:37:02.810521928 UTC

Parent: 20231018:dip-19648-1697605703:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697611014 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:37:01.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:37:01.000000000 UTC

Endpoint known-by: 2023-10-18 00:37:02.810521928 UTC

Parent: 20231018:dip-19648-1697611014:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697599343 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:37:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:37:29.000000000 UTC

Endpoint known-by: 2023-10-18 00:37:34.652265137 UTC

Parent: 20231018:dip-19648-1697599343:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697606081 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:37:31.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:37:31.000000000 UTC

Endpoint known-by: 2023-10-18 00:37:34.652265137 UTC

Parent: 20231018:dip-19648-1697606081:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697582331 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:43:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:43:10.000000000 UTC

Endpoint known-by: 2023-10-18 00:43:14.128264971 UTC

Parent: 20231018:dip-19648-1697582331:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697594403 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:43:25.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:43:25.000000000 UTC

Endpoint known-by: 2023-10-18 00:43:54.453150351 UTC

Parent: 20231018:dip-19648-1697594403:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697586960 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:43:28.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:43:28.000000000 UTC

Endpoint known-by: 2023-10-18 00:43:54.453150351 UTC

Parent: 20231018:dip-19648-1697586960:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697596059 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:43:32.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:43:32.000000000 UTC

Endpoint known-by: 2023-10-18 00:43:54.453150351 UTC

Parent: 20231018:dip-19648-1697596059:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697622590 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:52:37.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:52:37.000000000 UTC

Endpoint known-by: 2023-10-18 00:53:08.806460673 UTC

Parent: 20231018:dip-19648-1697622590:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697619316 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:57:33.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:57:33.000000000 UTC

Endpoint known-by: 2023-10-18 00:57:37.242310308 UTC

Parent: 20231018:dip-19648-1697619316:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697597536 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:58:34.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 00:58:34.000000000 UTC

Endpoint known-by: 2023-10-18 00:58:37.621162244 UTC

Parent: 20231018:dip-19648-1697597536:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697596003 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:10:51.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:10:51.000000000 UTC

Endpoint known-by: 2023-10-18 01:11:04.697864634 UTC

Parent: 20231018:dip-19648-1697596003:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697597677 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:11:17.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:11:17.000000000 UTC

Endpoint known-by: 2023-10-18 01:11:19.424706425 UTC

Parent: 20231018:dip-19648-1697597677:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697614376 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:11:35.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:11:35.000000000 UTC

Endpoint known-by: 2023-10-18 01:11:41.203443576 UTC

Parent: 20231018:dip-19648-1697614376:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697606524 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:12:00.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:12:00.000000000 UTC

Endpoint known-by: 2023-10-18 01:12:01.242272051 UTC

Parent: 20231018:dip-19648-1697606524:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697587412 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:12:02.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:12:02.000000000 UTC

Endpoint known-by: 2023-10-18 01:12:07.623136701 UTC

Parent: 20231018:dip-19648-1697587412:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697595309 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:12:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:12:29.000000000 UTC

Endpoint known-by: 2023-10-18 01:12:31.081084985 UTC

Parent: 20231018:dip-19648-1697595309:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697591162 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:17:53.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:17:53.000000000 UTC

Endpoint known-by: 2023-10-18 01:18:10.634907112 UTC

Parent: 20231018:dip-19648-1697591162:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697628926 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:22:06.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:22:06.000000000 UTC

Endpoint known-by: 2023-10-18 01:22:18.107688066 UTC

Parent: 20231018:dip-19648-1697628926:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697581432 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:22:41.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:22:41.000000000 UTC

Endpoint known-by: 2023-10-18 01:22:50.969695615 UTC

Parent: 20231018:dip-19648-1697581432:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697588302 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:22:58.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:22:58.000000000 UTC

Endpoint known-by: 2023-10-18 01:23:05.366824962 UTC

Parent: 20231018:dip-19648-1697588302:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697624981 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean




## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:23:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:23:07.000000000 UTC

Endpoint known-by: 2023-10-18 01:23:20.365327599 UTC

Parent: 20231018:dip-19648-1697624981:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697603451 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean




## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:23:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:23:09.000000000 UTC

Endpoint known-by: 2023-10-18 01:23:20.365327599 UTC

Parent: 20231018:dip-19648-1697603451:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697585537 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:27:34.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:27:34.000000000 UTC

Endpoint known-by: 2023-10-18 01:27:40.184971680 UTC

Parent: 20231018:dip-19648-1697585537:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697596197 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:27:43.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:27:43.000000000 UTC

Endpoint known-by: 2023-10-18 01:27:44.989069122 UTC

Parent: 20231018:dip-19648-1697596197:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697598607 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:28:23.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:28:23.000000000 UTC

Endpoint known-by: 2023-10-18 01:28:32.047977770 UTC

Parent: 20231018:dip-19648-1697598607:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697589060 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:28:38.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:28:38.000000000 UTC

Endpoint known-by: 2023-10-18 01:28:39.073621773 UTC

Parent: 20231018:dip-19648-1697589060:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697585324 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:28:49.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:28:49.000000000 UTC

Endpoint known-by: 2023-10-18 01:29:03.116184011 UTC

Parent: 20231018:dip-19648-1697585324:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697590073 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:32:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:32:57.000000000 UTC

Endpoint known-by: 2023-10-18 01:33:16.135317129 UTC

Parent: 20231018:dip-19648-1697590073:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697590438 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:34:02.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:34:02.000000000 UTC

Endpoint known-by: 2023-10-18 01:34:32.841289748 UTC

Parent: 20231018:dip-19648-1697590438:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697617985 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:37:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:37:09.000000000 UTC

Endpoint known-by: 2023-10-18 01:37:20.947950833 UTC

Parent: 20231018:dip-19648-1697617985:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697660691 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:37:11.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:37:11.000000000 UTC

Endpoint known-by: 2023-10-18 01:37:20.947950833 UTC

Parent: 20231018:dip-19648-1697660691:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697603379 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:37:14.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:37:14.000000000 UTC

Endpoint known-by: 2023-10-18 01:37:20.947950833 UTC

Parent: 20231018:dip-19648-1697603379:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697610067 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:37:44.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:37:44.000000000 UTC

Endpoint known-by: 2023-10-18 01:37:51.053878358 UTC

Parent: 20231018:dip-19648-1697610067:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697590028 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:38:44.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:38:44.000000000 UTC

Endpoint known-by: 2023-10-18 01:39:03.137558807 UTC

Parent: 20231018:dip-19648-1697590028:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697602284 | FLIP

One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:38:46.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:38:46.000000000 UTC

Endpoint known-by: 2023-10-18 01:39:03.137558807 UTC

Parent: 20231018:dip-19648-1697602284:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697582543 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:39:18.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:39:18.000000000 UTC

Endpoint known-by: 2023-10-18 01:39:22.509349032 UTC

Parent: 20231018:dip-19648-1697582543:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697600491 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:39:50.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:39:50.000000000 UTC

Endpoint known-by: 2023-10-18 01:39:52.972960077 UTC

Parent: 20231018:dip-19648-1697600491:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697595929 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:40:14.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:40:14.000000000 UTC

Endpoint known-by: 2023-10-18 01:40:20.526665164 UTC

Parent: 20231018:dip-19648-1697595929:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697587698 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:40:35.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:40:35.000000000 UTC

Endpoint known-by: 2023-10-18 01:40:52.203726434 UTC

Parent: 20231018:dip-19648-1697587698:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697606862 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:40:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:40:55.000000000 UTC

Endpoint known-by: 2023-10-18 01:41:01.020018489 UTC

Parent: 20231018:dip-19648-1697606862:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697589111 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:40:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:40:57.000000000 UTC

Endpoint known-by: 2023-10-18 01:41:01.020018489 UTC

Parent: 20231018:dip-19648-1697589111:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697589736 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:41:18.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:41:18.000000000 UTC

Endpoint known-by: 2023-10-18 01:41:19.420256186 UTC

Parent: 20231018:dip-19648-1697589736:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697600281 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:41:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:41:20.000000000 UTC

Endpoint known-by: 2023-10-18 01:41:31.213150366 UTC

Parent: 20231018:dip-19648-1697600281:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697587572 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:41:22.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:41:22.000000000 UTC

Endpoint known-by: 2023-10-18 01:41:31.213150366 UTC

Parent: 20231018:dip-19648-1697587572:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697601614 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:41:26.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:41:26.000000000 UTC

Endpoint known-by: 2023-10-18 01:41:31.213150366 UTC

Parent: 20231018:dip-19648-1697601614:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697588669 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:41:31.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:41:31.000000000 UTC

Endpoint known-by: 2023-10-18 01:41:40.509462015 UTC

Parent: 20231018:dip-19648-1697588669:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697587267 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:51:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:51:36.000000000 UTC

Endpoint known-by: 2023-10-18 01:52:04.070772540 UTC

Parent: 20231018:dip-19648-1697587267:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697608959 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:52:52.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:52:52.000000000 UTC

Endpoint known-by: 2023-10-18 01:53:07.813324227 UTC

Parent: 20231018:dip-19648-1697608959:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697607130 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean




## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:52:56.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:52:56.000000000 UTC

Endpoint known-by: 2023-10-18 01:53:07.813324227 UTC

Parent: 20231018:dip-19648-1697607130:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697600599 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:53:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:53:07.000000000 UTC

Endpoint known-by: 2023-10-18 01:53:25.894962094 UTC

Parent: 20231018:dip-19648-1697600599:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697623560 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:53:08.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:53:08.000000000 UTC

Endpoint known-by: 2023-10-18 01:53:25.894962094 UTC

Parent: 20231018:dip-19648-1697623560:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697586836 | FLIP


One whole lifecycle: opposite_hold3 | 199 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:56:47.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:00:05.000000000 UTC

Endpoint known-by: 2023-10-18 02:00:07.147869512 UTC

Parent: 20231018:dip-19648-1697586836:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697586881 | FLIP


One whole lifecycle: opposite_hold3 | 194 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:56:52.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:00:05.000000000 UTC

Endpoint known-by: 2023-10-18 02:00:07.147869512 UTC

Parent: 20231018:dip-19648-1697586881:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697656590 | SAME


One whole lifecycle: opposite_hold3 | 192 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:56:54.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:00:05.000000000 UTC

Endpoint known-by: 2023-10-18 02:00:07.147869512 UTC

Parent: 20231018:dip-19648-1697656590:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697592066 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:57:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 01:57:07.000000000 UTC

Endpoint known-by: 2023-10-18 01:57:17.558337352 UTC

Parent: 20231018:dip-19648-1697592066:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697589319 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:13:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:13:57.000000000 UTC

Endpoint known-by: 2023-10-18 02:14:11.205046457 UTC

Parent: 20231018:dip-19648-1697589319:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697592266 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean




## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:21:04.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:21:04.000000000 UTC

Endpoint known-by: 2023-10-18 02:21:14.451185616 UTC

Parent: 20231018:dip-19648-1697592266:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697592723 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:22:01.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:22:01.000000000 UTC

Endpoint known-by: 2023-10-18 02:22:03.156906777 UTC

Parent: 20231018:dip-19648-1697592723:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697586572 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:22:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:22:10.000000000 UTC

Endpoint known-by: 2023-10-18 02:22:14.160919921 UTC

Parent: 20231018:dip-19648-1697586572:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697594141 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:23:01.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:23:01.000000000 UTC

Endpoint known-by: 2023-10-18 02:23:04.065610958 UTC

Parent: 20231018:dip-19648-1697594141:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697605360 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:23:33.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:23:33.000000000 UTC

Endpoint known-by: 2023-10-18 02:24:31.303585377 UTC

Parent: 20231018:dip-19648-1697605360:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697617471 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean




## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:23:34.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:23:34.000000000 UTC

Endpoint known-by: 2023-10-18 02:24:31.303585377 UTC

Parent: 20231018:dip-19648-1697617471:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697618808 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:23:38.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:23:38.000000000 UTC

Endpoint known-by: 2023-10-18 02:24:31.303585377 UTC

Parent: 20231018:dip-19648-1697618808:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697604004 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean




## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:24:21.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:24:21.000000000 UTC

Endpoint known-by: 2023-10-18 02:24:31.303585377 UTC

Parent: 20231018:dip-19648-1697604004:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697606420 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean




## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:24:21.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:24:21.000000000 UTC

Endpoint known-by: 2023-10-18 02:24:31.303585377 UTC

Parent: 20231018:dip-19648-1697606420:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697601351 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:36:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:36:03.000000000 UTC

Endpoint known-by: 2023-10-18 02:36:08.761758593 UTC

Parent: 20231018:dip-19648-1697601351:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697616009 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean




## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:36:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:36:07.000000000 UTC

Endpoint known-by: 2023-10-18 02:36:08.761758593 UTC

Parent: 20231018:dip-19648-1697616009:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697599715 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:36:15.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:36:15.000000000 UTC

Endpoint known-by: 2023-10-18 02:36:16.795974729 UTC

Parent: 20231018:dip-19648-1697599715:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697582976 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:38:22.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:38:22.000000000 UTC

Endpoint known-by: 2023-10-18 02:38:31.225341137 UTC

Parent: 20231018:dip-19648-1697582976:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697586251 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:38:27.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:38:27.000000000 UTC

Endpoint known-by: 2023-10-18 02:38:31.225341137 UTC

Parent: 20231018:dip-19648-1697586251:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697596930 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:38:49.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:38:49.000000000 UTC

Endpoint known-by: 2023-10-18 02:39:24.685892223 UTC

Parent: 20231018:dip-19648-1697596930:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697602412 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:39:00.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:39:00.000000000 UTC

Endpoint known-by: 2023-10-18 02:39:24.685892223 UTC

Parent: 20231018:dip-19648-1697602412:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697611972 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:39:18.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:39:18.000000000 UTC

Endpoint known-by: 2023-10-18 02:39:24.685892223 UTC

Parent: 20231018:dip-19648-1697611972:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697595399 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:39:39.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:39:39.000000000 UTC

Endpoint known-by: 2023-10-18 02:39:50.901485218 UTC

Parent: 20231018:dip-19648-1697595399:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697607588 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:39:52.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:39:52.000000000 UTC

Endpoint known-by: 2023-10-18 02:39:59.901442513 UTC

Parent: 20231018:dip-19648-1697607588:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697598301 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:40:12.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:40:12.000000000 UTC

Endpoint known-by: 2023-10-18 02:40:36.586547559 UTC

Parent: 20231018:dip-19648-1697598301:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697591329 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:40:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:40:20.000000000 UTC

Endpoint known-by: 2023-10-18 02:40:36.586547559 UTC

Parent: 20231018:dip-19648-1697591329:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697582168 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:46:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:46:05.000000000 UTC

Endpoint known-by: 2023-10-18 02:46:12.707343903 UTC

Parent: 20231018:dip-19648-1697582168:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697611462 | SAME


One whole lifecycle: opposite_hold3 | 645 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:50:53.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 03:01:37.000000000 UTC

Endpoint known-by: 2023-10-18 03:02:00.011331335 UTC

Parent: 20231018:dip-19648-1697611462:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231018 control1 | dip-19648-1697587116 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:56:18.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-18 02:56:18.000000000 UTC

Endpoint known-by: 2023-10-18 02:56:20.652049155 UTC

Parent: 20231018:dip-19648-1697587116:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.