
20231002 candidate | dip-19632-1696215227 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:53:47.000000000 UTC

Actual recognition: 2023-10-02 02:54:48.709547189 UTC

Endpoint label: 2023-10-02 02:54:14.000000000 UTC

Endpoint known-by: 2023-10-02 02:54:33.139951451 UTC

Parent: 20231002:dip-19632-1696215227:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696215352 | FLIP


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:55:52.000000000 UTC

Actual recognition: 2023-10-02 02:56:47.610208934 UTC

Endpoint label: 2023-10-02 02:56:44.000000000 UTC

Endpoint known-by: 2023-10-02 02:56:47.610208934 UTC

Parent: 20231002:dip-19632-1696215352:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696215402 | FLIP


One whole lifecycle: opposite_hold3 | 215 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:56:42.000000000 UTC

Actual recognition: 2023-10-02 02:57:46.549489179 UTC

Endpoint label: 2023-10-02 03:00:16.000000000 UTC

Endpoint known-by: 2023-10-02 03:00:36.886039901 UTC

Parent: 20231002:dip-19632-1696215402:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696215497 | SAME


One whole lifecycle: opposite_hold3 | 120 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:58:17.000000000 UTC

Actual recognition: 2023-10-02 02:59:13.689617517 UTC

Endpoint label: 2023-10-02 03:00:16.000000000 UTC

Endpoint known-by: 2023-10-02 03:00:36.886039901 UTC

Parent: 20231002:dip-19632-1696215497:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696215614 | FLIP


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:00:14.000000000 UTC

Actual recognition: 2023-10-02 03:01:08.780323545 UTC

Endpoint label: 2023-10-02 03:01:58.000000000 UTC

Endpoint known-by: 2023-10-02 03:02:00.546325092 UTC

Parent: 20231002:dip-19632-1696215614:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696215716 | FLIP


One whole lifecycle: opposite_hold3 | 631 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:01:56.000000000 UTC

Actual recognition: 2023-10-02 03:02:54.786027734 UTC

Endpoint label: 2023-10-02 03:12:26.000000000 UTC

Endpoint known-by: 2023-10-02 03:12:30.100159034 UTC

Parent: 20231002:dip-19632-1696215716:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696215830 | SAME


One whole lifecycle: opposite_hold3 | 517 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:03:50.000000000 UTC

Actual recognition: 2023-10-02 03:04:50.470307411 UTC

Endpoint label: 2023-10-02 03:12:26.000000000 UTC

Endpoint known-by: 2023-10-02 03:12:30.100159034 UTC

Parent: 20231002:dip-19632-1696215830:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696215947 | SAME


One whole lifecycle: opposite_hold3 | 400 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:05:47.000000000 UTC

Actual recognition: 2023-10-02 03:06:46.833583852 UTC

Endpoint label: 2023-10-02 03:12:26.000000000 UTC

Endpoint known-by: 2023-10-02 03:12:30.100159034 UTC

Parent: 20231002:dip-19632-1696215947:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216053 | SAME


One whole lifecycle: opposite_hold3 | 294 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:07:33.000000000 UTC

Actual recognition: 2023-10-02 03:08:44.962225801 UTC

Endpoint label: 2023-10-02 03:12:26.000000000 UTC

Endpoint known-by: 2023-10-02 03:12:30.100159034 UTC

Parent: 20231002:dip-19632-1696216053:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216103 | SAME


One whole lifecycle: opposite_hold3 | 244 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:08:23.000000000 UTC

Actual recognition: 2023-10-02 03:09:22.458933704 UTC

Endpoint label: 2023-10-02 03:12:26.000000000 UTC

Endpoint known-by: 2023-10-02 03:12:30.100159034 UTC

Parent: 20231002:dip-19632-1696216103:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216216 | SAME


One whole lifecycle: opposite_hold3 | 131 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:10:16.000000000 UTC

Actual recognition: 2023-10-02 03:11:46.996912191 UTC

Endpoint label: 2023-10-02 03:12:26.000000000 UTC

Endpoint known-by: 2023-10-02 03:12:30.100159034 UTC

Parent: 20231002:dip-19632-1696216216:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216273 | SAME


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:11:13.000000000 UTC

Actual recognition: 2023-10-02 03:12:04.616454599 UTC

Endpoint label: 2023-10-02 03:12:26.000000000 UTC

Endpoint known-by: 2023-10-02 03:12:30.100159034 UTC

Parent: 20231002:dip-19632-1696216273:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216344 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:12:24.000000000 UTC

Actual recognition: 2023-10-02 03:13:16.807337849 UTC

Endpoint label: 2023-10-02 03:12:46.000000000 UTC

Endpoint known-by: 2023-10-02 03:12:50.125299655 UTC

Parent: 20231002:dip-19632-1696216344:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216405 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:13:25.000000000 UTC

Actual recognition: 2023-10-02 03:14:00.087994653 UTC

Endpoint label: 2023-10-02 03:13:51.000000000 UTC

Endpoint known-by: 2023-10-02 03:13:52.294273155 UTC

Parent: 20231002:dip-19632-1696216405:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216450 | FLIP


One whole lifecycle: opposite_hold3 | 125 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:14:10.000000000 UTC

Actual recognition: 2023-10-02 03:15:04.108008452 UTC

Endpoint label: 2023-10-02 03:16:14.000000000 UTC

Endpoint known-by: 2023-10-02 03:16:20.889635351 UTC

Parent: 20231002:dip-19632-1696216450:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216552 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:15:52.000000000 UTC

Actual recognition: 2023-10-02 03:16:43.110266611 UTC

Endpoint label: 2023-10-02 03:16:14.000000000 UTC

Endpoint known-by: 2023-10-02 03:16:20.889635351 UTC

Parent: 20231002:dip-19632-1696216552:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216597 | FLIP


One whole lifecycle: opposite_hold3 | 508 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:16:37.000000000 UTC

Actual recognition: 2023-10-02 03:17:28.326944156 UTC

Endpoint label: 2023-10-02 03:25:04.000000000 UTC

Endpoint known-by: 2023-10-02 03:25:05.145499219 UTC

Parent: 20231002:dip-19632-1696216597:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216647 | SAME


One whole lifecycle: opposite_hold3 | 458 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:17:27.000000000 UTC

Actual recognition: 2023-10-02 03:18:24.701840901 UTC

Endpoint label: 2023-10-02 03:25:04.000000000 UTC

Endpoint known-by: 2023-10-02 03:25:05.145499219 UTC

Parent: 20231002:dip-19632-1696216647:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216692 | SAME


One whole lifecycle: opposite_hold3 | 413 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:18:12.000000000 UTC

Actual recognition: 2023-10-02 03:19:07.396612098 UTC

Endpoint label: 2023-10-02 03:25:04.000000000 UTC

Endpoint known-by: 2023-10-02 03:25:05.145499219 UTC

Parent: 20231002:dip-19632-1696216692:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216737 | SAME


One whole lifecycle: opposite_hold3 | 368 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:18:57.000000000 UTC

Actual recognition: 2023-10-02 03:20:24.970858413 UTC

Endpoint label: 2023-10-02 03:25:04.000000000 UTC

Endpoint known-by: 2023-10-02 03:25:05.145499219 UTC

Parent: 20231002:dip-19632-1696216737:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216824 | SAME


One whole lifecycle: opposite_hold3 | 281 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:20:24.000000000 UTC

Actual recognition: 2023-10-02 03:21:59.017699252 UTC

Endpoint label: 2023-10-02 03:25:04.000000000 UTC

Endpoint known-by: 2023-10-02 03:25:05.145499219 UTC

Parent: 20231002:dip-19632-1696216824:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696216960 | SAME


One whole lifecycle: opposite_hold3 | 145 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:22:40.000000000 UTC

Actual recognition: 2023-10-02 03:23:40.124422267 UTC

Endpoint label: 2023-10-02 03:25:04.000000000 UTC

Endpoint known-by: 2023-10-02 03:25:05.145499219 UTC

Parent: 20231002:dip-19632-1696216960:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696217041 | SAME


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:24:01.000000000 UTC

Actual recognition: 2023-10-02 03:25:02.189444829 UTC

Endpoint label: 2023-10-02 03:25:04.000000000 UTC

Endpoint known-by: 2023-10-02 03:25:05.145499219 UTC

Parent: 20231002:dip-19632-1696217041:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696217102 | FLIP


One whole lifecycle: opposite_hold3 | 305 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:25:02.000000000 UTC

Actual recognition: 2023-10-02 03:26:00.022008203 UTC

Endpoint label: 2023-10-02 03:30:06.000000000 UTC

Endpoint known-by: 2023-10-02 03:30:07.192970859 UTC

Parent: 20231002:dip-19632-1696217102:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696217171 | SAME


One whole lifecycle: opposite_hold3 | 236 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:26:11.000000000 UTC

Actual recognition: 2023-10-02 03:27:15.108990490 UTC

Endpoint label: 2023-10-02 03:30:06.000000000 UTC

Endpoint known-by: 2023-10-02 03:30:07.192970859 UTC

Parent: 20231002:dip-19632-1696217171:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696217235 | SAME


One whole lifecycle: opposite_hold3 | 172 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:27:15.000000000 UTC

Actual recognition: 2023-10-02 03:28:06.373624642 UTC

Endpoint label: 2023-10-02 03:30:06.000000000 UTC

Endpoint known-by: 2023-10-02 03:30:07.192970859 UTC

Parent: 20231002:dip-19632-1696217235:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696217339 | SAME


One whole lifecycle: opposite_hold3 | 68 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:28:59.000000000 UTC

Actual recognition: 2023-10-02 03:30:00.091312708 UTC

Endpoint label: 2023-10-02 03:30:06.000000000 UTC

Endpoint known-by: 2023-10-02 03:30:07.192970859 UTC

Parent: 20231002:dip-19632-1696217339:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696217406 | FLIP


One whole lifecycle: opposite_hold3 | 354 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:30:06.000000000 UTC

Actual recognition: 2023-10-02 03:30:58.843590450 UTC

Endpoint label: 2023-10-02 03:35:59.000000000 UTC

Endpoint known-by: 2023-10-02 03:36:01.017355835 UTC

Parent: 20231002:dip-19632-1696217406:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696217483 | SAME


One whole lifecycle: opposite_hold3 | 277 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:31:23.000000000 UTC

Actual recognition: 2023-10-02 03:32:40.425496151 UTC

Endpoint label: 2023-10-02 03:35:59.000000000 UTC

Endpoint known-by: 2023-10-02 03:36:01.017355835 UTC

Parent: 20231002:dip-19632-1696217483:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696217560 | SAME


One whole lifecycle: opposite_hold3 | 200 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:32:40.000000000 UTC

Actual recognition: 2023-10-02 03:33:48.272568566 UTC

Endpoint label: 2023-10-02 03:35:59.000000000 UTC

Endpoint known-by: 2023-10-02 03:36:01.017355835 UTC

Parent: 20231002:dip-19632-1696217560:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696217694 | SAME


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:34:54.000000000 UTC

Actual recognition: 2023-10-02 03:35:47.628842340 UTC

Endpoint label: 2023-10-02 03:35:59.000000000 UTC

Endpoint known-by: 2023-10-02 03:36:01.017355835 UTC

Parent: 20231002:dip-19632-1696217694:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696217757 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:35:57.000000000 UTC

Actual recognition: 2023-10-02 03:36:53.041719701 UTC

Endpoint label: 2023-10-02 03:36:16.000000000 UTC

Endpoint known-by: 2023-10-02 03:36:53.041719701 UTC

Parent: 20231002:dip-19632-1696217757:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696217925 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:38:45.000000000 UTC

Actual recognition: 2023-10-02 03:40:03.019222574 UTC

Endpoint label: 2023-10-02 03:39:21.000000000 UTC

Endpoint known-by: 2023-10-02 03:40:03.019222574 UTC

Parent: 20231002:dip-19632-1696217925:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696218246 | FLIP


One whole lifecycle: opposite_hold3 | 70 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:44:06.000000000 UTC

Actual recognition: 2023-10-02 03:44:58.235740333 UTC

Endpoint label: 2023-10-02 03:45:15.000000000 UTC

Endpoint known-by: 2023-10-02 03:45:18.228203479 UTC

Parent: 20231002:dip-19632-1696218246:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696218315 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:45:15.000000000 UTC

Actual recognition: 2023-10-02 03:45:47.604636510 UTC

Endpoint label: 2023-10-02 03:45:33.000000000 UTC

Endpoint known-by: 2023-10-02 03:45:47.604636510 UTC

Parent: 20231002:dip-19632-1696218315:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696218502 | FLIP


One whole lifecycle: opposite_hold3 | 200 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:48:22.000000000 UTC

Actual recognition: 2023-10-02 03:49:20.873363931 UTC

Endpoint label: 2023-10-02 03:51:41.000000000 UTC

Endpoint known-by: 2023-10-02 03:51:52.116791377 UTC

Parent: 20231002:dip-19632-1696218502:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696218601 | SAME


One whole lifecycle: opposite_hold3 | 101 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:50:01.000000000 UTC

Actual recognition: 2023-10-02 03:50:52.100174716 UTC

Endpoint label: 2023-10-02 03:51:41.000000000 UTC

Endpoint known-by: 2023-10-02 03:51:52.116791377 UTC

Parent: 20231002:dip-19632-1696218601:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696218699 | FLIP


One whole lifecycle: opposite_hold3 | 78 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:51:39.000000000 UTC

Actual recognition: 2023-10-02 03:51:52.116791377 UTC

Endpoint label: 2023-10-02 03:52:56.000000000 UTC

Endpoint known-by: 2023-10-02 03:53:10.574112142 UTC

Parent: 20231002:dip-19632-1696218699:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696218774 | FLIP


One whole lifecycle: opposite_hold3 | 72 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:52:54.000000000 UTC

Actual recognition: 2023-10-02 03:54:03.184570078 UTC

Endpoint label: 2023-10-02 03:54:05.000000000 UTC

Endpoint known-by: 2023-10-02 03:54:13.184005523 UTC

Parent: 20231002:dip-19632-1696218774:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696218847 | FLIP


One whole lifecycle: opposite_hold3 | 164 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:54:07.000000000 UTC

Actual recognition: 2023-10-02 03:55:13.750197476 UTC

Endpoint label: 2023-10-02 03:56:50.000000000 UTC

Endpoint known-by: 2023-10-02 03:56:55.109333749 UTC

Parent: 20231002:dip-19632-1696218847:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696218913 | SAME


One whole lifecycle: opposite_hold3 | 98 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:55:13.000000000 UTC

Actual recognition: 2023-10-02 03:56:41.103202981 UTC

Endpoint label: 2023-10-02 03:56:50.000000000 UTC

Endpoint known-by: 2023-10-02 03:56:55.109333749 UTC

Parent: 20231002:dip-19632-1696218913:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696219008 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:56:48.000000000 UTC

Actual recognition: 2023-10-02 03:57:44.603413091 UTC

Endpoint label: 2023-10-02 03:57:10.000000000 UTC

Endpoint known-by: 2023-10-02 03:57:13.726701859 UTC

Parent: 20231002:dip-19632-1696219008:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696219130 | SAME


One whole lifecycle: opposite_hold3 | 596 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 03:58:50.000000000 UTC

Actual recognition: 2023-10-02 03:59:44.231238813 UTC

Endpoint label: 2023-10-02 04:08:45.000000000 UTC

Endpoint known-by: 2023-10-02 04:08:46.085280092 UTC

Parent: 20231002:dip-19632-1696219130:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696219203 | SAME


One whole lifecycle: opposite_hold3 | 523 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:00:03.000000000 UTC

Actual recognition: 2023-10-02 04:01:43.935652335 UTC

Endpoint label: 2023-10-02 04:08:45.000000000 UTC

Endpoint known-by: 2023-10-02 04:08:46.085280092 UTC

Parent: 20231002:dip-19632-1696219203:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696219367 | FLIP


One whole lifecycle: opposite_hold3 | 103 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:02:47.000000000 UTC

Actual recognition: 2023-10-02 04:04:27.685243876 UTC

Endpoint label: 2023-10-02 04:04:29.000000000 UTC

Endpoint known-by: 2023-10-02 04:04:30.000603319 UTC

Parent: 20231002:dip-19632-1696219367:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696219467 | FLIP


One whole lifecycle: opposite_hold3 | 259 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:04:27.000000000 UTC

Actual recognition: 2023-10-02 04:05:38.110470089 UTC

Endpoint label: 2023-10-02 04:08:45.000000000 UTC

Endpoint known-by: 2023-10-02 04:08:46.085280092 UTC

Parent: 20231002:dip-19632-1696219467:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696219538 | SAME


One whole lifecycle: opposite_hold3 | 188 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:05:38.000000000 UTC

Actual recognition: 2023-10-02 04:06:47.209427910 UTC

Endpoint label: 2023-10-02 04:08:45.000000000 UTC

Endpoint known-by: 2023-10-02 04:08:46.085280092 UTC

Parent: 20231002:dip-19632-1696219538:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696219675 | SAME


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:07:55.000000000 UTC

Actual recognition: 2023-10-02 04:08:46.085280092 UTC

Endpoint label: 2023-10-02 04:08:45.000000000 UTC

Endpoint known-by: 2023-10-02 04:08:46.085280092 UTC

Parent: 20231002:dip-19632-1696219675:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696219727 | FLIP


One whole lifecycle: opposite_hold3 | 149 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:08:47.000000000 UTC

Actual recognition: 2023-10-02 04:10:34.664376205 UTC

Endpoint label: 2023-10-02 04:11:15.000000000 UTC

Endpoint known-by: 2023-10-02 04:11:21.700880246 UTC

Parent: 20231002:dip-19632-1696219727:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696219873 | FLIP


One whole lifecycle: opposite_hold3 | 135 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:11:13.000000000 UTC

Actual recognition: 2023-10-02 04:12:32.706204877 UTC

Endpoint label: 2023-10-02 04:13:27.000000000 UTC

Endpoint known-by: 2023-10-02 04:13:28.091712790 UTC

Parent: 20231002:dip-19632-1696219873:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696219975 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:12:55.000000000 UTC

Actual recognition: 2023-10-02 04:13:47.427419476 UTC

Endpoint label: 2023-10-02 04:13:27.000000000 UTC

Endpoint known-by: 2023-10-02 04:13:28.091712790 UTC

Parent: 20231002:dip-19632-1696219975:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696220063 | SAME


One whole lifecycle: opposite_hold3 | 249 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:14:23.000000000 UTC

Actual recognition: 2023-10-02 04:14:31.024134246 UTC

Endpoint label: 2023-10-02 04:18:31.000000000 UTC

Endpoint known-by: 2023-10-02 04:18:54.690236792 UTC

Parent: 20231002:dip-19632-1696220063:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696220142 | SAME


One whole lifecycle: opposite_hold3 | 170 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:15:42.000000000 UTC

Actual recognition: 2023-10-02 04:15:59.951508417 UTC

Endpoint label: 2023-10-02 04:18:31.000000000 UTC

Endpoint known-by: 2023-10-02 04:18:54.690236792 UTC

Parent: 20231002:dip-19632-1696220142:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696220309 | FLIP


One whole lifecycle: opposite_hold3 | 145 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:18:29.000000000 UTC

Actual recognition: 2023-10-02 04:19:22.638078026 UTC

Endpoint label: 2023-10-02 04:20:53.000000000 UTC

Endpoint known-by: 2023-10-02 04:21:06.769380902 UTC

Parent: 20231002:dip-19632-1696220309:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696220359 | SAME


One whole lifecycle: opposite_hold3 | 95 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:19:19.000000000 UTC

Actual recognition: 2023-10-02 04:20:08.106035094 UTC

Endpoint label: 2023-10-02 04:20:53.000000000 UTC

Endpoint known-by: 2023-10-02 04:21:06.769380902 UTC

Parent: 20231002:dip-19632-1696220359:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696220431 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:20:31.000000000 UTC

Actual recognition: 2023-10-02 04:21:43.999498571 UTC

Endpoint label: 2023-10-02 04:20:53.000000000 UTC

Endpoint known-by: 2023-10-02 04:21:06.769380902 UTC

Parent: 20231002:dip-19632-1696220431:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696220655 | FLIP


One whole lifecycle: opposite_hold3 | 259 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:24:15.000000000 UTC

Actual recognition: 2023-10-02 04:25:19.090072867 UTC

Endpoint label: 2023-10-02 04:28:33.000000000 UTC

Endpoint known-by: 2023-10-02 04:28:34.420525317 UTC

Parent: 20231002:dip-19632-1696220655:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696220911 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:28:31.000000000 UTC

Actual recognition: 2023-10-02 04:29:31.921201520 UTC

Endpoint label: 2023-10-02 04:28:53.000000000 UTC

Endpoint known-by: 2023-10-02 04:29:07.706769632 UTC

Parent: 20231002:dip-19632-1696220911:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696220956 | FLIP


One whole lifecycle: opposite_hold3 | 360 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:29:16.000000000 UTC

Actual recognition: 2023-10-02 04:30:26.265450372 UTC

Endpoint label: 2023-10-02 04:35:15.000000000 UTC

Endpoint known-by: 2023-10-02 04:35:17.302010018 UTC

Parent: 20231002:dip-19632-1696220956:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221101 | SAME


One whole lifecycle: opposite_hold3 | 215 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:31:41.000000000 UTC

Actual recognition: 2023-10-02 04:33:13.695736348 UTC

Endpoint label: 2023-10-02 04:35:15.000000000 UTC

Endpoint known-by: 2023-10-02 04:35:17.302010018 UTC

Parent: 20231002:dip-19632-1696221101:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221251 | SAME


One whole lifecycle: opposite_hold3 | 65 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:34:11.000000000 UTC

Actual recognition: 2023-10-02 04:35:13.837012987 UTC

Endpoint label: 2023-10-02 04:35:15.000000000 UTC

Endpoint known-by: 2023-10-02 04:35:17.302010018 UTC

Parent: 20231002:dip-19632-1696221251:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221342 | SAME


One whole lifecycle: opposite_hold3 | 119 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:35:42.000000000 UTC

Actual recognition: 2023-10-02 04:36:28.257519609 UTC

Endpoint label: 2023-10-02 04:37:40.000000000 UTC

Endpoint known-by: 2023-10-02 04:37:47.836227710 UTC

Parent: 20231002:dip-19632-1696221342:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221389 | SAME


One whole lifecycle: opposite_hold3 | 72 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:36:29.000000000 UTC

Actual recognition: 2023-10-02 04:37:20.474853209 UTC

Endpoint label: 2023-10-02 04:37:40.000000000 UTC

Endpoint known-by: 2023-10-02 04:37:47.836227710 UTC

Parent: 20231002:dip-19632-1696221389:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221458 | FLIP


One whole lifecycle: opposite_hold3 | 262 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:37:38.000000000 UTC

Actual recognition: 2023-10-02 04:38:34.398256731 UTC

Endpoint label: 2023-10-02 04:41:59.000000000 UTC

Endpoint known-by: 2023-10-02 04:42:00.776710752 UTC

Parent: 20231002:dip-19632-1696221458:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221514 | SAME


One whole lifecycle: opposite_hold3 | 206 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:38:34.000000000 UTC

Actual recognition: 2023-10-02 04:39:29.398853247 UTC

Endpoint label: 2023-10-02 04:41:59.000000000 UTC

Endpoint known-by: 2023-10-02 04:42:00.776710752 UTC

Parent: 20231002:dip-19632-1696221514:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221571 | SAME


One whole lifecycle: opposite_hold3 | 149 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:39:31.000000000 UTC

Actual recognition: 2023-10-02 04:40:48.375749835 UTC

Endpoint label: 2023-10-02 04:41:59.000000000 UTC

Endpoint known-by: 2023-10-02 04:42:00.776710752 UTC

Parent: 20231002:dip-19632-1696221571:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221651 | SAME


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:40:51.000000000 UTC

Actual recognition: 2023-10-02 04:41:44.786270704 UTC

Endpoint label: 2023-10-02 04:41:59.000000000 UTC

Endpoint known-by: 2023-10-02 04:42:00.776710752 UTC

Parent: 20231002:dip-19632-1696221651:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221717 | FLIP


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:41:57.000000000 UTC

Actual recognition: 2023-10-02 04:42:58.649956722 UTC

Endpoint label: 2023-10-02 04:43:38.000000000 UTC

Endpoint known-by: 2023-10-02 04:43:40.760332276 UTC

Parent: 20231002:dip-19632-1696221717:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221762 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:42:42.000000000 UTC

Actual recognition: 2023-10-02 04:43:36.132369883 UTC

Endpoint label: 2023-10-02 04:43:38.000000000 UTC

Endpoint known-by: 2023-10-02 04:43:40.760332276 UTC

Parent: 20231002:dip-19632-1696221762:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221816 | FLIP


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:43:36.000000000 UTC

Actual recognition: 2023-10-02 04:44:42.023052679 UTC

Endpoint label: 2023-10-02 04:44:44.000000000 UTC

Endpoint known-by: 2023-10-02 04:44:49.228745775 UTC

Parent: 20231002:dip-19632-1696221816:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221882 | FLIP


One whole lifecycle: opposite_hold3 | 221 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:44:42.000000000 UTC

Actual recognition: 2023-10-02 04:45:37.671682717 UTC

Endpoint label: 2023-10-02 04:48:22.000000000 UTC

Endpoint known-by: 2023-10-02 04:48:23.960899280 UTC

Parent: 20231002:dip-19632-1696221882:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696221932 | SAME


One whole lifecycle: opposite_hold3 | 171 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:45:32.000000000 UTC

Actual recognition: 2023-10-02 04:46:26.811806850 UTC

Endpoint label: 2023-10-02 04:48:22.000000000 UTC

Endpoint known-by: 2023-10-02 04:48:23.960899280 UTC

Parent: 20231002:dip-19632-1696221932:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696222100 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:48:20.000000000 UTC

Actual recognition: 2023-10-02 04:49:14.981117234 UTC

Endpoint label: 2023-10-02 04:48:42.000000000 UTC

Endpoint known-by: 2023-10-02 04:48:43.058454208 UTC

Parent: 20231002:dip-19632-1696222100:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696222155 | SAME


One whole lifecycle: opposite_hold3 | 89 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:49:15.000000000 UTC

Actual recognition: 2023-10-02 04:50:07.689264845 UTC

Endpoint label: 2023-10-02 04:50:43.000000000 UTC

Endpoint known-by: 2023-10-02 04:50:44.273060375 UTC

Parent: 20231002:dip-19632-1696222155:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696222241 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:50:41.000000000 UTC

Actual recognition: 2023-10-02 04:51:34.899214907 UTC

Endpoint label: 2023-10-02 04:51:03.000000000 UTC

Endpoint known-by: 2023-10-02 04:51:06.960754673 UTC

Parent: 20231002:dip-19632-1696222241:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696222299 | FLIP


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:51:39.000000000 UTC

Actual recognition: 2023-10-02 04:52:38.460474588 UTC

Endpoint label: 2023-10-02 04:52:47.000000000 UTC

Endpoint known-by: 2023-10-02 04:52:48.111043703 UTC

Parent: 20231002:dip-19632-1696222299:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696222365 | FLIP


One whole lifecycle: opposite_hold3 | 364 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:52:45.000000000 UTC

Actual recognition: 2023-10-02 04:54:29.468295738 UTC

Endpoint label: 2023-10-02 04:58:48.000000000 UTC

Endpoint known-by: 2023-10-02 04:58:50.189553650 UTC

Parent: 20231002:dip-19632-1696222365:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696222469 | SAME


One whole lifecycle: opposite_hold3 | 260 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:54:29.000000000 UTC

Actual recognition: 2023-10-02 04:55:42.478509132 UTC

Endpoint label: 2023-10-02 04:58:48.000000000 UTC

Endpoint known-by: 2023-10-02 04:58:50.189553650 UTC

Parent: 20231002:dip-19632-1696222469:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696222726 | FLIP


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 04:58:46.000000000 UTC

Actual recognition: 2023-10-02 05:00:04.669677344 UTC

Endpoint label: 2023-10-02 04:59:31.000000000 UTC

Endpoint known-by: 2023-10-02 05:00:04.669677344 UTC

Parent: 20231002:dip-19632-1696222726:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696222854 | FLIP


One whole lifecycle: opposite_hold3 | 251 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:00:54.000000000 UTC

Actual recognition: 2023-10-02 05:02:02.238912432 UTC

Endpoint label: 2023-10-02 05:05:04.000000000 UTC

Endpoint known-by: 2023-10-02 05:05:32.836890545 UTC

Parent: 20231002:dip-19632-1696222854:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696222899 | SAME


One whole lifecycle: opposite_hold3 | 206 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:01:39.000000000 UTC

Actual recognition: 2023-10-02 05:02:30.255316764 UTC

Endpoint label: 2023-10-02 05:05:04.000000000 UTC

Endpoint known-by: 2023-10-02 05:05:32.836890545 UTC

Parent: 20231002:dip-19632-1696222899:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696223102 | FLIP


One whole lifecycle: opposite_hold3 | 152 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:05:02.000000000 UTC

Actual recognition: 2023-10-02 05:06:08.724039488 UTC

Endpoint label: 2023-10-02 05:07:33.000000000 UTC

Endpoint known-by: 2023-10-02 05:07:49.479105220 UTC

Parent: 20231002:dip-19632-1696223102:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696223189 | SAME


One whole lifecycle: opposite_hold3 | 65 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:06:29.000000000 UTC

Actual recognition: 2023-10-02 05:07:27.252966895 UTC

Endpoint label: 2023-10-02 05:07:33.000000000 UTC

Endpoint known-by: 2023-10-02 05:07:49.479105220 UTC

Parent: 20231002:dip-19632-1696223189:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696223251 | FLIP


One whole lifecycle: opposite_hold3 | 141 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:07:31.000000000 UTC

Actual recognition: 2023-10-02 05:09:49.814864468 UTC

Endpoint label: 2023-10-02 05:09:51.000000000 UTC

Endpoint known-by: 2023-10-02 05:09:55.778951934 UTC

Parent: 20231002:dip-19632-1696223251:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696223389 | FLIP


One whole lifecycle: opposite_hold3 | 158 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:09:49.000000000 UTC

Actual recognition: 2023-10-02 05:10:43.048823008 UTC

Endpoint label: 2023-10-02 05:12:26.000000000 UTC

Endpoint known-by: 2023-10-02 05:12:27.098628048 UTC

Parent: 20231002:dip-19632-1696223389:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696223594 | FLIP


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:13:14.000000000 UTC

Actual recognition: 2023-10-02 05:14:07.654908259 UTC

Endpoint label: 2023-10-02 05:13:59.000000000 UTC

Endpoint known-by: 2023-10-02 05:14:01.143357017 UTC

Parent: 20231002:dip-19632-1696223594:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696223657 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:14:17.000000000 UTC

Actual recognition: 2023-10-02 05:15:09.999348629 UTC

Endpoint label: 2023-10-02 05:14:37.000000000 UTC

Endpoint known-by: 2023-10-02 05:14:51.113037330 UTC

Parent: 20231002:dip-19632-1696223657:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696223711 | SAME


One whole lifecycle: opposite_hold3 | 339 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:15:11.000000000 UTC

Actual recognition: 2023-10-02 05:16:19.460944284 UTC

Endpoint label: 2023-10-02 05:20:49.000000000 UTC

Endpoint known-by: 2023-10-02 05:20:53.068166064 UTC

Parent: 20231002:dip-19632-1696223711:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696223957 | SAME


One whole lifecycle: opposite_hold3 | 93 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:19:17.000000000 UTC

Actual recognition: 2023-10-02 05:20:38.059332769 UTC

Endpoint label: 2023-10-02 05:20:49.000000000 UTC

Endpoint known-by: 2023-10-02 05:20:53.068166064 UTC

Parent: 20231002:dip-19632-1696223957:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696224047 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:20:47.000000000 UTC

Actual recognition: 2023-10-02 05:22:01.744131445 UTC

Endpoint label: 2023-10-02 05:21:09.000000000 UTC

Endpoint known-by: 2023-10-02 05:21:13.689679117 UTC

Parent: 20231002:dip-19632-1696224047:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696224092 | SAME


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:21:32.000000000 UTC

Actual recognition: 2023-10-02 05:22:51.861060725 UTC

Endpoint label: 2023-10-02 05:23:16.000000000 UTC

Endpoint known-by: 2023-10-02 05:23:17.611760894 UTC

Parent: 20231002:dip-19632-1696224092:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696224217 | FLIP


One whole lifecycle: opposite_hold3 | 298 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:23:37.000000000 UTC

Actual recognition: 2023-10-02 05:25:20.109032110 UTC

Endpoint label: 2023-10-02 05:28:34.000000000 UTC

Endpoint known-by: 2023-10-02 05:28:35.222352524 UTC

Parent: 20231002:dip-19632-1696224217:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696224320 | SAME


One whole lifecycle: opposite_hold3 | 195 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:25:20.000000000 UTC

Actual recognition: 2023-10-02 05:26:57.867493836 UTC

Endpoint label: 2023-10-02 05:28:34.000000000 UTC

Endpoint known-by: 2023-10-02 05:28:35.222352524 UTC

Parent: 20231002:dip-19632-1696224320:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696224512 | FLIP


One whole lifecycle: opposite_hold3 | 291 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:28:32.000000000 UTC

Actual recognition: 2023-10-02 05:30:09.132143315 UTC

Endpoint label: 2023-10-02 05:33:22.000000000 UTC

Endpoint known-by: 2023-10-02 05:33:25.091692857 UTC

Parent: 20231002:dip-19632-1696224512:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696224616 | SAME


One whole lifecycle: opposite_hold3 | 187 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:30:16.000000000 UTC

Actual recognition: 2023-10-02 05:31:36.722222572 UTC

Endpoint label: 2023-10-02 05:33:22.000000000 UTC

Endpoint known-by: 2023-10-02 05:33:25.091692857 UTC

Parent: 20231002:dip-19632-1696224616:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696224800 | FLIP


One whole lifecycle: opposite_hold3 | 218 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:33:20.000000000 UTC

Actual recognition: 2023-10-02 05:34:16.952317474 UTC

Endpoint label: 2023-10-02 05:36:57.000000000 UTC

Endpoint known-by: 2023-10-02 05:36:59.231450973 UTC

Parent: 20231002:dip-19632-1696224800:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696224849 | SAME


One whole lifecycle: opposite_hold3 | 169 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:34:09.000000000 UTC

Actual recognition: 2023-10-02 05:35:35.817850928 UTC

Endpoint label: 2023-10-02 05:36:57.000000000 UTC

Endpoint known-by: 2023-10-02 05:36:59.231450973 UTC

Parent: 20231002:dip-19632-1696224849:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696224894 | SAME


One whole lifecycle: opposite_hold3 | 124 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:34:54.000000000 UTC

Actual recognition: 2023-10-02 05:35:54.979116583 UTC

Endpoint label: 2023-10-02 05:36:57.000000000 UTC

Endpoint known-by: 2023-10-02 05:36:59.231450973 UTC

Parent: 20231002:dip-19632-1696224894:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696225015 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:36:55.000000000 UTC

Actual recognition: 2023-10-02 05:38:13.685783567 UTC

Endpoint label: 2023-10-02 05:37:17.000000000 UTC

Endpoint known-by: 2023-10-02 05:37:38.463649454 UTC

Parent: 20231002:dip-19632-1696225015:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696225239 | SAME


One whole lifecycle: opposite_hold3 | 82 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:40:39.000000000 UTC

Actual recognition: 2023-10-02 05:41:44.684078720 UTC

Endpoint label: 2023-10-02 05:42:00.000000000 UTC

Endpoint known-by: 2023-10-02 05:42:03.824211021 UTC

Parent: 20231002:dip-19632-1696225239:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.