
20231002 candidate | dip-19632-1696251186 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 12:53:06.000000000 UTC

Actual recognition: 2023-10-02 12:53:57.342586085 UTC

Endpoint label: 2023-10-02 12:53:30.000000000 UTC

Endpoint known-by: 2023-10-02 12:53:31.886960552 UTC

Parent: 20231002:dip-19632-1696251186:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696251232 | FLIP


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 12:53:52.000000000 UTC

Actual recognition: 2023-10-02 12:54:45.017580525 UTC

Endpoint label: 2023-10-02 12:55:05.000000000 UTC

Endpoint known-by: 2023-10-02 12:55:07.020542631 UTC

Parent: 20231002:dip-19632-1696251232:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696251366 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 12:56:06.000000000 UTC

Actual recognition: 2023-10-02 12:56:56.997386450 UTC

Endpoint label: 2023-10-02 12:56:32.000000000 UTC

Endpoint known-by: 2023-10-02 12:56:33.176379008 UTC

Parent: 20231002:dip-19632-1696251366:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696251438 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 12:57:18.000000000 UTC

Actual recognition: 2023-10-02 12:58:08.497745619 UTC

Endpoint label: 2023-10-02 12:57:34.000000000 UTC

Endpoint known-by: 2023-10-02 12:57:36.099370797 UTC

Parent: 20231002:dip-19632-1696251438:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696251542 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 12:59:02.000000000 UTC

Actual recognition: 2023-10-02 12:59:49.727349655 UTC

Endpoint label: 2023-10-02 12:59:30.000000000 UTC

Endpoint known-by: 2023-10-02 12:59:32.675363624 UTC

Parent: 20231002:dip-19632-1696251542:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696251899 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:04:59.000000000 UTC

Actual recognition: 2023-10-02 13:05:50.203318040 UTC

Endpoint label: 2023-10-02 13:05:02.000000000 UTC

Endpoint known-by: 2023-10-02 13:05:03.218252988 UTC

Parent: 20231002:dip-19632-1696251899:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696252126 | SAME


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:08:46.000000000 UTC

Actual recognition: 2023-10-02 13:09:37.547918657 UTC

Endpoint label: 2023-10-02 13:09:33.000000000 UTC

Endpoint known-by: 2023-10-02 13:09:34.340421388 UTC

Parent: 20231002:dip-19632-1696252126:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696252229 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:10:29.000000000 UTC

Actual recognition: 2023-10-02 13:11:21.116036501 UTC

Endpoint label: 2023-10-02 13:10:33.000000000 UTC

Endpoint known-by: 2023-10-02 13:10:34.062801497 UTC

Parent: 20231002:dip-19632-1696252229:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696252274 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:11:14.000000000 UTC

Actual recognition: 2023-10-02 13:12:05.652621694 UTC

Endpoint label: 2023-10-02 13:11:23.000000000 UTC

Endpoint known-by: 2023-10-02 13:11:24.714244878 UTC

Parent: 20231002:dip-19632-1696252274:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696252375 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:12:55.000000000 UTC

Actual recognition: 2023-10-02 13:13:46.046762568 UTC

Endpoint label: 2023-10-02 13:13:01.000000000 UTC

Endpoint known-by: 2023-10-02 13:13:02.047810249 UTC

Parent: 20231002:dip-19632-1696252375:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696252439 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:13:59.000000000 UTC

Actual recognition: 2023-10-02 13:14:50.160788703 UTC

Endpoint label: 2023-10-02 13:14:47.000000000 UTC

Endpoint known-by: 2023-10-02 13:14:48.024739454 UTC

Parent: 20231002:dip-19632-1696252439:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696252529 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:15:29.000000000 UTC

Actual recognition: 2023-10-02 13:16:21.972130863 UTC

Endpoint label: 2023-10-02 13:15:40.000000000 UTC

Endpoint known-by: 2023-10-02 13:15:41.154609530 UTC

Parent: 20231002:dip-19632-1696252529:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696252575 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:16:15.000000000 UTC

Actual recognition: 2023-10-02 13:17:06.944506207 UTC

Endpoint label: 2023-10-02 13:16:25.000000000 UTC

Endpoint known-by: 2023-10-02 13:16:27.039856393 UTC

Parent: 20231002:dip-19632-1696252575:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696252761 | FLIP


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:19:21.000000000 UTC

Actual recognition: 2023-10-02 13:20:12.277207151 UTC

Endpoint label: 2023-10-02 13:20:24.000000000 UTC

Endpoint known-by: 2023-10-02 13:20:26.160865352 UTC

Parent: 20231002:dip-19632-1696252761:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696252913 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:21:53.000000000 UTC

Actual recognition: 2023-10-02 13:22:44.092822946 UTC

Endpoint label: 2023-10-02 13:22:05.000000000 UTC

Endpoint known-by: 2023-10-02 13:22:06.057000675 UTC

Parent: 20231002:dip-19632-1696252913:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696253726 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:35:26.000000000 UTC

Actual recognition: 2023-10-02 13:36:17.967711446 UTC

Endpoint label: 2023-10-02 13:35:40.000000000 UTC

Endpoint known-by: 2023-10-02 13:35:41.085901419 UTC

Parent: 20231002:dip-19632-1696253726:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696253851 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:37:31.000000000 UTC

Actual recognition: 2023-10-02 13:38:21.189087956 UTC

Endpoint label: 2023-10-02 13:37:55.000000000 UTC

Endpoint known-by: 2023-10-02 13:37:57.266558059 UTC

Parent: 20231002:dip-19632-1696253851:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696254126 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:42:06.000000000 UTC

Actual recognition: 2023-10-02 13:42:52.246895073 UTC

Endpoint label: 2023-10-02 13:42:17.000000000 UTC

Endpoint known-by: 2023-10-02 13:42:18.534746815 UTC

Parent: 20231002:dip-19632-1696254126:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696254268 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:44:28.000000000 UTC

Actual recognition: 2023-10-02 13:45:19.004203313 UTC

Endpoint label: 2023-10-02 13:44:44.000000000 UTC

Endpoint known-by: 2023-10-02 13:44:45.018319754 UTC

Parent: 20231002:dip-19632-1696254268:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696254476 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:47:56.000000000 UTC

Actual recognition: 2023-10-02 13:48:48.360874416 UTC

Endpoint label: 2023-10-02 13:48:00.000000000 UTC

Endpoint known-by: 2023-10-02 13:48:01.000118232 UTC

Parent: 20231002:dip-19632-1696254476:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696254571 | FLIP


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:49:31.000000000 UTC

Actual recognition: 2023-10-02 13:50:20.507189241 UTC

Endpoint label: 2023-10-02 13:50:15.000000000 UTC

Endpoint known-by: 2023-10-02 13:50:20.507189241 UTC

Parent: 20231002:dip-19632-1696254571:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696254680 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:51:20.000000000 UTC

Actual recognition: 2023-10-02 13:51:32.433851807 UTC

Endpoint label: 2023-10-02 13:51:45.000000000 UTC

Endpoint known-by: 2023-10-02 13:51:46.277421999 UTC

Parent: 20231002:dip-19632-1696254680:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696254892 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:54:52.000000000 UTC

Actual recognition: 2023-10-02 13:55:42.192522822 UTC

Endpoint label: 2023-10-02 13:54:55.000000000 UTC

Endpoint known-by: 2023-10-02 13:54:57.952521626 UTC

Parent: 20231002:dip-19632-1696254892:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696255046 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:57:26.000000000 UTC

Actual recognition: 2023-10-02 13:58:19.110224186 UTC

Endpoint label: 2023-10-02 13:57:37.000000000 UTC

Endpoint known-by: 2023-10-02 13:57:38.074838706 UTC

Parent: 20231002:dip-19632-1696255046:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696255100 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:58:20.000000000 UTC

Actual recognition: 2023-10-02 13:59:11.155525342 UTC

Endpoint label: 2023-10-02 13:58:38.000000000 UTC

Endpoint known-by: 2023-10-02 13:58:42.714245314 UTC

Parent: 20231002:dip-19632-1696255100:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696255148 | SAME


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 13:59:08.000000000 UTC

Actual recognition: 2023-10-02 13:59:59.194987152 UTC

Endpoint label: 2023-10-02 13:59:43.000000000 UTC

Endpoint known-by: 2023-10-02 13:59:44.239126753 UTC

Parent: 20231002:dip-19632-1696255148:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696258190 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 14:49:50.000000000 UTC

Actual recognition: 2023-10-02 14:50:41.635511623 UTC

Endpoint label: 2023-10-02 14:50:26.000000000 UTC

Endpoint known-by: 2023-10-02 14:50:27.065898750 UTC

Parent: 20231002:dip-19632-1696258190:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696258364 | SAME


One whole lifecycle: opposite_hold3 | 79 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 14:52:44.000000000 UTC

Actual recognition: 2023-10-02 14:53:35.531540434 UTC

Endpoint label: 2023-10-02 14:54:02.000000000 UTC

Endpoint known-by: 2023-10-02 14:54:03.010256767 UTC

Parent: 20231002:dip-19632-1696258364:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696258549 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 14:55:49.000000000 UTC

Actual recognition: 2023-10-02 14:56:40.760105764 UTC

Endpoint label: 2023-10-02 14:56:09.000000000 UTC

Endpoint known-by: 2023-10-02 14:56:10.035843354 UTC

Parent: 20231002:dip-19632-1696258549:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696258914 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:01:54.000000000 UTC

Actual recognition: 2023-10-02 15:02:45.318738628 UTC

Endpoint label: 2023-10-02 15:02:02.000000000 UTC

Endpoint known-by: 2023-10-02 15:02:03.457306719 UTC

Parent: 20231002:dip-19632-1696258914:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696259016 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:03:36.000000000 UTC

Actual recognition: 2023-10-02 15:04:27.647562572 UTC

Endpoint label: 2023-10-02 15:03:57.000000000 UTC

Endpoint known-by: 2023-10-02 15:03:58.149959125 UTC

Parent: 20231002:dip-19632-1696259016:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696259134 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:05:34.000000000 UTC

Actual recognition: 2023-10-02 15:06:26.253898533 UTC

Endpoint label: 2023-10-02 15:05:37.000000000 UTC

Endpoint known-by: 2023-10-02 15:05:38.315200667 UTC

Parent: 20231002:dip-19632-1696259134:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696259389 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:09:49.000000000 UTC

Actual recognition: 2023-10-02 15:10:40.136312411 UTC

Endpoint label: 2023-10-02 15:10:19.000000000 UTC

Endpoint known-by: 2023-10-02 15:10:20.165791053 UTC

Parent: 20231002:dip-19632-1696259389:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696260092 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:21:32.000000000 UTC

Actual recognition: 2023-10-02 15:22:21.061610974 UTC

Endpoint label: 2023-10-02 15:21:37.000000000 UTC

Endpoint known-by: 2023-10-02 15:21:38.426672868 UTC

Parent: 20231002:dip-19632-1696260092:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696260206 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:23:26.000000000 UTC

Actual recognition: 2023-10-02 15:24:17.075626983 UTC

Endpoint label: 2023-10-02 15:23:40.000000000 UTC

Endpoint known-by: 2023-10-02 15:23:41.197078495 UTC

Parent: 20231002:dip-19632-1696260206:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696260366 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:26:06.000000000 UTC

Actual recognition: 2023-10-02 15:26:57.321373780 UTC

Endpoint label: 2023-10-02 15:26:27.000000000 UTC

Endpoint known-by: 2023-10-02 15:26:28.028097160 UTC

Parent: 20231002:dip-19632-1696260366:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696260452 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:27:32.000000000 UTC

Actual recognition: 2023-10-02 15:28:24.412453754 UTC

Endpoint label: 2023-10-02 15:27:41.000000000 UTC

Endpoint known-by: 2023-10-02 15:27:42.152952113 UTC

Parent: 20231002:dip-19632-1696260452:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696260706 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:31:46.000000000 UTC

Actual recognition: 2023-10-02 15:32:37.042443065 UTC

Endpoint label: 2023-10-02 15:32:05.000000000 UTC

Endpoint known-by: 2023-10-02 15:32:06.284460334 UTC

Parent: 20231002:dip-19632-1696260706:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696260805 | FLIP


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:33:25.000000000 UTC

Actual recognition: 2023-10-02 15:34:16.839469033 UTC

Endpoint label: 2023-10-02 15:34:30.000000000 UTC

Endpoint known-by: 2023-10-02 15:34:31.107191170 UTC

Parent: 20231002:dip-19632-1696260805:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696261021 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:37:01.000000000 UTC

Actual recognition: 2023-10-02 15:37:52.212476212 UTC

Endpoint label: 2023-10-02 15:37:06.000000000 UTC

Endpoint known-by: 2023-10-02 15:37:07.004839364 UTC

Parent: 20231002:dip-19632-1696261021:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696261066 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:37:46.000000000 UTC

Actual recognition: 2023-10-02 15:38:37.010696049 UTC

Endpoint label: 2023-10-02 15:37:58.000000000 UTC

Endpoint known-by: 2023-10-02 15:37:59.398385760 UTC

Parent: 20231002:dip-19632-1696261066:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696261274 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:41:14.000000000 UTC

Actual recognition: 2023-10-02 15:42:02.624156999 UTC

Endpoint label: 2023-10-02 15:41:37.000000000 UTC

Endpoint known-by: 2023-10-02 15:41:38.327291930 UTC

Parent: 20231002:dip-19632-1696261274:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696261592 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:46:32.000000000 UTC

Actual recognition: 2023-10-02 15:47:23.141850436 UTC

Endpoint label: 2023-10-02 15:46:59.000000000 UTC

Endpoint known-by: 2023-10-02 15:47:00.011822662 UTC

Parent: 20231002:dip-19632-1696261592:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696261802 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:50:02.000000000 UTC

Actual recognition: 2023-10-02 15:50:58.480019792 UTC

Endpoint label: 2023-10-02 15:50:31.000000000 UTC

Endpoint known-by: 2023-10-02 15:50:32.042460437 UTC

Parent: 20231002:dip-19632-1696261802:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696261867 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:51:07.000000000 UTC

Actual recognition: 2023-10-02 15:51:59.873329821 UTC

Endpoint label: 2023-10-02 15:51:35.000000000 UTC

Endpoint known-by: 2023-10-02 15:51:36.294273068 UTC

Parent: 20231002:dip-19632-1696261867:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696261913 | FLIP


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:51:53.000000000 UTC

Actual recognition: 2023-10-02 15:52:44.567126234 UTC

Endpoint label: 2023-10-02 15:52:36.000000000 UTC

Endpoint known-by: 2023-10-02 15:52:37.203605900 UTC

Parent: 20231002:dip-19632-1696261913:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696262012 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:53:32.000000000 UTC

Actual recognition: 2023-10-02 15:54:23.162763099 UTC

Endpoint label: 2023-10-02 15:53:47.000000000 UTC

Endpoint known-by: 2023-10-02 15:53:48.401309271 UTC

Parent: 20231002:dip-19632-1696262012:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696262067 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:54:27.000000000 UTC

Actual recognition: 2023-10-02 15:55:19.785508016 UTC

Endpoint label: 2023-10-02 15:54:36.000000000 UTC

Endpoint known-by: 2023-10-02 15:54:38.026764698 UTC

Parent: 20231002:dip-19632-1696262067:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696262245 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:57:25.000000000 UTC

Actual recognition: 2023-10-02 15:58:16.650599285 UTC

Endpoint label: 2023-10-02 15:57:42.000000000 UTC

Endpoint known-by: 2023-10-02 15:57:43.686372942 UTC

Parent: 20231002:dip-19632-1696262245:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696262377 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 15:59:37.000000000 UTC

Actual recognition: 2023-10-02 15:59:45.433130850 UTC

Endpoint label: 2023-10-02 15:59:47.000000000 UTC

Endpoint known-by: 2023-10-02 15:59:48.160368738 UTC

Parent: 20231002:dip-19632-1696262377:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696262517 | FLIP


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:01:57.000000000 UTC

Actual recognition: 2023-10-02 16:02:49.564549395 UTC

Endpoint label: 2023-10-02 16:02:32.000000000 UTC

Endpoint known-by: 2023-10-02 16:02:33.094739391 UTC

Parent: 20231002:dip-19632-1696262517:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696262610 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:03:30.000000000 UTC

Actual recognition: 2023-10-02 16:04:21.820566486 UTC

Endpoint label: 2023-10-02 16:04:09.000000000 UTC

Endpoint known-by: 2023-10-02 16:04:10.735181740 UTC

Parent: 20231002:dip-19632-1696262610:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696262680 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:04:40.000000000 UTC

Actual recognition: 2023-10-02 16:05:31.601413203 UTC

Endpoint label: 2023-10-02 16:04:56.000000000 UTC

Endpoint known-by: 2023-10-02 16:04:57.127984893 UTC

Parent: 20231002:dip-19632-1696262680:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696262746 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:05:46.000000000 UTC

Actual recognition: 2023-10-02 16:06:37.481612946 UTC

Endpoint label: 2023-10-02 16:06:10.000000000 UTC

Endpoint known-by: 2023-10-02 16:06:12.553307282 UTC

Parent: 20231002:dip-19632-1696262746:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696262874 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:07:54.000000000 UTC

Actual recognition: 2023-10-02 16:08:45.597897719 UTC

Endpoint label: 2023-10-02 16:08:01.000000000 UTC

Endpoint known-by: 2023-10-02 16:08:02.338288147 UTC

Parent: 20231002:dip-19632-1696262874:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696262975 | SAME


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:09:35.000000000 UTC

Actual recognition: 2023-10-02 16:10:26.878735948 UTC

Endpoint label: 2023-10-02 16:10:22.000000000 UTC

Endpoint known-by: 2023-10-02 16:10:23.414100685 UTC

Parent: 20231002:dip-19632-1696262975:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696263035 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:10:35.000000000 UTC

Actual recognition: 2023-10-02 16:11:21.231216567 UTC

Endpoint label: 2023-10-02 16:10:56.000000000 UTC

Endpoint known-by: 2023-10-02 16:10:57.053849691 UTC

Parent: 20231002:dip-19632-1696263035:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696263409 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:16:49.000000000 UTC

Actual recognition: 2023-10-02 16:17:40.178057045 UTC

Endpoint label: 2023-10-02 16:17:07.000000000 UTC

Endpoint known-by: 2023-10-02 16:17:08.018094222 UTC

Parent: 20231002:dip-19632-1696263409:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696263502 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:18:22.000000000 UTC

Actual recognition: 2023-10-02 16:19:08.859069178 UTC

Endpoint label: 2023-10-02 16:18:35.000000000 UTC

Endpoint known-by: 2023-10-02 16:18:36.064642828 UTC

Parent: 20231002:dip-19632-1696263502:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696263563 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:19:23.000000000 UTC

Actual recognition: 2023-10-02 16:20:15.121223697 UTC

Endpoint label: 2023-10-02 16:19:28.000000000 UTC

Endpoint known-by: 2023-10-02 16:19:29.224658505 UTC

Parent: 20231002:dip-19632-1696263563:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696263628 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:20:28.000000000 UTC

Actual recognition: 2023-10-02 16:21:14.021954613 UTC

Endpoint label: 2023-10-02 16:20:51.000000000 UTC

Endpoint known-by: 2023-10-02 16:20:52.030789328 UTC

Parent: 20231002:dip-19632-1696263628:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696263713 | SAME


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:21:53.000000000 UTC

Actual recognition: 2023-10-02 16:22:05.352255753 UTC

Endpoint label: 2023-10-02 16:22:50.000000000 UTC

Endpoint known-by: 2023-10-02 16:22:51.246902890 UTC

Parent: 20231002:dip-19632-1696263713:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696263814 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:23:34.000000000 UTC

Actual recognition: 2023-10-02 16:24:19.359925459 UTC

Endpoint label: 2023-10-02 16:23:45.000000000 UTC

Endpoint known-by: 2023-10-02 16:23:53.429518104 UTC

Parent: 20231002:dip-19632-1696263814:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696263880 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:24:40.000000000 UTC

Actual recognition: 2023-10-02 16:25:31.002416354 UTC

Endpoint label: 2023-10-02 16:24:44.000000000 UTC

Endpoint known-by: 2023-10-02 16:24:45.053428003 UTC

Parent: 20231002:dip-19632-1696263880:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696263949 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:25:49.000000000 UTC

Actual recognition: 2023-10-02 16:26:39.944904060 UTC

Endpoint label: 2023-10-02 16:26:21.000000000 UTC

Endpoint known-by: 2023-10-02 16:26:22.581795698 UTC

Parent: 20231002:dip-19632-1696263949:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696264049 | FLIP


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:27:29.000000000 UTC

Actual recognition: 2023-10-02 16:28:20.169657407 UTC

Endpoint label: 2023-10-02 16:27:44.000000000 UTC

Endpoint known-by: 2023-10-02 16:27:45.583567947 UTC

Parent: 20231002:dip-19632-1696264049:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696264152 | SAME


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:29:12.000000000 UTC

Actual recognition: 2023-10-02 16:29:30.286901558 UTC

Endpoint label: 2023-10-02 16:30:10.000000000 UTC

Endpoint known-by: 2023-10-02 16:30:11.486071651 UTC

Parent: 20231002:dip-19632-1696264152:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696264553 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:35:53.000000000 UTC

Actual recognition: 2023-10-02 16:36:15.662085742 UTC

Endpoint label: 2023-10-02 16:36:09.000000000 UTC

Endpoint known-by: 2023-10-02 16:36:15.662085742 UTC

Parent: 20231002:dip-19632-1696264553:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696264598 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:36:38.000000000 UTC

Actual recognition: 2023-10-02 16:37:29.398422118 UTC

Endpoint label: 2023-10-02 16:36:44.000000000 UTC

Endpoint known-by: 2023-10-02 16:36:45.031401853 UTC

Parent: 20231002:dip-19632-1696264598:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696264717 | FLIP


One whole lifecycle: opposite_hold3 | 75 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:38:37.000000000 UTC

Actual recognition: 2023-10-02 16:38:47.758883438 UTC

Endpoint label: 2023-10-02 16:39:51.000000000 UTC

Endpoint known-by: 2023-10-02 16:39:52.387643185 UTC

Parent: 20231002:dip-19632-1696264717:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696264789 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:39:49.000000000 UTC

Actual recognition: 2023-10-02 16:40:40.707406311 UTC

Endpoint label: 2023-10-02 16:40:07.000000000 UTC

Endpoint known-by: 2023-10-02 16:40:08.160327330 UTC

Parent: 20231002:dip-19632-1696264789:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696264843 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:40:43.000000000 UTC

Actual recognition: 2023-10-02 16:41:34.795182278 UTC

Endpoint label: 2023-10-02 16:40:48.000000000 UTC

Endpoint known-by: 2023-10-02 16:40:49.265831661 UTC

Parent: 20231002:dip-19632-1696264843:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696264900 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:41:40.000000000 UTC

Actual recognition: 2023-10-02 16:42:31.596915104 UTC

Endpoint label: 2023-10-02 16:42:09.000000000 UTC

Endpoint known-by: 2023-10-02 16:42:10.090324990 UTC

Parent: 20231002:dip-19632-1696264900:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696264955 | SAME


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:42:35.000000000 UTC

Actual recognition: 2023-10-02 16:43:22.766917341 UTC

Endpoint label: 2023-10-02 16:43:18.000000000 UTC

Endpoint known-by: 2023-10-02 16:43:19.709759386 UTC

Parent: 20231002:dip-19632-1696264955:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696265036 | FLIP


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:43:56.000000000 UTC

Actual recognition: 2023-10-02 16:44:47.046888941 UTC

Endpoint label: 2023-10-02 16:45:01.000000000 UTC

Endpoint known-by: 2023-10-02 16:45:02.026910579 UTC

Parent: 20231002:dip-19632-1696265036:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696265084 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:44:44.000000000 UTC

Actual recognition: 2023-10-02 16:45:35.209667774 UTC

Endpoint label: 2023-10-02 16:45:13.000000000 UTC

Endpoint known-by: 2023-10-02 16:45:14.045050209 UTC

Parent: 20231002:dip-19632-1696265084:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696265144 | FLIP


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:45:44.000000000 UTC

Actual recognition: 2023-10-02 16:46:35.837211094 UTC

Endpoint label: 2023-10-02 16:46:35.000000000 UTC

Endpoint known-by: 2023-10-02 16:46:36.266847656 UTC

Parent: 20231002:dip-19632-1696265144:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696265254 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:47:34.000000000 UTC

Actual recognition: 2023-10-02 16:48:00.857177901 UTC

Endpoint label: 2023-10-02 16:47:50.000000000 UTC

Endpoint known-by: 2023-10-02 16:47:51.171594288 UTC

Parent: 20231002:dip-19632-1696265254:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696265299 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:48:19.000000000 UTC

Actual recognition: 2023-10-02 16:49:10.132708770 UTC

Endpoint label: 2023-10-02 16:48:48.000000000 UTC

Endpoint known-by: 2023-10-02 16:48:49.226812918 UTC

Parent: 20231002:dip-19632-1696265299:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696265363 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:49:23.000000000 UTC

Actual recognition: 2023-10-02 16:50:14.015353052 UTC

Endpoint label: 2023-10-02 16:49:32.000000000 UTC

Endpoint known-by: 2023-10-02 16:49:34.909065537 UTC

Parent: 20231002:dip-19632-1696265363:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696265429 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:50:29.000000000 UTC

Actual recognition: 2023-10-02 16:51:21.201670938 UTC

Endpoint label: 2023-10-02 16:50:36.000000000 UTC

Endpoint known-by: 2023-10-02 16:50:37.076239496 UTC

Parent: 20231002:dip-19632-1696265429:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696265509 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:51:49.000000000 UTC

Actual recognition: 2023-10-02 16:52:40.409352947 UTC

Endpoint label: 2023-10-02 16:51:52.000000000 UTC

Endpoint known-by: 2023-10-02 16:51:53.211595200 UTC

Parent: 20231002:dip-19632-1696265509:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696265872 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 16:57:52.000000000 UTC

Actual recognition: 2023-10-02 16:58:43.152714220 UTC

Endpoint label: 2023-10-02 16:58:06.000000000 UTC

Endpoint known-by: 2023-10-02 16:58:07.004865684 UTC

Parent: 20231002:dip-19632-1696265872:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696266132 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:02:12.000000000 UTC

Actual recognition: 2023-10-02 17:03:01.012182231 UTC

Endpoint label: 2023-10-02 17:03:05.000000000 UTC

Endpoint known-by: 2023-10-02 17:03:06.126877620 UTC

Parent: 20231002:dip-19632-1696266132:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696266182 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:03:02.000000000 UTC

Actual recognition: 2023-10-02 17:03:53.257602421 UTC

Endpoint label: 2023-10-02 17:03:05.000000000 UTC

Endpoint known-by: 2023-10-02 17:03:06.126877620 UTC

Parent: 20231002:dip-19632-1696266182:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696266343 | FLIP


One whole lifecycle: opposite_hold3 | 32 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:05:43.000000000 UTC

Actual recognition: 2023-10-02 17:06:32.040428990 UTC

Endpoint label: 2023-10-02 17:06:14.000000000 UTC

Endpoint known-by: 2023-10-02 17:06:15.452744733 UTC

Parent: 20231002:dip-19632-1696266343:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696266391 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:06:31.000000000 UTC

Actual recognition: 2023-10-02 17:07:23.203759546 UTC

Endpoint label: 2023-10-02 17:07:07.000000000 UTC

Endpoint known-by: 2023-10-02 17:07:09.585659727 UTC

Parent: 20231002:dip-19632-1696266391:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696266440 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:07:20.000000000 UTC

Actual recognition: 2023-10-02 17:08:07.002675843 UTC

Endpoint label: 2023-10-02 17:07:28.000000000 UTC

Endpoint known-by: 2023-10-02 17:07:29.140455999 UTC

Parent: 20231002:dip-19632-1696266440:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696266491 | SAME


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:08:11.000000000 UTC

Actual recognition: 2023-10-02 17:09:02.215065626 UTC

Endpoint label: 2023-10-02 17:09:26.000000000 UTC

Endpoint known-by: 2023-10-02 17:09:28.035976902 UTC

Parent: 20231002:dip-19632-1696266491:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696266571 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:09:31.000000000 UTC

Actual recognition: 2023-10-02 17:10:23.830473554 UTC

Endpoint label: 2023-10-02 17:09:56.000000000 UTC

Endpoint known-by: 2023-10-02 17:09:57.776512599 UTC

Parent: 20231002:dip-19632-1696266571:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696266616 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:10:16.000000000 UTC

Actual recognition: 2023-10-02 17:11:07.827682203 UTC

Endpoint label: 2023-10-02 17:10:41.000000000 UTC

Endpoint known-by: 2023-10-02 17:10:42.082129407 UTC

Parent: 20231002:dip-19632-1696266616:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696266661 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:11:01.000000000 UTC

Actual recognition: 2023-10-02 17:11:52.016906994 UTC

Endpoint label: 2023-10-02 17:11:15.000000000 UTC

Endpoint known-by: 2023-10-02 17:11:16.092079574 UTC

Parent: 20231002:dip-19632-1696266661:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696266749 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:12:29.000000000 UTC

Actual recognition: 2023-10-02 17:13:20.149180117 UTC

Endpoint label: 2023-10-02 17:12:34.000000000 UTC

Endpoint known-by: 2023-10-02 17:12:36.278242519 UTC

Parent: 20231002:dip-19632-1696266749:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696266917 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:15:17.000000000 UTC

Actual recognition: 2023-10-02 17:15:54.446059978 UTC

Endpoint label: 2023-10-02 17:15:55.000000000 UTC

Endpoint known-by: 2023-10-02 17:15:56.036891488 UTC

Parent: 20231002:dip-19632-1696266917:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696267012 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:16:52.000000000 UTC

Actual recognition: 2023-10-02 17:17:07.003722225 UTC

Endpoint label: 2023-10-02 17:17:12.000000000 UTC

Endpoint known-by: 2023-10-02 17:17:17.427761626 UTC

Parent: 20231002:dip-19632-1696267012:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696267107 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:18:27.000000000 UTC

Actual recognition: 2023-10-02 17:18:57.930735201 UTC

Endpoint label: 2023-10-02 17:18:48.000000000 UTC

Endpoint known-by: 2023-10-02 17:18:49.019137380 UTC

Parent: 20231002:dip-19632-1696267107:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696267152 | SAME


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:19:12.000000000 UTC

Actual recognition: 2023-10-02 17:20:03.306827893 UTC

Endpoint label: 2023-10-02 17:19:55.000000000 UTC

Endpoint known-by: 2023-10-02 17:19:56.398403207 UTC

Parent: 20231002:dip-19632-1696267152:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696267707 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:28:27.000000000 UTC

Actual recognition: 2023-10-02 17:29:19.489151927 UTC

Endpoint label: 2023-10-02 17:28:35.000000000 UTC

Endpoint known-by: 2023-10-02 17:28:37.743775442 UTC

Parent: 20231002:dip-19632-1696267707:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696267800 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:30:00.000000000 UTC

Actual recognition: 2023-10-02 17:30:12.817427364 UTC

Endpoint label: 2023-10-02 17:30:23.000000000 UTC

Endpoint known-by: 2023-10-02 17:30:24.856888372 UTC

Parent: 20231002:dip-19632-1696267800:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696267874 | FLIP


One whole lifecycle: opposite_hold3 | 101 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:31:14.000000000 UTC

Actual recognition: 2023-10-02 17:32:05.944968392 UTC

Endpoint label: 2023-10-02 17:32:54.000000000 UTC

Endpoint known-by: 2023-10-02 17:32:55.014994288 UTC

Parent: 20231002:dip-19632-1696267874:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.