
20231002 candidate | dip-19632-1696268021 | FLIP


One whole lifecycle: opposite_hold3 | 83 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:33:41.000000000 UTC

Actual recognition: 2023-10-02 17:34:32.032368366 UTC

Endpoint label: 2023-10-02 17:35:03.000000000 UTC

Endpoint known-by: 2023-10-02 17:35:04.636715658 UTC

Parent: 20231002:dip-19632-1696268021:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696268136 | FLIP


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:35:36.000000000 UTC

Actual recognition: 2023-10-02 17:36:27.609914205 UTC

Endpoint label: 2023-10-02 17:35:44.000000000 UTC

Endpoint known-by: 2023-10-02 17:35:45.313936457 UTC

Parent: 20231002:dip-19632-1696268136:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696268257 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:37:37.000000000 UTC

Actual recognition: 2023-10-02 17:38:28.143099520 UTC

Endpoint label: 2023-10-02 17:37:58.000000000 UTC

Endpoint known-by: 2023-10-02 17:38:00.070148577 UTC

Parent: 20231002:dip-19632-1696268257:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696268355 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:39:15.000000000 UTC

Actual recognition: 2023-10-02 17:40:06.781174319 UTC

Endpoint label: 2023-10-02 17:39:34.000000000 UTC

Endpoint known-by: 2023-10-02 17:39:35.215724662 UTC

Parent: 20231002:dip-19632-1696268355:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696268430 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:40:30.000000000 UTC

Actual recognition: 2023-10-02 17:41:21.154335231 UTC

Endpoint label: 2023-10-02 17:40:33.000000000 UTC

Endpoint known-by: 2023-10-02 17:40:34.179357809 UTC

Parent: 20231002:dip-19632-1696268430:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696268608 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:43:28.000000000 UTC

Actual recognition: 2023-10-02 17:44:19.448618864 UTC

Endpoint label: 2023-10-02 17:43:40.000000000 UTC

Endpoint known-by: 2023-10-02 17:43:41.002887045 UTC

Parent: 20231002:dip-19632-1696268608:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696268685 | SAME


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:44:45.000000000 UTC

Actual recognition: 2023-10-02 17:45:04.076006685 UTC

Endpoint label: 2023-10-02 17:45:32.000000000 UTC

Endpoint known-by: 2023-10-02 17:45:34.506777457 UTC

Parent: 20231002:dip-19632-1696268685:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696268770 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:46:10.000000000 UTC

Actual recognition: 2023-10-02 17:47:01.103415283 UTC

Endpoint label: 2023-10-02 17:46:38.000000000 UTC

Endpoint known-by: 2023-10-02 17:46:39.692322132 UTC

Parent: 20231002:dip-19632-1696268770:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696268873 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:47:53.000000000 UTC

Actual recognition: 2023-10-02 17:48:45.002511352 UTC

Endpoint label: 2023-10-02 17:47:59.000000000 UTC

Endpoint known-by: 2023-10-02 17:48:00.086402271 UTC

Parent: 20231002:dip-19632-1696268873:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696268929 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:48:49.000000000 UTC

Actual recognition: 2023-10-02 17:49:40.266912449 UTC

Endpoint label: 2023-10-02 17:48:53.000000000 UTC

Endpoint known-by: 2023-10-02 17:48:54.119942518 UTC

Parent: 20231002:dip-19632-1696268929:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696269042 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:50:42.000000000 UTC

Actual recognition: 2023-10-02 17:51:35.370965550 UTC

Endpoint label: 2023-10-02 17:50:56.000000000 UTC

Endpoint known-by: 2023-10-02 17:50:58.716542444 UTC

Parent: 20231002:dip-19632-1696269042:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696269122 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:52:02.000000000 UTC

Actual recognition: 2023-10-02 17:52:54.966547716 UTC

Endpoint label: 2023-10-02 17:52:21.000000000 UTC

Endpoint known-by: 2023-10-02 17:52:22.896643311 UTC

Parent: 20231002:dip-19632-1696269122:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696269265 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:54:25.000000000 UTC

Actual recognition: 2023-10-02 17:55:10.172349573 UTC

Endpoint label: 2023-10-02 17:54:36.000000000 UTC

Endpoint known-by: 2023-10-02 17:54:37.641461614 UTC

Parent: 20231002:dip-19632-1696269265:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696269310 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:55:10.000000000 UTC

Actual recognition: 2023-10-02 17:56:03.178202722 UTC

Endpoint label: 2023-10-02 17:55:15.000000000 UTC

Endpoint known-by: 2023-10-02 17:55:16.124771142 UTC

Parent: 20231002:dip-19632-1696269310:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696269355 | FLIP


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:55:55.000000000 UTC

Actual recognition: 2023-10-02 17:56:48.237589851 UTC

Endpoint label: 2023-10-02 17:56:38.000000000 UTC

Endpoint known-by: 2023-10-02 17:56:39.395384758 UTC

Parent: 20231002:dip-19632-1696269355:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696269499 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:58:19.000000000 UTC

Actual recognition: 2023-10-02 17:58:39.544375655 UTC

Endpoint label: 2023-10-02 17:58:33.000000000 UTC

Endpoint known-by: 2023-10-02 17:58:36.245819712 UTC

Parent: 20231002:dip-19632-1696269499:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696269544 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:59:04.000000000 UTC

Actual recognition: 2023-10-02 17:59:55.049791756 UTC

Endpoint label: 2023-10-02 17:59:22.000000000 UTC

Endpoint known-by: 2023-10-02 17:59:23.443737604 UTC

Parent: 20231002:dip-19632-1696269544:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696269589 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 17:59:49.000000000 UTC

Actual recognition: 2023-10-02 18:00:41.393093136 UTC

Endpoint label: 2023-10-02 18:00:00.000000000 UTC

Endpoint known-by: 2023-10-02 18:00:01.001894490 UTC

Parent: 20231002:dip-19632-1696269589:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696269642 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:00:42.000000000 UTC

Actual recognition: 2023-10-02 18:01:33.067683919 UTC

Endpoint label: 2023-10-02 18:00:48.000000000 UTC

Endpoint known-by: 2023-10-02 18:00:49.055331520 UTC

Parent: 20231002:dip-19632-1696269642:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696269928 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:05:28.000000000 UTC

Actual recognition: 2023-10-02 18:06:17.006997692 UTC

Endpoint label: 2023-10-02 18:05:34.000000000 UTC

Endpoint known-by: 2023-10-02 18:05:35.078282051 UTC

Parent: 20231002:dip-19632-1696269928:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696270018 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:06:58.000000000 UTC

Actual recognition: 2023-10-02 18:07:49.181868928 UTC

Endpoint label: 2023-10-02 18:07:01.000000000 UTC

Endpoint known-by: 2023-10-02 18:07:02.590741201 UTC

Parent: 20231002:dip-19632-1696270018:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696270154 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:09:14.000000000 UTC

Actual recognition: 2023-10-02 18:10:05.990308745 UTC

Endpoint label: 2023-10-02 18:09:37.000000000 UTC

Endpoint known-by: 2023-10-02 18:09:38.708979086 UTC

Parent: 20231002:dip-19632-1696270154:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696271575 | SAME


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:32:55.000000000 UTC

Actual recognition: 2023-10-02 18:33:46.661799683 UTC

Endpoint label: 2023-10-02 18:33:29.000000000 UTC

Endpoint known-by: 2023-10-02 18:33:32.843852080 UTC

Parent: 20231002:dip-19632-1696271575:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696271630 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:33:50.000000000 UTC

Actual recognition: 2023-10-02 18:34:41.162496949 UTC

Endpoint label: 2023-10-02 18:34:17.000000000 UTC

Endpoint known-by: 2023-10-02 18:34:26.480087522 UTC

Parent: 20231002:dip-19632-1696271630:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696271777 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:36:17.000000000 UTC

Actual recognition: 2023-10-02 18:37:09.665850013 UTC

Endpoint label: 2023-10-02 18:36:45.000000000 UTC

Endpoint known-by: 2023-10-02 18:36:46.480587635 UTC

Parent: 20231002:dip-19632-1696271777:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696271822 | SAME


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:37:02.000000000 UTC

Actual recognition: 2023-10-02 18:37:53.180150514 UTC

Endpoint label: 2023-10-02 18:37:52.000000000 UTC

Endpoint known-by: 2023-10-02 18:37:53.180150514 UTC

Parent: 20231002:dip-19632-1696271822:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696271930 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:38:50.000000000 UTC

Actual recognition: 2023-10-02 18:39:41.102714291 UTC

Endpoint label: 2023-10-02 18:38:53.000000000 UTC

Endpoint known-by: 2023-10-02 18:38:57.333520343 UTC

Parent: 20231002:dip-19632-1696271930:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696271975 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:39:35.000000000 UTC

Actual recognition: 2023-10-02 18:40:26.682950887 UTC

Endpoint label: 2023-10-02 18:39:49.000000000 UTC

Endpoint known-by: 2023-10-02 18:39:50.061416431 UTC

Parent: 20231002:dip-19632-1696271975:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272038 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:40:38.000000000 UTC

Actual recognition: 2023-10-02 18:41:20.198512998 UTC

Endpoint label: 2023-10-02 18:40:47.000000000 UTC

Endpoint known-by: 2023-10-02 18:40:48.512944640 UTC

Parent: 20231002:dip-19632-1696272038:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272089 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:41:29.000000000 UTC

Actual recognition: 2023-10-02 18:42:19.181066538 UTC

Endpoint label: 2023-10-02 18:41:43.000000000 UTC

Endpoint known-by: 2023-10-02 18:41:44.685909543 UTC

Parent: 20231002:dip-19632-1696272089:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272189 | SAME


One whole lifecycle: opposite_hold3 | 83 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:43:09.000000000 UTC

Actual recognition: 2023-10-02 18:44:00.112618180 UTC

Endpoint label: 2023-10-02 18:44:31.000000000 UTC

Endpoint known-by: 2023-10-02 18:44:32.262938534 UTC

Parent: 20231002:dip-19632-1696272189:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272236 | SAME


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:43:56.000000000 UTC

Actual recognition: 2023-10-02 18:44:47.438179135 UTC

Endpoint label: 2023-10-02 18:44:31.000000000 UTC

Endpoint known-by: 2023-10-02 18:44:32.262938534 UTC

Parent: 20231002:dip-19632-1696272236:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272323 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:45:23.000000000 UTC

Actual recognition: 2023-10-02 18:46:15.092378434 UTC

Endpoint label: 2023-10-02 18:45:34.000000000 UTC

Endpoint known-by: 2023-10-02 18:45:35.304214558 UTC

Parent: 20231002:dip-19632-1696272323:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272368 | FLIP


One whole lifecycle: opposite_hold3 | 89 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:46:08.000000000 UTC

Actual recognition: 2023-10-02 18:47:00.160644362 UTC

Endpoint label: 2023-10-02 18:47:36.000000000 UTC

Endpoint known-by: 2023-10-02 18:47:37.355142403 UTC

Parent: 20231002:dip-19632-1696272368:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272442 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:47:22.000000000 UTC

Actual recognition: 2023-10-02 18:48:12.583769401 UTC

Endpoint label: 2023-10-02 18:47:36.000000000 UTC

Endpoint known-by: 2023-10-02 18:47:37.355142403 UTC

Parent: 20231002:dip-19632-1696272442:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272488 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:48:08.000000000 UTC

Actual recognition: 2023-10-02 18:48:59.661379660 UTC

Endpoint label: 2023-10-02 18:48:11.000000000 UTC

Endpoint known-by: 2023-10-02 18:48:12.583769401 UTC

Parent: 20231002:dip-19632-1696272488:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272574 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:49:34.000000000 UTC

Actual recognition: 2023-10-02 18:49:46.157299680 UTC

Endpoint label: 2023-10-02 18:49:39.000000000 UTC

Endpoint known-by: 2023-10-02 18:49:40.349178499 UTC

Parent: 20231002:dip-19632-1696272574:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272719 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:51:59.000000000 UTC

Actual recognition: 2023-10-02 18:52:12.207797616 UTC

Endpoint label: 2023-10-02 18:52:08.000000000 UTC

Endpoint known-by: 2023-10-02 18:52:09.041313720 UTC

Parent: 20231002:dip-19632-1696272719:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272778 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:52:58.000000000 UTC

Actual recognition: 2023-10-02 18:53:49.012087076 UTC

Endpoint label: 2023-10-02 18:53:21.000000000 UTC

Endpoint known-by: 2023-10-02 18:53:22.143032935 UTC

Parent: 20231002:dip-19632-1696272778:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696272951 | FLIP


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:55:51.000000000 UTC

Actual recognition: 2023-10-02 18:56:02.394161739 UTC

Endpoint label: 2023-10-02 18:57:35.000000000 UTC

Endpoint known-by: 2023-10-02 18:57:36.024021250 UTC

Parent: 20231002:dip-19632-1696272951:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273011 | SAME


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:56:51.000000000 UTC

Actual recognition: 2023-10-02 18:57:42.381355005 UTC

Endpoint label: 2023-10-02 18:57:35.000000000 UTC

Endpoint known-by: 2023-10-02 18:57:36.024021250 UTC

Parent: 20231002:dip-19632-1696273011:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273107 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:58:27.000000000 UTC

Actual recognition: 2023-10-02 18:58:40.264381361 UTC

Endpoint label: 2023-10-02 18:58:39.000000000 UTC

Endpoint known-by: 2023-10-02 18:58:40.264381361 UTC

Parent: 20231002:dip-19632-1696273107:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273154 | FLIP


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 18:59:14.000000000 UTC

Actual recognition: 2023-10-02 19:00:06.341365813 UTC

Endpoint label: 2023-10-02 18:59:55.000000000 UTC

Endpoint known-by: 2023-10-02 18:59:56.074076783 UTC

Parent: 20231002:dip-19632-1696273154:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273259 | FLIP


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:00:59.000000000 UTC

Actual recognition: 2023-10-02 19:01:49.388846317 UTC

Endpoint label: 2023-10-02 19:02:04.000000000 UTC

Endpoint known-by: 2023-10-02 19:02:06.394225531 UTC

Parent: 20231002:dip-19632-1696273259:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273320 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:02:00.000000000 UTC

Actual recognition: 2023-10-02 19:02:54.605598117 UTC

Endpoint label: 2023-10-02 19:02:28.000000000 UTC

Endpoint known-by: 2023-10-02 19:02:29.713409114 UTC

Parent: 20231002:dip-19632-1696273320:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273372 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:02:52.000000000 UTC

Actual recognition: 2023-10-02 19:03:43.086862394 UTC

Endpoint label: 2023-10-02 19:02:56.000000000 UTC

Endpoint known-by: 2023-10-02 19:02:57.670951475 UTC

Parent: 20231002:dip-19632-1696273372:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273417 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:03:37.000000000 UTC

Actual recognition: 2023-10-02 19:04:30.215250602 UTC

Endpoint label: 2023-10-02 19:03:44.000000000 UTC

Endpoint known-by: 2023-10-02 19:03:47.631657153 UTC

Parent: 20231002:dip-19632-1696273417:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273474 | SAME


One whole lifecycle: opposite_hold3 | 101 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:04:34.000000000 UTC

Actual recognition: 2023-10-02 19:05:13.465511491 UTC

Endpoint label: 2023-10-02 19:06:14.000000000 UTC

Endpoint known-by: 2023-10-02 19:06:15.221988468 UTC

Parent: 20231002:dip-19632-1696273474:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273580 | FLIP


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:06:20.000000000 UTC

Actual recognition: 2023-10-02 19:07:04.012756721 UTC

Endpoint label: 2023-10-02 19:06:53.000000000 UTC

Endpoint known-by: 2023-10-02 19:06:54.214179886 UTC

Parent: 20231002:dip-19632-1696273580:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273639 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:07:19.000000000 UTC

Actual recognition: 2023-10-02 19:08:10.057728691 UTC

Endpoint label: 2023-10-02 19:07:46.000000000 UTC

Endpoint known-by: 2023-10-02 19:07:47.696902928 UTC

Parent: 20231002:dip-19632-1696273639:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273688 | FLIP


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:08:08.000000000 UTC

Actual recognition: 2023-10-02 19:09:00.088134083 UTC

Endpoint label: 2023-10-02 19:08:49.000000000 UTC

Endpoint known-by: 2023-10-02 19:08:50.211331295 UTC

Parent: 20231002:dip-19632-1696273688:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273783 | FLIP


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:09:43.000000000 UTC

Actual recognition: 2023-10-02 19:10:00.109845347 UTC

Endpoint label: 2023-10-02 19:10:22.000000000 UTC

Endpoint known-by: 2023-10-02 19:10:24.184968534 UTC

Parent: 20231002:dip-19632-1696273783:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273828 | FLIP


One whole lifecycle: opposite_hold3 | 94 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:10:28.000000000 UTC

Actual recognition: 2023-10-02 19:11:20.243229303 UTC

Endpoint label: 2023-10-02 19:12:01.000000000 UTC

Endpoint known-by: 2023-10-02 19:12:03.314692991 UTC

Parent: 20231002:dip-19632-1696273828:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696273900 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:11:40.000000000 UTC

Actual recognition: 2023-10-02 19:12:32.676930657 UTC

Endpoint label: 2023-10-02 19:12:01.000000000 UTC

Endpoint known-by: 2023-10-02 19:12:03.314692991 UTC

Parent: 20231002:dip-19632-1696273900:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274008 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:13:28.000000000 UTC

Actual recognition: 2023-10-02 19:14:19.026414830 UTC

Endpoint label: 2023-10-02 19:13:56.000000000 UTC

Endpoint known-by: 2023-10-02 19:13:57.421179572 UTC

Parent: 20231002:dip-19632-1696274008:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274063 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:14:23.000000000 UTC

Actual recognition: 2023-10-02 19:15:14.011151988 UTC

Endpoint label: 2023-10-02 19:14:33.000000000 UTC

Endpoint known-by: 2023-10-02 19:14:34.183527368 UTC

Parent: 20231002:dip-19632-1696274063:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274108 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:15:08.000000000 UTC

Actual recognition: 2023-10-02 19:15:59.220882799 UTC

Endpoint label: 2023-10-02 19:15:23.000000000 UTC

Endpoint known-by: 2023-10-02 19:15:24.044939640 UTC

Parent: 20231002:dip-19632-1696274108:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274153 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:15:53.000000000 UTC

Actual recognition: 2023-10-02 19:16:46.469108712 UTC

Endpoint label: 2023-10-02 19:16:15.000000000 UTC

Endpoint known-by: 2023-10-02 19:16:21.587647383 UTC

Parent: 20231002:dip-19632-1696274153:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274201 | SAME


One whole lifecycle: opposite_hold3 | 71 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:16:41.000000000 UTC

Actual recognition: 2023-10-02 19:17:30.437570705 UTC

Endpoint label: 2023-10-02 19:17:51.000000000 UTC

Endpoint known-by: 2023-10-02 19:17:52.686558964 UTC

Parent: 20231002:dip-19632-1696274201:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274246 | SAME


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:17:26.000000000 UTC

Actual recognition: 2023-10-02 19:18:17.209597965 UTC

Endpoint label: 2023-10-02 19:17:51.000000000 UTC

Endpoint known-by: 2023-10-02 19:17:52.686558964 UTC

Parent: 20231002:dip-19632-1696274246:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274314 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:18:34.000000000 UTC

Actual recognition: 2023-10-02 19:19:21.236250662 UTC

Endpoint label: 2023-10-02 19:18:39.000000000 UTC

Endpoint known-by: 2023-10-02 19:18:40.014423118 UTC

Parent: 20231002:dip-19632-1696274314:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274384 | FLIP


One whole lifecycle: opposite_hold3 | 71 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:19:44.000000000 UTC

Actual recognition: 2023-10-02 19:20:29.747235437 UTC

Endpoint label: 2023-10-02 19:20:54.000000000 UTC

Endpoint known-by: 2023-10-02 19:21:00.099028751 UTC

Parent: 20231002:dip-19632-1696274384:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274458 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:20:58.000000000 UTC

Actual recognition: 2023-10-02 19:21:49.499733914 UTC

Endpoint label: 2023-10-02 19:21:15.000000000 UTC

Endpoint known-by: 2023-10-02 19:21:19.590006745 UTC

Parent: 20231002:dip-19632-1696274458:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274570 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:22:50.000000000 UTC

Actual recognition: 2023-10-02 19:23:41.180685995 UTC

Endpoint label: 2023-10-02 19:23:16.000000000 UTC

Endpoint known-by: 2023-10-02 19:23:19.671104441 UTC

Parent: 20231002:dip-19632-1696274570:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274656 | SAME


One whole lifecycle: opposite_hold3 | 199 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:24:16.000000000 UTC

Actual recognition: 2023-10-02 19:25:07.095293073 UTC

Endpoint label: 2023-10-02 19:27:34.000000000 UTC

Endpoint known-by: 2023-10-02 19:27:37.827083781 UTC

Parent: 20231002:dip-19632-1696274656:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274704 | SAME


One whole lifecycle: opposite_hold3 | 151 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:25:04.000000000 UTC

Actual recognition: 2023-10-02 19:25:56.352933052 UTC

Endpoint label: 2023-10-02 19:27:34.000000000 UTC

Endpoint known-by: 2023-10-02 19:27:37.827083781 UTC

Parent: 20231002:dip-19632-1696274704:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274756 | SAME


One whole lifecycle: opposite_hold3 | 99 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:25:56.000000000 UTC

Actual recognition: 2023-10-02 19:26:54.806115688 UTC

Endpoint label: 2023-10-02 19:27:34.000000000 UTC

Endpoint known-by: 2023-10-02 19:27:37.827083781 UTC

Parent: 20231002:dip-19632-1696274756:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274932 | FLIP


One whole lifecycle: opposite_hold3 | 32 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:28:52.000000000 UTC

Actual recognition: 2023-10-02 19:29:46.267929326 UTC

Endpoint label: 2023-10-02 19:29:23.000000000 UTC

Endpoint known-by: 2023-10-02 19:29:24.608222763 UTC

Parent: 20231002:dip-19632-1696274932:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696274988 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:29:48.000000000 UTC

Actual recognition: 2023-10-02 19:30:39.348054340 UTC

Endpoint label: 2023-10-02 19:29:51.000000000 UTC

Endpoint known-by: 2023-10-02 19:29:52.084184886 UTC

Parent: 20231002:dip-19632-1696274988:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275033 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:30:33.000000000 UTC

Actual recognition: 2023-10-02 19:31:24.132719420 UTC

Endpoint label: 2023-10-02 19:31:18.000000000 UTC

Endpoint known-by: 2023-10-02 19:31:22.759390920 UTC

Parent: 20231002:dip-19632-1696275033:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275078 | FLIP


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:31:18.000000000 UTC

Actual recognition: 2023-10-02 19:32:09.346662782 UTC

Endpoint label: 2023-10-02 19:32:14.000000000 UTC

Endpoint known-by: 2023-10-02 19:32:15.032936755 UTC

Parent: 20231002:dip-19632-1696275078:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275152 | SAME


One whole lifecycle: opposite_hold3 | 121 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:32:32.000000000 UTC

Actual recognition: 2023-10-02 19:33:04.453757742 UTC

Endpoint label: 2023-10-02 19:34:32.000000000 UTC

Endpoint known-by: 2023-10-02 19:34:34.313512587 UTC

Parent: 20231002:dip-19632-1696275152:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275219 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:33:39.000000000 UTC

Actual recognition: 2023-10-02 19:34:34.313512587 UTC

Endpoint label: 2023-10-02 19:34:32.000000000 UTC

Endpoint known-by: 2023-10-02 19:34:34.313512587 UTC

Parent: 20231002:dip-19632-1696275219:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275310 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:35:10.000000000 UTC

Actual recognition: 2023-10-02 19:35:21.129213462 UTC

Endpoint label: 2023-10-02 19:35:36.000000000 UTC

Endpoint known-by: 2023-10-02 19:35:43.181593796 UTC

Parent: 20231002:dip-19632-1696275310:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275395 | SAME


One whole lifecycle: opposite_hold3 | 84 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:36:35.000000000 UTC

Actual recognition: 2023-10-02 19:37:26.234589970 UTC

Endpoint label: 2023-10-02 19:37:58.000000000 UTC

Endpoint known-by: 2023-10-02 19:37:59.254796100 UTC

Parent: 20231002:dip-19632-1696275395:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275476 | FLIP


One whole lifecycle: opposite_hold3 | 190 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:37:56.000000000 UTC

Actual recognition: 2023-10-02 19:38:48.782791810 UTC

Endpoint label: 2023-10-02 19:41:05.000000000 UTC

Endpoint known-by: 2023-10-02 19:41:07.695852437 UTC

Parent: 20231002:dip-19632-1696275476:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275554 | SAME


One whole lifecycle: opposite_hold3 | 112 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:39:14.000000000 UTC

Actual recognition: 2023-10-02 19:40:09.240015081 UTC

Endpoint label: 2023-10-02 19:41:05.000000000 UTC

Endpoint known-by: 2023-10-02 19:41:07.695852437 UTC

Parent: 20231002:dip-19632-1696275554:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275663 | FLIP


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:41:03.000000000 UTC

Actual recognition: 2023-10-02 19:42:09.055174936 UTC

Endpoint label: 2023-10-02 19:42:30.000000000 UTC

Endpoint known-by: 2023-10-02 19:42:32.203857693 UTC

Parent: 20231002:dip-19632-1696275663:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275708 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:41:48.000000000 UTC

Actual recognition: 2023-10-02 19:42:41.121229030 UTC

Endpoint label: 2023-10-02 19:42:30.000000000 UTC

Endpoint known-by: 2023-10-02 19:42:32.203857693 UTC

Parent: 20231002:dip-19632-1696275708:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275834 | FLIP


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:43:54.000000000 UTC

Actual recognition: 2023-10-02 19:44:03.111201168 UTC

Endpoint label: 2023-10-02 19:44:36.000000000 UTC

Endpoint known-by: 2023-10-02 19:44:37.071112761 UTC

Parent: 20231002:dip-19632-1696275834:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275919 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:45:19.000000000 UTC

Actual recognition: 2023-10-02 19:46:01.078345819 UTC

Endpoint label: 2023-10-02 19:45:29.000000000 UTC

Endpoint known-by: 2023-10-02 19:45:31.682588952 UTC

Parent: 20231002:dip-19632-1696275919:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696275964 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:46:04.000000000 UTC

Actual recognition: 2023-10-02 19:47:00.379282507 UTC

Endpoint label: 2023-10-02 19:46:33.000000000 UTC

Endpoint known-by: 2023-10-02 19:46:34.253361123 UTC

Parent: 20231002:dip-19632-1696275964:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276040 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:47:20.000000000 UTC

Actual recognition: 2023-10-02 19:48:11.001243378 UTC

Endpoint label: 2023-10-02 19:47:49.000000000 UTC

Endpoint known-by: 2023-10-02 19:47:59.121654979 UTC

Parent: 20231002:dip-19632-1696276040:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276101 | FLIP


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:48:21.000000000 UTC

Actual recognition: 2023-10-02 19:49:05.983673334 UTC

Endpoint label: 2023-10-02 19:48:56.000000000 UTC

Endpoint known-by: 2023-10-02 19:48:57.332293674 UTC

Parent: 20231002:dip-19632-1696276101:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276156 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:49:16.000000000 UTC

Actual recognition: 2023-10-02 19:50:08.677237547 UTC

Endpoint label: 2023-10-02 19:49:27.000000000 UTC

Endpoint known-by: 2023-10-02 19:49:28.790721569 UTC

Parent: 20231002:dip-19632-1696276156:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276334 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:52:14.000000000 UTC

Actual recognition: 2023-10-02 19:53:06.552790948 UTC

Endpoint label: 2023-10-02 19:52:37.000000000 UTC

Endpoint known-by: 2023-10-02 19:52:40.842206594 UTC

Parent: 20231002:dip-19632-1696276334:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276424 | FLIP


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:53:44.000000000 UTC

Actual recognition: 2023-10-02 19:54:37.907190834 UTC

Endpoint label: 2023-10-02 19:54:50.000000000 UTC

Endpoint known-by: 2023-10-02 19:54:54.028164928 UTC

Parent: 20231002:dip-19632-1696276424:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276494 | FLIP


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:54:54.000000000 UTC

Actual recognition: 2023-10-02 19:55:47.016587265 UTC

Endpoint label: 2023-10-02 19:55:38.000000000 UTC

Endpoint known-by: 2023-10-02 19:55:40.106895272 UTC

Parent: 20231002:dip-19632-1696276494:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276595 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:56:35.000000000 UTC

Actual recognition: 2023-10-02 19:56:51.720573363 UTC

Endpoint label: 2023-10-02 19:57:05.000000000 UTC

Endpoint known-by: 2023-10-02 19:57:06.133484203 UTC

Parent: 20231002:dip-19632-1696276595:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276664 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 19:57:44.000000000 UTC

Actual recognition: 2023-10-02 19:58:35.135791848 UTC

Endpoint label: 2023-10-02 19:57:55.000000000 UTC

Endpoint known-by: 2023-10-02 19:58:00.629016454 UTC

Parent: 20231002:dip-19632-1696276664:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276820 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:00:20.000000000 UTC

Actual recognition: 2023-10-02 20:01:11.007439202 UTC

Endpoint label: 2023-10-02 20:00:24.000000000 UTC

Endpoint known-by: 2023-10-02 20:00:25.032904000 UTC

Parent: 20231002:dip-19632-1696276820:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276865 | SAME


One whole lifecycle: opposite_hold3 | 68 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:01:05.000000000 UTC

Actual recognition: 2023-10-02 20:01:56.017132324 UTC

Endpoint label: 2023-10-02 20:02:12.000000000 UTC

Endpoint known-by: 2023-10-02 20:02:13.567259448 UTC

Parent: 20231002:dip-19632-1696276865:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276943 | FLIP


One whole lifecycle: opposite_hold3 | 62 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:02:23.000000000 UTC

Actual recognition: 2023-10-02 20:02:42.985026897 UTC

Endpoint label: 2023-10-02 20:03:24.000000000 UTC

Endpoint known-by: 2023-10-02 20:03:25.107828300 UTC

Parent: 20231002:dip-19632-1696276943:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696276988 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:03:08.000000000 UTC

Actual recognition: 2023-10-02 20:03:59.564894703 UTC

Endpoint label: 2023-10-02 20:03:24.000000000 UTC

Endpoint known-by: 2023-10-02 20:03:25.107828300 UTC

Parent: 20231002:dip-19632-1696276988:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277054 | FLIP


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:04:14.000000000 UTC

Actual recognition: 2023-10-02 20:05:05.398910640 UTC

Endpoint label: 2023-10-02 20:05:06.000000000 UTC

Endpoint known-by: 2023-10-02 20:05:23.015814096 UTC

Parent: 20231002:dip-19632-1696277054:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277119 | FLIP


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:05:19.000000000 UTC

Actual recognition: 2023-10-02 20:06:15.624267811 UTC

Endpoint label: 2023-10-02 20:06:00.000000000 UTC

Endpoint known-by: 2023-10-02 20:06:03.337955842 UTC

Parent: 20231002:dip-19632-1696277119:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277164 | FLIP


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:06:04.000000000 UTC

Actual recognition: 2023-10-02 20:06:56.233438350 UTC

Endpoint label: 2023-10-02 20:06:41.000000000 UTC

Endpoint known-by: 2023-10-02 20:06:56.233438350 UTC

Parent: 20231002:dip-19632-1696277164:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277234 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:07:14.000000000 UTC

Actual recognition: 2023-10-02 20:08:05.284737958 UTC

Endpoint label: 2023-10-02 20:07:35.000000000 UTC

Endpoint known-by: 2023-10-02 20:07:41.079599774 UTC

Parent: 20231002:dip-19632-1696277234:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277279 | SAME


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:07:59.000000000 UTC

Actual recognition: 2023-10-02 20:08:50.398931494 UTC

Endpoint label: 2023-10-02 20:08:39.000000000 UTC

Endpoint known-by: 2023-10-02 20:08:40.472193720 UTC

Parent: 20231002:dip-19632-1696277279:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277396 | FLIP


One whole lifecycle: opposite_hold3 | 60 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:09:56.000000000 UTC

Actual recognition: 2023-10-02 20:10:13.256833341 UTC

Endpoint label: 2023-10-02 20:10:55.000000000 UTC

Endpoint known-by: 2023-10-02 20:10:56.215617012 UTC

Parent: 20231002:dip-19632-1696277396:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.