
20231017 candidate | dip-19647-1697502213 | NO_PREDECESSOR


One whole lifecycle: opposite_hold3 | 382 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:23:33.000000000 UTC

Actual recognition: 2023-10-17 00:24:37.263231808 UTC

Endpoint label: 2023-10-17 00:29:54.000000000 UTC

Endpoint known-by: 2023-10-17 00:30:00.740224661 UTC

Parent: 20231017:dip-19647-1697502213:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697502302 | SAME


One whole lifecycle: opposite_hold3 | 293 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:25:02.000000000 UTC

Actual recognition: 2023-10-17 00:26:01.857652338 UTC

Endpoint label: 2023-10-17 00:29:54.000000000 UTC

Endpoint known-by: 2023-10-17 00:30:00.740224661 UTC

Parent: 20231017:dip-19647-1697502302:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697502347 | SAME


One whole lifecycle: opposite_hold3 | 248 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:25:47.000000000 UTC

Actual recognition: 2023-10-17 00:26:47.735943231 UTC

Endpoint label: 2023-10-17 00:29:54.000000000 UTC

Endpoint known-by: 2023-10-17 00:30:00.740224661 UTC

Parent: 20231017:dip-19647-1697502347:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697502481 | SAME


One whole lifecycle: opposite_hold3 | 114 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:28:01.000000000 UTC

Actual recognition: 2023-10-17 00:28:53.824460736 UTC

Endpoint label: 2023-10-17 00:29:54.000000000 UTC

Endpoint known-by: 2023-10-17 00:30:00.740224661 UTC

Parent: 20231017:dip-19647-1697502481:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697502649 | FLIP


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:30:49.000000000 UTC

Actual recognition: 2023-10-17 00:31:02.231655215 UTC

Endpoint label: 2023-10-17 00:31:33.000000000 UTC

Endpoint known-by: 2023-10-17 00:31:34.592167985 UTC

Parent: 20231017:dip-19647-1697502649:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697502694 | FLIP


One whole lifecycle: opposite_hold3 | 115 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:31:34.000000000 UTC

Actual recognition: 2023-10-17 00:32:29.408850760 UTC

Endpoint label: 2023-10-17 00:33:28.000000000 UTC

Endpoint known-by: 2023-10-17 00:33:32.470244435 UTC

Parent: 20231017:dip-19647-1697502694:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697502769 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:32:49.000000000 UTC

Actual recognition: 2023-10-17 00:33:46.650351828 UTC

Endpoint label: 2023-10-17 00:33:28.000000000 UTC

Endpoint known-by: 2023-10-17 00:33:32.470244435 UTC

Parent: 20231017:dip-19647-1697502769:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697502814 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:33:34.000000000 UTC

Actual recognition: 2023-10-17 00:34:25.687556223 UTC

Endpoint label: 2023-10-17 00:33:54.000000000 UTC

Endpoint known-by: 2023-10-17 00:34:13.789585454 UTC

Parent: 20231017:dip-19647-1697502814:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697502903 | FLIP


One whole lifecycle: opposite_hold3 | 211 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:35:03.000000000 UTC

Actual recognition: 2023-10-17 00:35:32.337265355 UTC

Endpoint label: 2023-10-17 00:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 00:38:38.404552233 UTC

Parent: 20231017:dip-19647-1697502903:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697502948 | SAME


One whole lifecycle: opposite_hold3 | 166 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:35:48.000000000 UTC

Actual recognition: 2023-10-17 00:37:04.043439478 UTC

Endpoint label: 2023-10-17 00:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 00:38:38.404552233 UTC

Parent: 20231017:dip-19647-1697502948:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697502993 | SAME


One whole lifecycle: opposite_hold3 | 121 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:36:33.000000000 UTC

Actual recognition: 2023-10-17 00:37:50.606128072 UTC

Endpoint label: 2023-10-17 00:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 00:38:38.404552233 UTC

Parent: 20231017:dip-19647-1697502993:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697503111 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:38:31.000000000 UTC

Actual recognition: 2023-10-17 00:39:25.972064377 UTC

Endpoint label: 2023-10-17 00:38:53.000000000 UTC

Endpoint known-by: 2023-10-17 00:39:17.270953809 UTC

Parent: 20231017:dip-19647-1697503111:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697503192 | FLIP


One whole lifecycle: opposite_hold3 | 184 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:39:52.000000000 UTC

Actual recognition: 2023-10-17 00:41:01.661903814 UTC

Endpoint label: 2023-10-17 00:42:55.000000000 UTC

Endpoint known-by: 2023-10-17 00:42:58.377164383 UTC

Parent: 20231017:dip-19647-1697503192:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697503237 | SAME


One whole lifecycle: opposite_hold3 | 139 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:40:37.000000000 UTC

Actual recognition: 2023-10-17 00:41:35.172947991 UTC

Endpoint label: 2023-10-17 00:42:55.000000000 UTC

Endpoint known-by: 2023-10-17 00:42:58.377164383 UTC

Parent: 20231017:dip-19647-1697503237:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697503373 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:42:53.000000000 UTC

Actual recognition: 2023-10-17 00:44:16.027770997 UTC

Endpoint label: 2023-10-17 00:43:15.000000000 UTC

Endpoint known-by: 2023-10-17 00:43:26.837769567 UTC

Parent: 20231017:dip-19647-1697503373:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697503616 | SAME


One whole lifecycle: opposite_hold3 | 179 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:46:56.000000000 UTC

Actual recognition: 2023-10-17 00:47:50.762183099 UTC

Endpoint label: 2023-10-17 00:49:54.000000000 UTC

Endpoint known-by: 2023-10-17 00:50:00.802624506 UTC

Parent: 20231017:dip-19647-1697503616:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697503689 | SAME


One whole lifecycle: opposite_hold3 | 106 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:48:09.000000000 UTC

Actual recognition: 2023-10-17 00:49:09.317761461 UTC

Endpoint label: 2023-10-17 00:49:54.000000000 UTC

Endpoint known-by: 2023-10-17 00:50:00.802624506 UTC

Parent: 20231017:dip-19647-1697503689:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697503792 | FLIP


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:49:52.000000000 UTC

Actual recognition: 2023-10-17 00:50:53.290260378 UTC

Endpoint label: 2023-10-17 00:51:19.000000000 UTC

Endpoint known-by: 2023-10-17 00:51:20.141010412 UTC

Parent: 20231017:dip-19647-1697503792:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697503853 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:50:53.000000000 UTC

Actual recognition: 2023-10-17 00:52:09.755951214 UTC

Endpoint label: 2023-10-17 00:51:19.000000000 UTC

Endpoint known-by: 2023-10-17 00:51:20.141010412 UTC

Parent: 20231017:dip-19647-1697503853:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697503898 | FLIP


One whole lifecycle: opposite_hold3 | 233 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:51:38.000000000 UTC

Actual recognition: 2023-10-17 00:52:55.921546281 UTC

Endpoint label: 2023-10-17 00:55:30.000000000 UTC

Endpoint known-by: 2023-10-17 00:55:32.688158523 UTC

Parent: 20231017:dip-19647-1697503898:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697504007 | SAME


One whole lifecycle: opposite_hold3 | 124 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:53:27.000000000 UTC

Actual recognition: 2023-10-17 00:54:18.558155750 UTC

Endpoint label: 2023-10-17 00:55:30.000000000 UTC

Endpoint known-by: 2023-10-17 00:55:32.688158523 UTC

Parent: 20231017:dip-19647-1697504007:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697504058 | SAME


One whole lifecycle: opposite_hold3 | 73 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:54:18.000000000 UTC

Actual recognition: 2023-10-17 00:55:20.989087863 UTC

Endpoint label: 2023-10-17 00:55:30.000000000 UTC

Endpoint known-by: 2023-10-17 00:55:32.688158523 UTC

Parent: 20231017:dip-19647-1697504058:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697504128 | FLIP


One whole lifecycle: opposite_hold3 | 289 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:55:28.000000000 UTC

Actual recognition: 2023-10-17 00:56:51.120959612 UTC

Endpoint label: 2023-10-17 01:00:16.000000000 UTC

Endpoint known-by: 2023-10-17 01:00:22.609482049 UTC

Parent: 20231017:dip-19647-1697504128:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697504173 | SAME


One whole lifecycle: opposite_hold3 | 244 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:56:13.000000000 UTC

Actual recognition: 2023-10-17 00:57:04.741503789 UTC

Endpoint label: 2023-10-17 01:00:16.000000000 UTC

Endpoint known-by: 2023-10-17 01:00:22.609482049 UTC

Parent: 20231017:dip-19647-1697504173:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697504223 | SAME


One whole lifecycle: opposite_hold3 | 194 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 00:57:03.000000000 UTC

Actual recognition: 2023-10-17 00:58:05.633544468 UTC

Endpoint label: 2023-10-17 01:00:16.000000000 UTC

Endpoint known-by: 2023-10-17 01:00:22.609482049 UTC

Parent: 20231017:dip-19647-1697504223:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697504414 | FLIP


One whole lifecycle: opposite_hold3 | 158 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:00:14.000000000 UTC

Actual recognition: 2023-10-17 01:01:05.816757858 UTC

Endpoint label: 2023-10-17 01:02:51.000000000 UTC

Endpoint known-by: 2023-10-17 01:02:52.098374058 UTC

Parent: 20231017:dip-19647-1697504414:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697504493 | SAME


One whole lifecycle: opposite_hold3 | 79 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:01:33.000000000 UTC

Actual recognition: 2023-10-17 01:02:49.645824543 UTC

Endpoint label: 2023-10-17 01:02:51.000000000 UTC

Endpoint known-by: 2023-10-17 01:02:52.098374058 UTC

Parent: 20231017:dip-19647-1697504493:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697504569 | FLIP


One whole lifecycle: opposite_hold3 | 167 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:02:49.000000000 UTC

Actual recognition: 2023-10-17 01:04:56.698495229 UTC

Endpoint label: 2023-10-17 01:05:35.000000000 UTC

Endpoint known-by: 2023-10-17 01:05:37.341898909 UTC

Parent: 20231017:dip-19647-1697504569:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697504733 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:05:33.000000000 UTC

Actual recognition: 2023-10-17 01:06:55.016191270 UTC

Endpoint label: 2023-10-17 01:05:55.000000000 UTC

Endpoint known-by: 2023-10-17 01:06:00.857546830 UTC

Parent: 20231017:dip-19647-1697504733:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697504849 | FLIP


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:07:29.000000000 UTC

Actual recognition: 2023-10-17 01:08:22.656827277 UTC

Endpoint label: 2023-10-17 01:08:35.000000000 UTC

Endpoint known-by: 2023-10-17 01:08:38.735874612 UTC

Parent: 20231017:dip-19647-1697504849:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697504913 | FLIP


One whole lifecycle: opposite_hold3 | 265 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:08:33.000000000 UTC

Actual recognition: 2023-10-17 01:10:24.064249826 UTC

Endpoint label: 2023-10-17 01:12:57.000000000 UTC

Endpoint known-by: 2023-10-17 01:13:01.607003451 UTC

Parent: 20231017:dip-19647-1697504913:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697505041 | SAME


One whole lifecycle: opposite_hold3 | 137 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:10:41.000000000 UTC

Actual recognition: 2023-10-17 01:11:57.396365748 UTC

Endpoint label: 2023-10-17 01:12:57.000000000 UTC

Endpoint known-by: 2023-10-17 01:13:01.607003451 UTC

Parent: 20231017:dip-19647-1697505041:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697505135 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:12:15.000000000 UTC

Actual recognition: 2023-10-17 01:13:32.102584497 UTC

Endpoint label: 2023-10-17 01:12:57.000000000 UTC

Endpoint known-by: 2023-10-17 01:13:01.607003451 UTC

Parent: 20231017:dip-19647-1697505135:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697505180 | FLIP


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:13:00.000000000 UTC

Actual recognition: 2023-10-17 01:14:01.604457065 UTC

Endpoint label: 2023-10-17 01:14:41.000000000 UTC

Endpoint known-by: 2023-10-17 01:14:49.681053068 UTC

Parent: 20231017:dip-19647-1697505180:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697505279 | FLIP


One whole lifecycle: opposite_hold3 | 194 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:14:39.000000000 UTC

Actual recognition: 2023-10-17 01:15:37.911385225 UTC

Endpoint label: 2023-10-17 01:17:52.000000000 UTC

Endpoint known-by: 2023-10-17 01:17:54.328511039 UTC

Parent: 20231017:dip-19647-1697505279:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697505470 | FLIP


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:17:50.000000000 UTC

Actual recognition: 2023-10-17 01:18:51.085025896 UTC

Endpoint label: 2023-10-17 01:18:28.000000000 UTC

Endpoint known-by: 2023-10-17 01:18:31.976293719 UTC

Parent: 20231017:dip-19647-1697505470:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697505515 | FLIP


One whole lifecycle: opposite_hold3 | 148 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:18:35.000000000 UTC

Actual recognition: 2023-10-17 01:19:50.890379807 UTC

Endpoint label: 2023-10-17 01:21:02.000000000 UTC

Endpoint known-by: 2023-10-17 01:21:18.591512375 UTC

Parent: 20231017:dip-19647-1697505515:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697505660 | FLIP


One whole lifecycle: opposite_hold3 | 310 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:21:00.000000000 UTC

Actual recognition: 2023-10-17 01:21:55.411501314 UTC

Endpoint label: 2023-10-17 01:26:09.000000000 UTC

Endpoint known-by: 2023-10-17 01:26:10.095501459 UTC

Parent: 20231017:dip-19647-1697505660:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697505772 | SAME


One whole lifecycle: opposite_hold3 | 198 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:22:52.000000000 UTC

Actual recognition: 2023-10-17 01:23:43.433537605 UTC

Endpoint label: 2023-10-17 01:26:09.000000000 UTC

Endpoint known-by: 2023-10-17 01:26:10.095501459 UTC

Parent: 20231017:dip-19647-1697505772:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697505967 | FLIP


One whole lifecycle: opposite_hold3 | 116 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:26:07.000000000 UTC

Actual recognition: 2023-10-17 01:27:00.085380423 UTC

Endpoint label: 2023-10-17 01:28:02.000000000 UTC

Endpoint known-by: 2023-10-17 01:28:06.838312784 UTC

Parent: 20231017:dip-19647-1697505967:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506020 | SAME


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:27:00.000000000 UTC

Actual recognition: 2023-10-17 01:28:00.009384726 UTC

Endpoint label: 2023-10-17 01:28:02.000000000 UTC

Endpoint known-by: 2023-10-17 01:28:06.838312784 UTC

Parent: 20231017:dip-19647-1697506020:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506080 | FLIP


One whole lifecycle: opposite_hold3 | 113 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:28:00.000000000 UTC

Actual recognition: 2023-10-17 01:29:00.010278955 UTC

Endpoint label: 2023-10-17 01:29:52.000000000 UTC

Endpoint known-by: 2023-10-17 01:30:02.179567202 UTC

Parent: 20231017:dip-19647-1697506080:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506148 | SAME


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:29:08.000000000 UTC

Actual recognition: 2023-10-17 01:30:02.179567202 UTC

Endpoint label: 2023-10-17 01:29:52.000000000 UTC

Endpoint known-by: 2023-10-17 01:30:02.179567202 UTC

Parent: 20231017:dip-19647-1697506148:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506198 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:29:58.000000000 UTC

Actual recognition: 2023-10-17 01:30:44.773513943 UTC

Endpoint label: 2023-10-17 01:30:22.000000000 UTC

Endpoint known-by: 2023-10-17 01:30:34.246688161 UTC

Parent: 20231017:dip-19647-1697506198:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506270 | FLIP


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:31:10.000000000 UTC

Actual recognition: 2023-10-17 01:32:01.136609445 UTC

Endpoint label: 2023-10-17 01:32:02.000000000 UTC

Endpoint known-by: 2023-10-17 01:32:03.095494759 UTC

Parent: 20231017:dip-19647-1697506270:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506340 | FLIP


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:32:20.000000000 UTC

Actual recognition: 2023-10-17 01:33:31.795132496 UTC

Endpoint label: 2023-10-17 01:33:13.000000000 UTC

Endpoint known-by: 2023-10-17 01:33:31.795132496 UTC

Parent: 20231017:dip-19647-1697506340:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506391 | FLIP


One whole lifecycle: opposite_hold3 | 94 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:33:11.000000000 UTC

Actual recognition: 2023-10-17 01:34:42.550502439 UTC

Endpoint label: 2023-10-17 01:34:44.000000000 UTC

Endpoint known-by: 2023-10-17 01:34:54.360145787 UTC

Parent: 20231017:dip-19647-1697506391:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506482 | FLIP


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:34:42.000000000 UTC

Actual recognition: 2023-10-17 01:36:02.086057567 UTC

Endpoint label: 2023-10-17 01:35:37.000000000 UTC

Endpoint known-by: 2023-10-17 01:36:02.086057567 UTC

Parent: 20231017:dip-19647-1697506482:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506537 | FLIP


One whole lifecycle: opposite_hold3 | 334 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:35:37.000000000 UTC

Actual recognition: 2023-10-17 01:36:50.327034033 UTC

Endpoint label: 2023-10-17 01:41:10.000000000 UTC

Endpoint known-by: 2023-10-17 01:41:13.051934019 UTC

Parent: 20231017:dip-19647-1697506537:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506671 | SAME


One whole lifecycle: opposite_hold3 | 200 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:37:51.000000000 UTC

Actual recognition: 2023-10-17 01:39:14.236951538 UTC

Endpoint label: 2023-10-17 01:41:10.000000000 UTC

Endpoint known-by: 2023-10-17 01:41:13.051934019 UTC

Parent: 20231017:dip-19647-1697506671:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506801 | SAME


One whole lifecycle: opposite_hold3 | 70 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:40:01.000000000 UTC

Actual recognition: 2023-10-17 01:40:53.019922370 UTC

Endpoint label: 2023-10-17 01:41:10.000000000 UTC

Endpoint known-by: 2023-10-17 01:41:13.051934019 UTC

Parent: 20231017:dip-19647-1697506801:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506868 | FLIP


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:41:08.000000000 UTC

Actual recognition: 2023-10-17 01:42:47.043448395 UTC

Endpoint label: 2023-10-17 01:42:52.000000000 UTC

Endpoint known-by: 2023-10-17 01:42:56.376075545 UTC

Parent: 20231017:dip-19647-1697506868:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697506970 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:42:50.000000000 UTC

Actual recognition: 2023-10-17 01:43:46.903308270 UTC

Endpoint label: 2023-10-17 01:43:12.000000000 UTC

Endpoint known-by: 2023-10-17 01:43:13.323998382 UTC

Parent: 20231017:dip-19647-1697506970:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697507238 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:47:18.000000000 UTC

Actual recognition: 2023-10-17 01:48:11.960551323 UTC

Endpoint label: 2023-10-17 01:47:40.000000000 UTC

Endpoint known-by: 2023-10-17 01:47:41.267180936 UTC

Parent: 20231017:dip-19647-1697507238:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697507288 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:48:08.000000000 UTC

Actual recognition: 2023-10-17 01:49:01.097537638 UTC

Endpoint label: 2023-10-17 01:48:50.000000000 UTC

Endpoint known-by: 2023-10-17 01:48:51.091119699 UTC

Parent: 20231017:dip-19647-1697507288:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697507333 | FLIP


One whole lifecycle: opposite_hold3 | 133 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:48:53.000000000 UTC

Actual recognition: 2023-10-17 01:50:05.997794747 UTC

Endpoint label: 2023-10-17 01:51:05.000000000 UTC

Endpoint known-by: 2023-10-17 01:51:13.286190249 UTC

Parent: 20231017:dip-19647-1697507333:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697507443 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:50:43.000000000 UTC

Actual recognition: 2023-10-17 01:52:04.034549363 UTC

Endpoint label: 2023-10-17 01:51:05.000000000 UTC

Endpoint known-by: 2023-10-17 01:51:13.286190249 UTC

Parent: 20231017:dip-19647-1697507443:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697507553 | FLIP


One whole lifecycle: opposite_hold3 | 565 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:52:33.000000000 UTC

Actual recognition: 2023-10-17 01:53:46.813216227 UTC

Endpoint label: 2023-10-17 02:01:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:02:03.596595123 UTC

Parent: 20231017:dip-19647-1697507553:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697507603 | SAME


One whole lifecycle: opposite_hold3 | 515 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:53:23.000000000 UTC

Actual recognition: 2023-10-17 01:55:00.695668764 UTC

Endpoint label: 2023-10-17 02:01:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:02:03.596595123 UTC

Parent: 20231017:dip-19647-1697507603:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697507700 | SAME


One whole lifecycle: opposite_hold3 | 418 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:55:00.000000000 UTC

Actual recognition: 2023-10-17 01:55:51.015606092 UTC

Endpoint label: 2023-10-17 02:01:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:02:03.596595123 UTC

Parent: 20231017:dip-19647-1697507700:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697507849 | SAME


One whole lifecycle: opposite_hold3 | 269 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:57:29.000000000 UTC

Actual recognition: 2023-10-17 01:58:21.434042073 UTC

Endpoint label: 2023-10-17 02:01:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:02:03.596595123 UTC

Parent: 20231017:dip-19647-1697507849:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697507894 | SAME


One whole lifecycle: opposite_hold3 | 224 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:58:14.000000000 UTC

Actual recognition: 2023-10-17 01:59:05.049678689 UTC

Endpoint label: 2023-10-17 02:01:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:02:03.596595123 UTC

Parent: 20231017:dip-19647-1697507894:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697507945 | SAME


One whole lifecycle: opposite_hold3 | 173 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 01:59:05.000000000 UTC

Actual recognition: 2023-10-17 01:59:59.663190069 UTC

Endpoint label: 2023-10-17 02:01:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:02:03.596595123 UTC

Parent: 20231017:dip-19647-1697507945:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508004 | SAME


One whole lifecycle: opposite_hold3 | 114 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:00:04.000000000 UTC

Actual recognition: 2023-10-17 02:00:52.687343202 UTC

Endpoint label: 2023-10-17 02:01:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:02:03.596595123 UTC

Parent: 20231017:dip-19647-1697508004:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508049 | SAME


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:00:49.000000000 UTC

Actual recognition: 2023-10-17 02:01:41.002656459 UTC

Endpoint label: 2023-10-17 02:01:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:02:03.596595123 UTC

Parent: 20231017:dip-19647-1697508049:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508115 | FLIP


One whole lifecycle: opposite_hold3 | 423 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:01:55.000000000 UTC

Actual recognition: 2023-10-17 02:02:51.023182979 UTC

Endpoint label: 2023-10-17 02:08:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:09:07.671692588 UTC

Parent: 20231017:dip-19647-1697508115:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508160 | SAME


One whole lifecycle: opposite_hold3 | 378 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:02:40.000000000 UTC

Actual recognition: 2023-10-17 02:03:47.210021423 UTC

Endpoint label: 2023-10-17 02:08:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:09:07.671692588 UTC

Parent: 20231017:dip-19647-1697508160:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508244 | SAME


One whole lifecycle: opposite_hold3 | 294 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:04:04.000000000 UTC

Actual recognition: 2023-10-17 02:05:04.064432735 UTC

Endpoint label: 2023-10-17 02:08:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:09:07.671692588 UTC

Parent: 20231017:dip-19647-1697508244:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508336 | SAME


One whole lifecycle: opposite_hold3 | 202 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:05:36.000000000 UTC

Actual recognition: 2023-10-17 02:06:41.885833134 UTC

Endpoint label: 2023-10-17 02:08:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:09:07.671692588 UTC

Parent: 20231017:dip-19647-1697508336:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508535 | FLIP


One whole lifecycle: opposite_hold3 | 117 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:08:55.000000000 UTC

Actual recognition: 2023-10-17 02:09:50.716522832 UTC

Endpoint label: 2023-10-17 02:10:51.000000000 UTC

Endpoint known-by: 2023-10-17 02:11:03.028874135 UTC

Parent: 20231017:dip-19647-1697508535:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508595 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:09:55.000000000 UTC

Actual recognition: 2023-10-17 02:10:46.697962547 UTC

Endpoint label: 2023-10-17 02:10:51.000000000 UTC

Endpoint known-by: 2023-10-17 02:11:03.028874135 UTC

Parent: 20231017:dip-19647-1697508595:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508654 | SAME


One whole lifecycle: opposite_hold3 | 136 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:10:54.000000000 UTC

Actual recognition: 2023-10-17 02:11:57.565999602 UTC

Endpoint label: 2023-10-17 02:13:09.000000000 UTC

Endpoint known-by: 2023-10-17 02:13:12.323910114 UTC

Parent: 20231017:dip-19647-1697508654:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508787 | FLIP


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:13:07.000000000 UTC

Actual recognition: 2023-10-17 02:14:02.780112745 UTC

Endpoint label: 2023-10-17 02:14:04.000000000 UTC

Endpoint known-by: 2023-10-17 02:14:08.884503183 UTC

Parent: 20231017:dip-19647-1697508787:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508862 | FLIP


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:14:22.000000000 UTC

Actual recognition: 2023-10-17 02:16:17.378897531 UTC

Endpoint label: 2023-10-17 02:15:10.000000000 UTC

Endpoint known-by: 2023-10-17 02:16:17.378897531 UTC

Parent: 20231017:dip-19647-1697508862:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697508918 | FLIP


One whole lifecycle: opposite_hold3 | 100 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:15:18.000000000 UTC

Actual recognition: 2023-10-17 02:16:17.378897531 UTC

Endpoint label: 2023-10-17 02:16:57.000000000 UTC

Endpoint known-by: 2023-10-17 02:17:06.982809719 UTC

Parent: 20231017:dip-19647-1697508918:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509015 | FLIP


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:16:55.000000000 UTC

Actual recognition: 2023-10-17 02:18:03.717261666 UTC

Endpoint label: 2023-10-17 02:18:10.000000000 UTC

Endpoint known-by: 2023-10-17 02:18:11.238881099 UTC

Parent: 20231017:dip-19647-1697509015:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509088 | FLIP


One whole lifecycle: opposite_hold3 | 94 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:18:08.000000000 UTC

Actual recognition: 2023-10-17 02:19:15.041204043 UTC

Endpoint label: 2023-10-17 02:19:41.000000000 UTC

Endpoint known-by: 2023-10-17 02:19:49.935017796 UTC

Parent: 20231017:dip-19647-1697509088:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509201 | FLIP


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:20:01.000000000 UTC

Actual recognition: 2023-10-17 02:20:34.062979860 UTC

Endpoint label: 2023-10-17 02:20:45.000000000 UTC

Endpoint known-by: 2023-10-17 02:20:46.498101354 UTC

Parent: 20231017:dip-19647-1697509201:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509263 | SAME


One whole lifecycle: opposite_hold3 | 110 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:21:03.000000000 UTC

Actual recognition: 2023-10-17 02:22:31.908258411 UTC

Endpoint label: 2023-10-17 02:22:52.000000000 UTC

Endpoint known-by: 2023-10-17 02:22:54.838652841 UTC

Parent: 20231017:dip-19647-1697509263:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509310 | SAME


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:21:50.000000000 UTC

Actual recognition: 2023-10-17 02:22:45.387910753 UTC

Endpoint label: 2023-10-17 02:22:52.000000000 UTC

Endpoint known-by: 2023-10-17 02:22:54.838652841 UTC

Parent: 20231017:dip-19647-1697509310:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509370 | FLIP


One whole lifecycle: opposite_hold3 | 134 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:22:50.000000000 UTC

Actual recognition: 2023-10-17 02:23:47.434932140 UTC

Endpoint label: 2023-10-17 02:25:03.000000000 UTC

Endpoint known-by: 2023-10-17 02:25:04.255731319 UTC

Parent: 20231017:dip-19647-1697509370:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509481 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:24:41.000000000 UTC

Actual recognition: 2023-10-17 02:25:32.025611056 UTC

Endpoint label: 2023-10-17 02:25:03.000000000 UTC

Endpoint known-by: 2023-10-17 02:25:04.255731319 UTC

Parent: 20231017:dip-19647-1697509481:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509526 | FLIP


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:25:26.000000000 UTC

Actual recognition: 2023-10-17 02:26:17.578731549 UTC

Endpoint label: 2023-10-17 02:26:22.000000000 UTC

Endpoint known-by: 2023-10-17 02:26:28.105572509 UTC

Parent: 20231017:dip-19647-1697509526:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509580 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:26:20.000000000 UTC

Actual recognition: 2023-10-17 02:27:22.982357856 UTC

Endpoint label: 2023-10-17 02:26:43.000000000 UTC

Endpoint known-by: 2023-10-17 02:26:44.119981685 UTC

Parent: 20231017:dip-19647-1697509580:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509625 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:27:05.000000000 UTC

Actual recognition: 2023-10-17 02:28:03.302461805 UTC

Endpoint label: 2023-10-17 02:27:26.000000000 UTC

Endpoint known-by: 2023-10-17 02:27:27.194080518 UTC

Parent: 20231017:dip-19647-1697509625:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509709 | SAME


One whole lifecycle: opposite_hold3 | 90 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:28:29.000000000 UTC

Actual recognition: 2023-10-17 02:29:32.750000784 UTC

Endpoint label: 2023-10-17 02:29:58.000000000 UTC

Endpoint known-by: 2023-10-17 02:29:59.650871787 UTC

Parent: 20231017:dip-19647-1697509709:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509791 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:29:51.000000000 UTC

Actual recognition: 2023-10-17 02:30:49.924605824 UTC

Endpoint label: 2023-10-17 02:29:58.000000000 UTC

Endpoint known-by: 2023-10-17 02:29:59.650871787 UTC

Parent: 20231017:dip-19647-1697509791:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509836 | SAME


One whole lifecycle: opposite_hold3 | 183 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:30:36.000000000 UTC

Actual recognition: 2023-10-17 02:31:30.140611783 UTC

Endpoint label: 2023-10-17 02:33:38.000000000 UTC

Endpoint known-by: 2023-10-17 02:33:47.607067770 UTC

Parent: 20231017:dip-19647-1697509836:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697509980 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:33:00.000000000 UTC

Actual recognition: 2023-10-17 02:34:07.661307822 UTC

Endpoint label: 2023-10-17 02:33:38.000000000 UTC

Endpoint known-by: 2023-10-17 02:33:47.607067770 UTC

Parent: 20231017:dip-19647-1697509980:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697510032 | FLIP


One whole lifecycle: opposite_hold3 | 188 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:33:52.000000000 UTC

Actual recognition: 2023-10-17 02:35:38.587227980 UTC

Endpoint label: 2023-10-17 02:36:59.000000000 UTC

Endpoint known-by: 2023-10-17 02:37:04.046803993 UTC

Parent: 20231017:dip-19647-1697510032:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697510141 | SAME


One whole lifecycle: opposite_hold3 | 79 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:35:41.000000000 UTC

Actual recognition: 2023-10-17 02:36:37.467414545 UTC

Endpoint label: 2023-10-17 02:36:59.000000000 UTC

Endpoint known-by: 2023-10-17 02:37:04.046803993 UTC

Parent: 20231017:dip-19647-1697510141:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697510217 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:36:57.000000000 UTC

Actual recognition: 2023-10-17 02:37:50.195502374 UTC

Endpoint label: 2023-10-17 02:37:20.000000000 UTC

Endpoint known-by: 2023-10-17 02:37:21.090051321 UTC

Parent: 20231017:dip-19647-1697510217:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697510436 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:40:36.000000000 UTC

Actual recognition: 2023-10-17 02:41:27.208759880 UTC

Endpoint label: 2023-10-17 02:41:02.000000000 UTC

Endpoint known-by: 2023-10-17 02:41:03.133625431 UTC

Parent: 20231017:dip-19647-1697510436:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697510497 | FLIP


One whole lifecycle: opposite_hold3 | 82 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:41:37.000000000 UTC

Actual recognition: 2023-10-17 02:42:28.207774594 UTC

Endpoint label: 2023-10-17 02:42:58.000000000 UTC

Endpoint known-by: 2023-10-17 02:42:59.291368384 UTC

Parent: 20231017:dip-19647-1697510497:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697510576 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:42:56.000000000 UTC

Actual recognition: 2023-10-17 02:43:47.522293141 UTC

Endpoint label: 2023-10-17 02:43:18.000000000 UTC

Endpoint known-by: 2023-10-17 02:43:21.713141312 UTC

Parent: 20231017:dip-19647-1697510576:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697510658 | SAME


One whole lifecycle: opposite_hold3 | 197 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:44:18.000000000 UTC

Actual recognition: 2023-10-17 02:45:09.362649753 UTC

Endpoint label: 2023-10-17 02:47:34.000000000 UTC

Endpoint known-by: 2023-10-17 02:47:35.017987011 UTC

Parent: 20231017:dip-19647-1697510658:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697510852 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:47:32.000000000 UTC

Actual recognition: 2023-10-17 02:48:24.367017269 UTC

Endpoint label: 2023-10-17 02:47:56.000000000 UTC

Endpoint known-by: 2023-10-17 02:48:13.827832656 UTC

Parent: 20231017:dip-19647-1697510852:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697510911 | SAME


One whole lifecycle: opposite_hold3 | 122 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:48:31.000000000 UTC

Actual recognition: 2023-10-17 02:49:20.085708812 UTC

Endpoint label: 2023-10-17 02:50:32.000000000 UTC

Endpoint known-by: 2023-10-17 02:50:43.491810187 UTC

Parent: 20231017:dip-19647-1697510911:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697511030 | FLIP


One whole lifecycle: opposite_hold3 | 284 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:50:30.000000000 UTC

Actual recognition: 2023-10-17 02:51:23.050815842 UTC

Endpoint label: 2023-10-17 02:55:13.000000000 UTC

Endpoint known-by: 2023-10-17 02:55:27.955211172 UTC

Parent: 20231017:dip-19647-1697511030:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697511214 | SAME


One whole lifecycle: opposite_hold3 | 100 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:53:34.000000000 UTC

Actual recognition: 2023-10-17 02:54:45.990446522 UTC

Endpoint label: 2023-10-17 02:55:13.000000000 UTC

Endpoint known-by: 2023-10-17 02:55:27.955211172 UTC

Parent: 20231017:dip-19647-1697511214:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.