
# 20231017 candidate | dip-19647-1697552039 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:13:59.000000000 UTC

Actual recognition: 2023-10-17 14:14:50.402859841 UTC

Endpoint label: 2023-10-17 14:14:17.000000000 UTC

Endpoint known-by: 2023-10-17 14:14:18.110194042 UTC

Parent: 20231017:dip-19647-1697552039:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697552084 | FLIP


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:14:44.000000000 UTC

Actual recognition: 2023-10-17 14:15:35.008667110 UTC

Endpoint label: 2023-10-17 14:14:52.000000000 UTC

Endpoint known-by: 2023-10-17 14:14:54.400845735 UTC

Parent: 20231017:dip-19647-1697552084:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697552133 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:15:33.000000000 UTC

Actual recognition: 2023-10-17 14:16:21.678892625 UTC

Endpoint label: 2023-10-17 14:15:59.000000000 UTC

Endpoint known-by: 2023-10-17 14:16:01.140286662 UTC

Parent: 20231017:dip-19647-1697552133:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697552190 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:16:30.000000000 UTC

Actual recognition: 2023-10-17 14:17:19.385937009 UTC

Endpoint label: 2023-10-17 14:16:39.000000000 UTC

Endpoint known-by: 2023-10-17 14:16:40.144191456 UTC

Parent: 20231017:dip-19647-1697552190:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697552305 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:18:25.000000000 UTC

Actual recognition: 2023-10-17 14:19:12.102587354 UTC

Endpoint label: 2023-10-17 14:18:29.000000000 UTC

Endpoint known-by: 2023-10-17 14:18:30.661858193 UTC

Parent: 20231017:dip-19647-1697552305:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697552385 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:19:45.000000000 UTC

Actual recognition: 2023-10-17 14:20:36.108665556 UTC

Endpoint label: 2023-10-17 14:20:33.000000000 UTC

Endpoint known-by: 2023-10-17 14:20:34.107435800 UTC

Parent: 20231017:dip-19647-1697552385:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697552627 | SAME


One whole lifecycle: opposite_hold3 | 89 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:23:47.000000000 UTC

Actual recognition: 2023-10-17 14:24:38.104170200 UTC

Endpoint label: 2023-10-17 14:25:15.000000000 UTC

Endpoint known-by: 2023-10-17 14:25:16.510433230 UTC

Parent: 20231017:dip-19647-1697552627:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697552798 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:26:38.000000000 UTC

Actual recognition: 2023-10-17 14:27:29.035948062 UTC

Endpoint label: 2023-10-17 14:27:01.000000000 UTC

Endpoint known-by: 2023-10-17 14:27:02.460163203 UTC

Parent: 20231017:dip-19647-1697552798:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697552852 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:27:32.000000000 UTC

Actual recognition: 2023-10-17 14:28:23.028559575 UTC

Endpoint label: 2023-10-17 14:27:58.000000000 UTC

Endpoint known-by: 2023-10-17 14:27:59.588011546 UTC

Parent: 20231017:dip-19647-1697552852:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697552988 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:29:48.000000000 UTC

Actual recognition: 2023-10-17 14:30:39.122833841 UTC

Endpoint label: 2023-10-17 14:30:05.000000000 UTC

Endpoint known-by: 2023-10-17 14:30:06.181678688 UTC

Parent: 20231017:dip-19647-1697552988:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697553163 | FLIP


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:32:43.000000000 UTC

Actual recognition: 2023-10-17 14:33:34.123060391 UTC

Endpoint label: 2023-10-17 14:33:56.000000000 UTC

Endpoint known-by: 2023-10-17 14:33:57.014898448 UTC

Parent: 20231017:dip-19647-1697553163:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697553397 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:36:37.000000000 UTC

Actual recognition: 2023-10-17 14:37:20.053394810 UTC

Endpoint label: 2023-10-17 14:36:49.000000000 UTC

Endpoint known-by: 2023-10-17 14:36:50.054750680 UTC

Parent: 20231017:dip-19647-1697553397:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697553442 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:37:22.000000000 UTC

Actual recognition: 2023-10-17 14:38:13.545813593 UTC

Endpoint label: 2023-10-17 14:37:25.000000000 UTC

Endpoint known-by: 2023-10-17 14:37:26.514543684 UTC

Parent: 20231017:dip-19647-1697553442:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697553622 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:40:22.000000000 UTC

Actual recognition: 2023-10-17 14:41:13.244038202 UTC

Endpoint label: 2023-10-17 14:40:34.000000000 UTC

Endpoint known-by: 2023-10-17 14:40:35.324298300 UTC

Parent: 20231017:dip-19647-1697553622:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697553738 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:42:18.000000000 UTC

Actual recognition: 2023-10-17 14:43:09.663965247 UTC

Endpoint label: 2023-10-17 14:43:06.000000000 UTC

Endpoint known-by: 2023-10-17 14:43:07.834577413 UTC

Parent: 20231017:dip-19647-1697553738:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697553820 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:43:40.000000000 UTC

Actual recognition: 2023-10-17 14:43:55.114679766 UTC

Endpoint label: 2023-10-17 14:43:49.000000000 UTC

Endpoint known-by: 2023-10-17 14:43:50.368259497 UTC

Parent: 20231017:dip-19647-1697553820:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697553865 | FLIP


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:44:25.000000000 UTC

Actual recognition: 2023-10-17 14:45:16.958806790 UTC

Endpoint label: 2023-10-17 14:45:03.000000000 UTC

Endpoint known-by: 2023-10-17 14:45:04.105639788 UTC

Parent: 20231017:dip-19647-1697553865:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697553959 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:45:59.000000000 UTC

Actual recognition: 2023-10-17 14:46:50.056607930 UTC

Endpoint label: 2023-10-17 14:46:02.000000000 UTC

Endpoint known-by: 2023-10-17 14:46:03.061962350 UTC

Parent: 20231017:dip-19647-1697553959:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697554075 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:47:55.000000000 UTC

Actual recognition: 2023-10-17 14:48:29.572591957 UTC

Endpoint label: 2023-10-17 14:48:19.000000000 UTC

Endpoint known-by: 2023-10-17 14:48:20.209156875 UTC

Parent: 20231017:dip-19647-1697554075:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697554120 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:48:40.000000000 UTC

Actual recognition: 2023-10-17 14:49:31.052513536 UTC

Endpoint label: 2023-10-17 14:49:09.000000000 UTC

Endpoint known-by: 2023-10-17 14:49:10.096257414 UTC

Parent: 20231017:dip-19647-1697554120:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697554222 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:50:22.000000000 UTC

Actual recognition: 2023-10-17 14:50:33.081829991 UTC

Endpoint label: 2023-10-17 14:50:27.000000000 UTC

Endpoint known-by: 2023-10-17 14:50:28.516876520 UTC

Parent: 20231017:dip-19647-1697554222:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697554298 | FLIP


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:51:38.000000000 UTC

Actual recognition: 2023-10-17 14:52:29.168795803 UTC

Endpoint label: 2023-10-17 14:52:14.000000000 UTC

Endpoint known-by: 2023-10-17 14:52:15.014939600 UTC

Parent: 20231017:dip-19647-1697554298:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697554403 | FLIP


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:53:23.000000000 UTC

Actual recognition: 2023-10-17 14:54:14.197324630 UTC

Endpoint label: 2023-10-17 14:53:56.000000000 UTC

Endpoint known-by: 2023-10-17 14:53:57.540439364 UTC

Parent: 20231017:dip-19647-1697554403:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697554565 | SAME


One whole lifecycle: opposite_hold3 | 92 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:56:05.000000000 UTC

Actual recognition: 2023-10-17 14:56:19.887623670 UTC

Endpoint label: 2023-10-17 14:57:36.000000000 UTC

Endpoint known-by: 2023-10-17 14:57:37.255227105 UTC

Parent: 20231017:dip-19647-1697554565:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697554620 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:57:00.000000000 UTC

Actual recognition: 2023-10-17 14:57:51.072680872 UTC

Endpoint label: 2023-10-17 14:57:36.000000000 UTC

Endpoint known-by: 2023-10-17 14:57:37.255227105 UTC

Parent: 20231017:dip-19647-1697554620:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697554896 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:01:36.000000000 UTC

Actual recognition: 2023-10-17 15:02:27.210801820 UTC

Endpoint label: 2023-10-17 15:02:00.000000000 UTC

Endpoint known-by: 2023-10-17 15:02:01.376344753 UTC

Parent: 20231017:dip-19647-1697554896:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697554969 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:02:49.000000000 UTC

Actual recognition: 2023-10-17 15:03:40.707044232 UTC

Endpoint label: 2023-10-17 15:03:04.000000000 UTC

Endpoint known-by: 2023-10-17 15:03:05.211029644 UTC

Parent: 20231017:dip-19647-1697554969:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555075 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:04:35.000000000 UTC

Actual recognition: 2023-10-17 15:04:44.141338682 UTC

Endpoint label: 2023-10-17 15:04:49.000000000 UTC

Endpoint known-by: 2023-10-17 15:04:52.595594461 UTC

Parent: 20231017:dip-19647-1697555075:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555171 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:06:11.000000000 UTC

Actual recognition: 2023-10-17 15:07:02.081105268 UTC

Endpoint label: 2023-10-17 15:06:19.000000000 UTC

Endpoint known-by: 2023-10-17 15:06:20.228565538 UTC

Parent: 20231017:dip-19647-1697555171:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555217 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:06:57.000000000 UTC

Actual recognition: 2023-10-17 15:07:48.064017750 UTC

Endpoint label: 2023-10-17 15:07:50.000000000 UTC

Endpoint known-by: 2023-10-17 15:07:51.336291726 UTC

Parent: 20231017:dip-19647-1697555217:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555319 | FLIP


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:08:39.000000000 UTC

Actual recognition: 2023-10-17 15:09:04.400706942 UTC

Endpoint label: 2023-10-17 15:09:12.000000000 UTC

Endpoint known-by: 2023-10-17 15:09:14.170915444 UTC

Parent: 20231017:dip-19647-1697555319:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555395 | SAME


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:09:55.000000000 UTC

Actual recognition: 2023-10-17 15:10:21.540148147 UTC

Endpoint label: 2023-10-17 15:10:20.000000000 UTC

Endpoint known-by: 2023-10-17 15:10:21.540148147 UTC

Parent: 20231017:dip-19647-1697555395:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555459 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:10:59.000000000 UTC

Actual recognition: 2023-10-17 15:11:50.208394834 UTC

Endpoint label: 2023-10-17 15:11:31.000000000 UTC

Endpoint known-by: 2023-10-17 15:11:32.143381032 UTC

Parent: 20231017:dip-19647-1697555459:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555520 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:12:00.000000000 UTC

Actual recognition: 2023-10-17 15:12:47.134477088 UTC

Endpoint label: 2023-10-17 15:12:28.000000000 UTC

Endpoint known-by: 2023-10-17 15:12:29.480264317 UTC

Parent: 20231017:dip-19647-1697555520:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555588 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:13:08.000000000 UTC

Actual recognition: 2023-10-17 15:13:52.693506239 UTC

Endpoint label: 2023-10-17 15:13:30.000000000 UTC

Endpoint known-by: 2023-10-17 15:13:31.287636619 UTC

Parent: 20231017:dip-19647-1697555588:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555695 | SAME


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:14:55.000000000 UTC

Actual recognition: 2023-10-17 15:15:43.031468560 UTC

Endpoint label: 2023-10-17 15:15:30.000000000 UTC

Endpoint known-by: 2023-10-17 15:15:36.648369808 UTC

Parent: 20231017:dip-19647-1697555695:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555819 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:16:59.000000000 UTC

Actual recognition: 2023-10-17 15:17:50.288603524 UTC

Endpoint label: 2023-10-17 15:17:17.000000000 UTC

Endpoint known-by: 2023-10-17 15:17:18.693709688 UTC

Parent: 20231017:dip-19647-1697555819:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555937 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:18:57.000000000 UTC

Actual recognition: 2023-10-17 15:19:15.040364012 UTC

Endpoint label: 2023-10-17 15:19:23.000000000 UTC

Endpoint known-by: 2023-10-17 15:19:24.356054434 UTC

Parent: 20231017:dip-19647-1697555937:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697555982 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:19:42.000000000 UTC

Actual recognition: 2023-10-17 15:20:34.149065142 UTC

Endpoint label: 2023-10-17 15:20:02.000000000 UTC

Endpoint known-by: 2023-10-17 15:20:03.033114508 UTC

Parent: 20231017:dip-19647-1697555982:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697556158 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:22:38.000000000 UTC

Actual recognition: 2023-10-17 15:23:29.118601627 UTC

Endpoint label: 2023-10-17 15:22:54.000000000 UTC

Endpoint known-by: 2023-10-17 15:22:55.120789271 UTC

Parent: 20231017:dip-19647-1697556158:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697556241 | FLIP


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:24:01.000000000 UTC

Actual recognition: 2023-10-17 15:24:53.464561676 UTC

Endpoint label: 2023-10-17 15:24:35.000000000 UTC

Endpoint known-by: 2023-10-17 15:24:36.462959178 UTC

Parent: 20231017:dip-19647-1697556241:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697556353 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:25:53.000000000 UTC

Actual recognition: 2023-10-17 15:26:44.009633028 UTC

Endpoint label: 2023-10-17 15:26:05.000000000 UTC

Endpoint known-by: 2023-10-17 15:26:06.791703286 UTC

Parent: 20231017:dip-19647-1697556353:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697556752 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:32:32.000000000 UTC

Actual recognition: 2023-10-17 15:33:23.231689264 UTC

Endpoint label: 2023-10-17 15:33:08.000000000 UTC

Endpoint known-by: 2023-10-17 15:33:09.559856958 UTC

Parent: 20231017:dip-19647-1697556752:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697557183 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:39:43.000000000 UTC

Actual recognition: 2023-10-17 15:39:53.026506333 UTC

Endpoint label: 2023-10-17 15:40:05.000000000 UTC

Endpoint known-by: 2023-10-17 15:40:06.052235093 UTC

Parent: 20231017:dip-19647-1697557183:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697557257 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:40:57.000000000 UTC

Actual recognition: 2023-10-17 15:41:48.297551465 UTC

Endpoint label: 2023-10-17 15:41:09.000000000 UTC

Endpoint known-by: 2023-10-17 15:41:10.011606182 UTC

Parent: 20231017:dip-19647-1697557257:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697557884 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:51:24.000000000 UTC

Actual recognition: 2023-10-17 15:51:44.101591774 UTC

Endpoint label: 2023-10-17 15:51:31.000000000 UTC

Endpoint known-by: 2023-10-17 15:51:32.515972132 UTC

Parent: 20231017:dip-19647-1697557884:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697558149 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:55:49.000000000 UTC

Actual recognition: 2023-10-17 15:56:40.965545805 UTC

Endpoint label: 2023-10-17 15:56:05.000000000 UTC

Endpoint known-by: 2023-10-17 15:56:06.579914516 UTC

Parent: 20231017:dip-19647-1697558149:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697558697 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:04:57.000000000 UTC

Actual recognition: 2023-10-17 16:05:47.120273430 UTC

Endpoint label: 2023-10-17 16:05:15.000000000 UTC

Endpoint known-by: 2023-10-17 16:05:16.387530766 UTC

Parent: 20231017:dip-19647-1697558697:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697558747 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:05:47.000000000 UTC

Actual recognition: 2023-10-17 16:06:39.391611142 UTC

Endpoint label: 2023-10-17 16:06:04.000000000 UTC

Endpoint known-by: 2023-10-17 16:06:06.408128242 UTC

Parent: 20231017:dip-19647-1697558747:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697558862 | SAME


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:07:42.000000000 UTC

Actual recognition: 2023-10-17 16:08:33.000914907 UTC

Endpoint label: 2023-10-17 16:08:55.000000000 UTC

Endpoint known-by: 2023-10-17 16:08:56.060025656 UTC

Parent: 20231017:dip-19647-1697558862:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697559009 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:10:09.000000000 UTC

Actual recognition: 2023-10-17 16:10:17.000508209 UTC

Endpoint label: 2023-10-17 16:10:29.000000000 UTC

Endpoint known-by: 2023-10-17 16:10:30.014849727 UTC

Parent: 20231017:dip-19647-1697559009:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697559064 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:11:04.000000000 UTC

Actual recognition: 2023-10-17 16:11:54.147050758 UTC

Endpoint label: 2023-10-17 16:11:09.000000000 UTC

Endpoint known-by: 2023-10-17 16:11:11.017236199 UTC

Parent: 20231017:dip-19647-1697559064:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697559138 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:12:18.000000000 UTC

Actual recognition: 2023-10-17 16:13:04.200453284 UTC

Endpoint label: 2023-10-17 16:12:25.000000000 UTC

Endpoint known-by: 2023-10-17 16:12:27.881098354 UTC

Parent: 20231017:dip-19647-1697559138:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697559218 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:13:38.000000000 UTC

Actual recognition: 2023-10-17 16:14:28.124880731 UTC

Endpoint label: 2023-10-17 16:13:43.000000000 UTC

Endpoint known-by: 2023-10-17 16:13:44.549197927 UTC

Parent: 20231017:dip-19647-1697559218:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697559263 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:14:23.000000000 UTC

Actual recognition: 2023-10-17 16:15:14.847793889 UTC

Endpoint label: 2023-10-17 16:14:53.000000000 UTC

Endpoint known-by: 2023-10-17 16:14:54.133425927 UTC

Parent: 20231017:dip-19647-1697559263:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697559475 | FLIP


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:17:55.000000000 UTC

Actual recognition: 2023-10-17 16:18:46.084917578 UTC

Endpoint label: 2023-10-17 16:18:31.000000000 UTC

Endpoint known-by: 2023-10-17 16:18:33.172388156 UTC

Parent: 20231017:dip-19647-1697559475:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697559535 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:18:55.000000000 UTC

Actual recognition: 2023-10-17 16:19:46.058339107 UTC

Endpoint label: 2023-10-17 16:19:12.000000000 UTC

Endpoint known-by: 2023-10-17 16:19:13.030337942 UTC

Parent: 20231017:dip-19647-1697559535:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697559605 | SAME


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:20:05.000000000 UTC

Actual recognition: 2023-10-17 16:20:56.316889823 UTC

Endpoint label: 2023-10-17 16:21:00.000000000 UTC

Endpoint known-by: 2023-10-17 16:21:01.007421800 UTC

Parent: 20231017:dip-19647-1697559605:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697559684 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:21:24.000000000 UTC

Actual recognition: 2023-10-17 16:22:15.111996646 UTC

Endpoint label: 2023-10-17 16:21:27.000000000 UTC

Endpoint known-by: 2023-10-17 16:21:28.033018401 UTC

Parent: 20231017:dip-19647-1697559684:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697559908 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:25:08.000000000 UTC

Actual recognition: 2023-10-17 16:26:00.018872428 UTC

Endpoint label: 2023-10-17 16:25:37.000000000 UTC

Endpoint known-by: 2023-10-17 16:25:38.011828916 UTC

Parent: 20231017:dip-19647-1697559908:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697559958 | SAME


One whole lifecycle: opposite_hold3 | 32 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:25:58.000000000 UTC

Actual recognition: 2023-10-17 16:26:46.389156954 UTC

Endpoint label: 2023-10-17 16:26:29.000000000 UTC

Endpoint known-by: 2023-10-17 16:26:30.005626558 UTC

Parent: 20231017:dip-19647-1697559958:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697560040 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:27:20.000000000 UTC

Actual recognition: 2023-10-17 16:28:09.158019716 UTC

Endpoint label: 2023-10-17 16:27:34.000000000 UTC

Endpoint known-by: 2023-10-17 16:27:36.290702006 UTC

Parent: 20231017:dip-19647-1697560040:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697560158 | SAME


One whole lifecycle: opposite_hold3 | 84 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:29:18.000000000 UTC

Actual recognition: 2023-10-17 16:29:47.069769332 UTC

Endpoint label: 2023-10-17 16:30:41.000000000 UTC

Endpoint known-by: 2023-10-17 16:30:42.384233805 UTC

Parent: 20231017:dip-19647-1697560158:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697560340 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:32:20.000000000 UTC

Actual recognition: 2023-10-17 16:32:39.012735470 UTC

Endpoint label: 2023-10-17 16:32:27.000000000 UTC

Endpoint known-by: 2023-10-17 16:32:28.106649958 UTC

Parent: 20231017:dip-19647-1697560340:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697560392 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:33:12.000000000 UTC

Actual recognition: 2023-10-17 16:34:03.519436625 UTC

Endpoint label: 2023-10-17 16:33:42.000000000 UTC

Endpoint known-by: 2023-10-17 16:33:46.894564437 UTC

Parent: 20231017:dip-19647-1697560392:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697560513 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:35:13.000000000 UTC

Actual recognition: 2023-10-17 16:36:01.265706066 UTC

Endpoint label: 2023-10-17 16:35:18.000000000 UTC

Endpoint known-by: 2023-10-17 16:35:19.158414916 UTC

Parent: 20231017:dip-19647-1697560513:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697560566 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:36:06.000000000 UTC

Actual recognition: 2023-10-17 16:36:57.415119642 UTC

Endpoint label: 2023-10-17 16:36:11.000000000 UTC

Endpoint known-by: 2023-10-17 16:36:12.373624539 UTC

Parent: 20231017:dip-19647-1697560566:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697561062 | FLIP


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:44:22.000000000 UTC

Actual recognition: 2023-10-17 16:45:16.290073771 UTC

Endpoint label: 2023-10-17 16:45:12.000000000 UTC

Endpoint known-by: 2023-10-17 16:45:16.290073771 UTC

Parent: 20231017:dip-19647-1697561062:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697561157 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:45:57.000000000 UTC

Actual recognition: 2023-10-17 16:46:48.020646499 UTC

Endpoint label: 2023-10-17 16:46:21.000000000 UTC

Endpoint known-by: 2023-10-17 16:46:23.436497195 UTC

Parent: 20231017:dip-19647-1697561157:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697561210 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:46:50.000000000 UTC

Actual recognition: 2023-10-17 16:47:41.736387913 UTC

Endpoint label: 2023-10-17 16:47:06.000000000 UTC

Endpoint known-by: 2023-10-17 16:47:07.020604402 UTC

Parent: 20231017:dip-19647-1697561210:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697561297 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:48:17.000000000 UTC

Actual recognition: 2023-10-17 16:49:08.116034280 UTC

Endpoint label: 2023-10-17 16:48:41.000000000 UTC

Endpoint known-by: 2023-10-17 16:48:42.039538065 UTC

Parent: 20231017:dip-19647-1697561297:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697561439 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:50:39.000000000 UTC

Actual recognition: 2023-10-17 16:51:30.125313290 UTC

Endpoint label: 2023-10-17 16:51:08.000000000 UTC

Endpoint known-by: 2023-10-17 16:51:09.575654387 UTC

Parent: 20231017:dip-19647-1697561439:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697561549 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:52:29.000000000 UTC

Actual recognition: 2023-10-17 16:53:15.010094363 UTC

Endpoint label: 2023-10-17 16:53:08.000000000 UTC

Endpoint known-by: 2023-10-17 16:53:09.443229307 UTC

Parent: 20231017:dip-19647-1697561549:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697561632 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:53:52.000000000 UTC

Actual recognition: 2023-10-17 16:54:43.709423618 UTC

Endpoint label: 2023-10-17 16:54:00.000000000 UTC

Endpoint known-by: 2023-10-17 16:54:01.249979477 UTC

Parent: 20231017:dip-19647-1697561632:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697561790 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:56:30.000000000 UTC

Actual recognition: 2023-10-17 16:57:21.028468972 UTC

Endpoint label: 2023-10-17 16:56:54.000000000 UTC

Endpoint known-by: 2023-10-17 16:56:55.084761468 UTC

Parent: 20231017:dip-19647-1697561790:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697561976 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:59:36.000000000 UTC

Actual recognition: 2023-10-17 17:00:28.471336388 UTC

Endpoint label: 2023-10-17 16:59:52.000000000 UTC

Endpoint known-by: 2023-10-17 16:59:54.797365453 UTC

Parent: 20231017:dip-19647-1697561976:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697562115 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:01:55.000000000 UTC

Actual recognition: 2023-10-17 17:02:50.300348976 UTC

Endpoint label: 2023-10-17 17:02:02.000000000 UTC

Endpoint known-by: 2023-10-17 17:02:03.140494169 UTC

Parent: 20231017:dip-19647-1697562115:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697562167 | FLIP


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:02:47.000000000 UTC

Actual recognition: 2023-10-17 17:03:36.418363598 UTC

Endpoint label: 2023-10-17 17:03:53.000000000 UTC

Endpoint known-by: 2023-10-17 17:03:54.083486153 UTC

Parent: 20231017:dip-19647-1697562167:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697562329 | SAME


One whole lifecycle: opposite_hold3 | 81 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:05:29.000000000 UTC

Actual recognition: 2023-10-17 17:06:24.919576339 UTC

Endpoint label: 2023-10-17 17:06:49.000000000 UTC

Endpoint known-by: 2023-10-17 17:06:50.093136111 UTC

Parent: 20231017:dip-19647-1697562329:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697562388 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:06:28.000000000 UTC

Actual recognition: 2023-10-17 17:07:19.452581362 UTC

Endpoint label: 2023-10-17 17:06:49.000000000 UTC

Endpoint known-by: 2023-10-17 17:06:50.093136111 UTC

Parent: 20231017:dip-19647-1697562388:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697562670 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:11:10.000000000 UTC

Actual recognition: 2023-10-17 17:12:01.885461268 UTC

Endpoint label: 2023-10-17 17:11:13.000000000 UTC

Endpoint known-by: 2023-10-17 17:11:14.103734423 UTC

Parent: 20231017:dip-19647-1697562670:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697562789 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:13:09.000000000 UTC

Actual recognition: 2023-10-17 17:13:59.791738417 UTC

Endpoint label: 2023-10-17 17:13:26.000000000 UTC

Endpoint known-by: 2023-10-17 17:13:27.667291510 UTC

Parent: 20231017:dip-19647-1697562789:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697562837 | SAME


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:13:57.000000000 UTC

Actual recognition: 2023-10-17 17:14:50.350466508 UTC

Endpoint label: 2023-10-17 17:14:30.000000000 UTC

Endpoint known-by: 2023-10-17 17:14:31.097885555 UTC

Parent: 20231017:dip-19647-1697562837:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697562910 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:15:10.000000000 UTC

Actual recognition: 2023-10-17 17:16:05.478618116 UTC

Endpoint label: 2023-10-17 17:15:17.000000000 UTC

Endpoint known-by: 2023-10-17 17:15:18.478762269 UTC

Parent: 20231017:dip-19647-1697562910:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697562990 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:16:30.000000000 UTC

Actual recognition: 2023-10-17 17:17:21.622941809 UTC

Endpoint label: 2023-10-17 17:17:00.000000000 UTC

Endpoint known-by: 2023-10-17 17:17:01.084949879 UTC

Parent: 20231017:dip-19647-1697562990:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697563062 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:17:42.000000000 UTC

Actual recognition: 2023-10-17 17:18:34.739508720 UTC

Endpoint label: 2023-10-17 17:17:58.000000000 UTC

Endpoint known-by: 2023-10-17 17:17:59.550728395 UTC

Parent: 20231017:dip-19647-1697563062:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697563116 | SAME


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:18:36.000000000 UTC

Actual recognition: 2023-10-17 17:19:28.634768791 UTC

Endpoint label: 2023-10-17 17:19:26.000000000 UTC

Endpoint known-by: 2023-10-17 17:19:28.634768791 UTC

Parent: 20231017:dip-19647-1697563116:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697563199 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:19:59.000000000 UTC

Actual recognition: 2023-10-17 17:20:50.567040075 UTC

Endpoint label: 2023-10-17 17:20:07.000000000 UTC

Endpoint known-by: 2023-10-17 17:20:08.585246983 UTC

Parent: 20231017:dip-19647-1697563199:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697563335 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:22:15.000000000 UTC

Actual recognition: 2023-10-17 17:23:08.163607396 UTC

Endpoint label: 2023-10-17 17:22:33.000000000 UTC

Endpoint known-by: 2023-10-17 17:22:34.974301045 UTC

Parent: 20231017:dip-19647-1697563335:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697563488 | FLIP


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:24:48.000000000 UTC

Actual recognition: 2023-10-17 17:25:02.150183634 UTC

Endpoint label: 2023-10-17 17:25:27.000000000 UTC

Endpoint known-by: 2023-10-17 17:25:30.708561617 UTC

Parent: 20231017:dip-19647-1697563488:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697563595 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:26:35.000000000 UTC

Actual recognition: 2023-10-17 17:27:31.301397090 UTC

Endpoint label: 2023-10-17 17:26:59.000000000 UTC

Endpoint known-by: 2023-10-17 17:27:00.000027486 UTC

Parent: 20231017:dip-19647-1697563595:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697563695 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:28:15.000000000 UTC

Actual recognition: 2023-10-17 17:29:03.352672099 UTC

Endpoint label: 2023-10-17 17:28:43.000000000 UTC

Endpoint known-by: 2023-10-17 17:28:44.062544075 UTC

Parent: 20231017:dip-19647-1697563695:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697563804 | SAME


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:30:04.000000000 UTC

Actual recognition: 2023-10-17 17:30:52.548083873 UTC

Endpoint label: 2023-10-17 17:30:38.000000000 UTC

Endpoint known-by: 2023-10-17 17:30:40.820466565 UTC

Parent: 20231017:dip-19647-1697563804:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697563851 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:30:51.000000000 UTC

Actual recognition: 2023-10-17 17:31:42.096661270 UTC

Endpoint label: 2023-10-17 17:30:56.000000000 UTC

Endpoint known-by: 2023-10-17 17:30:57.102437503 UTC

Parent: 20231017:dip-19647-1697563851:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697564148 | SAME


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:35:48.000000000 UTC

Actual recognition: 2023-10-17 17:36:38.938971525 UTC

Endpoint label: 2023-10-17 17:36:13.000000000 UTC

Endpoint known-by: 2023-10-17 17:36:14.080486312 UTC

Parent: 20231017:dip-19647-1697564148:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697564280 | FLIP


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:38:00.000000000 UTC

Actual recognition: 2023-10-17 17:38:08.121501721 UTC

Endpoint label: 2023-10-17 17:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 17:38:35.352597858 UTC

Parent: 20231017:dip-19647-1697564280:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697564362 | SAME


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:39:22.000000000 UTC

Actual recognition: 2023-10-17 17:39:51.548181995 UTC

Endpoint label: 2023-10-17 17:39:56.000000000 UTC

Endpoint known-by: 2023-10-17 17:39:58.016213441 UTC

Parent: 20231017:dip-19647-1697564362:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697564414 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:40:14.000000000 UTC

Actual recognition: 2023-10-17 17:41:06.130928791 UTC

Endpoint label: 2023-10-17 17:40:37.000000000 UTC

Endpoint known-by: 2023-10-17 17:40:38.316065741 UTC

Parent: 20231017:dip-19647-1697564414:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697564472 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:41:12.000000000 UTC

Actual recognition: 2023-10-17 17:42:04.211663933 UTC

Endpoint label: 2023-10-17 17:41:35.000000000 UTC

Endpoint known-by: 2023-10-17 17:41:37.686686441 UTC

Parent: 20231017:dip-19647-1697564472:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231017 candidate | dip-19647-1697564614 | FLIP


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:43:34.000000000 UTC

Actual recognition: 2023-10-17 17:44:25.214962443 UTC

Endpoint label: 2023-10-17 17:44:40.000000000 UTC

Endpoint known-by: 2023-10-17 17:44:42.401752982 UTC

Parent: 20231017:dip-19647-1697564614:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.