
20231017 candidate | dip-19647-1697564678 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:44:38.000000000 UTC

Actual recognition: 2023-10-17 17:45:30.080967248 UTC

Endpoint label: 2023-10-17 17:44:51.000000000 UTC

Endpoint known-by: 2023-10-17 17:44:54.154519265 UTC

Parent: 20231017:dip-19647-1697564678:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697564819 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:46:59.000000000 UTC

Actual recognition: 2023-10-17 17:47:50.055477346 UTC

Endpoint label: 2023-10-17 17:47:20.000000000 UTC

Endpoint known-by: 2023-10-17 17:47:21.216906412 UTC

Parent: 20231017:dip-19647-1697564819:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697564889 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:48:09.000000000 UTC

Actual recognition: 2023-10-17 17:49:00.251536383 UTC

Endpoint label: 2023-10-17 17:48:35.000000000 UTC

Endpoint known-by: 2023-10-17 17:48:36.240260043 UTC

Parent: 20231017:dip-19647-1697564889:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697564958 | FLIP


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:49:18.000000000 UTC

Actual recognition: 2023-10-17 17:50:09.273430515 UTC

Endpoint label: 2023-10-17 17:50:08.000000000 UTC

Endpoint known-by: 2023-10-17 17:50:09.273430515 UTC

Parent: 20231017:dip-19647-1697564958:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697565010 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:50:10.000000000 UTC

Actual recognition: 2023-10-17 17:50:57.378001182 UTC

Endpoint label: 2023-10-17 17:50:31.000000000 UTC

Endpoint known-by: 2023-10-17 17:50:32.732207353 UTC

Parent: 20231017:dip-19647-1697565010:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697565362 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:56:02.000000000 UTC

Actual recognition: 2023-10-17 17:56:54.326136044 UTC

Endpoint label: 2023-10-17 17:56:11.000000000 UTC

Endpoint known-by: 2023-10-17 17:56:14.635389235 UTC

Parent: 20231017:dip-19647-1697565362:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697565427 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:57:07.000000000 UTC

Actual recognition: 2023-10-17 17:57:58.427664508 UTC

Endpoint label: 2023-10-17 17:57:30.000000000 UTC

Endpoint known-by: 2023-10-17 17:57:31.027451093 UTC

Parent: 20231017:dip-19647-1697565427:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697565478 | FLIP


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:57:58.000000000 UTC

Actual recognition: 2023-10-17 17:58:49.362940783 UTC

Endpoint label: 2023-10-17 17:58:47.000000000 UTC

Endpoint known-by: 2023-10-17 17:58:48.804915276 UTC

Parent: 20231017:dip-19647-1697565478:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697565534 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:58:54.000000000 UTC

Actual recognition: 2023-10-17 17:59:44.913459616 UTC

Endpoint label: 2023-10-17 17:59:03.000000000 UTC

Endpoint known-by: 2023-10-17 17:59:04.390211333 UTC

Parent: 20231017:dip-19647-1697565534:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697565878 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:04:38.000000000 UTC

Actual recognition: 2023-10-17 18:05:30.894503473 UTC

Endpoint label: 2023-10-17 18:05:26.000000000 UTC

Endpoint known-by: 2023-10-17 18:05:27.036897111 UTC

Parent: 20231017:dip-19647-1697565878:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697565953 | SAME


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:05:53.000000000 UTC

Actual recognition: 2023-10-17 18:06:44.577597641 UTC

Endpoint label: 2023-10-17 18:06:27.000000000 UTC

Endpoint known-by: 2023-10-17 18:06:29.948894421 UTC

Parent: 20231017:dip-19647-1697565953:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697566062 | SAME


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:07:42.000000000 UTC

Actual recognition: 2023-10-17 18:08:33.765943703 UTC

Endpoint label: 2023-10-17 18:08:48.000000000 UTC

Endpoint known-by: 2023-10-17 18:08:49.146689988 UTC

Parent: 20231017:dip-19647-1697566062:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697566110 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:08:30.000000000 UTC

Actual recognition: 2023-10-17 18:09:24.271320616 UTC

Endpoint label: 2023-10-17 18:08:48.000000000 UTC

Endpoint known-by: 2023-10-17 18:08:49.146689988 UTC

Parent: 20231017:dip-19647-1697566110:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697566175 | SAME


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:09:35.000000000 UTC

Actual recognition: 2023-10-17 18:10:26.291507259 UTC

Endpoint label: 2023-10-17 18:11:02.000000000 UTC

Endpoint known-by: 2023-10-17 18:11:03.066016927 UTC

Parent: 20231017:dip-19647-1697566175:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697566260 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:11:00.000000000 UTC

Actual recognition: 2023-10-17 18:11:54.207614294 UTC

Endpoint label: 2023-10-17 18:11:05.000000000 UTC

Endpoint known-by: 2023-10-17 18:11:06.419397190 UTC

Parent: 20231017:dip-19647-1697566260:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697566307 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:11:47.000000000 UTC

Actual recognition: 2023-10-17 18:12:39.241811732 UTC

Endpoint label: 2023-10-17 18:12:00.000000000 UTC

Endpoint known-by: 2023-10-17 18:12:01.000208420 UTC

Parent: 20231017:dip-19647-1697566307:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697566451 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:14:11.000000000 UTC

Actual recognition: 2023-10-17 18:15:02.015186937 UTC

Endpoint label: 2023-10-17 18:14:37.000000000 UTC

Endpoint known-by: 2023-10-17 18:14:38.111650221 UTC

Parent: 20231017:dip-19647-1697566451:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697566590 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:16:30.000000000 UTC

Actual recognition: 2023-10-17 18:17:21.327542245 UTC

Endpoint label: 2023-10-17 18:16:34.000000000 UTC

Endpoint known-by: 2023-10-17 18:16:39.085267798 UTC

Parent: 20231017:dip-19647-1697566590:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697566840 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:20:40.000000000 UTC

Actual recognition: 2023-10-17 18:21:31.574016605 UTC

Endpoint label: 2023-10-17 18:21:00.000000000 UTC

Endpoint known-by: 2023-10-17 18:21:01.293255132 UTC

Parent: 20231017:dip-19647-1697566840:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697567049 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:24:09.000000000 UTC

Actual recognition: 2023-10-17 18:25:00.000852784 UTC

Endpoint label: 2023-10-17 18:24:48.000000000 UTC

Endpoint known-by: 2023-10-17 18:24:49.045324332 UTC

Parent: 20231017:dip-19647-1697567049:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697567564 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:32:44.000000000 UTC

Actual recognition: 2023-10-17 18:32:52.557638949 UTC

Endpoint label: 2023-10-17 18:33:07.000000000 UTC

Endpoint known-by: 2023-10-17 18:33:08.274040974 UTC

Parent: 20231017:dip-19647-1697567564:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697567700 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:35:00.000000000 UTC

Actual recognition: 2023-10-17 18:35:27.179625919 UTC

Endpoint label: 2023-10-17 18:35:24.000000000 UTC

Endpoint known-by: 2023-10-17 18:35:25.056795903 UTC

Parent: 20231017:dip-19647-1697567700:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697567772 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:36:12.000000000 UTC

Actual recognition: 2023-10-17 18:37:03.426295133 UTC

Endpoint label: 2023-10-17 18:36:50.000000000 UTC

Endpoint known-by: 2023-10-17 18:36:51.606324754 UTC

Parent: 20231017:dip-19647-1697567772:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697567993 | FLIP


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:39:53.000000000 UTC

Actual recognition: 2023-10-17 18:40:44.157279641 UTC

Endpoint label: 2023-10-17 18:40:56.000000000 UTC

Endpoint known-by: 2023-10-17 18:40:57.131604107 UTC

Parent: 20231017:dip-19647-1697567993:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568044 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:40:44.000000000 UTC

Actual recognition: 2023-10-17 18:41:34.006159530 UTC

Endpoint label: 2023-10-17 18:40:56.000000000 UTC

Endpoint known-by: 2023-10-17 18:40:57.131604107 UTC

Parent: 20231017:dip-19647-1697568044:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568156 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:42:36.000000000 UTC

Actual recognition: 2023-10-17 18:43:28.264365633 UTC

Endpoint label: 2023-10-17 18:42:50.000000000 UTC

Endpoint known-by: 2023-10-17 18:42:51.005054729 UTC

Parent: 20231017:dip-19647-1697568156:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568207 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:43:27.000000000 UTC

Actual recognition: 2023-10-17 18:44:18.813611698 UTC

Endpoint label: 2023-10-17 18:43:51.000000000 UTC

Endpoint known-by: 2023-10-17 18:43:53.586715752 UTC

Parent: 20231017:dip-19647-1697568207:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568277 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:44:37.000000000 UTC

Actual recognition: 2023-10-17 18:45:20.280592476 UTC

Endpoint label: 2023-10-17 18:44:56.000000000 UTC

Endpoint known-by: 2023-10-17 18:45:00.120736183 UTC

Parent: 20231017:dip-19647-1697568277:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568324 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:45:24.000000000 UTC

Actual recognition: 2023-10-17 18:46:15.012474926 UTC

Endpoint label: 2023-10-17 18:45:34.000000000 UTC

Endpoint known-by: 2023-10-17 18:45:39.513007871 UTC

Parent: 20231017:dip-19647-1697568324:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568423 | SAME


One whole lifecycle: opposite_hold3 | 117 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:47:03.000000000 UTC

Actual recognition: 2023-10-17 18:47:28.637916151 UTC

Endpoint label: 2023-10-17 18:48:59.000000000 UTC

Endpoint known-by: 2023-10-17 18:49:01.140587954 UTC

Parent: 20231017:dip-19647-1697568423:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568468 | SAME


One whole lifecycle: opposite_hold3 | 72 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:47:48.000000000 UTC

Actual recognition: 2023-10-17 18:48:40.322555482 UTC

Endpoint label: 2023-10-17 18:48:59.000000000 UTC

Endpoint known-by: 2023-10-17 18:49:01.140587954 UTC

Parent: 20231017:dip-19647-1697568468:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568571 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:49:31.000000000 UTC

Actual recognition: 2023-10-17 18:50:30.319199437 UTC

Endpoint label: 2023-10-17 18:49:42.000000000 UTC

Endpoint known-by: 2023-10-17 18:49:43.771885205 UTC

Parent: 20231017:dip-19647-1697568571:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568650 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:50:50.000000000 UTC

Actual recognition: 2023-10-17 18:51:08.157393142 UTC

Endpoint label: 2023-10-17 18:51:17.000000000 UTC

Endpoint known-by: 2023-10-17 18:51:18.723024634 UTC

Parent: 20231017:dip-19647-1697568650:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568695 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:51:35.000000000 UTC

Actual recognition: 2023-10-17 18:52:26.076683432 UTC

Endpoint label: 2023-10-17 18:51:49.000000000 UTC

Endpoint known-by: 2023-10-17 18:51:50.600431824 UTC

Parent: 20231017:dip-19647-1697568695:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568740 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:52:20.000000000 UTC

Actual recognition: 2023-10-17 18:53:11.458265661 UTC

Endpoint label: 2023-10-17 18:52:48.000000000 UTC

Endpoint known-by: 2023-10-17 18:52:50.105305343 UTC

Parent: 20231017:dip-19647-1697568740:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568831 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:53:51.000000000 UTC

Actual recognition: 2023-10-17 18:54:42.515848746 UTC

Endpoint label: 2023-10-17 18:54:07.000000000 UTC

Endpoint known-by: 2023-10-17 18:54:08.172491172 UTC

Parent: 20231017:dip-19647-1697568831:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568944 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:55:44.000000000 UTC

Actual recognition: 2023-10-17 18:56:29.008249588 UTC

Endpoint label: 2023-10-17 18:56:14.000000000 UTC

Endpoint known-by: 2023-10-17 18:56:16.134098555 UTC

Parent: 20231017:dip-19647-1697568944:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697568989 | SAME


One whole lifecycle: opposite_hold3 | 55 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:56:29.000000000 UTC

Actual recognition: 2023-10-17 18:57:21.661049550 UTC

Endpoint label: 2023-10-17 18:57:23.000000000 UTC

Endpoint known-by: 2023-10-17 18:57:24.965057304 UTC

Parent: 20231017:dip-19647-1697568989:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569034 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:57:14.000000000 UTC

Actual recognition: 2023-10-17 18:58:05.003199868 UTC

Endpoint label: 2023-10-17 18:57:23.000000000 UTC

Endpoint known-by: 2023-10-17 18:57:24.965057304 UTC

Parent: 20231017:dip-19647-1697569034:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569102 | SAME


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:58:22.000000000 UTC

Actual recognition: 2023-10-17 18:59:18.713428299 UTC

Endpoint label: 2023-10-17 18:59:13.000000000 UTC

Endpoint known-by: 2023-10-17 18:59:18.713428299 UTC

Parent: 20231017:dip-19647-1697569102:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569185 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:59:45.000000000 UTC

Actual recognition: 2023-10-17 19:00:43.134759330 UTC

Endpoint label: 2023-10-17 18:59:52.000000000 UTC

Endpoint known-by: 2023-10-17 18:59:54.788137594 UTC

Parent: 20231017:dip-19647-1697569185:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569230 | SAME


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:00:30.000000000 UTC

Actual recognition: 2023-10-17 19:01:26.023870305 UTC

Endpoint label: 2023-10-17 19:01:20.000000000 UTC

Endpoint known-by: 2023-10-17 19:01:26.023870305 UTC

Parent: 20231017:dip-19647-1697569230:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569298 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:01:38.000000000 UTC

Actual recognition: 2023-10-17 19:02:31.768055318 UTC

Endpoint label: 2023-10-17 19:01:57.000000000 UTC

Endpoint known-by: 2023-10-17 19:01:59.268592535 UTC

Parent: 20231017:dip-19647-1697569298:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569359 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:02:39.000000000 UTC

Actual recognition: 2023-10-17 19:03:33.434300732 UTC

Endpoint label: 2023-10-17 19:03:09.000000000 UTC

Endpoint known-by: 2023-10-17 19:03:10.387643725 UTC

Parent: 20231017:dip-19647-1697569359:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569404 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:03:24.000000000 UTC

Actual recognition: 2023-10-17 19:04:17.105524216 UTC

Endpoint label: 2023-10-17 19:03:31.000000000 UTC

Endpoint known-by: 2023-10-17 19:03:33.434300732 UTC

Parent: 20231017:dip-19647-1697569404:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569522 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:05:22.000000000 UTC

Actual recognition: 2023-10-17 19:05:51.500314121 UTC

Endpoint label: 2023-10-17 19:05:49.000000000 UTC

Endpoint known-by: 2023-10-17 19:05:51.500314121 UTC

Parent: 20231017:dip-19647-1697569522:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569600 | SAME


One whole lifecycle: opposite_hold3 | 168 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:06:40.000000000 UTC

Actual recognition: 2023-10-17 19:06:58.270463161 UTC

Endpoint label: 2023-10-17 19:09:27.000000000 UTC

Endpoint known-by: 2023-10-17 19:09:28.004207965 UTC

Parent: 20231017:dip-19647-1697569600:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569686 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:08:06.000000000 UTC

Actual recognition: 2023-10-17 19:08:57.107955580 UTC

Endpoint label: 2023-10-17 19:08:18.000000000 UTC

Endpoint known-by: 2023-10-17 19:08:19.731588223 UTC

Parent: 20231017:dip-19647-1697569686:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569749 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:09:09.000000000 UTC

Actual recognition: 2023-10-17 19:10:00.094602065 UTC

Endpoint label: 2023-10-17 19:09:27.000000000 UTC

Endpoint known-by: 2023-10-17 19:09:28.004207965 UTC

Parent: 20231017:dip-19647-1697569749:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569865 | SAME


One whole lifecycle: opposite_hold3 | 271 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:11:05.000000000 UTC

Actual recognition: 2023-10-17 19:11:57.176306379 UTC

Endpoint label: 2023-10-17 19:15:35.000000000 UTC

Endpoint known-by: 2023-10-17 19:15:36.093809564 UTC

Parent: 20231017:dip-19647-1697569865:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569923 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:12:03.000000000 UTC

Actual recognition: 2023-10-17 19:12:54.016294457 UTC

Endpoint label: 2023-10-17 19:12:13.000000000 UTC

Endpoint known-by: 2023-10-17 19:12:17.892724482 UTC

Parent: 20231017:dip-19647-1697569923:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697569982 | FLIP


One whole lifecycle: opposite_hold3 | 154 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:13:02.000000000 UTC

Actual recognition: 2023-10-17 19:13:58.007815003 UTC

Endpoint label: 2023-10-17 19:15:35.000000000 UTC

Endpoint known-by: 2023-10-17 19:15:36.093809564 UTC

Parent: 20231017:dip-19647-1697569982:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697570032 | SAME


One whole lifecycle: opposite_hold3 | 104 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:13:52.000000000 UTC

Actual recognition: 2023-10-17 19:14:50.895611561 UTC

Endpoint label: 2023-10-17 19:15:35.000000000 UTC

Endpoint known-by: 2023-10-17 19:15:36.093809564 UTC

Parent: 20231017:dip-19647-1697570032:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697570090 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:14:50.000000000 UTC

Actual recognition: 2023-10-17 19:15:41.152924272 UTC

Endpoint label: 2023-10-17 19:15:35.000000000 UTC

Endpoint known-by: 2023-10-17 19:15:36.093809564 UTC

Parent: 20231017:dip-19647-1697570090:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697570178 | SAME


One whole lifecycle: opposite_hold3 | 61 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:16:18.000000000 UTC

Actual recognition: 2023-10-17 19:17:11.235544086 UTC

Endpoint label: 2023-10-17 19:17:18.000000000 UTC

Endpoint known-by: 2023-10-17 19:17:26.803882475 UTC

Parent: 20231017:dip-19647-1697570178:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697570223 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:17:03.000000000 UTC

Actual recognition: 2023-10-17 19:17:55.444550333 UTC

Endpoint label: 2023-10-17 19:17:18.000000000 UTC

Endpoint known-by: 2023-10-17 19:17:26.803882475 UTC

Parent: 20231017:dip-19647-1697570223:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697570346 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:19:06.000000000 UTC

Actual recognition: 2023-10-17 19:20:00.668520187 UTC

Endpoint label: 2023-10-17 19:19:30.000000000 UTC

Endpoint known-by: 2023-10-17 19:19:31.261355487 UTC

Parent: 20231017:dip-19647-1697570346:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697570396 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:19:56.000000000 UTC

Actual recognition: 2023-10-17 19:20:45.978785442 UTC

Endpoint label: 2023-10-17 19:20:04.000000000 UTC

Endpoint known-by: 2023-10-17 19:20:05.081316335 UTC

Parent: 20231017:dip-19647-1697570396:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697570532 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:22:12.000000000 UTC

Actual recognition: 2023-10-17 19:22:48.805875143 UTC

Endpoint label: 2023-10-17 19:22:19.000000000 UTC

Endpoint known-by: 2023-10-17 19:22:23.146598368 UTC

Parent: 20231017:dip-19647-1697570532:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697570707 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:25:07.000000000 UTC

Actual recognition: 2023-10-17 19:26:00.822508612 UTC

Endpoint label: 2023-10-17 19:25:21.000000000 UTC

Endpoint known-by: 2023-10-17 19:25:22.784867179 UTC

Parent: 20231017:dip-19647-1697570707:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697570818 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:26:58.000000000 UTC

Actual recognition: 2023-10-17 19:27:24.065029579 UTC

Endpoint label: 2023-10-17 19:27:27.000000000 UTC

Endpoint known-by: 2023-10-17 19:27:29.233076554 UTC

Parent: 20231017:dip-19647-1697570818:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697570905 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:28:25.000000000 UTC

Actual recognition: 2023-10-17 19:28:58.871843080 UTC

Endpoint label: 2023-10-17 19:28:31.000000000 UTC

Endpoint known-by: 2023-10-17 19:28:34.072423483 UTC

Parent: 20231017:dip-19647-1697570905:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697570988 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:29:48.000000000 UTC

Actual recognition: 2023-10-17 19:30:03.218305102 UTC

Endpoint label: 2023-10-17 19:30:06.000000000 UTC

Endpoint known-by: 2023-10-17 19:30:07.584789272 UTC

Parent: 20231017:dip-19647-1697570988:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571060 | SAME


One whole lifecycle: opposite_hold3 | 71 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:31:00.000000000 UTC

Actual recognition: 2023-10-17 19:31:57.932175773 UTC

Endpoint label: 2023-10-17 19:32:10.000000000 UTC

Endpoint known-by: 2023-10-17 19:32:11.237163600 UTC

Parent: 20231017:dip-19647-1697571060:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571150 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:32:30.000000000 UTC

Actual recognition: 2023-10-17 19:33:21.682460267 UTC

Endpoint label: 2023-10-17 19:32:37.000000000 UTC

Endpoint known-by: 2023-10-17 19:32:38.277916996 UTC

Parent: 20231017:dip-19647-1697571150:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571203 | FLIP


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:33:23.000000000 UTC

Actual recognition: 2023-10-17 19:34:14.982235098 UTC

Endpoint label: 2023-10-17 19:33:57.000000000 UTC

Endpoint known-by: 2023-10-17 19:33:59.078994783 UTC

Parent: 20231017:dip-19647-1697571203:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571248 | FLIP


One whole lifecycle: opposite_hold3 | 32 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:34:08.000000000 UTC

Actual recognition: 2023-10-17 19:34:59.006975585 UTC

Endpoint label: 2023-10-17 19:34:39.000000000 UTC

Endpoint known-by: 2023-10-17 19:34:40.596798915 UTC

Parent: 20231017:dip-19647-1697571248:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571333 | SAME


One whole lifecycle: opposite_hold3 | 62 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:35:33.000000000 UTC

Actual recognition: 2023-10-17 19:36:32.239831820 UTC

Endpoint label: 2023-10-17 19:36:34.000000000 UTC

Endpoint known-by: 2023-10-17 19:36:36.750423564 UTC

Parent: 20231017:dip-19647-1697571333:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571400 | FLIP


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:36:40.000000000 UTC

Actual recognition: 2023-10-17 19:37:24.551005934 UTC

Endpoint label: 2023-10-17 19:37:26.000000000 UTC

Endpoint known-by: 2023-10-17 19:37:27.960118288 UTC

Parent: 20231017:dip-19647-1697571400:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571445 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:37:25.000000000 UTC

Actual recognition: 2023-10-17 19:38:19.373594580 UTC

Endpoint label: 2023-10-17 19:37:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:37:47.382525092 UTC

Parent: 20231017:dip-19647-1697571445:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571509 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:38:29.000000000 UTC

Actual recognition: 2023-10-17 19:39:22.162669380 UTC

Endpoint label: 2023-10-17 19:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 19:38:34.835912534 UTC

Parent: 20231017:dip-19647-1697571509:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571586 | FLIP


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:39:46.000000000 UTC

Actual recognition: 2023-10-17 19:40:43.258682412 UTC

Endpoint label: 2023-10-17 19:40:34.000000000 UTC

Endpoint known-by: 2023-10-17 19:40:35.895676327 UTC

Parent: 20231017:dip-19647-1697571586:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571631 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:40:31.000000000 UTC

Actual recognition: 2023-10-17 19:41:22.144545600 UTC

Endpoint label: 2023-10-17 19:40:34.000000000 UTC

Endpoint known-by: 2023-10-17 19:40:35.895676327 UTC

Parent: 20231017:dip-19647-1697571631:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571785 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:43:05.000000000 UTC

Actual recognition: 2023-10-17 19:43:59.240569907 UTC

Endpoint label: 2023-10-17 19:43:27.000000000 UTC

Endpoint known-by: 2023-10-17 19:43:33.624651932 UTC

Parent: 20231017:dip-19647-1697571785:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571888 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:44:48.000000000 UTC

Actual recognition: 2023-10-17 19:45:39.207820778 UTC

Endpoint label: 2023-10-17 19:44:52.000000000 UTC

Endpoint known-by: 2023-10-17 19:44:54.050813978 UTC

Parent: 20231017:dip-19647-1697571888:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697571985 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:46:25.000000000 UTC

Actual recognition: 2023-10-17 19:46:39.307571839 UTC

Endpoint label: 2023-10-17 19:46:32.000000000 UTC

Endpoint known-by: 2023-10-17 19:46:33.843906312 UTC

Parent: 20231017:dip-19647-1697571985:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572030 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:47:10.000000000 UTC

Actual recognition: 2023-10-17 19:48:03.459147995 UTC

Endpoint label: 2023-10-17 19:47:22.000000000 UTC

Endpoint known-by: 2023-10-17 19:47:23.111757213 UTC

Parent: 20231017:dip-19647-1697572030:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572123 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:48:43.000000000 UTC

Actual recognition: 2023-10-17 19:48:54.505620402 UTC

Endpoint label: 2023-10-17 19:48:56.000000000 UTC

Endpoint known-by: 2023-10-17 19:48:58.139529232 UTC

Parent: 20231017:dip-19647-1697572123:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572202 | FLIP


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:50:02.000000000 UTC

Actual recognition: 2023-10-17 19:50:55.871559789 UTC

Endpoint label: 2023-10-17 19:50:39.000000000 UTC

Endpoint known-by: 2023-10-17 19:50:40.126512329 UTC

Parent: 20231017:dip-19647-1697572202:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572247 | FLIP


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:50:47.000000000 UTC

Actual recognition: 2023-10-17 19:51:39.246281264 UTC

Endpoint label: 2023-10-17 19:51:37.000000000 UTC

Endpoint known-by: 2023-10-17 19:51:39.246281264 UTC

Parent: 20231017:dip-19647-1697572247:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572295 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:51:35.000000000 UTC

Actual recognition: 2023-10-17 19:52:27.026413265 UTC

Endpoint label: 2023-10-17 19:51:58.000000000 UTC

Endpoint known-by: 2023-10-17 19:51:59.080546301 UTC

Parent: 20231017:dip-19647-1697572295:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572343 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:52:23.000000000 UTC

Actual recognition: 2023-10-17 19:53:14.903648761 UTC

Endpoint label: 2023-10-17 19:53:01.000000000 UTC

Endpoint known-by: 2023-10-17 19:53:03.253662035 UTC

Parent: 20231017:dip-19647-1697572343:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572400 | SAME


One whole lifecycle: opposite_hold3 | 77 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:53:20.000000000 UTC

Actual recognition: 2023-10-17 19:54:03.261536023 UTC

Endpoint label: 2023-10-17 19:54:36.000000000 UTC

Endpoint known-by: 2023-10-17 19:54:40.409401109 UTC

Parent: 20231017:dip-19647-1697572400:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572531 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:55:31.000000000 UTC

Actual recognition: 2023-10-17 19:56:08.567089617 UTC

Endpoint label: 2023-10-17 19:55:47.000000000 UTC

Endpoint known-by: 2023-10-17 19:55:48.170168841 UTC

Parent: 20231017:dip-19647-1697572531:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572578 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:56:18.000000000 UTC

Actual recognition: 2023-10-17 19:57:10.129274255 UTC

Endpoint label: 2023-10-17 19:56:42.000000000 UTC

Endpoint known-by: 2023-10-17 19:56:46.364650574 UTC

Parent: 20231017:dip-19647-1697572578:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572653 | FLIP


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:57:33.000000000 UTC

Actual recognition: 2023-10-17 19:58:24.172862202 UTC

Endpoint label: 2023-10-17 19:58:06.000000000 UTC

Endpoint known-by: 2023-10-17 19:58:07.931998006 UTC

Parent: 20231017:dip-19647-1697572653:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572706 | SAME


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:58:26.000000000 UTC

Actual recognition: 2023-10-17 19:59:18.784693022 UTC

Endpoint label: 2023-10-17 19:59:07.000000000 UTC

Endpoint known-by: 2023-10-17 19:59:09.763010259 UTC

Parent: 20231017:dip-19647-1697572706:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572767 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:59:27.000000000 UTC

Actual recognition: 2023-10-17 20:00:18.529389259 UTC

Endpoint label: 2023-10-17 20:00:15.000000000 UTC

Endpoint known-by: 2023-10-17 20:00:18.529389259 UTC

Parent: 20231017:dip-19647-1697572767:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572825 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:00:25.000000000 UTC

Actual recognition: 2023-10-17 20:01:17.934772274 UTC

Endpoint label: 2023-10-17 20:00:31.000000000 UTC

Endpoint known-by: 2023-10-17 20:00:32.013341923 UTC

Parent: 20231017:dip-19647-1697572825:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572870 | FLIP


One whole lifecycle: opposite_hold3 | 86 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:01:10.000000000 UTC

Actual recognition: 2023-10-17 20:02:02.314385232 UTC

Endpoint label: 2023-10-17 20:02:35.000000000 UTC

Endpoint known-by: 2023-10-17 20:02:39.848984267 UTC

Parent: 20231017:dip-19647-1697572870:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697572915 | SAME


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:01:55.000000000 UTC

Actual recognition: 2023-10-17 20:02:46.383552345 UTC

Endpoint label: 2023-10-17 20:02:35.000000000 UTC

Endpoint known-by: 2023-10-17 20:02:39.848984267 UTC

Parent: 20231017:dip-19647-1697572915:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697573010 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:03:30.000000000 UTC

Actual recognition: 2023-10-17 20:03:52.599039339 UTC

Endpoint label: 2023-10-17 20:03:56.000000000 UTC

Endpoint known-by: 2023-10-17 20:04:02.817583490 UTC

Parent: 20231017:dip-19647-1697573010:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697573102 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:05:02.000000000 UTC

Actual recognition: 2023-10-17 20:05:13.897890136 UTC

Endpoint label: 2023-10-17 20:05:22.000000000 UTC

Endpoint known-by: 2023-10-17 20:05:23.407186428 UTC

Parent: 20231017:dip-19647-1697573102:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697573223 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:07:03.000000000 UTC

Actual recognition: 2023-10-17 20:07:55.513453706 UTC

Endpoint label: 2023-10-17 20:07:24.000000000 UTC

Endpoint known-by: 2023-10-17 20:07:30.875772973 UTC

Parent: 20231017:dip-19647-1697573223:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697573277 | SAME


One whole lifecycle: opposite_hold3 | 72 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:07:57.000000000 UTC

Actual recognition: 2023-10-17 20:08:48.046222737 UTC

Endpoint label: 2023-10-17 20:09:08.000000000 UTC

Endpoint known-by: 2023-10-17 20:09:09.641803299 UTC

Parent: 20231017:dip-19647-1697573277:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697573344 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:09:04.000000000 UTC

Actual recognition: 2023-10-17 20:09:55.002530566 UTC

Endpoint label: 2023-10-17 20:09:08.000000000 UTC

Endpoint known-by: 2023-10-17 20:09:09.641803299 UTC

Parent: 20231017:dip-19647-1697573344:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697573460 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:11:00.000000000 UTC

Actual recognition: 2023-10-17 20:11:54.214038884 UTC

Endpoint label: 2023-10-17 20:11:28.000000000 UTC

Endpoint known-by: 2023-10-17 20:11:29.176449766 UTC

Parent: 20231017:dip-19647-1697573460:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697573505 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:11:45.000000000 UTC

Actual recognition: 2023-10-17 20:12:42.691049458 UTC

Endpoint label: 2023-10-17 20:12:08.000000000 UTC

Endpoint known-by: 2023-10-17 20:12:09.301104191 UTC

Parent: 20231017:dip-19647-1697573505:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697573592 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:13:12.000000000 UTC

Actual recognition: 2023-10-17 20:13:21.266512353 UTC

Endpoint label: 2023-10-17 20:13:22.000000000 UTC

Endpoint known-by: 2023-10-17 20:13:23.451769218 UTC

Parent: 20231017:dip-19647-1697573592:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697573669 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:14:29.000000000 UTC

Actual recognition: 2023-10-17 20:14:51.065268612 UTC

Endpoint label: 2023-10-17 20:14:52.000000000 UTC

Endpoint known-by: 2023-10-17 20:14:56.770873504 UTC

Parent: 20231017:dip-19647-1697573669:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.