
20231018 candidate | dip-19648-1697581215 | NO_PREDECESSOR


One whole lifecycle: opposite_hold3 | 314 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:20:15.000000000 UTC

Actual recognition: 2023-10-17 22:21:02.250387132 UTC

Endpoint label: 2023-10-17 22:25:28.000000000 UTC

Endpoint known-by: 2023-10-17 22:25:29.280557428 UTC

Parent: 20231018:dip-19648-1697581215:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697581432 | SAME


One whole lifecycle: opposite_hold3 | 97 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:23:52.000000000 UTC

Actual recognition: 2023-10-17 22:24:43.042753905 UTC

Endpoint label: 2023-10-17 22:25:28.000000000 UTC

Endpoint known-by: 2023-10-17 22:25:29.280557428 UTC

Parent: 20231018:dip-19648-1697581432:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697581526 | FLIP


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:25:26.000000000 UTC

Actual recognition: 2023-10-17 22:26:17.441380008 UTC

Endpoint label: 2023-10-17 22:26:39.000000000 UTC

Endpoint known-by: 2023-10-17 22:26:40.200209072 UTC

Parent: 20231018:dip-19648-1697581526:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697581577 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:26:17.000000000 UTC

Actual recognition: 2023-10-17 22:27:08.671650528 UTC

Endpoint label: 2023-10-17 22:26:39.000000000 UTC

Endpoint known-by: 2023-10-17 22:26:40.200209072 UTC

Parent: 20231018:dip-19648-1697581577:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697581775 | FLIP


One whole lifecycle: opposite_hold3 | 392 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:29:35.000000000 UTC

Actual recognition: 2023-10-17 22:30:26.350504991 UTC

Endpoint label: 2023-10-17 22:36:06.000000000 UTC

Endpoint known-by: 2023-10-17 22:36:07.857645502 UTC

Parent: 20231018:dip-19648-1697581775:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697581825 | SAME


One whole lifecycle: opposite_hold3 | 342 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:30:25.000000000 UTC

Actual recognition: 2023-10-17 22:31:16.227808739 UTC

Endpoint label: 2023-10-17 22:36:06.000000000 UTC

Endpoint known-by: 2023-10-17 22:36:07.857645502 UTC

Parent: 20231018:dip-19648-1697581825:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697582034 | SAME


One whole lifecycle: opposite_hold3 | 133 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:33:54.000000000 UTC

Actual recognition: 2023-10-17 22:34:45.351730112 UTC

Endpoint label: 2023-10-17 22:36:06.000000000 UTC

Endpoint known-by: 2023-10-17 22:36:07.857645502 UTC

Parent: 20231018:dip-19648-1697582034:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697582079 | SAME


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:34:39.000000000 UTC

Actual recognition: 2023-10-17 22:35:30.162172094 UTC

Endpoint label: 2023-10-17 22:36:06.000000000 UTC

Endpoint known-by: 2023-10-17 22:36:07.857645502 UTC

Parent: 20231018:dip-19648-1697582079:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697582168 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:36:08.000000000 UTC

Actual recognition: 2023-10-17 22:36:15.550304974 UTC

Endpoint label: 2023-10-17 22:36:24.000000000 UTC

Endpoint known-by: 2023-10-17 22:36:25.979399337 UTC

Parent: 20231018:dip-19648-1697582168:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697582232 | FLIP


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:37:12.000000000 UTC

Actual recognition: 2023-10-17 22:37:57.800544603 UTC

Endpoint label: 2023-10-17 22:37:52.000000000 UTC

Endpoint known-by: 2023-10-17 22:37:53.249311880 UTC

Parent: 20231018:dip-19648-1697582232:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697582331 | SAME


One whole lifecycle: opposite_hold3 | 458 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:38:51.000000000 UTC

Actual recognition: 2023-10-17 22:39:01.262030936 UTC

Endpoint label: 2023-10-17 22:46:28.000000000 UTC

Endpoint known-by: 2023-10-17 22:46:29.370467214 UTC

Parent: 20231018:dip-19648-1697582331:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697582479 | SAME


One whole lifecycle: opposite_hold3 | 310 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:41:19.000000000 UTC

Actual recognition: 2023-10-17 22:42:10.650428944 UTC

Endpoint label: 2023-10-17 22:46:28.000000000 UTC

Endpoint known-by: 2023-10-17 22:46:29.370467214 UTC

Parent: 20231018:dip-19648-1697582479:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697582543 | SAME


One whole lifecycle: opposite_hold3 | 246 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:42:23.000000000 UTC

Actual recognition: 2023-10-17 22:43:14.156429913 UTC

Endpoint label: 2023-10-17 22:46:28.000000000 UTC

Endpoint known-by: 2023-10-17 22:46:29.370467214 UTC

Parent: 20231018:dip-19648-1697582543:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697582588 | SAME


One whole lifecycle: opposite_hold3 | 201 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:43:08.000000000 UTC

Actual recognition: 2023-10-17 22:43:59.246105974 UTC

Endpoint label: 2023-10-17 22:46:28.000000000 UTC

Endpoint known-by: 2023-10-17 22:46:29.370467214 UTC

Parent: 20231018:dip-19648-1697582588:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697582786 | FLIP


One whole lifecycle: opposite_hold3 | 193 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:46:26.000000000 UTC

Actual recognition: 2023-10-17 22:47:17.574229059 UTC

Endpoint label: 2023-10-17 22:49:38.000000000 UTC

Endpoint known-by: 2023-10-17 22:49:39.250625493 UTC

Parent: 20231018:dip-19648-1697582786:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697582836 | SAME


One whole lifecycle: opposite_hold3 | 143 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:47:16.000000000 UTC

Actual recognition: 2023-10-17 22:48:03.227448179 UTC

Endpoint label: 2023-10-17 22:49:38.000000000 UTC

Endpoint known-by: 2023-10-17 22:49:39.250625493 UTC

Parent: 20231018:dip-19648-1697582836:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697582976 | FLIP


One whole lifecycle: opposite_hold3 | 282 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:49:36.000000000 UTC

Actual recognition: 2023-10-17 22:50:27.532025619 UTC

Endpoint label: 2023-10-17 22:54:17.000000000 UTC

Endpoint known-by: 2023-10-17 22:54:18.100533329 UTC

Parent: 20231018:dip-19648-1697582976:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583021 | SAME


One whole lifecycle: opposite_hold3 | 237 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:50:21.000000000 UTC

Actual recognition: 2023-10-17 22:51:12.720499163 UTC

Endpoint label: 2023-10-17 22:54:17.000000000 UTC

Endpoint known-by: 2023-10-17 22:54:18.100533329 UTC

Parent: 20231018:dip-19648-1697583021:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583066 | SAME


One whole lifecycle: opposite_hold3 | 192 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:51:06.000000000 UTC

Actual recognition: 2023-10-17 22:51:58.023415962 UTC

Endpoint label: 2023-10-17 22:54:17.000000000 UTC

Endpoint known-by: 2023-10-17 22:54:18.100533329 UTC

Parent: 20231018:dip-19648-1697583066:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583255 | FLIP


One whole lifecycle: opposite_hold3 | 129 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:54:15.000000000 UTC

Actual recognition: 2023-10-17 22:55:06.180360748 UTC

Endpoint label: 2023-10-17 22:56:23.000000000 UTC

Endpoint known-by: 2023-10-17 22:56:24.432358192 UTC

Parent: 20231018:dip-19648-1697583255:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583329 | SAME


One whole lifecycle: opposite_hold3 | 55 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:55:29.000000000 UTC

Actual recognition: 2023-10-17 22:56:20.306851432 UTC

Endpoint label: 2023-10-17 22:56:23.000000000 UTC

Endpoint known-by: 2023-10-17 22:56:24.432358192 UTC

Parent: 20231018:dip-19648-1697583329:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583381 | FLIP


One whole lifecycle: opposite_hold3 | 270 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:56:21.000000000 UTC

Actual recognition: 2023-10-17 22:57:12.538658705 UTC

Endpoint label: 2023-10-17 23:00:50.000000000 UTC

Endpoint known-by: 2023-10-17 23:00:51.555851086 UTC

Parent: 20231018:dip-19648-1697583381:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583439 | SAME


One whole lifecycle: opposite_hold3 | 212 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:57:19.000000000 UTC

Actual recognition: 2023-10-17 22:58:10.138630945 UTC

Endpoint label: 2023-10-17 23:00:50.000000000 UTC

Endpoint known-by: 2023-10-17 23:00:51.555851086 UTC

Parent: 20231018:dip-19648-1697583439:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583526 | SAME


One whole lifecycle: opposite_hold3 | 125 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:58:46.000000000 UTC

Actual recognition: 2023-10-17 22:59:37.538682396 UTC

Endpoint label: 2023-10-17 23:00:50.000000000 UTC

Endpoint known-by: 2023-10-17 23:00:51.555851086 UTC

Parent: 20231018:dip-19648-1697583526:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583571 | SAME


One whole lifecycle: opposite_hold3 | 80 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 22:59:31.000000000 UTC

Actual recognition: 2023-10-17 23:00:22.900305301 UTC

Endpoint label: 2023-10-17 23:00:50.000000000 UTC

Endpoint known-by: 2023-10-17 23:00:51.555851086 UTC

Parent: 20231018:dip-19648-1697583571:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583628 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:00:28.000000000 UTC

Actual recognition: 2023-10-17 23:01:19.093479002 UTC

Endpoint label: 2023-10-17 23:00:50.000000000 UTC

Endpoint known-by: 2023-10-17 23:00:51.555851086 UTC

Parent: 20231018:dip-19648-1697583628:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583686 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:01:26.000000000 UTC

Actual recognition: 2023-10-17 23:02:17.450491087 UTC

Endpoint label: 2023-10-17 23:02:11.000000000 UTC

Endpoint known-by: 2023-10-17 23:02:12.932425966 UTC

Parent: 20231018:dip-19648-1697583686:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583736 | FLIP


One whole lifecycle: opposite_hold3 | 93 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:02:16.000000000 UTC

Actual recognition: 2023-10-17 23:03:02.750507345 UTC

Endpoint label: 2023-10-17 23:03:48.000000000 UTC

Endpoint known-by: 2023-10-17 23:03:49.119018542 UTC

Parent: 20231018:dip-19648-1697583736:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583826 | FLIP


One whole lifecycle: opposite_hold3 | 217 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:03:46.000000000 UTC

Actual recognition: 2023-10-17 23:04:37.750333184 UTC

Endpoint label: 2023-10-17 23:07:22.000000000 UTC

Endpoint known-by: 2023-10-17 23:07:23.539008478 UTC

Parent: 20231018:dip-19648-1697583826:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697583964 | SAME


One whole lifecycle: opposite_hold3 | 79 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:06:04.000000000 UTC

Actual recognition: 2023-10-17 23:06:55.000328861 UTC

Endpoint label: 2023-10-17 23:07:22.000000000 UTC

Endpoint known-by: 2023-10-17 23:07:23.539008478 UTC

Parent: 20231018:dip-19648-1697583964:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697584040 | FLIP


One whole lifecycle: opposite_hold3 | 117 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:07:20.000000000 UTC

Actual recognition: 2023-10-17 23:08:11.842440294 UTC

Endpoint label: 2023-10-17 23:09:16.000000000 UTC

Endpoint known-by: 2023-10-17 23:09:17.104495614 UTC

Parent: 20231018:dip-19648-1697584040:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697584174 | FLIP


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:09:34.000000000 UTC

Actual recognition: 2023-10-17 23:10:26.000438175 UTC

Endpoint label: 2023-10-17 23:11:18.000000000 UTC

Endpoint known-by: 2023-10-17 23:11:19.184243863 UTC

Parent: 20231018:dip-19648-1697584174:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697584276 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:11:16.000000000 UTC

Actual recognition: 2023-10-17 23:12:07.000408651 UTC

Endpoint label: 2023-10-17 23:11:38.000000000 UTC

Endpoint known-by: 2023-10-17 23:11:39.840327474 UTC

Parent: 20231018:dip-19648-1697584276:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697584321 | FLIP


One whole lifecycle: opposite_hold3 | 328 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:12:01.000000000 UTC

Actual recognition: 2023-10-17 23:12:52.186489160 UTC

Endpoint label: 2023-10-17 23:17:28.000000000 UTC

Endpoint known-by: 2023-10-17 23:17:29.150462934 UTC

Parent: 20231018:dip-19648-1697584321:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697584646 | FLIP


One whole lifecycle: opposite_hold3 | 481 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:17:26.000000000 UTC

Actual recognition: 2023-10-17 23:18:17.250330284 UTC

Endpoint label: 2023-10-17 23:25:26.000000000 UTC

Endpoint known-by: 2023-10-17 23:25:27.692047302 UTC

Parent: 20231018:dip-19648-1697584646:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697584805 | SAME


One whole lifecycle: opposite_hold3 | 322 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:20:05.000000000 UTC

Actual recognition: 2023-10-17 23:20:56.643516650 UTC

Endpoint label: 2023-10-17 23:25:26.000000000 UTC

Endpoint known-by: 2023-10-17 23:25:27.692047302 UTC

Parent: 20231018:dip-19648-1697584805:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697584892 | SAME


One whole lifecycle: opposite_hold3 | 235 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:21:32.000000000 UTC

Actual recognition: 2023-10-17 23:22:23.850423174 UTC

Endpoint label: 2023-10-17 23:25:26.000000000 UTC

Endpoint known-by: 2023-10-17 23:25:27.692047302 UTC

Parent: 20231018:dip-19648-1697584892:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697585081 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:24:41.000000000 UTC

Actual recognition: 2023-10-17 23:25:32.295373322 UTC

Endpoint label: 2023-10-17 23:25:26.000000000 UTC

Endpoint known-by: 2023-10-17 23:25:27.692047302 UTC

Parent: 20231018:dip-19648-1697585081:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697585131 | FLIP


One whole lifecycle: opposite_hold3 | 196 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:25:31.000000000 UTC

Actual recognition: 2023-10-17 23:26:17.692043604 UTC

Endpoint label: 2023-10-17 23:28:46.000000000 UTC

Endpoint known-by: 2023-10-17 23:28:48.100550517 UTC

Parent: 20231018:dip-19648-1697585131:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697585176 | SAME


One whole lifecycle: opposite_hold3 | 151 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:26:16.000000000 UTC

Actual recognition: 2023-10-17 23:27:07.299333794 UTC

Endpoint label: 2023-10-17 23:28:46.000000000 UTC

Endpoint known-by: 2023-10-17 23:28:48.100550517 UTC

Parent: 20231018:dip-19648-1697585176:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697585324 | FLIP


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:28:44.000000000 UTC

Actual recognition: 2023-10-17 23:29:35.052425573 UTC

Endpoint label: 2023-10-17 23:29:52.000000000 UTC

Endpoint known-by: 2023-10-17 23:29:53.087806385 UTC

Parent: 20231018:dip-19648-1697585324:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697585374 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:29:34.000000000 UTC

Actual recognition: 2023-10-17 23:30:21.370293104 UTC

Endpoint label: 2023-10-17 23:29:52.000000000 UTC

Endpoint known-by: 2023-10-17 23:29:53.087806385 UTC

Parent: 20231018:dip-19648-1697585374:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697585453 | SAME


One whole lifecycle: opposite_hold3 | 295 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:30:53.000000000 UTC

Actual recognition: 2023-10-17 23:31:44.150454560 UTC

Endpoint label: 2023-10-17 23:35:47.000000000 UTC

Endpoint known-by: 2023-10-17 23:35:48.183476834 UTC

Parent: 20231018:dip-19648-1697585453:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697585537 | SAME


One whole lifecycle: opposite_hold3 | 211 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:32:17.000000000 UTC

Actual recognition: 2023-10-17 23:32:29.450346030 UTC

Endpoint label: 2023-10-17 23:35:47.000000000 UTC

Endpoint known-by: 2023-10-17 23:35:48.183476834 UTC

Parent: 20231018:dip-19648-1697585537:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697585745 | FLIP


One whole lifecycle: opposite_hold3 | 60 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:35:45.000000000 UTC

Actual recognition: 2023-10-17 23:36:36.200407661 UTC

Endpoint label: 2023-10-17 23:36:44.000000000 UTC

Endpoint known-by: 2023-10-17 23:36:45.337777157 UTC

Parent: 20231018:dip-19648-1697585745:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697585802 | FLIP


One whole lifecycle: opposite_hold3 | 155 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:36:42.000000000 UTC

Actual recognition: 2023-10-17 23:37:33.350296804 UTC

Endpoint label: 2023-10-17 23:39:16.000000000 UTC

Endpoint known-by: 2023-10-17 23:39:17.086304080 UTC

Parent: 20231018:dip-19648-1697585802:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697585931 | SAME


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:38:51.000000000 UTC

Actual recognition: 2023-10-17 23:39:42.759880629 UTC

Endpoint label: 2023-10-17 23:39:16.000000000 UTC

Endpoint known-by: 2023-10-17 23:39:17.086304080 UTC

Parent: 20231018:dip-19648-1697585931:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586053 | FLIP


One whole lifecycle: opposite_hold3 | 522 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:40:53.000000000 UTC

Actual recognition: 2023-10-17 23:41:44.600293301 UTC

Endpoint label: 2023-10-17 23:49:34.000000000 UTC

Endpoint known-by: 2023-10-17 23:49:35.450492558 UTC

Parent: 20231018:dip-19648-1697586053:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586098 | SAME


One whole lifecycle: opposite_hold3 | 477 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:41:38.000000000 UTC

Actual recognition: 2023-10-17 23:42:29.784039168 UTC

Endpoint label: 2023-10-17 23:49:34.000000000 UTC

Endpoint known-by: 2023-10-17 23:49:35.450492558 UTC

Parent: 20231018:dip-19648-1697586098:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586160 | SAME


One whole lifecycle: opposite_hold3 | 415 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:42:40.000000000 UTC

Actual recognition: 2023-10-17 23:43:31.120568086 UTC

Endpoint label: 2023-10-17 23:49:34.000000000 UTC

Endpoint known-by: 2023-10-17 23:49:35.450492558 UTC

Parent: 20231018:dip-19648-1697586160:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586251 | SAME


One whole lifecycle: opposite_hold3 | 324 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:44:11.000000000 UTC

Actual recognition: 2023-10-17 23:45:02.178289601 UTC

Endpoint label: 2023-10-17 23:49:34.000000000 UTC

Endpoint known-by: 2023-10-17 23:49:35.450492558 UTC

Parent: 20231018:dip-19648-1697586251:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586296 | SAME


One whole lifecycle: opposite_hold3 | 279 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:44:56.000000000 UTC

Actual recognition: 2023-10-17 23:45:47.370160463 UTC

Endpoint label: 2023-10-17 23:49:34.000000000 UTC

Endpoint known-by: 2023-10-17 23:49:35.450492558 UTC

Parent: 20231018:dip-19648-1697586296:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586341 | SAME


One whole lifecycle: opposite_hold3 | 234 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:45:41.000000000 UTC

Actual recognition: 2023-10-17 23:46:32.600486275 UTC

Endpoint label: 2023-10-17 23:49:34.000000000 UTC

Endpoint known-by: 2023-10-17 23:49:35.450492558 UTC

Parent: 20231018:dip-19648-1697586341:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586572 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:49:32.000000000 UTC

Actual recognition: 2023-10-17 23:50:23.926952461 UTC

Endpoint label: 2023-10-17 23:50:02.000000000 UTC

Endpoint known-by: 2023-10-17 23:50:03.220558793 UTC

Parent: 20231018:dip-19648-1697586572:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586702 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:51:42.000000000 UTC

Actual recognition: 2023-10-17 23:52:33.672480200 UTC

Endpoint label: 2023-10-17 23:52:30.000000000 UTC

Endpoint known-by: 2023-10-17 23:52:31.046062299 UTC

Parent: 20231018:dip-19648-1697586702:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586752 | FLIP


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:52:32.000000000 UTC

Actual recognition: 2023-10-17 23:53:19.136734252 UTC

Endpoint label: 2023-10-17 23:53:05.000000000 UTC

Endpoint known-by: 2023-10-17 23:53:06.145660917 UTC

Parent: 20231018:dip-19648-1697586752:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586836 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:53:56.000000000 UTC

Actual recognition: 2023-10-17 23:54:08.450555278 UTC

Endpoint label: 2023-10-17 23:54:28.000000000 UTC

Endpoint known-by: 2023-10-17 23:54:29.500422729 UTC

Parent: 20231018:dip-19648-1697586836:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586881 | FLIP


One whole lifecycle: opposite_hold3 | 82 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:54:41.000000000 UTC

Actual recognition: 2023-10-17 23:55:32.842680717 UTC

Endpoint label: 2023-10-17 23:56:02.000000000 UTC

Endpoint known-by: 2023-10-17 23:56:03.258569787 UTC

Parent: 20231018:dip-19648-1697586881:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697586960 | FLIP


One whole lifecycle: opposite_hold3 | 258 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:56:00.000000000 UTC

Actual recognition: 2023-10-17 23:56:51.400373582 UTC

Endpoint label: 2023-10-18 00:00:17.000000000 UTC

Endpoint known-by: 2023-10-18 00:00:18.400569179 UTC

Parent: 20231018:dip-19648-1697586960:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587116 | SAME


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 23:58:36.000000000 UTC

Actual recognition: 2023-10-17 23:59:27.262166655 UTC

Endpoint label: 2023-10-18 00:00:17.000000000 UTC

Endpoint known-by: 2023-10-18 00:00:18.400569179 UTC

Parent: 20231018:dip-19648-1697587116:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587218 | FLIP


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:00:18.000000000 UTC

Actual recognition: 2023-10-18 00:01:06.972699596 UTC

Endpoint label: 2023-10-18 00:01:33.000000000 UTC

Endpoint known-by: 2023-10-18 00:01:34.428592355 UTC

Parent: 20231018:dip-19648-1697587218:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587267 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:01:07.000000000 UTC

Actual recognition: 2023-10-18 00:01:58.600264513 UTC

Endpoint label: 2023-10-18 00:01:33.000000000 UTC

Endpoint known-by: 2023-10-18 00:01:34.428592355 UTC

Parent: 20231018:dip-19648-1697587267:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587336 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:02:16.000000000 UTC

Actual recognition: 2023-10-18 00:03:04.906598463 UTC

Endpoint label: 2023-10-18 00:02:40.000000000 UTC

Endpoint known-by: 2023-10-18 00:02:41.240938545 UTC

Parent: 20231018:dip-19648-1697587336:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587412 | SAME


One whole lifecycle: opposite_hold3 | 329 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:03:32.000000000 UTC

Actual recognition: 2023-10-18 00:04:23.691852432 UTC

Endpoint label: 2023-10-18 00:09:00.000000000 UTC

Endpoint known-by: 2023-10-18 00:09:01.300270111 UTC

Parent: 20231018:dip-19648-1697587412:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587457 | SAME


One whole lifecycle: opposite_hold3 | 284 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:04:17.000000000 UTC

Actual recognition: 2023-10-18 00:05:08.986293018 UTC

Endpoint label: 2023-10-18 00:09:00.000000000 UTC

Endpoint known-by: 2023-10-18 00:09:01.300270111 UTC

Parent: 20231018:dip-19648-1697587457:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587502 | SAME


One whole lifecycle: opposite_hold3 | 239 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:05:02.000000000 UTC

Actual recognition: 2023-10-18 00:05:53.027718668 UTC

Endpoint label: 2023-10-18 00:09:00.000000000 UTC

Endpoint known-by: 2023-10-18 00:09:01.300270111 UTC

Parent: 20231018:dip-19648-1697587502:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587572 | SAME


One whole lifecycle: opposite_hold3 | 169 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:06:12.000000000 UTC

Actual recognition: 2023-10-18 00:07:03.300612399 UTC

Endpoint label: 2023-10-18 00:09:00.000000000 UTC

Endpoint known-by: 2023-10-18 00:09:01.300270111 UTC

Parent: 20231018:dip-19648-1697587572:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587617 | SAME


One whole lifecycle: opposite_hold3 | 124 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:06:57.000000000 UTC

Actual recognition: 2023-10-18 00:07:48.370312710 UTC

Endpoint label: 2023-10-18 00:09:00.000000000 UTC

Endpoint known-by: 2023-10-18 00:09:01.300270111 UTC

Parent: 20231018:dip-19648-1697587617:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587698 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:08:18.000000000 UTC

Actual recognition: 2023-10-18 00:09:09.077174014 UTC

Endpoint label: 2023-10-18 00:09:00.000000000 UTC

Endpoint known-by: 2023-10-18 00:09:01.300270111 UTC

Parent: 20231018:dip-19648-1697587698:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587787 | SAME


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:09:47.000000000 UTC

Actual recognition: 2023-10-18 00:09:55.199811622 UTC

Endpoint label: 2023-10-18 00:10:24.000000000 UTC

Endpoint known-by: 2023-10-18 00:10:32.065383888 UTC

Parent: 20231018:dip-19648-1697587787:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587832 | FLIP


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:10:32.000000000 UTC

Actual recognition: 2023-10-18 00:11:29.389934517 UTC

Endpoint label: 2023-10-18 00:11:47.000000000 UTC

Endpoint known-by: 2023-10-18 00:11:52.716169357 UTC

Parent: 20231018:dip-19648-1697587832:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587877 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:11:17.000000000 UTC

Actual recognition: 2023-10-18 00:12:09.139661227 UTC

Endpoint label: 2023-10-18 00:11:47.000000000 UTC

Endpoint known-by: 2023-10-18 00:11:52.716169357 UTC

Parent: 20231018:dip-19648-1697587877:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587926 | FLIP


One whole lifecycle: opposite_hold3 | 232 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:12:06.000000000 UTC

Actual recognition: 2023-10-18 00:12:58.414517429 UTC

Endpoint label: 2023-10-18 00:15:57.000000000 UTC

Endpoint known-by: 2023-10-18 00:16:00.091961858 UTC

Parent: 20231018:dip-19648-1697587926:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697587985 | SAME


One whole lifecycle: opposite_hold3 | 173 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:13:05.000000000 UTC

Actual recognition: 2023-10-18 00:13:56.936433680 UTC

Endpoint label: 2023-10-18 00:15:57.000000000 UTC

Endpoint known-by: 2023-10-18 00:16:00.091961858 UTC

Parent: 20231018:dip-19648-1697587985:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588110 | SAME


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:15:10.000000000 UTC

Actual recognition: 2023-10-18 00:16:01.256309993 UTC

Endpoint label: 2023-10-18 00:15:57.000000000 UTC

Endpoint known-by: 2023-10-18 00:16:00.091961858 UTC

Parent: 20231018:dip-19648-1697588110:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588155 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:15:55.000000000 UTC

Actual recognition: 2023-10-18 00:16:46.332875163 UTC

Endpoint label: 2023-10-18 00:16:17.000000000 UTC

Endpoint known-by: 2023-10-18 00:16:19.426874212 UTC

Parent: 20231018:dip-19648-1697588155:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588224 | SAME


One whole lifecycle: opposite_hold3 | 81 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:17:04.000000000 UTC

Actual recognition: 2023-10-18 00:17:31.149657419 UTC

Endpoint label: 2023-10-18 00:18:24.000000000 UTC

Endpoint known-by: 2023-10-18 00:18:29.548520529 UTC

Parent: 20231018:dip-19648-1697588224:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588302 | FLIP


One whole lifecycle: opposite_hold3 | 161 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:18:22.000000000 UTC

Actual recognition: 2023-10-18 00:19:23.952773264 UTC

Endpoint label: 2023-10-18 00:21:02.000000000 UTC

Endpoint known-by: 2023-10-18 00:21:03.025072100 UTC

Parent: 20231018:dip-19648-1697588302:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588347 | SAME


One whole lifecycle: opposite_hold3 | 116 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:19:07.000000000 UTC

Actual recognition: 2023-10-18 00:20:03.044897273 UTC

Endpoint label: 2023-10-18 00:21:02.000000000 UTC

Endpoint known-by: 2023-10-18 00:21:03.025072100 UTC

Parent: 20231018:dip-19648-1697588347:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588438 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:20:38.000000000 UTC

Actual recognition: 2023-10-18 00:20:48.063250557 UTC

Endpoint label: 2023-10-18 00:21:02.000000000 UTC

Endpoint known-by: 2023-10-18 00:21:03.025072100 UTC

Parent: 20231018:dip-19648-1697588438:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588539 | SAME


One whole lifecycle: opposite_hold3 | 133 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:22:19.000000000 UTC

Actual recognition: 2023-10-18 00:24:03.008566380 UTC

Endpoint label: 2023-10-18 00:24:31.000000000 UTC

Endpoint known-by: 2023-10-18 00:24:38.441700043 UTC

Parent: 20231018:dip-19648-1697588539:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588669 | FLIP


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:24:29.000000000 UTC

Actual recognition: 2023-10-18 00:25:20.254442787 UTC

Endpoint label: 2023-10-18 00:25:26.000000000 UTC

Endpoint known-by: 2023-10-18 00:25:27.133564671 UTC

Parent: 20231018:dip-19648-1697588669:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588728 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:25:28.000000000 UTC

Actual recognition: 2023-10-18 00:26:26.209800859 UTC

Endpoint label: 2023-10-18 00:25:55.000000000 UTC

Endpoint known-by: 2023-10-18 00:25:57.480625953 UTC

Parent: 20231018:dip-19648-1697588728:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588789 | SAME


One whole lifecycle: opposite_hold3 | 167 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:26:29.000000000 UTC

Actual recognition: 2023-10-18 00:27:35.571094152 UTC

Endpoint label: 2023-10-18 00:29:15.000000000 UTC

Endpoint known-by: 2023-10-18 00:29:17.244004935 UTC

Parent: 20231018:dip-19648-1697588789:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588867 | SAME


One whole lifecycle: opposite_hold3 | 89 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:27:47.000000000 UTC

Actual recognition: 2023-10-18 00:28:06.714745141 UTC

Endpoint label: 2023-10-18 00:29:15.000000000 UTC

Endpoint known-by: 2023-10-18 00:29:17.244004935 UTC

Parent: 20231018:dip-19648-1697588867:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697588953 | FLIP


One whole lifecycle: opposite_hold3 | 110 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:29:13.000000000 UTC

Actual recognition: 2023-10-18 00:30:24.408551376 UTC

Endpoint label: 2023-10-18 00:31:02.000000000 UTC

Endpoint known-by: 2023-10-18 00:31:13.891361445 UTC

Parent: 20231018:dip-19648-1697588953:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589060 | FLIP


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:31:00.000000000 UTC

Actual recognition: 2023-10-18 00:31:51.012966230 UTC

Endpoint label: 2023-10-18 00:31:53.000000000 UTC

Endpoint known-by: 2023-10-18 00:32:18.637438087 UTC

Parent: 20231018:dip-19648-1697589060:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589111 | FLIP


One whole lifecycle: opposite_hold3 | 107 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:31:51.000000000 UTC

Actual recognition: 2023-10-18 00:32:49.049843198 UTC

Endpoint label: 2023-10-18 00:33:37.000000000 UTC

Endpoint known-by: 2023-10-18 00:33:38.006659281 UTC

Parent: 20231018:dip-19648-1697589111:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589215 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:33:35.000000000 UTC

Actual recognition: 2023-10-18 00:34:32.142894220 UTC

Endpoint label: 2023-10-18 00:33:57.000000000 UTC

Endpoint known-by: 2023-10-18 00:34:02.335689555 UTC

Parent: 20231018:dip-19648-1697589215:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589274 | FLIP


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:34:34.000000000 UTC

Actual recognition: 2023-10-18 00:35:24.631914921 UTC

Endpoint label: 2023-10-18 00:35:26.000000000 UTC

Endpoint known-by: 2023-10-18 00:35:29.243304244 UTC

Parent: 20231018:dip-19648-1697589274:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589319 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:35:19.000000000 UTC

Actual recognition: 2023-10-18 00:36:18.846858947 UTC

Endpoint label: 2023-10-18 00:35:26.000000000 UTC

Endpoint known-by: 2023-10-18 00:35:29.243304244 UTC

Parent: 20231018:dip-19648-1697589319:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589385 | FLIP


One whole lifecycle: opposite_hold3 | 135 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:36:25.000000000 UTC

Actual recognition: 2023-10-18 00:36:56.657760355 UTC

Endpoint label: 2023-10-18 00:38:39.000000000 UTC

Endpoint known-by: 2023-10-18 00:38:40.932241132 UTC

Parent: 20231018:dip-19648-1697589385:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589517 | FLIP


One whole lifecycle: opposite_hold3 | 127 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:38:37.000000000 UTC

Actual recognition: 2023-10-18 00:39:28.592900798 UTC

Endpoint label: 2023-10-18 00:40:43.000000000 UTC

Endpoint known-by: 2023-10-18 00:40:44.382408934 UTC

Parent: 20231018:dip-19648-1697589517:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589604 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:40:04.000000000 UTC

Actual recognition: 2023-10-18 00:40:28.893331213 UTC

Endpoint label: 2023-10-18 00:40:43.000000000 UTC

Endpoint known-by: 2023-10-18 00:40:44.382408934 UTC

Parent: 20231018:dip-19648-1697589604:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589691 | FLIP


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:41:31.000000000 UTC

Actual recognition: 2023-10-18 00:41:45.172887219 UTC

Endpoint label: 2023-10-18 00:42:08.000000000 UTC

Endpoint known-by: 2023-10-18 00:42:10.027798170 UTC

Parent: 20231018:dip-19648-1697589691:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589736 | FLIP


One whole lifecycle: opposite_hold3 | 155 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:42:16.000000000 UTC

Actual recognition: 2023-10-18 00:43:07.055351601 UTC

Endpoint label: 2023-10-18 00:44:50.000000000 UTC

Endpoint known-by: 2023-10-18 00:44:51.127790429 UTC

Parent: 20231018:dip-19648-1697589736:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589888 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:44:48.000000000 UTC

Actual recognition: 2023-10-18 00:45:40.898208493 UTC

Endpoint label: 2023-10-18 00:45:10.000000000 UTC

Endpoint known-by: 2023-10-18 00:45:12.000355447 UTC

Parent: 20231018:dip-19648-1697589888:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697589954 | SAME


One whole lifecycle: opposite_hold3 | 143 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:45:54.000000000 UTC

Actual recognition: 2023-10-18 00:46:45.340398989 UTC

Endpoint label: 2023-10-18 00:48:16.000000000 UTC

Endpoint known-by: 2023-10-18 00:48:36.877049298 UTC

Parent: 20231018:dip-19648-1697589954:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697590028 | SAME


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:47:08.000000000 UTC

Actual recognition: 2023-10-18 00:48:02.264176790 UTC

Endpoint label: 2023-10-18 00:48:16.000000000 UTC

Endpoint known-by: 2023-10-18 00:48:36.877049298 UTC

Parent: 20231018:dip-19648-1697590028:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697590073 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:47:53.000000000 UTC

Actual recognition: 2023-10-18 00:49:09.201113660 UTC

Endpoint label: 2023-10-18 00:48:16.000000000 UTC

Endpoint known-by: 2023-10-18 00:48:36.877049298 UTC

Parent: 20231018:dip-19648-1697590073:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.