
20231018 candidate | dip-19648-1697600599 | SAME


One whole lifecycle: opposite_hold3 | 320 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:43:19.000000000 UTC

Actual recognition: 2023-10-18 03:44:10.215542657 UTC

Endpoint label: 2023-10-18 03:48:38.000000000 UTC

Endpoint known-by: 2023-10-18 03:48:44.758233768 UTC

Parent: 20231018:dip-19648-1697600599:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697600761 | SAME


One whole lifecycle: opposite_hold3 | 158 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:46:01.000000000 UTC

Actual recognition: 2023-10-18 03:46:58.579036053 UTC

Endpoint label: 2023-10-18 03:48:38.000000000 UTC

Endpoint known-by: 2023-10-18 03:48:44.758233768 UTC

Parent: 20231018:dip-19648-1697600761:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697600916 | FLIP


One whole lifecycle: opposite_hold3 | 178 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:48:36.000000000 UTC

Actual recognition: 2023-10-18 03:49:47.197435497 UTC

Endpoint label: 2023-10-18 03:51:33.000000000 UTC

Endpoint known-by: 2023-10-18 03:51:40.092499376 UTC

Parent: 20231018:dip-19648-1697600916:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697600961 | SAME


One whole lifecycle: opposite_hold3 | 133 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:49:21.000000000 UTC

Actual recognition: 2023-10-18 03:50:12.700417703 UTC

Endpoint label: 2023-10-18 03:51:33.000000000 UTC

Endpoint known-by: 2023-10-18 03:51:40.092499376 UTC

Parent: 20231018:dip-19648-1697600961:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697601091 | FLIP


One whole lifecycle: opposite_hold3 | 97 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:51:31.000000000 UTC

Actual recognition: 2023-10-18 03:52:31.979308044 UTC

Endpoint label: 2023-10-18 03:53:07.000000000 UTC

Endpoint known-by: 2023-10-18 03:53:08.150475918 UTC

Parent: 20231018:dip-19648-1697601091:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697601151 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:52:31.000000000 UTC

Actual recognition: 2023-10-18 03:53:24.321717892 UTC

Endpoint label: 2023-10-18 03:53:07.000000000 UTC

Endpoint known-by: 2023-10-18 03:53:08.150475918 UTC

Parent: 20231018:dip-19648-1697601151:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697601196 | FLIP


One whole lifecycle: opposite_hold3 | 158 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:53:16.000000000 UTC

Actual recognition: 2023-10-18 03:54:08.631171816 UTC

Endpoint label: 2023-10-18 03:55:53.000000000 UTC

Endpoint known-by: 2023-10-18 03:56:12.342468395 UTC

Parent: 20231018:dip-19648-1697601196:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697601351 | FLIP


One whole lifecycle: opposite_hold3 | 195 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:55:51.000000000 UTC

Actual recognition: 2023-10-18 03:56:49.509134182 UTC

Endpoint label: 2023-10-18 03:59:05.000000000 UTC

Endpoint known-by: 2023-10-18 03:59:06.768917735 UTC

Parent: 20231018:dip-19648-1697601351:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697601452 | SAME


One whole lifecycle: opposite_hold3 | 94 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:57:32.000000000 UTC

Actual recognition: 2023-10-18 03:58:52.373864537 UTC

Endpoint label: 2023-10-18 03:59:05.000000000 UTC

Endpoint known-by: 2023-10-18 03:59:06.768917735 UTC

Parent: 20231018:dip-19648-1697601452:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697601543 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:59:03.000000000 UTC

Actual recognition: 2023-10-18 03:59:55.657319165 UTC

Endpoint label: 2023-10-18 03:59:25.000000000 UTC

Endpoint known-by: 2023-10-18 03:59:33.707212471 UTC

Parent: 20231018:dip-19648-1697601543:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697601614 | SAME


One whole lifecycle: opposite_hold3 | 96 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:00:14.000000000 UTC

Actual recognition: 2023-10-18 04:01:19.456175397 UTC

Endpoint label: 2023-10-18 04:01:49.000000000 UTC

Endpoint known-by: 2023-10-18 04:02:03.192483402 UTC

Parent: 20231018:dip-19648-1697601614:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697601663 | SAME


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:01:03.000000000 UTC

Actual recognition: 2023-10-18 04:02:03.192483402 UTC

Endpoint label: 2023-10-18 04:01:49.000000000 UTC

Endpoint known-by: 2023-10-18 04:02:03.192483402 UTC

Parent: 20231018:dip-19648-1697601663:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697601708 | FLIP


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:01:48.000000000 UTC

Actual recognition: 2023-10-18 04:02:40.558309796 UTC

Endpoint label: 2023-10-18 04:03:32.000000000 UTC

Endpoint known-by: 2023-10-18 04:03:33.820311968 UTC

Parent: 20231018:dip-19648-1697601708:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697601790 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:03:10.000000000 UTC

Actual recognition: 2023-10-18 04:04:35.927195166 UTC

Endpoint label: 2023-10-18 04:03:32.000000000 UTC

Endpoint known-by: 2023-10-18 04:03:33.820311968 UTC

Parent: 20231018:dip-19648-1697601790:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697601875 | SAME


One whole lifecycle: opposite_hold3 | 135 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:04:35.000000000 UTC

Actual recognition: 2023-10-18 04:05:30.879236628 UTC

Endpoint label: 2023-10-18 04:06:49.000000000 UTC

Endpoint known-by: 2023-10-18 04:06:58.042279574 UTC

Parent: 20231018:dip-19648-1697601875:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697602027 | FLIP


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:07:07.000000000 UTC

Actual recognition: 2023-10-18 04:07:58.634326628 UTC

Endpoint label: 2023-10-18 04:07:44.000000000 UTC

Endpoint known-by: 2023-10-18 04:07:47.668710370 UTC

Parent: 20231018:dip-19648-1697602027:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697602082 | SAME


One whole lifecycle: opposite_hold3 | 205 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:08:02.000000000 UTC

Actual recognition: 2023-10-18 04:09:09.200955391 UTC

Endpoint label: 2023-10-18 04:11:26.000000000 UTC

Endpoint known-by: 2023-10-18 04:11:30.855679259 UTC

Parent: 20231018:dip-19648-1697602082:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697602203 | SAME


One whole lifecycle: opposite_hold3 | 84 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:10:03.000000000 UTC

Actual recognition: 2023-10-18 04:11:04.073606342 UTC

Endpoint label: 2023-10-18 04:11:26.000000000 UTC

Endpoint known-by: 2023-10-18 04:11:30.855679259 UTC

Parent: 20231018:dip-19648-1697602203:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697602284 | FLIP


One whole lifecycle: opposite_hold3 | 131 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:11:24.000000000 UTC

Actual recognition: 2023-10-18 04:12:17.752692817 UTC

Endpoint label: 2023-10-18 04:13:34.000000000 UTC

Endpoint known-by: 2023-10-18 04:13:36.796070475 UTC

Parent: 20231018:dip-19648-1697602284:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697602412 | FLIP


One whole lifecycle: opposite_hold3 | 186 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:13:32.000000000 UTC

Actual recognition: 2023-10-18 04:14:26.014431876 UTC

Endpoint label: 2023-10-18 04:16:37.000000000 UTC

Endpoint known-by: 2023-10-18 04:16:38.797599245 UTC

Parent: 20231018:dip-19648-1697602412:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697602562 | SAME


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:16:02.000000000 UTC

Actual recognition: 2023-10-18 04:16:55.864367257 UTC

Endpoint label: 2023-10-18 04:16:37.000000000 UTC

Endpoint known-by: 2023-10-18 04:16:38.797599245 UTC

Parent: 20231018:dip-19648-1697602562:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697602615 | SAME


One whole lifecycle: opposite_hold3 | 166 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:16:55.000000000 UTC

Actual recognition: 2023-10-18 04:19:12.367893996 UTC

Endpoint label: 2023-10-18 04:19:40.000000000 UTC

Endpoint known-by: 2023-10-18 04:19:45.619769609 UTC

Parent: 20231018:dip-19648-1697602615:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697602778 | FLIP


One whole lifecycle: opposite_hold3 | 188 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:19:38.000000000 UTC

Actual recognition: 2023-10-18 04:20:32.484604353 UTC

Endpoint label: 2023-10-18 04:22:45.000000000 UTC

Endpoint known-by: 2023-10-18 04:22:46.546695070 UTC

Parent: 20231018:dip-19648-1697602778:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697602840 | SAME


One whole lifecycle: opposite_hold3 | 126 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:20:40.000000000 UTC

Actual recognition: 2023-10-18 04:21:45.708889795 UTC

Endpoint label: 2023-10-18 04:22:45.000000000 UTC

Endpoint known-by: 2023-10-18 04:22:46.546695070 UTC

Parent: 20231018:dip-19648-1697602840:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697602905 | FLIP


One whole lifecycle: opposite_hold3 | 335 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:21:45.000000000 UTC

Actual recognition: 2023-10-18 04:22:41.225949450 UTC

Endpoint label: 2023-10-18 04:27:19.000000000 UTC

Endpoint known-by: 2023-10-18 04:27:30.089680638 UTC

Parent: 20231018:dip-19648-1697602905:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697603237 | FLIP


One whole lifecycle: opposite_hold3 | 145 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:27:17.000000000 UTC

Actual recognition: 2023-10-18 04:28:28.705817632 UTC

Endpoint label: 2023-10-18 04:29:41.000000000 UTC

Endpoint known-by: 2023-10-18 04:29:47.857021420 UTC

Parent: 20231018:dip-19648-1697603237:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697603379 | FLIP


One whole lifecycle: opposite_hold3 | 75 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:29:39.000000000 UTC

Actual recognition: 2023-10-18 04:30:39.962680963 UTC

Endpoint label: 2023-10-18 04:30:53.000000000 UTC

Endpoint known-by: 2023-10-18 04:31:01.305545736 UTC

Parent: 20231018:dip-19648-1697603379:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697603451 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:30:51.000000000 UTC

Actual recognition: 2023-10-18 04:32:01.129673481 UTC

Endpoint label: 2023-10-18 04:31:03.000000000 UTC

Endpoint known-by: 2023-10-18 04:31:04.460582901 UTC

Parent: 20231018:dip-19648-1697603451:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697603575 | SAME


One whole lifecycle: opposite_hold3 | 176 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:32:55.000000000 UTC

Actual recognition: 2023-10-18 04:33:46.104081807 UTC

Endpoint label: 2023-10-18 04:35:50.000000000 UTC

Endpoint known-by: 2023-10-18 04:35:53.350487088 UTC

Parent: 20231018:dip-19648-1697603575:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697603632 | SAME


One whole lifecycle: opposite_hold3 | 119 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:33:52.000000000 UTC

Actual recognition: 2023-10-18 04:34:52.164883554 UTC

Endpoint label: 2023-10-18 04:35:50.000000000 UTC

Endpoint known-by: 2023-10-18 04:35:53.350487088 UTC

Parent: 20231018:dip-19648-1697603632:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697603779 | SAME


One whole lifecycle: opposite_hold3 | 158 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:36:19.000000000 UTC

Actual recognition: 2023-10-18 04:37:11.930409524 UTC

Endpoint label: 2023-10-18 04:38:56.000000000 UTC

Endpoint known-by: 2023-10-18 04:39:31.283817292 UTC

Parent: 20231018:dip-19648-1697603779:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697603934 | FLIP

One whole lifecycle: opposite_hold3 | 109 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:38:54.000000000 UTC

Actual recognition: 2023-10-18 04:39:45.363838965 UTC

Endpoint label: 2023-10-18 04:40:42.000000000 UTC

Endpoint known-by: 2023-10-18 04:40:44.325636742 UTC

Parent: 20231018:dip-19648-1697603934:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697604004 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:40:04.000000000 UTC

Actual recognition: 2023-10-18 04:41:02.795358214 UTC

Endpoint label: 2023-10-18 04:40:42.000000000 UTC

Endpoint known-by: 2023-10-18 04:40:44.325636742 UTC

Parent: 20231018:dip-19648-1697604004:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697604062 | SAME


One whole lifecycle: opposite_hold3 | 78 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:41:02.000000000 UTC

Actual recognition: 2023-10-18 04:41:55.249876565 UTC

Endpoint label: 2023-10-18 04:42:19.000000000 UTC

Endpoint known-by: 2023-10-18 04:42:29.275754793 UTC

Parent: 20231018:dip-19648-1697604062:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697604115 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:41:55.000000000 UTC

Actual recognition: 2023-10-18 04:42:46.154757910 UTC

Endpoint label: 2023-10-18 04:42:19.000000000 UTC

Endpoint known-by: 2023-10-18 04:42:29.275754793 UTC

Parent: 20231018:dip-19648-1697604115:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697604376 | SAME


One whole lifecycle: opposite_hold3 | 468 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:46:16.000000000 UTC

Actual recognition: 2023-10-18 04:47:17.990592444 UTC

Endpoint label: 2023-10-18 04:54:03.000000000 UTC

Endpoint known-by: 2023-10-18 04:54:08.608888811 UTC

Parent: 20231018:dip-19648-1697604376:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697604508 | SAME


One whole lifecycle: opposite_hold3 | 336 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:48:28.000000000 UTC

Actual recognition: 2023-10-18 04:49:34.346740871 UTC

Endpoint label: 2023-10-18 04:54:03.000000000 UTC

Endpoint known-by: 2023-10-18 04:54:08.608888811 UTC

Parent: 20231018:dip-19648-1697604508:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697604651 | SAME


One whole lifecycle: opposite_hold3 | 193 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:50:51.000000000 UTC

Actual recognition: 2023-10-18 04:51:46.338408025 UTC

Endpoint label: 2023-10-18 04:54:03.000000000 UTC

Endpoint known-by: 2023-10-18 04:54:08.608888811 UTC

Parent: 20231018:dip-19648-1697604651:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697604860 | FLIP


One whole lifecycle: opposite_hold3 | 86 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:54:20.000000000 UTC

Actual recognition: 2023-10-18 04:55:02.703203432 UTC

Endpoint label: 2023-10-18 04:55:45.000000000 UTC

Endpoint known-by: 2023-10-18 04:55:50.171571239 UTC

Parent: 20231018:dip-19648-1697604860:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697604907 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:55:07.000000000 UTC

Actual recognition: 2023-10-18 04:56:00.091786563 UTC

Endpoint label: 2023-10-18 04:55:45.000000000 UTC

Endpoint known-by: 2023-10-18 04:55:50.171571239 UTC

Parent: 20231018:dip-19648-1697604907:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697604962 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:56:02.000000000 UTC

Actual recognition: 2023-10-18 04:57:03.394477938 UTC

Endpoint label: 2023-10-18 04:56:18.000000000 UTC

Endpoint known-by: 2023-10-18 04:56:20.215363282 UTC

Parent: 20231018:dip-19648-1697604962:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697605007 | FLIP


One whole lifecycle: opposite_hold3 | 173 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:56:47.000000000 UTC

Actual recognition: 2023-10-18 04:57:49.153996313 UTC

Endpoint label: 2023-10-18 04:59:39.000000000 UTC

Endpoint known-by: 2023-10-18 04:59:43.526657974 UTC

Parent: 20231018:dip-19648-1697605007:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697605177 | FLIP


One whole lifecycle: opposite_hold3 | 117 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 04:59:37.000000000 UTC

Actual recognition: 2023-10-18 05:00:40.195068455 UTC

Endpoint label: 2023-10-18 05:01:33.000000000 UTC

Endpoint known-by: 2023-10-18 05:01:35.202731107 UTC

Parent: 20231018:dip-19648-1697605177:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697605273 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:01:13.000000000 UTC

Actual recognition: 2023-10-18 05:02:12.019892537 UTC

Endpoint label: 2023-10-18 05:01:33.000000000 UTC

Endpoint known-by: 2023-10-18 05:01:35.202731107 UTC

Parent: 20231018:dip-19648-1697605273:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697605360 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:02:40.000000000 UTC

Actual recognition: 2023-10-18 05:03:31.765770952 UTC

Endpoint label: 2023-10-18 05:02:53.000000000 UTC

Endpoint known-by: 2023-10-18 05:03:03.334033030 UTC

Parent: 20231018:dip-19648-1697605360:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697605405 | FLIP


One whole lifecycle: opposite_hold3 | 110 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:03:25.000000000 UTC

Actual recognition: 2023-10-18 05:04:31.225956880 UTC

Endpoint label: 2023-10-18 05:05:14.000000000 UTC

Endpoint known-by: 2023-10-18 05:05:22.648393942 UTC

Parent: 20231018:dip-19648-1697605405:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697605512 | FLIP


One whole lifecycle: opposite_hold3 | 327 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:05:12.000000000 UTC

Actual recognition: 2023-10-18 05:06:04.533251399 UTC

Endpoint label: 2023-10-18 05:10:38.000000000 UTC

Endpoint known-by: 2023-10-18 05:10:46.888169288 UTC

Parent: 20231018:dip-19648-1697605512:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697605653 | SAME


One whole lifecycle: opposite_hold3 | 186 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:07:33.000000000 UTC

Actual recognition: 2023-10-18 05:08:24.425722253 UTC

Endpoint label: 2023-10-18 05:10:38.000000000 UTC

Endpoint known-by: 2023-10-18 05:10:46.888169288 UTC

Parent: 20231018:dip-19648-1697605653:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697605703 | SAME


One whole lifecycle: opposite_hold3 | 136 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:08:23.000000000 UTC

Actual recognition: 2023-10-18 05:09:25.456263593 UTC

Endpoint label: 2023-10-18 05:10:38.000000000 UTC

Endpoint known-by: 2023-10-18 05:10:46.888169288 UTC

Parent: 20231018:dip-19648-1697605703:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697605816 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:10:16.000000000 UTC

Actual recognition: 2023-10-18 05:11:07.792454645 UTC

Endpoint label: 2023-10-18 05:10:38.000000000 UTC

Endpoint known-by: 2023-10-18 05:10:46.888169288 UTC

Parent: 20231018:dip-19648-1697605816:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697605957 | FLIP


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:12:37.000000000 UTC

Actual recognition: 2023-10-18 05:13:28.800244538 UTC

Endpoint label: 2023-10-18 05:13:30.000000000 UTC

Endpoint known-by: 2023-10-18 05:13:31.800271273 UTC

Parent: 20231018:dip-19648-1697605957:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697606009 | FLIP


One whole lifecycle: opposite_hold3 | 414 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:13:29.000000000 UTC

Actual recognition: 2023-10-18 05:14:20.000407120 UTC

Endpoint label: 2023-10-18 05:20:22.000000000 UTC

Endpoint known-by: 2023-10-18 05:20:23.692047861 UTC

Parent: 20231018:dip-19648-1697606009:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697606081 | SAME


One whole lifecycle: opposite_hold3 | 342 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:14:41.000000000 UTC

Actual recognition: 2023-10-18 05:15:32.630772178 UTC

Endpoint label: 2023-10-18 05:20:22.000000000 UTC

Endpoint known-by: 2023-10-18 05:20:23.692047861 UTC

Parent: 20231018:dip-19648-1697606081:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697606143 | SAME


One whole lifecycle: opposite_hold3 | 280 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:15:43.000000000 UTC

Actual recognition: 2023-10-18 05:16:34.350492085 UTC

Endpoint label: 2023-10-18 05:20:22.000000000 UTC

Endpoint known-by: 2023-10-18 05:20:23.692047861 UTC

Parent: 20231018:dip-19648-1697606143:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697606420 | FLIP


One whole lifecycle: opposite_hold3 | 127 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:20:20.000000000 UTC

Actual recognition: 2023-10-18 05:21:11.800395568 UTC

Endpoint label: 2023-10-18 05:22:26.000000000 UTC

Endpoint known-by: 2023-10-18 05:22:27.226237608 UTC

Parent: 20231018:dip-19648-1697606420:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697606524 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:22:04.000000000 UTC

Actual recognition: 2023-10-18 05:22:55.800305329 UTC

Endpoint label: 2023-10-18 05:22:26.000000000 UTC

Endpoint known-by: 2023-10-18 05:22:27.226237608 UTC

Parent: 20231018:dip-19648-1697606524:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697606603 | FLIP


One whole lifecycle: opposite_hold3 | 89 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:23:23.000000000 UTC

Actual recognition: 2023-10-18 05:24:14.174573090 UTC

Endpoint label: 2023-10-18 05:24:51.000000000 UTC

Endpoint known-by: 2023-10-18 05:24:52.538919635 UTC

Parent: 20231018:dip-19648-1697606603:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697606648 | SAME


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:24:08.000000000 UTC

Actual recognition: 2023-10-18 05:25:00.033613273 UTC

Endpoint label: 2023-10-18 05:24:51.000000000 UTC

Endpoint known-by: 2023-10-18 05:24:52.538919635 UTC

Parent: 20231018:dip-19648-1697606648:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697606739 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:25:39.000000000 UTC

Actual recognition: 2023-10-18 05:25:49.590204480 UTC

Endpoint label: 2023-10-18 05:26:21.000000000 UTC

Endpoint known-by: 2023-10-18 05:26:22.900308922 UTC

Parent: 20231018:dip-19648-1697606739:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697606862 | FLIP


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:27:42.000000000 UTC

Actual recognition: 2023-10-18 05:28:34.050417234 UTC

Endpoint label: 2023-10-18 05:28:31.000000000 UTC

Endpoint known-by: 2023-10-18 05:28:32.547328294 UTC

Parent: 20231018:dip-19648-1697606862:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697606912 | FLIP


One whole lifecycle: opposite_hold3 | 79 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:28:32.000000000 UTC

Actual recognition: 2023-10-18 05:29:20.936961268 UTC

Endpoint label: 2023-10-18 05:29:50.000000000 UTC

Endpoint known-by: 2023-10-18 05:29:51.025628342 UTC

Parent: 20231018:dip-19648-1697606912:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697606957 | SAME


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:29:17.000000000 UTC

Actual recognition: 2023-10-18 05:30:08.016934039 UTC

Endpoint label: 2023-10-18 05:29:50.000000000 UTC

Endpoint known-by: 2023-10-18 05:29:51.025628342 UTC

Parent: 20231018:dip-19648-1697606957:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697607011 | SAME


One whole lifecycle: opposite_hold3 | 580 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:30:11.000000000 UTC

Actual recognition: 2023-10-18 05:31:02.329487496 UTC

Endpoint label: 2023-10-18 05:39:50.000000000 UTC

Endpoint known-by: 2023-10-18 05:39:51.104009955 UTC

Parent: 20231018:dip-19648-1697607011:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697607130 | SAME


One whole lifecycle: opposite_hold3 | 461 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:32:10.000000000 UTC

Actual recognition: 2023-10-18 05:33:01.156864788 UTC

Endpoint label: 2023-10-18 05:39:50.000000000 UTC

Endpoint known-by: 2023-10-18 05:39:51.104009955 UTC

Parent: 20231018:dip-19648-1697607130:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697607287 | SAME


One whole lifecycle: opposite_hold3 | 304 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:34:47.000000000 UTC

Actual recognition: 2023-10-18 05:35:38.201705867 UTC

Endpoint label: 2023-10-18 05:39:50.000000000 UTC

Endpoint known-by: 2023-10-18 05:39:51.104009955 UTC

Parent: 20231018:dip-19648-1697607287:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697607332 | SAME


One whole lifecycle: opposite_hold3 | 259 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:35:32.000000000 UTC

Actual recognition: 2023-10-18 05:36:30.883728618 UTC

Endpoint label: 2023-10-18 05:39:50.000000000 UTC

Endpoint known-by: 2023-10-18 05:39:51.104009955 UTC

Parent: 20231018:dip-19648-1697607332:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697607588 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:39:48.000000000 UTC

Actual recognition: 2023-10-18 05:40:39.543044291 UTC

Endpoint label: 2023-10-18 05:40:10.000000000 UTC

Endpoint known-by: 2023-10-18 05:40:18.068116689 UTC

Parent: 20231018:dip-19648-1697607588:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697607738 | SAME


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:42:18.000000000 UTC

Actual recognition: 2023-10-18 05:43:17.951166991 UTC

Endpoint label: 2023-10-18 05:42:52.000000000 UTC

Endpoint known-by: 2023-10-18 05:42:56.982648407 UTC

Parent: 20231018:dip-19648-1697607738:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697607905 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:45:05.000000000 UTC

Actual recognition: 2023-10-18 05:45:57.056987835 UTC

Endpoint label: 2023-10-18 05:45:41.000000000 UTC

Endpoint known-by: 2023-10-18 05:45:42.189393129 UTC

Parent: 20231018:dip-19648-1697607905:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697607969 | SAME


One whole lifecycle: opposite_hold3 | 223 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:46:09.000000000 UTC

Actual recognition: 2023-10-18 05:47:17.828843553 UTC

Endpoint label: 2023-10-18 05:49:51.000000000 UTC

Endpoint known-by: 2023-10-18 05:50:22.350342302 UTC

Parent: 20231018:dip-19648-1697607969:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608096 | SAME


One whole lifecycle: opposite_hold3 | 96 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:48:16.000000000 UTC

Actual recognition: 2023-10-18 05:49:21.883976981 UTC

Endpoint label: 2023-10-18 05:49:51.000000000 UTC

Endpoint known-by: 2023-10-18 05:50:22.350342302 UTC

Parent: 20231018:dip-19648-1697608096:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608189 | FLIP


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:49:49.000000000 UTC

Actual recognition: 2023-10-18 05:50:41.585898118 UTC

Endpoint label: 2023-10-18 05:50:39.000000000 UTC

Endpoint known-by: 2023-10-18 05:50:41.585898118 UTC

Parent: 20231018:dip-19648-1697608189:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608259 | SAME


One whole lifecycle: opposite_hold3 | 163 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:50:59.000000000 UTC

Actual recognition: 2023-10-18 05:51:33.743027588 UTC

Endpoint label: 2023-10-18 05:53:41.000000000 UTC

Endpoint known-by: 2023-10-18 05:53:42.093084826 UTC

Parent: 20231018:dip-19648-1697608259:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608308 | SAME


One whole lifecycle: opposite_hold3 | 114 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:51:48.000000000 UTC

Actual recognition: 2023-10-18 05:52:40.352392085 UTC

Endpoint label: 2023-10-18 05:53:41.000000000 UTC

Endpoint known-by: 2023-10-18 05:53:42.093084826 UTC

Parent: 20231018:dip-19648-1697608308:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608358 | SAME


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:52:38.000000000 UTC

Actual recognition: 2023-10-18 05:53:34.383625313 UTC

Endpoint label: 2023-10-18 05:53:41.000000000 UTC

Endpoint known-by: 2023-10-18 05:53:42.093084826 UTC

Parent: 20231018:dip-19648-1697608358:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608419 | FLIP


One whole lifecycle: opposite_hold3 | 85 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:53:39.000000000 UTC

Actual recognition: 2023-10-18 05:54:35.336598354 UTC

Endpoint label: 2023-10-18 05:55:03.000000000 UTC

Endpoint known-by: 2023-10-18 05:55:04.437409798 UTC

Parent: 20231018:dip-19648-1697608419:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608561 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:56:01.000000000 UTC

Actual recognition: 2023-10-18 05:56:12.000714929 UTC

Endpoint label: 2023-10-18 05:56:33.000000000 UTC

Endpoint known-by: 2023-10-18 05:56:37.098751364 UTC

Parent: 20231018:dip-19648-1697608561:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608674 | FLIP


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:57:54.000000000 UTC

Actual recognition: 2023-10-18 05:58:47.090695237 UTC

Endpoint label: 2023-10-18 05:58:27.000000000 UTC

Endpoint known-by: 2023-10-18 05:58:29.225105966 UTC

Parent: 20231018:dip-19648-1697608674:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608727 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:58:47.000000000 UTC

Actual recognition: 2023-10-18 05:59:50.016268046 UTC

Endpoint label: 2023-10-18 05:59:02.000000000 UTC

Endpoint known-by: 2023-10-18 05:59:03.047090410 UTC

Parent: 20231018:dip-19648-1697608727:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608772 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 05:59:32.000000000 UTC

Actual recognition: 2023-10-18 06:00:24.779275880 UTC

Endpoint label: 2023-10-18 05:59:52.000000000 UTC

Endpoint known-by: 2023-10-18 05:59:57.054509929 UTC

Parent: 20231018:dip-19648-1697608772:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608817 | SAME


One whole lifecycle: opposite_hold3 | 65 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:00:17.000000000 UTC

Actual recognition: 2023-10-18 06:01:18.107384337 UTC

Endpoint label: 2023-10-18 06:01:21.000000000 UTC

Endpoint known-by: 2023-10-18 06:01:22.857291950 UTC

Parent: 20231018:dip-19648-1697608817:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608880 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:01:20.000000000 UTC

Actual recognition: 2023-10-18 06:02:17.301776518 UTC

Endpoint label: 2023-10-18 06:01:41.000000000 UTC

Endpoint known-by: 2023-10-18 06:01:42.101368440 UTC

Parent: 20231018:dip-19648-1697608880:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697608959 | FLIP


One whole lifecycle: opposite_hold3 | 147 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:02:39.000000000 UTC

Actual recognition: 2023-10-18 06:03:35.104906335 UTC

Endpoint label: 2023-10-18 06:05:05.000000000 UTC

Endpoint known-by: 2023-10-18 06:06:01.243195083 UTC

Parent: 20231018:dip-19648-1697608959:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609036 | SAME


One whole lifecycle: opposite_hold3 | 70 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:03:56.000000000 UTC

Actual recognition: 2023-10-18 06:05:02.585597474 UTC

Endpoint label: 2023-10-18 06:05:05.000000000 UTC

Endpoint known-by: 2023-10-18 06:06:01.243195083 UTC

Parent: 20231018:dip-19648-1697609036:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609103 | FLIP


One whole lifecycle: opposite_hold3 | 98 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:05:03.000000000 UTC

Actual recognition: 2023-10-18 06:06:01.243195083 UTC

Endpoint label: 2023-10-18 06:06:40.000000000 UTC

Endpoint known-by: 2023-10-18 06:06:45.745807000 UTC

Parent: 20231018:dip-19648-1697609103:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609178 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:06:18.000000000 UTC

Actual recognition: 2023-10-18 06:07:33.869145739 UTC

Endpoint label: 2023-10-18 06:06:40.000000000 UTC

Endpoint known-by: 2023-10-18 06:06:45.745807000 UTC

Parent: 20231018:dip-19648-1697609178:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609255 | FLIP


One whole lifecycle: opposite_hold3 | 443 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:07:35.000000000 UTC

Actual recognition: 2023-10-18 06:08:31.020389649 UTC

Endpoint label: 2023-10-18 06:14:57.000000000 UTC

Endpoint known-by: 2023-10-18 06:14:59.082216985 UTC

Parent: 20231018:dip-19648-1697609255:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609348 | SAME


One whole lifecycle: opposite_hold3 | 350 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:09:08.000000000 UTC

Actual recognition: 2023-10-18 06:10:03.985518123 UTC

Endpoint label: 2023-10-18 06:14:57.000000000 UTC

Endpoint known-by: 2023-10-18 06:14:59.082216985 UTC

Parent: 20231018:dip-19648-1697609348:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609403 | SAME


One whole lifecycle: opposite_hold3 | 295 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:10:03.000000000 UTC

Actual recognition: 2023-10-18 06:11:01.326699733 UTC

Endpoint label: 2023-10-18 06:14:57.000000000 UTC

Endpoint known-by: 2023-10-18 06:14:59.082216985 UTC

Parent: 20231018:dip-19648-1697609403:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609478 | SAME


One whole lifecycle: opposite_hold3 | 220 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:11:18.000000000 UTC

Actual recognition: 2023-10-18 06:12:16.151658371 UTC

Endpoint label: 2023-10-18 06:14:57.000000000 UTC

Endpoint known-by: 2023-10-18 06:14:59.082216985 UTC

Parent: 20231018:dip-19648-1697609478:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609552 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:12:32.000000000 UTC

Actual recognition: 2023-10-18 06:13:42.130410724 UTC

Endpoint label: 2023-10-18 06:12:45.000000000 UTC

Endpoint known-by: 2023-10-18 06:13:17.038229320 UTC

Parent: 20231018:dip-19648-1697609552:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609636 | FLIP


One whole lifecycle: opposite_hold3 | 62 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:13:56.000000000 UTC

Actual recognition: 2023-10-18 06:14:48.059467458 UTC

Endpoint label: 2023-10-18 06:14:57.000000000 UTC

Endpoint known-by: 2023-10-18 06:14:59.082216985 UTC

Parent: 20231018:dip-19648-1697609636:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609721 | SAME


One whole lifecycle: opposite_hold3 | 264 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:15:21.000000000 UTC

Actual recognition: 2023-10-18 06:16:17.303021485 UTC

Endpoint label: 2023-10-18 06:19:44.000000000 UTC

Endpoint known-by: 2023-10-18 06:19:45.304216428 UTC

Parent: 20231018:dip-19648-1697609721:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609778 | SAME


One whole lifecycle: opposite_hold3 | 207 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:16:18.000000000 UTC

Actual recognition: 2023-10-18 06:17:22.707582955 UTC

Endpoint label: 2023-10-18 06:19:44.000000000 UTC

Endpoint known-by: 2023-10-18 06:19:45.304216428 UTC

Parent: 20231018:dip-19648-1697609778:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609850 | SAME


One whole lifecycle: opposite_hold3 | 135 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:17:30.000000000 UTC

Actual recognition: 2023-10-18 06:18:48.400881357 UTC

Endpoint label: 2023-10-18 06:19:44.000000000 UTC

Endpoint known-by: 2023-10-18 06:19:45.304216428 UTC

Parent: 20231018:dip-19648-1697609850:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697609982 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:19:42.000000000 UTC

Actual recognition: 2023-10-18 06:20:55.221475240 UTC

Endpoint label: 2023-10-18 06:20:05.000000000 UTC

Endpoint known-by: 2023-10-18 06:20:30.677471224 UTC

Parent: 20231018:dip-19648-1697609982:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697610067 | FLIP


One whole lifecycle: opposite_hold3 | 137 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:21:07.000000000 UTC

Actual recognition: 2023-10-18 06:22:01.201473622 UTC

Endpoint label: 2023-10-18 06:23:23.000000000 UTC

Endpoint known-by: 2023-10-18 06:23:24.375363211 UTC

Parent: 20231018:dip-19648-1697610067:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697610176 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:22:56.000000000 UTC

Actual recognition: 2023-10-18 06:23:49.222350533 UTC

Endpoint label: 2023-10-18 06:23:23.000000000 UTC

Endpoint known-by: 2023-10-18 06:23:24.375363211 UTC

Parent: 20231018:dip-19648-1697610176:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697610230 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:23:50.000000000 UTC

Actual recognition: 2023-10-18 06:24:49.725126061 UTC

Endpoint label: 2023-10-18 06:24:00.000000000 UTC

Endpoint known-by: 2023-10-18 06:24:01.281476056 UTC

Parent: 20231018:dip-19648-1697610230:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697610309 | SAME


One whole lifecycle: opposite_hold3 | 107 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 06:25:09.000000000 UTC

Actual recognition: 2023-10-18 06:25:26.411832484 UTC

Endpoint label: 2023-10-18 06:26:55.000000000 UTC

Endpoint known-by: 2023-10-18 06:26:58.373294322 UTC

Parent: 20231018:dip-19648-1697610309:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.