61A Lecture 36

Friday, December 6

•Homework 12 due Tuesday 12/10 @ 11:59pm.

- •Homework 12 due Tuesday 12/10 @ 11:59pm.
 - •All you have to do is vote on your favorite recursive art.

- •Homework 12 due Tuesday 12/10 @ 11:59pm.
 - •All you have to do is vote on your favorite recursive art.
- •29 review sessions next week! Come learn about the topics that interest you the most.

- •Homework 12 due Tuesday 12/10 @ 11:59pm.
 - *All you have to do is vote on your favorite recursive art.
- •29 review sessions next week! Come learn about the topics that interest you the most.
 - See http://inst.eecs.berkeley.edu/~cs61a/fa13/exams/final.html for the schedule.

- Homework 12 due Tuesday 12/10 @ 11:59pm.
 - *All you have to do is vote on your favorite recursive art.
- •29 review sessions next week! Come learn about the topics that interest you the most.
 - See http://inst.eecs.berkeley.edu/~cs61a/fa13/exams/final.html for the schedule.
- The final exam is on Friday 12/20 @ 11:30am in the RSF gym, emphasizing:

- •Homework 12 due Tuesday 12/10 @ 11:59pm.
 - *All you have to do is vote on your favorite recursive art.
- •29 review sessions next week! Come learn about the topics that interest you the most.
 - See http://inst.eecs.berkeley.edu/~cs61a/fa13/exams/final.html for the schedule.
- The final exam is on Friday 12/20 @ 11:30am in the RSF gym, emphasizing:
 - •Higher-order functions


- •Homework 12 due Tuesday 12/10 @ 11:59pm.
 - *All you have to do is vote on your favorite recursive art.
- •29 review sessions next week! Come learn about the topics that interest you the most.
 - See http://inst.eecs.berkeley.edu/~cs61a/fa13/exams/final.html for the schedule.
- The final exam is on Friday 12/20 @ 11:30am in the RSF gym, emphasizing:
 - •Higher-order functions
 - Sequences (tuples, lists, recursive lists, Scheme lists)

- Homework 12 due Tuesday 12/10 @ 11:59pm.
 - *All you have to do is vote on your favorite recursive art.
- •29 review sessions next week! Come learn about the topics that interest you the most.
 - See http://inst.eecs.berkeley.edu/~cs61a/fa13/exams/final.html for the schedule.
- The final exam is on Friday 12/20 @ 11:30am in the RSF gym, emphasizing:
 - •Higher-order functions
 - Sequences (tuples, lists, recursive lists, Scheme lists)
 - Non-local assignment and mutation

- Homework 12 due Tuesday 12/10 @ 11:59pm.
 - *All you have to do is vote on your favorite recursive art.
- •29 review sessions next week! Come learn about the topics that interest you the most.
 - •See http://inst.eecs.berkeley.edu/~cs61a/fa13/exams/final.html for the schedule.
- The final exam is on Friday 12/20 @ 11:30am in the RSF gym, emphasizing:
 - •Higher-order functions
 - Sequences (tuples, lists, recursive lists, Scheme lists)
 - Non-local assignment and mutation
 - •Object-oriented programming

- •Homework 12 due Tuesday 12/10 @ 11:59pm.
 - *All you have to do is vote on your favorite recursive art.
- •29 review sessions next week! Come learn about the topics that interest you the most.
 - See http://inst.eecs.berkeley.edu/~cs61a/fa13/exams/final.html for the schedule.
- The final exam is on Friday 12/20 @ 11:30am in the RSF gym, emphasizing:
 - •Higher-order functions
 - Sequences (tuples, lists, recursive lists, Scheme lists)
 - Non-local assignment and mutation
 - •Object-oriented programming
 - Recursion and recursive data

- Homework 12 due Tuesday 12/10 @ 11:59pm.
 - *All you have to do is vote on your favorite recursive art.
- •29 review sessions next week! Come learn about the topics that interest you the most.
 - See http://inst.eecs.berkeley.edu/~cs61a/fa13/exams/final.html for the schedule.
- The final exam is on Friday 12/20 @ 11:30am in the RSF gym, emphasizing:
 - •Higher-order functions
 - Sequences (tuples, lists, recursive lists, Scheme lists)
 - Non-local assignment and mutation
 - •Object-oriented programming
 - Recursion and recursive data
 - •Iterators, generators, and streams



Is
$$\sqrt{51}-4$$
 < π ?

Is
$$\sqrt{51}-4$$
 < π ?

No calculators/interpreters allowed!


Is
$$\sqrt{51} - 4 < \pi$$
 ?

No calculators/interpreters allowed!

Let's say we have a computer that can +, -, *, /. How do we answer this question?


Is
$$\sqrt{51} - 4 < \pi$$
 ?

No calculators/interpreters allowed!




Is
$$\sqrt{51} - 4 < \pi$$
 ?

No calculators/interpreters allowed!




Is
$$\sqrt{51}-4 < \pi$$
?

No calculators/interpreters allowed!



Is
$$\sqrt{51}-4 < \pi$$
?

No calculators/interpreters allowed!



Is
$$\sqrt{51} - 4 < \pi$$
 ?

No calculators/interpreters allowed!

Let's say we have a computer that can +, -, *, /. How do we answer this question?

(A) A sequence of approximations (SoA) to ${\bf y}$ is an infinite sequence that converges to ${\bf y}$, where each element is closer to ${\bf y}$ than the last. Define a SoA to \sqrt{a} .

Ę

Is
$$\sqrt{51} - 4 < \pi$$
 ?

No calculators/interpreters allowed!

Let's say we have a computer that can +, -, *, /. How do we answer this question?

(A) A sequence of approximations (SoA) to ${\bf y}$ is an infinite sequence that converges to ${\bf y}$, where each element is closer to ${\bf y}$ than the last. Define a SoA to \sqrt{a} .

How to compute square_root(a):

Idea: Iteratively refine a guess x about the square root of a.

$$X = \frac{X + \frac{a}{X}}{2}$$

From lecture 6

Is
$$\sqrt{51} - 4 < \pi$$
 ?

No calculators/interpreters allowed!

Let's say we have a computer that can +, -, *, /. How do we answer this question?

(A) A sequence of approximations (SoA) to ${\bf y}$ is an infinite sequence that converges to ${\bf y}$, where each element is closer to ${\bf y}$ than the last. Define a SoA to \sqrt{a} .

def	sqrt(a):	
	x = 1	
	while	
	yield	
	x =	

How to compute square_root(a):

Idea: Iteratively refine a guess x
about the square root of a.

$$X = \frac{X + \frac{a}{X}}{2}$$

From lecture 6

Is
$$\sqrt{51} - 4 < \pi$$
 ?

No calculators/interpreters allowed!

Let's say we have a computer that can +, -, *, /. How do we answer this question?

(A) A sequence of approximations (SoA) to ${\bf y}$ is an infinite sequence that converges to ${\bf y}$, where each element is closer to ${\bf y}$ than the last. Define a SoA to \sqrt{a} .

```
def sqrt(a):
    x = 1
    while ______:
    yield ______:
    x = _____:
>>> for x in sqrt(2):
        print(x)
1
1.5
1.416666666666665
1.4142156862745097
```

How to compute square_root(a):

Idea: Iteratively refine a guess x about the square root of a.

$$X = \frac{X + \frac{a}{X}}{2}$$

From lecture 6

Is
$$\sqrt{51}-4$$
 < π ?

```
def sqrt(a):
    x = 1
    while True:
        yield x
        x = (x + a/x)/2
```

Is
$$\sqrt{51} - 4 < \pi$$
 ?

```
def sqrt(a):
    x = 1
    while True:
        yield x
        x = (x + a/x)/2
```

(B) Define a sequence of approximations to π .

Is
$$\sqrt{51} - 4 < \pi$$
 ?

(B) Define a sequence of approximations to $\pi \mbox{ .}$

$$\sum_{k=1}^{\infty} \frac{8}{(4k-3)\cdot(4k-1)} = \pi$$
 From lecture 4

Is
$$\sqrt{51} - 4 < \pi$$
 ?

```
def sqrt(a):
    x = 1
    while True:
        yield x
        x = (x + a/x)/2
```

(B) Define a sequence of approximations to π .

$$\sum_{k=1}^{\infty} \frac{8}{(4k-3)\cdot(4k-1)} = \pi$$
 From lecture 4

```
>>> for x in pi():
... print(x)
0
2.6666666666666665
2.895238095238095
2.976046176046176
3.017071817071817
3.041839618929402
3.0584027659273314
```

Is
$$\sqrt{51} - 4 < \pi$$
 ?

```
def sqrt(a):
   x = 1
   while True:
        yield x
        x = (x + a/x)/2
(B) Define a sequence of approximations to \pi .
```

while True:

yield

$$\sum_{k=1}^{\infty} \frac{8}{(4k-3)\cdot(4k-1)} = \pi$$
 From lecture 4

```
>>> for x in pi():
        print(x)
2.666666666666665
2.895238095238095
2.976046176046176
3.017071817071817
3.041839618929402
3.0584027659273314
```

```
Is \sqrt{51}-4 < \pi ?
                                                        def four():
def sqrt(a):
def pi():
   x = 1
                       total, k = 0, 1
                                                            while True:
   while True:
                        while True:
                                                               yield 4
       yield x
                          yield total
                                                        def subtract(x, y):
                     total += 8/((4*k-3)*(4*k-1))
       x = (x + a/x)/2
                                                            while True:
                            k += 1
                                                               yield next(x)-next(y)
```


```
Is \sqrt{51}-4 < \pi?
```

(C) less_than_0(s) returns True if it is certain that s converges to a number less than 0.

Is
$$\sqrt{51}-4 < \pi$$
 ?


```
def four():
def sqrt(a):
                    def pi():
   x = 1
                          total, k = 0, 1
                                                                while True:
   while True:
                          while True:
                                                                    yield 4
       yield x
                             yield total
                                                            def subtract(x, y):
                       total += 8/((4*k-3)*(4*k-1))
       x = (x + a/x)/2
                                                                while True:
                              k += 1
                                                                    yield next(x)-next(y)
```

(C) less_than_0(s) returns True if it is certain that s converges to a number less than 0.




```
Is \sqrt{51}-4 < \pi?
def sqrt(a):
                  def pi():
                                                        def four():
   x = 1
                       total, k = 0, 1
                                                            while True:
   while True:
                        while True:
                                                               yield 4
       yield x
                          yield total
                                                        def subtract(x, y):
       x = (x + a/x)/2 total += 8/((4*k-3)*(4*k-1))
                                                            while True:
                            k += 1
                                                               yield next(x)-next(y)
```

(C) less_than_0(s) returns True if it is certain that s converges to a number less than 0.



```
Is \sqrt{51}-4 < \pi ? Is \sqrt{51}-4-\pi < 0?
def sqrt(a):
                  def pi():
                                                         def four():
   x = 1
                       total, k = 0, 1
                                                            while True:
   while True:
                       while True:
                                                                yield 4
       yield x
                           yield total
                                                         def subtract(x, y):
       x = (x + a/x)/2 total += 8/((4*k-3)*(4*k-1))
                                                            while True:
                            k += 1
                                                                yield next(x)-next(y)
```


(C) less_than_0(s) returns True if it is certain that s converges to a number less than 0.



7

```
>>> a = subtract(sqrt(51), four())
   \sqrt{51}-4 < \pi ? Is \sqrt{51}-4-\pi < 0?
                                                 >>> less_than_0(subtract(a, pi()))
                                                          def four():
def sqrt(a):
                   def pi():
   x = 1
                         total, k = 0, 1
                                                              while True:
   while True:
                         while True:
                                                                 yield 4
                                                          def subtract(x, y):
       yield x
                           yield total
                      total += 8/((4*k-3)*(4*k-1))
       x = (x + a/x)/2
                                                             while True:
                             k += 1
                                                                 yield next(x)-next(y)
```


(C) less_than_0(s) returns True if it is certain that s converges to a number less than 0.



7


```
>>> a = subtract(sqrt(51), four())
>>> less_than_0(subtract(a, pi()))
Is \sqrt{51}-4 < \pi ? Is \sqrt{51}-4-\pi < 0?
def four():
   x = 1
                       total, k = 0, 1
                                                              while True:
   while True:
                        while True:
                                                                  yield 4
                                                          def subtract(x, y):
       yield x
                           yield total
       x = (x + a/x)/2 total += 8/((4*k-3)*(4*k-1)) while True:
                             k += 1
                                                                  yield next(x)-next(y)
(C) less_than_0(s) returns True if it is certain that s converges to a number less than 0.
```

```
def less_than_0(s):
    current = next(s)
    while True:
        last, current = current, next(s)
        if ________:
        return True
```



```
>>> a = subtract(sqrt(51), four())
Is \sqrt{51}-4 < \pi ? Is \sqrt{51}-4-\pi < 0?
                                           >>> less_than_0(subtract(a, pi()))
def four():
   x = 1
                     total, k = 0, 1
                                                       while True:
   while True:
                     while True:
                                                          yield 4
                                                    def subtract(x, y):
      yield x
                        yield total
      x = (x + a/x)/2 total += 8/((4*k-3)*(4*k-1))
                                                       while True:
                          k += 1
                                                          yield next(x)-next(y)
```

(C) less_than_0(s) returns True if it is certain that s converges to a number less than 0.





```
>>> a = subtract(sqrt(51), four())
>>> less_than_0(subtract(a, pi()))
Is \sqrt{51}-4 < \pi ? Is \sqrt{51}-4-\pi < 0?
def four():
   x = 1
                        total, k = 0, 1
                                                               while True:
   while True:
                        while True:
                                                                   yield 4
       yield x
                            yield total
                                                           def subtract(x, y):
       x = (x + a/x)/2 total += 8/((4*k-3)*(4*k-1))
                                                               while True:
                              k += 1
                                                                   yield next(x)-next(y)
(C) less_than_0(s) returns True if it is certain that s converges to a number less than 0.
 def less than 0(s):
                                                                 20
     current = next(s)
     while True:
                                                                  10
         last, current = current, next(s)
                    last < 0 and current < last</pre>
             return True
```

(Demo)

7

1 2 3 4 5 6 7





What are functions, data, sequences, trees, programs, languages, and interpreters.

9

What are functions, data, sequences, trees, programs, languages, and interpreters.

How to write legible programs, use recursion, measure complexity, and solve problems.

What are functions, data, sequences, trees, programs, languages, and interpreters. How to write legible programs, use recursion, measure complexity, and solve problems. Different programming paradigms: functional, object-oriented, and declarative.

What are functions, data, sequences, trees, programs, languages, and interpreters.

How to write legible programs, use recursion, measure complexity, and solve problems.

Different programming paradigms: functional, object-oriented, and declarative.

What's left to learn in CS?

What are functions, data, sequences, trees, programs, languages, and interpreters. How to write legible programs, use recursion, measure complexity, and solve problems. Different programming paradigms: functional, object-oriented, and declarative.

What's left to learn in CS?
•Designing and testing software

What are functions, data, sequences, trees, programs, languages, and interpreters.

How to write legible programs, use recursion, measure complexity, and solve problems.

Different programming paradigms: functional, object-oriented, and declarative.

What's left to learn in CS?

- Designing and testing software
- Algorithms for solving known problems

What are functions, data, sequences, trees, programs, languages, and interpreters.

How to write legible programs, use recursion, measure complexity, and solve problems.

Different programming paradigms: functional, object-oriented, and declarative.

What's left to learn in CS?

- Designing and testing software
- Algorithms for solving known problems
- Low-level representations of data and programs

What are functions, data, sequences, trees, programs, languages, and interpreters.

How to write legible programs, use recursion, measure complexity, and solve problems.

Different programming paradigms: functional, object-oriented, and declarative.

What's left to learn in CS?

- Designing and testing software
- Algorithms for solving known problems
- Low-level representations of data and programs
- Discrete mathematics and analysis of programs

What are functions, data, sequences, trees, programs, languages, and interpreters.

How to write legible programs, use recursion, measure complexity, and solve problems.

Different programming paradigms: functional, object-oriented, and declarative.

What's left to learn in CS?

- Designing and testing software
- Algorithms for solving known problems
- Low-level representations of data and programs
- Discrete mathematics and analysis of programs
- Programming languages

What are functions, data, sequences, trees, programs, languages, and interpreters.

How to write legible programs, use recursion, measure complexity, and solve problems.

Different programming paradigms: functional, object-oriented, and declarative.

What's left to learn in CS?

- Designing and testing software
- Algorithms for solving known problems
- Low-level representations of data and programs
- Discrete mathematics and analysis of programs
- Programming languages
- •User interface design

What are functions, data, sequences, trees, programs, languages, and interpreters.

How to write legible programs, use recursion, measure complexity, and solve problems.

Different programming paradigms: functional, object-oriented, and declarative.

What's left to learn in CS?

- Designing and testing software
- Algorithms for solving known problems
- Low-level representations of data and programs
- Discrete mathematics and analysis of programs
- Programming languages
- •User interface design
- Networking

What are functions, data, sequences, trees, programs, languages, and interpreters.

How to write legible programs, use recursion, measure complexity, and solve problems.

Different programming paradigms: functional, object-oriented, and declarative.

What's left to learn in CS?

- Designing and testing software
- Algorithms for solving known problems
- Low-level representations of data and programs
- Discrete mathematics and analysis of programs
- Programming languages
- •User interface design
- Networking
- Systems

What are functions, data, sequences, trees, programs, languages, and interpreters.

How to write legible programs, use recursion, measure complexity, and solve problems.

Different programming paradigms: functional, object-oriented, and declarative.

What's left to learn in CS?

- Designing and testing software
- Algorithms for solving known problems
- Low-level representations of data and programs
- Discrete mathematics and analysis of programs
- Programming languages
- •User interface design
- Networking
- Systems
- Artificial intelligence

What are functions, data, sequences, trees, programs, languages, and interpreters.

How to write legible programs, use recursion, measure complexity, and solve problems.

Different programming paradigms: functional, object-oriented, and declarative.

What's left to learn in CS?

- Designing and testing software
- Algorithms for solving known problems
- Low-level representations of data and programs
- Discrete mathematics and analysis of programs
- Programming languages
- •User interface design
- Networking
- Systems
- Artificial intelligence
- Lots of other subfields: graphics, theory, scientific computing, security, etc.

9

Life

oortant Ideas Take a Long Time to Learn	

•It's a good idea to study subjects other than computer science.

- •It's a good idea to study subjects other than computer science.
- •Who you spend your time with is important.

- •It's a good idea to study subjects other than computer science.
- •Who you spend your time with is important.
- •Don't compare yourself to other people.

- •It's a good idea to study subjects other than computer science.
- Who you spend your time with is important.
- •Don't compare yourself to other people.
- •Try something new, and don't give up too easily.

- •It's a good idea to study subjects other than computer science.
- Who you spend your time with is important.
- •Don't compare yourself to other people.
- •Try something new, and don't give up too easily.
- Ideas come from people, and people learn from experience.

- •It's a good idea to study subjects other than computer science.
- •Who you spend your time with is important.
- •Don't compare yourself to other people.
- •Try something new, and don't give up too easily.
- Ideas come from people, and people learn from experience.
- •Always act ethically, but don't always follow the rules.

- •It's a good idea to study subjects other than computer science.
- •Who you spend your time with is important.
- •Don't compare yourself to other people.
- •Try something new, and don't give up too easily.
- Ideas come from people, and people learn from experience.
- •Always act ethically, but don't always follow the rules.
- Contribute to the world.

Thanks for being amazing!

Please stay for the HKN survey.