Appendix 2. Included Studies

- 1. Melo, S. A., Macchiavello, B., Andrade, M. M., Carvalho, J. L., Carvalho, H. S., Vasconcelos, D. F., Berger, P. A., da Rocha, A. F. & Nascimento, F. A. (2010). Semi-automatic algorithm for construction of the left ventricular area variation curve over a complete cardiac cycle. *Biomedical engineering online*, *9*(1), 1-17.
- 2. Dawood, F. A. A., Rahmat, R. W., Dimon, M. Z., Nurliyana, L. & Kadiman, S. B. (2011). Automatic Boundary Detection of Wall Motion in Two-dimensional Echocardiography Images. *Journal of Computer Science*, 7(8), 1261-1266.
- 3. Dietenbeck, T., Barbosa, D., Alessandrini, M., Jasaityte, R., Robesyn, V., D'hooge, J., Friboulet, D. & Bernard, O. (2014). Whole myocardium tracking in 2D-echocardiography in multiple orientations using a motion constrained level-set. *Medical Image Analysis*, 18(3), 500-514.
- 4. John, A., & Jayanthi, K. B. (2014, May). Extraction of cardiac chambers from echocardiographic images. In 2014 IEEE International Conference on Advanced Communications, Control and Computing Technologies (pp. 1231-1234). IEEE.
- 5. De Alexandria, A. R., Cortez, P. C., Bessa, J. A., da Silva Félix, J. H., De Abreu, J. S., & De Albuquerque, V. H. C. (2014). pSnakes: A new radial active contour model and its application in the segmentation of the left ventricle from echocardiographic images. *Computer methods and programs in biomedicine*, 116(3), 260-273.
- 6. Marsousi, M., Eftekhari, A., Kocharian, A., & Alirezaie, J. (2010). Endocardial boundary extraction in left ventricular echocardiographic images using fast and adaptive B-spline snake algorithm. *International journal of computer assisted radiology and surgery*, 5(5), 501-513.
- 7. Marsousi, M., Ahmadian, A., Kocharian, A., & Alirezaie, J. (2011). Active ellipse model and automatic chamber detection in apical views of echocardiography images. *Ultrasound in medicine & biology*, *37*(12), 2055-2065.
- 8. Nandagopalan, S., Adiga, B. S., Dhanalakshmi, C., & Deepak, N. (2010, April). Automatic segmentation and ventricular border detection of 2D echocardiographic images combining K-means clustering and active contour model. In 2010 Second International Conference on Computer and Network Technology (pp. 447-451). IEEE.
- 9. Belaid, A., Boukerroui, D., Maingourd, Y., & Lerallut, J. F. (2010). Phase-based level set segmentation of ultrasound images. *IEEE transactions on information technology in biomedicine*, *15*(1), 138-147.
- 10. Antunes, S. G., Silva, J. S., Santos, J. B., Martins, P., & Castela, E. (2011). Phase symmetry approach applied to children heart chambers segmentation: a comparative study. *IEEE transactions on biomedical engineering*, 58(8), 2264-2271.
- 11. Alessandrini, M., Dietenbeck, T., Barbosa, D., D'hooge, J., Basset, O., Speciale, N., & Bernard, O. (2010, September). Segmentation of the full myocardium in echocardiography using constrained level-sets. In 2010 Computing in Cardiology (pp. 409-412). IEEE.
- 12. Guo, Y., Wang, Y., Nie, S., Yu, J., & Chen, P. (2013). Automatic segmentation of a fetal echocardiogram using modified active appearance models and sparse representation. *IEEE Transactions on Biomedical Engineering*, 61(4), 1121-1133.

- Vargas-Quintero, L., Escalante-Ramírez, B., Marín, L. C., Huerta, M. G., Cosio, F. A., & Olivares, H. B. (2016). Left ventricle segmentation in fetal echocardiography using a multi-texture active appearance model based on the steered Hermite transform. *computer methods and programs in biomedicine*, 137, 231-245.
- 14. Zhang, Y., Gao, Y., Li, H., Teng, Y., & Kang, Y. (2015). Robust boundary detection of left ventricles on ultrasound images using ASM-level set method. *Bio-medical materials and engineering*, 26(s1), S1291-S1296.
- 15. Zhang, Y., Gao, Y., Jiao, J., Li, X., Li, S., & Yang, J. (2014). Robust boundary detection and tracking of left ventricles on ultrasound images using active shape model and ant colony optimization. *Bio-medical materials and engineering*, 24(6), 2893-2899.
- 16. Belous, G., Busch, A., & Rowlands, D. (2013, December). Segmentation of the left ventricle from ultrasound using random forest with active shape model. In 2013 1st International Conference on Artificial Intelligence, Modelling and Simulation (pp. 315-319). IEEE.
- 17. Li, Y., Ho, C. P., Toulemonde, M., Chahal, N., Senior, R., & Tang, M. X. (2017). Fully automatic myocardial segmentation of contrast echocardiography sequence using random forests guided by shape model. *IEEE transactions on medical imaging*, *37*(5), 1081-1091.
- 18. Zhou, S. K. (2010). Shape regression machine and efficient segmentation of left ventricle endocardium from 2D B-mode echocardiogram. *Medical image analysis*, *14*(4), 563-581.
- 19. Hansson, M., Brandt, S. S., Lindström, J., Gudmundsson, P., Jujić, A., Malmgren, A., & Cheng, Y. (2014). Segmentation of B-mode cardiac ultrasound data by Bayesian Probability Maps. *Medical image analysis*, 18(7), 1184-1199.
- 20. Guo, Y., Yu, L., Wang, Y., Yu, J., Zhou, G., & Chen, P. (2017). Adaptive group sparse representation in fetal echocardiogram segmentation. *Neurocomputing*, 240, 59-69.
- 21. Qin, X., Cong, Z., & Fei, B. (2013). Automatic segmentation of right ventricular ultrasound images using sparse matrix transform and a level set. *Physics in Medicine & Biology*, 58(21), 7609.
- 22. Zhang, J., Gajjala, S., Agrawal, P., Tison, G. H., Hallock, L. A., Beussink-Nelson, L., Lassen, M.H., Fan, E., Aras, M.A., Jordan, C., Fleischmann, K.E., Melisko, M., Qasim, A., Shah, S.J., Bajcsy, R., & Deo, R. C. (2018). Fully automated echocardiogram interpretation in clinical practice: feasibility and diagnostic accuracy. *Circulation*, 138(16), 1623-1635.
- 23. Liu, F., Wang, K., Liu, D., Yang, X., & Tian, J. (2021). Deep pyramid local attention neural network for cardiac structure segmentation in two-dimensional echocardiography. *Medical Image Analysis*, 67, 101873.
- 24. Xu, L., Liu, M., Shen, Z., Wang, H., Liu, X., Wang, X., Wang, S., Li, T., Yu, S., Hou, M., Guo, J., Zhang, J., & He, Y. (2020). DW-Net: A cascaded convolutional neural network for apical four-chamber view segmentation in fetal echocardiography. *Computerized Medical Imaging and Graphics*, 80, 101690.
- 25. Smistad, E., & Østvik, A. (2017, September). 2D left ventricle segmentation using deep learning. In 2017 *IEEE international ultrasonics symposium (IUS)* (pp. 1-4). IEEE.
- 26. Lei, Y., Fu, Y., Roper, J., Higgins, K., Bradley, J. D., Curran, W. J., Liu, T., & Yang, X. (2021). Echocardiographic image multi-structure segmentation using Cardiac-SegNet. *Medical Physics*, 48(5), 2426-2437.

- 27. Carneiro, G., & Nascimento, J. C. (2013). Combining multiple dynamic models and deep learning architectures for tracking the left ventricle endocardium in ultrasound data. *IEEE transactions on pattern analysis and machine intelligence*, 35(11), 2592-2607.
- 28. Leclerc, S., Smistad, E., Pedrosa, J., Østvik, A., Cervenansky, F., Espinosa, F., Espeland, T., Berg, E.A., Jodoin, P.M., Grenier, T., Lartizien, C., Dhooge, J., Lovstakken, L., & Bernard, O. (2019). Deep learning for segmentation using an open large-scale dataset in 2D echocardiography. *IEEE transactions on medical imaging*, 38(9), 2198-2210.
- 29. Leclerc, S., Smistad, E., Østvik, A., Cervenansky, F., Espinosa, F., Espeland, T., Rye Berg, E.A., Belhamissi, M., Israilov, S., Grenier, T., Lartizien, C., Jodoin, P.M., Lovstakken, L., & Bernard, O. (2020). LU-Net: A Multistage Attention Network to Improve the Robustness of Segmentation of Left Ventricular Structures in 2-D Echocardiography. *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, 67(12), 2519-2530.
- 30. Hu, Y., Guo, L., Lei, B., Mao, M., Jin, Z., Elazab, A., Xia, B., & Wang, T. (2019, July). Fully automatic pediatric echocardiography segmentation using deep convolutional networks based on BiSeNet. In 2019 41st Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC) (pp. 6561-6564). IEEE.
- 31. Yu, L., Guo, Y., Wang, Y., Yu, J., & Chen, P. (2016). Segmentation of fetal left ventricle in echocardiographic sequences based on dynamic convolutional neural networks. *IEEE Transactions on Biomedical Engineering*, 64(8), 1886-1895.
- 32. Chen, H., Zheng, Y., Park, J. H., Heng, P. A., & Zhou, S. K. (2016, October). Iterative multi-domain regularized deep learning for anatomical structure detection and segmentation from ultrasound images. In *International Conference on Medical image computing and computer-assisted intervention* (pp. 487-495). Springer, Cham.
- 33. Arafati, A., Morisawa, D., Avendi, M. R., Amini, M. R., Assadi, R. A., Jafarkhani, H., & Kheradvar, A. (2020). Generalizable fully automated multi-label segmentation of four-chamber view echocardiograms based on deep convolutional adversarial networks. *Journal of the Royal Society Interface*, 17(169), 20200267.
- 34. Jafari, M. H., Girgis, H., Van Woudenberg, N., Liao, Z., Rohling, R., Gin, K., Abolmaesumi, P., & Tsang, T. (2019). Automatic biplane left ventricular ejection fraction estimation with mobile point-of-care ultrasound using multi-task learning and adversarial training. *International journal of computer assisted radiology and surgery*, 14(6), 1027-1037.
- 35. Jafari, M. H., Girgis, H., Liao, Z., Behnami, D., Abdi, A., Vaseli, H., & Abolmaesumi, P. (2018). A unified framework integrating recurrent fully-convolutional networks and optical flow for segmentation of the left ventricle in echocardiography data. In *Deep learning in medical image analysis and multimodal learning for clinical decision support* (pp. 29-37). Springer, Cham.
- 36. Jafari, M. H., Liao, Z., Girgis, H., Pesteie, M., Rohling, R., Gin, K., Tsang, T., & Abolmaesumi, P. (2019, October). Echocardiography segmentation by quality translation using anatomically constrained cyclegan. In *International Conference on Medical Image Computing and Computer-Assisted Intervention* (pp. 655-663). Springer, Cham.