

Boord Owner — Guide

A read-only way to check on harvest progress: open a link on any device and see the season's figures, with nothing you could break.

Opening your dashboard

Boord Owner is its own app, running beside Boord on the farm server. Open it in any browser, on any phone, tablet, or computer:

```
https://<your-server>.<your-tailnet>.ts.net:8443/
```

(The farm office has the exact address — ask them once and bookmark it. Note the `:8443` on the end: Boord itself answers on the same name without a port, and leaving the port off lands you on Boord instead of here.)

This works from anywhere — home, the office, the orchard — provided **Tailscale** is connected on the device you're using (see below). Your browser will show a padlock, and the connection is encrypted the whole way.

There is no sign-in. The link opens straight onto the Dashboard. **Worth bookmarking**, or adding to your home screen, so it's one tap next time.

Tailscale is what keeps this private

Because there's no password, the app is protected entirely by *who can reach it* — and that is Tailscale's job. You'll need it installed and connected on whatever device you use; ask the farm office to set this up for you once, it's a one-time thing.

Two things follow from that, and they matter:

- **If Tailscale isn't connected, the page won't load at all.** It won't ask you for anything and fail — nothing appears. That's the usual cause of "the link is broken."
- **Anyone who can open the link sees everything.** There's no password in front of the farm's figures, so treat a device that's connected to the farm's Tailscale the way you'd treat an unlocked filing cabinet. If a phone or laptop with Tailscale on it is lost or sold, tell the farm office so they can remove it — that is the only way to cut off access.

What you're looking at

At the top: the farm name, the current date/time, and today's weather. Below that, four tabs:

Tab	What it answers
Dashboard	What's happening right now, for a date range you pick
Analysis	How this season is tracking against 2020–2025 history
Weather	What the weather has actually done here, 1987 to today
Risk	How risky this season's weather looks, and what it implies for the harvest

The Dashboard is the day-to-day view; the other three are the season-level ones. **Analysis, Weather and Risk live in this app only** — the farm office's own Boord app doesn't have them, so this is the place they're looked at.

Everything here is read-only. Nothing you tap in this app changes a figure in Boord; the numbers are Boord's, shown as they stand.

Dashboard tab

Below the header, a filter bar:

- **Farm / Supplier** — narrow the view to one farm/supplier, or leave it on "All farms / suppliers."
- **Period start / Period end** — the date range you're looking at, or tap **Today**, **This Week**, or **Season** for a quick preset (whichever one matches the current dates stays highlighted).

Changing any of these pulls fresh numbers straight away — there's no separate Refresh button to look for.

Then the numbers themselves:

- **KPI cards** — teams/workers/blocks active, total kg and crates, averages, and a Harvesting/In Transit/Received breakdown, all for the selected date range.
- **Harvesting / In Transit / Received** — tap any of these to expand the actual list of loads. Harvesting and In Transit are color-coded:  green (recent),  yellow (been a while),  red (waiting too long) — the same color scheme used throughout the farm's own app.
- **Workers** — tap to expand a per-worker breakdown: crates, kg, and average yield per crate for the period (no wage/amount-due figures — see "What this doesn't show" below).
- **Blocks** — tap to expand a per-block breakdown: crates, kg, and average yield per crate, per tree, and per hectare for the period.

Analysis tab

How this season is doing against **2020–2025** history. This tab ignores the Dashboard's date range — it always covers the full history plus whatever's been picked so far this season.

Four cards across the top: **Season to Date kg, vs 5-Yr Average Pace** (how far ahead or behind the season is running at this same point in the year — green ahead, red behind), the **Current Season** year, and how many **Years of History** are on file.

Then the charts:

- **Season Pace** — cumulative kg picked so far, one line per year plus a 5-year average, so you can see at a glance whether the season is running ahead or behind.
- **Per-Block Yield** — each block's yield this season against its own history (switch between kg/hectare and kg/tree), with a farm-wide average line and red/green coloring for under/over-performing blocks.
- **Harvest Volume by Block and Season** and **Yield per Tree/Hectare by Block and Season** — a bubble chart and a heatmap covering every block against every season at once.
- **Variety Performance Over Time** — average kg per tree by variety, season by season (filter to a single variety with the dropdown).
- **Harvest Season Length** — when each season started and ended, and how many of those days actually had picking.
- **Monthly Harvest Volume** — a heatmap of kg picked by month, with each season's grand total alongside.

Every chart has a small button in its top-right corner to download it as a one-page PDF, headed with the farm name and the chart's title.

A few blocks (8a/8b, 10a/10b, 17a/17b, 19a/19b) didn't exist separately before the app — their historical figures are split out of one combined old record by hectares, so those are estimates rather than measured numbers. They carry a small ⓘ icon as a reminder.

Estimate tab: Ask AI about this estimate

Near the top of the Estimate tab is a question box. Tap a suggestion - **Review this estimate, Which blocks look out of line with their history?, Are we on track?, How does it compare with the weather model?** — or type your own, and an AI model answers in words from the figures on the tab: each block's estimate against its own history, the similar seasons, the weather model and the picking so far. Changes you haven't saved yet are included, so you can ask for a review before you save.

Under an answer you can ask a follow-up (**Why?, Break that down by block**), copy it, or **Add to notes** — which puts it in this version's notes for you to edit and save. The AI never changes the estimate itself.

Things to keep in mind:

- It can be wrong. If it names a season or block that isn't on file, a note under the answer says so — check anything that matters against the table.
- Asking sends this estimate's figures (block kg, your notes, the pack-out mix) from the farm server to the AI provider. Worker, supplier and lot data are not sent.

- If the card says it's not set up, the farm server needs an AI key - whoever looks after the server can add one (README, "Ask about this estimate"). The line under the heading shows which model answers and how many questions have been asked today against the day's limit.
- When the model answers with Claude, it can look things up for itself: a block's whole record, a season's weather, how a season's picking ran. The panel says what it is looking up while you wait.

The pack-out mix

One split for the whole farm, as a share of the picked kg. Juice is its own line with no kg per carton; the packed lines carry the kg one unit takes, measured the way the 2025 sheet does it: picked kg minus juice kg, divided by the units packed. Do not use the Produksie sheet's figure for that, which divides before the juice is taken off and so reads higher.

Check before I save

Next to **Save** is **Check before I save**. The model goes through every block against its own history and comes back with a flag on each row - **High**, **Medium**, **Low** or **OK** - and a card underneath with the reason for each, the kg/tree range that block's history supports, and the whole-farm points (total against last season, the weather model, pack-out shares, pace). Hover or tap a flag for its reason; tap a line in the card to jump to the row. It checks what is on screen, unsaved changes included, and says when you have changed figures since. It never writes a figure: the range is something to judge your number against, not to type in.

What changed?

Once a season has two or more versions, **Compare with** and **What changed?** appear next to the Version selector. Pick the other version and tap: the model says which blocks drove the change in the total, which barely moved, what each version's notes say about why, and whether the weather model moved with the estimate or against it. The answer lands in the question box's panel, and follow-ups carry on from it.

Ask the farm notes

If Boord Notes is linked on the server, the panel has an **Ask the farm notes instead** toggle. With it on, the question goes to the notebook - "What has been noted about block 8a?" - and the answer comes from Andre's notes only, with the notes it used listed underneath. With Claude answering, you can also just ask ("what do the farm notes say about the blocks that look out of line?") and it consults the notes itself.

Dashboard: Today's season brief

Once an estimate for the season exists and the server has an AI key, the top of the Dashboard carries a short paragraph each morning: how the picking is running against the estimate's pace, how the weather model's Expected has moved over the last days, and a block or two worth walking today, with the figure that says so. It is written once a day on the server and shown from there, so it opens instantly

and offline. **Refresh** writes today's again. It can be wrong like any answer here - the tabs have the figures.

Weather tab

The farm's own weather record, **1987 to today**, drawn from the weather service for the farm's GPS location. Opening the tab also tops the record up with any hours recorded since the last time someone looked, so the line under the heading tells you how current it is — "*Weather data current to 2026-08-17 09:00*".

Two sets of tick boxes control the chart:

- **Measurements** — Temperature, Humidity, Dew Point, Precipitation, Wind Speed, Soil Temp (6cm), UV Index, and Sunshine. It opens on Temperature; tick as many as you want to compare.
- **Years** — every year on file, from 1987 down to the current one. It opens on the most recent year alone.

Every year you tick is drawn as its own line over a shared 1 January – 31 December axis, so the point of the tab is **comparing years against each other** — tick 2024 and 2025 alongside this year to see whether a spring is running warmer or drier than usual, rather than reading one long line across four decades. Untick everything and the chart tells you so instead of going blank. This chart downloads as a PDF the same way as the Analysis ones.

Ask AI about this weather

Under the chart is a question box. Tap a suggestion — **How does 2025 compare with the record average?, What does the forecast look like this week?, Is there frost or heat in the forecast?** — or type your own, and an AI model answers in words from the figures behind the chart: the years and measurements you have ticked, every year on file for those measurements, the last 7 days, and the forecast for the farm's location. The current year is compared with the same stretch of other years (1 January to today), not with whole years. Change the ticks and it starts a fresh conversation.

It can be wrong, and the forecast is a model's guess, least reliable past about three days. Asking sends these weather figures (not the GPS position) from the farm server to the AI provider. If the card says it's not set up, see "Ask AI about this estimate" above.

Risk tab

A 0–100 score of how risky a season's weather looks for a poor harvest — higher is worse — plus a harvest forecast built from the same figures.

Where the score comes from

Four weather factors, each worth up to 25 points. These are not a generic agronomy model: they came out of a one-off study of **this farm's own harvest and weather records back to 1987**, keeping the

factors that lined up best with bigger or smaller crops *and* that measure genuinely different things, rather than four versions of the same one.

Factor	Window	What it measures
Fruit Development Air Dryness	16 Sep – 31 Oct	Average dew point — the strongest single signal in the whole record. Dry air while the fruit is sizing means the crop loses water faster than it can take it up.
Fruit Development Warmth	16 Sep – 15 Nov	Average daily maximum temperature. Persistently warm afternoons line up with smaller crops.
Flowering-Period Sunshine	1 Aug – 15 Sep	Total sunshine hours. Bright flowering weather produced the bigger crops; dull, overcast spells mean poorer fruit set.
Fruit-Sizing Rainfall	1 Oct – 30 Nov	Total rainfall. Rain while the fruit fills out fed the bigger harvests; dry Octobers and Novembers line up with the smaller ones.

Each factor is scored against the best and worst that factor has actually been since **2012** — the season the replanted orchard came into bearing. So 25 out of 25 means "as bad as the worst season on file for this factor," not some absolute agronomic threshold.

Reading the tab

Use the **Season** dropdown to inspect any season on file or the current one. You get its score, its band — **Low** (under 25), **Moderate** (under 50), **Elevated** (under 75) or **High** (75 and above) — and a bar per factor showing what that season actually measured, how that compares to the farm's range, and how many risk points it contributed.

A factor is only counted once its own stretch of the calendar has finished. Until then it's left out of the total rather than assumed to be harmless, so the current season reads as a "**score so far**" with a count of how many of the four factors are known yet, and only becomes a final score once the last window closes at the end of November.

Below the inspector, two bar charts — **Risk Score by Season** and **Actual Harvest by Season** — sit stacked so you can check by eye whether a higher score really did line up with a smaller harvest that year.

Harvest Forecast card

At the top of the tab, three scenarios — **Favorable**, **Expected** and **Unfavorable** — turn the same four factors into predicted kg for this season. Three figures rather than one, because most of a season's outcome still depends on weather that hasn't happened yet.

For whatever part of a factor's window is still ahead, the forecast uses a real weather forecast for the next 15 days and a historical best/average/worst assumption beyond that. The **Basis** column under the three cards shows exactly how much of each factor is which — e.g. *"14d actual + 16d forecast + 16d assumed"*. If the weather service can't be reached, or a factor's own data has a genuine gap, that factor falls back to its historical range for the whole window and the row says so, rather than quietly treating missing data as "no risk."

Treat **Favorable** and **Unfavorable** as "about as well or as badly as it has ever gone here" rather than precise numbers — each one combines every factor's own best or worst *year*, which is four different real years, not one real season that went that way on everything at once.

What the score can't tell you

The collapsible "**How this score is calculated**" panel at the bottom of the tab spells the method out in full, and is deliberately upfront about the limits. The two worth knowing:

- **Weather explains roughly a quarter to a half** of this farm's swing from season to season. That's real signal, but most of what makes a season good or bad is something this score simply cannot see. Use it as one input among several, not a verdict.
 - **There is no alternate-bearing pattern here.** Lychees are often expected to follow a heavy year with a light one, but across 35 back-to-back season pairs on this farm, last season's crop tells you essentially nothing about this one. (An earlier version of this guide and of the app said the opposite — the longer record disproved it.)
-

What this doesn't show

This app is deliberately limited to progress information — it doesn't show individual worker pay, contact details, or anything you could change. There's no way to edit data from here; it's read-only by design, and it opens Boord's own records in a mode that physically refuses writes. If you need more detail than this covers, ask the farm office directly.

If something looks wrong

- **An amber bar says you're offline** — this one *is* the connection. The page shows the last figures it saved for whatever date range/farm is selected, labeled with how old they are (e.g. "*Offline - showing figures from 12 min ago*"), rather than just freezing whatever happened to be on screen. If it's never loaded that particular combination before, it says so plainly instead of guessing. It updates itself once it can reach the farm again. Check **Tailscale** is connected (below).
- **Numbers look outdated** — drag down from the top of the page and let go, or double-check the date range at the top actually covers the period you're expecting (changing any filter also pulls fresh numbers automatically).
- **The Weather or Risk tab is slow, or its figures look stale** — those two are the only ones that reach out to the weather service while loading, so they take longer than the others and are the first to suffer if that service is unreachable. Both fall back to the stored record on their own, so this shows up as slowness or slightly old figures rather than an empty screen. If the rest of the page is fine, the farm's server is fine.
- **Nothing loads at all, and you're off the farm** — check that **Tailscale** is open and shows "**Connected**" first (see "Tailscale is what keeps this private" above) - this is the most common cause. If Tailscale is connected and it still won't load, check your own internet connection, then let the farm office know if it persists.