ORCA Investment OS — Full-Scope Security Audit & Technical Assessment

Date: 2026-08-22 · **Type:** White-box code & configuration audit · **Auditor:** Lovable Agent

Scope: Frontend (React/Vite), Lovable Cloud backend (Postgres + RLS + Edge Functions), auth flows, business logic, operations.

Executive Summary

The platform's **server-side data layer is in strong shape**: RLS is enabled on every public table, all 37 `SECURITY DEFINER` functions pin `search_path` and gate admin surfaces behind `has_role()`, exchange credentials are vaulted with read-only scope enforcement, and entitlement checks are ownership-gated.

The **residual risk concentrates on the perimeter**: one public edge function leaks account existence, the Content-Security-Policy is report-only (no enforcement), a formula evaluator uses `new Function`, session tokens live in `localStorage`, and the pinned `xlsx` build carries known CVEs with no npm fix path.

Severity	Count	Headline
Critical	0	—
High	2	User enumeration + unvalidated `redirect_to` in password reset; CSP not enforced
Medium	4	`new Function` evaluator, `xlsx` CVEs, localStorage tokens, missing rate limiting
Low	4	Wildcard CORS, `document.write` print window, fallback HMAC salt, header hygiene
Info / Pass	40	RLS, vault, role model, grants, function guards — all verified clean

---

Wave 1 — Architecture & Attack Surface

Routes. Public: `/welcome`, `/auth`, `/privacy`, `/terms`, `/accessibility`, landing. Authenticated: gated by `RequireAuth` (session check → redirect). Admin console: gated by `RequireAdmin` which calls `public.has_role(uid,'admin')` over RPC — **server-side, not client-side**. ☐

Trust boundaries. Client → PostgREST (RLS-scoped, anon key) and client → Edge Functions. Six functions run with `verify_jwt = false` and therefore perform their own auth: `delete-account`, `orca-coach`-style user functions verify the bearer token via `auth.getUser()`; `sync-ibkr-flex` supports a cron mode protected by a timing-safe-compared `x-cron-secret`. ☐ Manual verification present on all but one — see F-01.

Supply chain. `xlsx@0.18.5` is pinned from npm — SheetJS ceased publishing fixes to npm after 0.18.5; known CVEs (below) have no npm upgrade path.

Wave 2 — Identity & Session

- Session tokens stored in **`localStorage`** (`persistSession: true`) — any successful XSS is full account takeover. Finding F-05.
  - Google OAuth is the sole sign-in path (email/password removed by design). Redirect uses same-origin `window.location.origin`. ☐
    - Password-reset edge function is public and **distinguishes registered vs unregistered emails** (`not_registered` vs `ok`) → account enumeration. It also **passes caller-supplied `redirect_to` straight to `/auth/v1/recover`** without validating against an allowlist → recovery-link redirection risk. Finding F-01.
      - No evidence of **rate limiting** on `request-password-reset` or `orca-coach` → mail-bombing / AI-cost abuse vector. Finding F-06.
        - Sign-out clears session and redirects; per-user localStorage keys are wiped on reset. ☐

Wave 3 — Data Layer (RLS / Functions / Grants)

Verified live against the database catalog:

- **RLS enabled on all 25 public tables.** Policies scope to `auth.uid()`; `economic_events` SELECT is intentionally public (market calendar data, non-PII). ☐
  - **All 37 `SECURITY DEFINER` functions** set `search_path` explicitly (no search-path hijack) and every `admin_*` function opens with `if not public.has_role(auth.uid(),'admin') then raise ... 42501`. ☐
    - **`current_entitlement`** raises `forbidden` when a non-admin queries another user's entitlement. ☐
      - **`exchange_credentials_vault_store`** (BEFORE trigger) enforces ownership (`user_id mismatch`), enforces **read-only scopes only**, stores secrets in `vault.secrets`, and **nulls the plaintext column before persistence**. Delete trigger purges the vault secret. `read_exchange_secret` is ownership-gated. ☐ — this is the crown-jewel path and it is correctly built.
        - **Role model**: roles live in `public.user_roles` (never on profiles), checked via `has_role` security-definer function. No client-side admin flags. ☐
          - **Grants** present on public tables for `authenticated` / `service_role`; `anon` granted only where a public-read policy exists. ☐
            - **Bug board**: status transitions admin-only both in trigger (`bug_reports_before_update`) and RPC (`set_bug_status`) — defence in depth. ☐
              - **Hardening note (F-09, Low):** `trader_code()` falls back to literal salt `'CHANGE-ME-SET-A-REAL-SALT'` if the vault secret `trader_salt` is absent — pseudonymisation then becomes reproducible. Ensure the vault secret exists.

Wave 4 — Edge Functions

Function	JWT	Auth check	Notes
`delete-account`	off	`auth.getUser()` bearer ☐	Deletes own account only
`orca-coach`	on	`getUser()` ☐	No rate limit (F-06)
`request-password-reset`	off	**none (public by design)**	**F-01 enumeration + redirect_to**
`sync-futures-trades`	off	`getUser()` ☐	Reads vault per-user
`sync-ibkr-flex`	off	`getUser()` or timing-safe cron secret ☐	

Function	JWT	Auth check	Notes
`sync-economic-events`	off	cron/scheduled path	Writes public calendar rows only
`validate-exchange-credential`	off	`getUserId(authHeader)` □	Read-only scope enforced server-side
`market-candles`	on	—	Public market data proxy
`backfill-provenance`	off	bearer required □	Batch-limited, `FOR UPDATE SKIP LOCKED`

- **CORS** `Access-Control-Allow-Origin: *` on all functions (F-07, Low). Acceptable for bearer-token APIs (no cookies), but tighten to the app origin where possible.
  - No function logs secrets; vault read failures return generic `vault_read_failed`. □

Wave 5 — Frontend

- **F-02 (High): CSP is** `Content-Security-Policy-Report-Only` and the policy itself contains `'unsafe-inline' 'unsafe-eval'`. Nothing is enforced; even in enforce mode the current policy would not stop injected scripts. Path: remove `unsafe-eval`, hash/nonces for the preboot inline script, then flip to enforcing.
  - **F-03 (Medium):** `new Function()` **in** `use-dashboard-config.ts:142` evaluates user-authored KPI formulas. Token whitelist + assignment/keyword regex reduce the surface, but regex-based JS sandboxing is not a boundary — a crafted identifier/property chain is a known bypass class. Replace with a real expression parser (e.g. mathjs limited scope or a tiny recursive-descent evaluator).
    - **F-04 (Medium):** `xlsx@0.18.5` — CVE-2023-30533 (prototype pollution) & CVE-2024-22363 (ReDoS). Mitigations: it parses only user-selected local files (self-inflicted blast radius), but the import pipeline also feeds parsed cells into trade reconstruction — sanitize/validate cell values before use. Long-term: move to SheetJS CDN builds or an alternative parser.
      - **F-08 (Low):** `document.write` into a print window in `SettingsHub` (srcdoc of app-generated HTML only) and `innerHTML` reads (not writes) in TraderMind/console — no untrusted sinks found. `dangerouslySetInnerHTML` in `ui/chart.tsx` injects **theme-generated CSS only**, no user data. □
        - No secrets in the client bundle; only the publishable anon key (public by design). □

Wave 6 — Business Logic

- Entitlement/tier logic resolved **server-side** in `current_entitlement` — client tier gates are UX-only; data access is enforced by RLS + RPC guards. □
  - Risk-breach, expectancy, and admin rollup math run in SQL under the caller's identity — no client-supplied `user_id` is ever trusted (`auth.uid()` only). □
    - Bug-arena identity resolution (`bug_arena_people`) exposes only display name + avatar for users sharing a bug thread — bounded disclosure. □
      - Benchmarks endpoint enforces **k-anonymity** (`p_kmin`, default 25) before releasing aggregates. □

Wave 7 — Operations

- Storage buckets `avatars` and `bug-attachments` are **private**. □
  - Secrets (`SUPABASE_SERVICE_ROLE_KEY`, `FINNHUB_API_KEY`, etc.) live in the function secret store; none appear in code or logs. □
    - PWA service worker (`public/sw.js`) — verify it never caches authenticated API responses (recommend `networkOnly` for `*.supabase.co`).
      - Security headers: CSP report-only exists; add `X-Content-Type-Options: nosniff`, `Referrer-Policy: strict-origin-when-cross-origin`, `Permissions-Policy` at the host layer.

Wave 8 — Findings Register

ID	Severity	Finding	Evidence	Remediation
F-01	**High**	Password-reset enumeration + unvalidated `redirect_to`	`request-password-reset/index.ts` returns `not_registered`; passes caller `redirectTo` to `/auth/v1/recover`	Return identical response either way; validate `redirect_to` against an origin allowlist; add rate limit
F-02	**High**	CSP report-only + unsafe-inline/eval	`index.html:149`	Nonce the preboot script, drop `unsafe-eval`, enforce
F-03	Medium	`new Function` KPI formula evaluator	`use-dashboard-config.ts:142`	Replace with parser-based evaluator
F-04	Medium	`xlsx@0.18.5` known CVEs, no npm fix	`package.json`	Upgrade via SheetJS CDN registry or replace;

ID	Severity	Finding	Evidence	Remediation
				sanitize parsed cells
F-05	Medium	Session tokens in localStorage (XSS-reachable)	`client.ts` `persistSession`	Inherent to SPA+anon-key model; mitigate via F-02 enforcement + XSS hygiene
F-06	Medium	No rate limiting on public/AI functions	`request-password-reset` , `orca-coach`	Add per-IP/per-user throttling (edge-level or table-based)
F-07	Low	Wildcard CORS on all edge functions	`*/index.ts` CORS blocks	Restrict `Access-Control-Allow-Origin` to app origin
F-08	Low	`document.write` print path	`SettingsHub.tsx:2799`	Self-generated markup only; replace with blob-url print iframe
F-09	Low	`trader_code` fallback salt	`trader_code()`	Ensure `trader_salt` vault secret is set; fail closed otherwise
F-10	Low	Missing hardening headers	hosting layer	Add nosniff / Referrer-Policy / Permissions-Policy

Verified clean (40 checks): RLS coverage & scoping, all SECURITY DEFINER guards, search_path pinning, vault credential lifecycle, role storage model, admin gating (client + server), grants, k-anonymity benchmarks, no secret logging, no untrusted HTML sinks, OAuth same-origin redirects, storage privacy, bug-board transition guards.

Top 5 Priority Actions

- 1. Fix `request-password-reset`: uniform response + `redirect_to` allowlist + rate limit.
- 2. Promote CSP from report-only to enforcing (nonce the theme preboot, remove `unsafe-eval`).
- 3. Replace the `new Function` KPI evaluator with a real expression parser.
- 4. Add rate limiting to `orca-coach` (AI cost abuse).
- 5. Resolve the `xlsx` dependency (CDN build or alternative parser).