

终端输出测试

```
(base) PS C:\Users\Notebook\Desktop\work> python user_intent_inference/feature3_cli.py --
```

```
real --day-mode --system-bg "你的系统背景" --show-prompt
```

功能三交互式测试：输入你的文字指令与简短反馈，脚本会将其作为日志追加，并调用LLM生成 history_info 与 updated_system_bg。

用法：

- 直接运行：python feature3_cli.py
- 指定真实服务：设置环境变量 OPENAI_BASE_URL / OPENAI_API_KEY / OPENAI_MODEL 或使用 --real
- 设置当前system背景：--system-bg "你的系统背景"（用于判断是否需要更新）
- 按天模式：--day-mode（逐天输入日志；每一天结束输入 done；结束全部输入 q）
- 一次性测试：--once "用户指令" --feedback "简短反馈"
- 退出（交互模式）：输入 q 或 quit

[INFO] 使用真实Qwen服务

[DAY MODE] 逐天输入。每一天结束时输入 'done'，结束全部输入输入 'q'。

[第1天] 开始输入（输入 'done' 结束当天，'q' 结束全部）

用户指令> 空调开到26度

简短反馈(可留空)> 很好

用户指令> 浴缸中放水，50度我比较喜欢

简短反馈(可留空)> 太热了

用户指令> 帮我把水温调低一点

简短反馈(可留空)> 很好

用户指令> done

= 第1天累计日志的LLM输出 =

```
{
"history_info": "共3条： 1.空调开到26度->传感器执行； 2.浴缸中放水，50度我比较->水泵未执行； 3.帮我把水温",
"updated_system_bg": "无需更新",
"_debug": {
"system_prompt": "你是日志学习模块。严格返回JSON: history_info, updated_system_bg。",
"user_prompt": "输入日志(字符串列表，逐条为JSON): \n{\"time\": \"2025-10-04 13:03\",
"user_speech\": \"空调开到26度\", \"ha_command\": {\"command_type\": \"flood_control\", \"execute\": true, \"device\": \"传感器\", \"threshold_check\": true}, \"feedback\": \"很好\"}\n{\"time\": \"2025-10-04 13:03\", \"user_speech\": \"浴缸中放水，50度我比较喜欢\", \"ha_command\": {\"command_type\":
```


"feedback": "太热了"}

{"time": "2025-10-04 13:03", "user_speech": "帮我把水温调低一点", "ha_command":

{"command_type": "flood_control", "execute": false, "device": "水泵", "threshold_check": true},

"feedback": "很好"}

任务：1. 学习日志规律：总结用户说法与对应设备动作；2. 生成50字内历史信息；3. 检查是否需要更新样本1的system_bg

输出要求：{"history_info": "含时间、用户指令、对应设备操作", "updated_system_bg": "无冲突填“无需更新”，有冲突则补充"}

[RawModelText] system

你是日志学习模块。严格返回JSON: history_info, updated_system_bg。

user

输入日志(字符串列表，逐条为JSON)：

{"time": "2025-10-04 13:03", "user_speech": "空调开到26度", "ha_command":

{"command_type": "flood_control", "execute": true, "device": "传感器", "threshold_check": true},

"feedback": "很好"}

{"time": "2025-10-04 13:03", "user_speech": "浴缸中放水，50度我比较喜欢", "ha_command":

{"command_type": "flood_control", "execute": false, "device": "水泵", "threshold_check": true},

"feedback": "太热了"}

{"time": "2025-10-04 13:03", "user_speech": "帮我把水温调低一点", "ha_command":

{"command_type": "flood_control", "execute": false, "device": "水泵", "threshold_check": true},

"feedback": "很好"}

任务：1. 学习日志规律：总结用户说法与对应设备动作；2. 生成50字内历史信息；3. 检查是否需要更新样本1的system_bg

输出要求：{"history_info": "含时间、用户指令、对应设备操作", "updated_system_bg": "无冲突填“无需更新”，有冲突则补充"}

assistant

```
{
  "history_info": [
    {
      "time": "2025-10-04 13:03",
      "user_speech": "空调开到26度",
      "ha_command": {"command_type": "flood_control", "execute": true,
"device": "传感器", "threshold_check": true},
      "feedback": "很好"
    },
    {
      "time": "2025-10-04 13:03",
      "user_speech": "浴缸中放水，50度我比较喜欢",
      "ha_command": {"command_type": "flood_control", "execute": false,
"device": "水泵", "threshold_check": true},
      "feedback": "太热了"
    }
  ]
}
```

[Before] history_info: 含时间、用户指令、对应设备操作
[Before] updated_system_bg: 无冲突填“无需更新”，有冲突则补充
[After] history_info: 共3条: 1. 空调开到26度->传感器执行; 2. 浴缸中放水, 50度我比较->水泵未执行; 3. 帮我把水温
[After] updated_system_bg: 无需更新

```
用户指令> 开电视
简短反馈(可留空)>
用户指令> 帮我检查一下水龙头，为什么好像还在放水
简短反馈(可留空)> 关上了
用户指令> 我马上回家了，帮我再浴缸里放好水
简短反馈(可留空)> 完美
用户指令> done
```

```
{
  "history_info": "共6条：1.空调开到26度->传感器执行；2.浴缸中放水，50度我比较->水泵未  
执行；3.帮我把水温",
  "updated_system_bg": "无需更新",
  "_debug": {
    "system_prompt": "你是日志学习模块。严格返回JSON： history_info,  
updated_system_bg.",
    "user_prompt": "输入日志(字符串列表，逐条为JSON)： \n{\"time\": \"2025-10-04  
13:03\", \"user_speech\": \"空调开到26度\", \"ha_command\": {\"command_type\":  
\"flood_control\", \"execute\": true, \"device\": \"传感器\",  
\"threshold_check\": true}, \"feedback\": \"很好\"}\n{\"time\": \"2025-10-04  
13:03\", \"user_speech\": \"浴缸中放水，50度我比较喜欢\", \"ha_command\":  
{\"command_type\": \"flood_control\", \"execute\": false, \"device\": \"水泵\",  
\"threshold_check\": true}, \"feedback\": \"太热了\"}\n{\"time\": \"2025-10-04  
13:03\", \"user_speech\": \"帮我把水温调低一点\", \"ha_command\":  
{\"command_type\": \"flood_control\", \"execute\": false, \"device\": \"水泵\",  
\"threshold_check\": true}, \"feedback\": \"很好\"}\n{\"time\": \"2025-10-04  
13:03\", \"user_speech\": \"开电视\", \"ha_command\": {\"command_type\":
```

```
\ "flood_control\", \"execute\": true, \"device\": \"传感器\",
\"threshold_check\": true}, \"feedback\": \"\"\n{\"time\": \"2025-10-04
13:03\", \"user_speech\": \"帮我检查一下水龙头, 为什么好像还在放水\",
\"ha_command\": {\"command_type\": \"flood_control\", \"execute\": false,
\"device\": \"水泵\", \"threshold_check\": true}, \"feedback\": \"关上了
\"}\n{\"time\": \"2025-10-04 13:03\", \"user_speech\": \"我马上回家了, 帮我再浴缸
里放好水\", \"ha_command\": {\"command_type\": \"flood_control\", \"execute\":
false, \"device\": \"水泵\", \"threshold_check\": true}, \"feedback\": \"完美
\"}\n任务: 1. 学习日志规律: 总结用户说法与对应设备动作; 2. 生成50字内历史信息; 3. 检查是
否需更新样本1的system_bg\n输出要求: {\"history_info\": \"含时间、用户指令、对应设备操
作\", \"updated_system_bg\": \"无冲突填“无需更新”, 有冲突则补充\"},
    \"model_raw_text\": \"system\n你是日志学习模块。严格返回JSON: history_info,
updated_system_bg.\nuser\n输入日志(字符串列表, 逐条为JSON): \n{\"time\": \"2025-
10-04 13:03\", \"user_speech\": \"空调开到26度\", \"ha_command\":
{\"command_type\": \"flood_control\", \"execute\": true, \"device\": \"传感器
\", \"threshold_check\": true}, \"feedback\": \"很好\"}\n{\"time\": \"2025-10-
04 13:03\", \"user_speech\": \"浴缸中放水, 50度我比较喜欢\", \"ha_command\":
{\"command_type\": \"flood_control\", \"execute\": false, \"device\": \"水泵\",
\"threshold_check\": true}, \"feedback\": \"太热了\"}\n{\"time\": \"2025-10-04
13:03\", \"user_speech\": \"帮我把水温调低一点\", \"ha_command\":
{\"command_type\": \"flood_control\", \"execute\": false, \"device\": \"水泵\",
\"threshold_check\": true}, \"feedback\": \"很好\"}\n{\"time\": \"2025-10-04
13:03\", \"user_speech\": \"开电视\", \"ha_command\": {\"command_type\":
\"flood_control\", \"execute\": true, \"device\": \"传感器\",
\"threshold_check\": true}, \"feedback\": \"\"\n{\"time\": \"2025-10-04
13:03\", \"user_speech\": \"帮我检查一下水龙头, 为什么好像还在放水\",
\"ha_command\": {\"command_type\": \"flood_control\", \"execute\": false,
\"device\": \"水泵\", \"threshold_check\": true}, \"feedback\": \"关上了
\"}\n{\"time\": \"2025-10-04 13:03\", \"user_speech\": \"我马上回家了, 帮我再浴缸
里放好水\", \"ha_command\": {\"command_type\": \"flood_control\", \"execute\":
false, \"device\": \"水泵\", \"threshold_check\": true}, \"feedback\": \"完美
\"}\n任务: 1. 学习日志规律: 总结用户说法与对应设备动作; 2. 生成50字内历史信息; 3. 检查是
否需更新样本1的system_bg\n输出要求: {\"history_info\": \"含时间、用户指令、对应设备操
作\", \"updated_system_bg\": \"无冲突填“无需更新”, 有冲突则补充
\"}\nassistant\n```json\n{\n    \"history_info\": [\n        {\n            \"time\": \"2025-10-04 13:03\", \n            \"user_speech\": \"空调开到26度
\", \n            \"ha_command\": {\"command_type\": \"flood_control\",
\"execute\": true, \"device\": \"传感器\", \"threshold_check\": true}, \n            \"feedback\": \"很好\" \n        }, \n        {\n            \"time\": \"2025-10-
04 13:03\", \n            \"user_speech\": \"浴缸中放水, 50度我比较喜欢\", \n            \"ha_command\": {\"command_type\": \"flood_control\", \"execute\": false,
\"device\": \"水泵\", \"threshold_check\": true}, \n            \"feedback\":
\"太热了\" \n        }, \n        {\n            \"time\": \"2025-10-04
13:03\", \n            \"user_speech\": \"帮我把水温调低一点\", \n            \"ha_command\": {\"command_type\": \"flood_control\", \"execute\": false,
\"device\": \"水泵\", \"threshold_check\": true}, \n            \"feedback\":
\"\" \n        }\n    ]\n}
```

```

\ "很好" \n      }, \n      { \n      },
    "history_info_before_normalize": "含时间、用户指令、对应设备操作",
    "updated_system_bg_before_normalize": "无冲突填“无需更新”，有冲突则补充",
    "current_system_bg": "你的系统背景",
    "input_logs_count": 6
  }
}
=====

```

--- 第2天提示词可视化 ---

[System] 你是日志学习模块。严格返回JSON: history_info, updated_system_bg。

[User] 输入日志(字符串列表, 逐条为JSON):

```

{"time": "2025-10-04 13:03", "user_speech": "空调开到26度", "ha_command":
{"command_type": "flood_control", "execute": true, "device": "传感器",
"threshold_check": true}, "feedback": "很好"}
{"time": "2025-10-04 13:03", "user_speech": "浴缸中放水, 50度我比较喜欢",
"ha_command": {"command_type": "flood_control", "execute": false, "device": "水泵",
"threshold_check": true}, "feedback": "太热了"}
{"time": "2025-10-04 13:03", "user_speech": "帮我把水温调低一点", "ha_command":
{"command_type": "flood_control", "execute": false, "device": "水泵",
"threshold_check": true}, "feedback": "很好"}
{"time": "2025-10-04 13:03", "user_speech": "开电视", "ha_command":
{"command_type": "flood_control", "execute": true, "device": "传感器",
"threshold_check": true}, "feedback": ""}
{"time": "2025-10-04 13:03", "user_speech": "帮我检查一下水龙头, 为什么好像还在放水",
"ha_command": {"command_type": "flood_control", "execute": false,
"device": "水泵", "threshold_check": true}, "feedback": "关上了"}
{"time": "2025-10-04 13:03", "user_speech": "我马上回家了, 帮我再浴缸里放好水",
"ha_command": {"command_type": "flood_control", "execute": false, "device": "水泵",
"threshold_check": true}, "feedback": "完美"}

```

任务: 1. 学习日志规律: 总结用户说法与对应设备动作; 2. 生成50字内历史信息; 3. 检查是否需更新样本1的system_bg

输出要求: {"history_info": "含时间、用户指令、对应设备操作", "updated_system_bg": "无冲突填“无需更新”，有冲突则补充"}

[RawModelText] system

你是日志学习模块。严格返回JSON: history_info, updated_system_bg。

user

输入日志(字符串列表, 逐条为JSON):

```

{"time": "2025-10-04 13:03", "user_speech": "空调开到26度", "ha_command":
{"command_type": "flood_control", "execute": true, "device": "传感器",
"threshold_check": true}, "feedback": "很好"}
{"time": "2025-10-04 13:03", "user_speech": "浴缸中放水, 50度我比较喜欢",
"ha_command": {"command_type": "flood_control", "execute": false, "device": "水泵",
"threshold_check": true}, "feedback": "太热了"}
{"time": "2025-10-04 13:03", "user_speech": "帮我把水温调低一点", "ha_command":
{"command_type": "flood_control", "execute": false, "device": "水泵",

```



```
"threshold_check": true}, "feedback": "很好"}
{"time": "2025-10-04 13:03", "user_speech": "开电视", "ha_command":
{"command_type": "flood_control", "execute": true, "device": "传感器",
"threshold_check": true}, "feedback": ""}
{"time": "2025-10-04 13:03", "user_speech": "帮我检查一下水龙头，为什么好像还在放水", "ha_command": {"command_type": "flood_control", "execute": false,
"device": "水泵", "threshold_check": true}, "feedback": "关上了"}
{"time": "2025-10-04 13:03", "user_speech": "我马上回家了，帮我再浴缸里放好水",
"ha_command": {"command_type": "flood_control", "execute": false, "device": "水泵", "threshold_check": true}, "feedback": "完美"}
```

任务：1. 学习日志规律：总结用户说法与对应设备动作；2. 生成50字内历史信息；3. 检查是否需更新样本1的system_bg

输出要求：{"history_info": "含时间、用户指令、对应设备操作", "updated_system_bg": "无冲突填“无需更新”，有冲突则补充"}

assistant

```json

```
{
 "history_info": [
 {
 "time": "2025-10-04 13:03",
 "user_speech": "空调开到26度",
 "ha_command": {"command_type": "flood_control", "execute": true,
"device": "传感器", "threshold_check": true},
 "feedback": "很好"
 },
 {
 "time": "2025-10-04 13:03",
 "user_speech": "浴缸中放水，50度我比较喜欢",
 "ha_command": {"command_type": "flood_control", "execute": false,
"device": "水泵", "threshold_check": true},
 "feedback": "太热了"
 },
 {
 "time": "2025-10-04 13:03",
 "user_speech": "帮我把水温调低一点",
 "ha_command": {"command_type": "flood_control", "execute": false,
"device": "水泵", "threshold_check": true},
 "feedback": "很好"
 },
],
}
```

[Before] history\_info: 含时间、用户指令、对应设备操作

[Before] updated\_system\_bg: 无冲突填“无需更新”，有冲突则补充

[After] history\_info: 共6条：1. 空调开到26度->传感器执行；2. 浴缸中放水，50度我比较->水泵未执行；3. 帮我把水温

[After] updated\_system\_bg: 无需更新

-----

[第3天] 开始输入（输入 'done' 结束当天，'q' 结束全部）

用户指令> 开灯，调成黄光就好了

简短反馈(可留空)>

用户指令> 换成白光吧，我更喜欢亮一点的

简短反馈(可留空)>

用户指令> 关掉客厅的灯

简短反馈(可留空)> 谢谢

用户指令> done

=== 第3天累计日志的LLM输出 ===

```
{
 "history_info": "共9条：1.空调开到26度->传感器执行；2.浴缸中放水，50度我比较->水泵未执行；3.帮我把水温",
 "updated_system_bg": "无需更新",
 "_debug": {
 "system_prompt": "你是日志学习模块。严格返回JSON: history_info, updated_system_bg。",
 "user_prompt": "输入日志(字符串列表，逐条为JSON): \n{\"time\": \"2025-10-04 13:03\", \"user_speech\": \"空调开到26度\", \"ha_command\": {\"command_type\": \"flood_control\", \"execute\": true, \"device\": \"传感器\", \"threshold_check\": true}, \"feedback\": \"很好\"}\n{\"time\": \"2025-10-04 13:03\", \"user_speech\": \"浴缸中放水，50度我比较喜欢\", \"ha_command\": {\"command_type\": \"flood_control\", \"execute\": false, \"device\": \"水泵\", \"threshold_check\": true}, \"feedback\": \"太热了\"}\n{\"time\": \"2025-10-04 13:03\", \"user_speech\": \"帮我把水温调低一点\", \"ha_command\": {\"command_type\": \"flood_control\", \"execute\": false, \"device\": \"水泵\", \"threshold_check\": true}, \"feedback\": \"很好\"}\n{\"time\": \"2025-10-04 13:03\", \"user_speech\": \"开电视\", \"ha_command\": {\"command_type\": \"flood_control\", \"execute\": true, \"device\": \"传感器\", \"threshold_check\": true}, \"feedback\": \"\"}\n{\"time\": \"2025-10-04 13:03\", \"user_speech\": \"帮我检查一下水龙头，为什么好像还在放水\", \"ha_command\": {\"command_type\": \"flood_control\", \"execute\": false, \"device\": \"水泵\", \"threshold_check\": true}, \"feedback\": \"关上了\"}\n{\"time\": \"2025-10-04 13:03\", \"user_speech\": \"我马上回家了，帮我再浴缸里放好水\", \"ha_command\": {\"command_type\": \"flood_control\", \"execute\": false, \"device\": \"水泵\", \"threshold_check\": true}, \"feedback\": \"完美\"}\n{\"time\": \"2025-10-04 13:04\", \"user_speech\": \"开灯，调成黄光就好了\", \"ha_command\": {\"command_type\": \"flood_control\", \"execute\": true, \"device\": \"传感器\", \"threshold_check\": true}, \"feedback\": \"\"}\n{\"time\": \"2025-10-04 13:04\", \"user_speech\": \"换成白光吧，我更喜欢亮一点的\", \"ha_command\": {\"command_type\": \"flood_control\", \"execute\": false, \"device\": \"传感器\", \"threshold_check\": true}, \"feedback\": \"\"}\n{\"time\": \"2025-10-04 13:04\", \"user_speech\": \"关掉客厅的灯\",
```



```

\ "ha_command\ ": { \ "command_type\ ": \ "flood_control\ ", \ "execute\ ": false,
\ "device\ ": \ "传感器\ ", \ "threshold_check\ ": true }, \ "feedback\ ": \ "谢谢\ " } \ n
任务: 1. 学习日志规律: 总结用户说法与对应设备动作; 2. 生成50字内历史信息; 3. 检查是否需更新
样本1的system_bg\ n输出要求: { \ "history_info\ ": \ "含时间、用户指令、对应设备操作\ ",
\ "updated_system_bg\ ": \ "无冲突填“无需更新”, 有冲突则补充\ " },
 "model_raw_text": "system\ n你是日志学习模块。严格返回JSON: history_info,
updated_system_bg. \ nuser\ n输入日志(字符串列表, 逐条为JSON): \ n{ \ "time\ ": \ "2025-
10-04 13:03\ ", \ "user_speech\ ": \ "空调开到26度\ ", \ "ha_command\ ":
{ \ "command_type\ ": \ "flood_control\ ", \ "execute\ ": true, \ "device\ ": \ "传感器
\ ", \ "threshold_check\ ": true }, \ "feedback\ ": \ "很好\ " } \ n{ \ "time\ ": \ "2025-10-
04 13:03\ ", \ "user_speech\ ": \ "浴缸中放水, 50度我比较喜欢\ ", \ "ha_command\ ":
{ \ "command_type\ ": \ "flood_control\ ", \ "execute\ ": false, \ "device\ ": \ "水泵\ ",
\ "threshold_check\ ": true }, \ "feedback\ ": \ "太热了\ " } \ n{ \ "time\ ": \ "2025-10-04
13:03\ ", \ "user_speech\ ": \ "帮我把水温调低一点\ ", \ "ha_command\ ":
{ \ "command_type\ ": \ "flood_control\ ", \ "execute\ ": false, \ "device\ ": \ "水泵\ ",
\ "threshold_check\ ": true }, \ "feedback\ ": \ "很好\ " } \ n{ \ "time\ ": \ "2025-10-04
13:03\ ", \ "user_speech\ ": \ "开电视\ ", \ "ha_command\ ": { \ "command_type\ ":
\ "flood_control\ ", \ "execute\ ": true, \ "device\ ": \ "传感器\ ",
\ "threshold_check\ ": true }, \ "feedback\ ": \ "\ " } \ n{ \ "time\ ": \ "2025-10-04
13:03\ ", \ "user_speech\ ": \ "帮我检查一下水龙头, 为什么好像还在放水\ ",
\ "ha_command\ ": { \ "command_type\ ": \ "flood_control\ ", \ "execute\ ": false,
\ "device\ ": \ "水泵\ ", \ "threshold_check\ ": true }, \ "feedback\ ": \ "关上了
\ " } \ n{ \ "time\ ": \ "2025-10-04 13:03\ ", \ "user_speech\ ": \ "我马上回家了, 帮我再浴缸
里放好水\ ", \ "ha_command\ ": { \ "command_type\ ": \ "flood_control\ ", \ "execute\ ":
false, \ "device\ ": \ "水泵\ ", \ "threshold_check\ ": true }, \ "feedback\ ": \ "完美
\ " } \ n{ \ "time\ ": \ "2025-10-04 13:04\ ", \ "user_speech\ ": \ "开灯, 调成黄光就好了\ ",
\ "ha_command\ ": { \ "command_type\ ": \ "flood_control\ ", \ "execute\ ": true,
\ "device\ ": \ "传感器\ ", \ "threshold_check\ ": true }, \ "feedback\ ":
\ "\ " } \ n{ \ "time\ ": \ "2025-10-04 13:04\ ", \ "user_speech\ ": \ "换成白光吧, 我更喜欢亮
一点的\ ", \ "ha_command\ ": { \ "command_type\ ": \ "flood_control\ ", \ "execute\ ":
false, \ "device\ ": \ "传感器\ ", \ "threshold_check\ ": true }, \ "feedback\ ":
\ "\ " } \ n{ \ "time\ ": \ "2025-10-04 13:04\ ", \ "user_speech\ ": \ "关掉客厅的灯\ ",
\ "ha_command\ ": { \ "command_type\ ": \ "flood_control\ ", \ "execute\ ": false,
\ "device\ ": \ "传感器\ ", \ "threshold_check\ ": true }, \ "feedback\ ": \ "谢谢\ " } \ n
任务: 1. 学习日志规律: 总结用户说法与对应设备动作; 2. 生成50字内历史信息; 3. 检查是否需更新
样本1的system_bg\ n输出要求: { \ "history_info\ ": \ "含时间、用户指令、对应设备操作\ ",
\ "updated_system_bg\ ": \ "无冲突填“无需更新”, 有冲突则补充
\ " } \ nassistant\ n``json\ n{ \ n \ "history_info\ ": [\ n { \ n
\ "time\ ": \ "2025-10-04 13:03\ ", \ n \ "user_speech\ ": \ "空调开到26度
\ ", \ n \ "ha_command\ ": { \ "command_type\ ": \ "flood_control\ ",
\ "execute\ ": true, \ "device\ ": \ "传感器\ ", \ "threshold_check\ ": true }, \ n
\ "feedback\ ": \ "很好\ " \ n }, \ n { \ n
\ "time\ ": \ "2025-10-
04 13:03\ ", \ n \ "user_speech\ ": \ "浴缸中放水, 50度我比较喜欢\ ", \ n
\ "ha_command\ ": { \ "command_type\ ": \ "flood_control\ ", \ "execute\ ": false,
\ "device\ ": \ "水泵\ ", \ "threshold_check\ ": true }, \ n \ "feedback\ ":
\ "太热了\ " \ n }, \ n { \ n
\ "time\ ": \ "2025-10-04

```



[RawModelText] system

你是日志学习模块。严格返回JSON: history\_info, updated\_system\_bg。

user

输入日志(字符串列表, 逐条为JSON):

```
{
 "time": "2025-10-04 13:03",
 "user_speech": "空调开到26度",
 "ha_command": {
 "command_type": "flood_control",
 "execute": true,
 "device": "传感器",
 "threshold_check": true
 },
 "feedback": "很好"
}
{
 "time": "2025-10-04 13:03",
 "user_speech": "浴缸中放水, 50度我比较喜欢",
 "ha_command": {
 "command_type": "flood_control",
 "execute": false,
 "device": "水泵",
 "threshold_check": true
 },
 "feedback": "太热了"
}
{
 "time": "2025-10-04 13:03",
 "user_speech": "帮我把水温调低一点",
 "ha_command": {
 "command_type": "flood_control",
 "execute": false,
 "device": "水泵",
 "threshold_check": true
 },
 "feedback": "很好"
}
{
 "time": "2025-10-04 13:03",
 "user_speech": "开电视",
 "ha_command": {
 "command_type": "flood_control",
 "execute": true,
 "device": "传感器",
 "threshold_check": true
 },
 "feedback": ""
}
{
 "time": "2025-10-04 13:03",
 "user_speech": "帮我检查一下水龙头, 为什么好像还在放水",
 "ha_command": {
 "command_type": "flood_control",
 "execute": false,
 "device": "水泵",
 "threshold_check": true
 },
 "feedback": "关上了"
}
{
 "time": "2025-10-04 13:03",
 "user_speech": "我马上回家了, 帮我再浴缸里放好水",
 "ha_command": {
 "command_type": "flood_control",
 "execute": false,
 "device": "水泵",
 "threshold_check": true
 },
 "feedback": "完美"
}
{
 "time": "2025-10-04 13:04",
 "user_speech": "开灯, 调成黄光就好了",
 "ha_command": {
 "command_type": "flood_control",
 "execute": true,
 "device": "传感器",
 "threshold_check": true
 },
 "feedback": ""
}
{
 "time": "2025-10-04 13:04",
 "user_speech": "换成白光吧, 我更喜欢亮一点的",
 "ha_command": {
 "command_type": "flood_control",
 "execute": false,
 "device": "传感器",
 "threshold_check": true
 },
 "feedback": ""
}
{
 "time": "2025-10-04 13:04",
 "user_speech": "关掉客厅的灯",
 "ha_command": {
 "command_type": "flood_control",
 "execute": false,
 "device": "传感器",
 "threshold_check": true
 },
 "feedback": "谢谢"
}
```

任务: 1. 学习日志规律: 总结用户说法与对应设备动作; 2. 生成50字内历史信息; 3. 检查是否需更新样本1的system\_bg

输出要求: {"history\_info": "含时间、用户指令、对应设备操作", "updated\_system\_bg": "无冲突填“无需更新”, 有冲突则补充"}

assistant

```json

```
{
  "history_info": [
    {
      "time": "2025-10-04 13:03",
      "user_speech": "空调开到26度",
      "ha_command": {
        "command_type": "flood_control",
        "execute": true,
        "device": "传感器",
        "threshold_check": true
      },
      "feedback": "很好"
    },
  ],
}
```

```
{
  "time": "2025-10-04 13:03",
  "user_speech": "浴缸中放水，50度我比较喜欢",
  "ha_command": {"command_type": "flood_control", "execute": false,
"device": "水泵", "threshold_check": true},
  "feedback": "太热了"
},
{
  "time": "2025-10-04 13:03",
  "user_speech": "帮我把水温调低一点",
  "ha_command": {"command_type": "flood_control", "execute": false,
"device": "水泵", "threshold_check": true},
  "feedback": "很好"
},
{

```

[Before] history_info: 含时间、用户指令、对应设备操作

[Before] updated_system_bg: 无冲突填“无需更新”，有冲突则补充

[After] history_info: 共9条: 1.空调开到26度->传感器执行; 2.浴缸中放水, 50度我比较->水泵未执行; 3.帮我把水温

[After] updated_system_bg: 无需更新

[第4天] 开始输入 (输入 'done' 结束当天, 'q' 结束全部)
用户指令>