DOKUMENTACIJA



David Kostić 162/18 Web programiranje 2

SADRŽAJ

1.	TEH	INOLOGIJE	4
2.	FUN	NKCIONALNOSTI	4
3.	STR	ANICE	5
3	.1	index.html	5
3	.2	contact.html	6
3	.3	cart.html	7
4.	HTN	иг	8
4	.1	Index.html	8
4	.2	contact.html	9
4	.3	cart.html	10
5.	JAV	ASCRIPT	11
5	.1	main.js	11
5	.2	korpa.js	15
5	.3	contact.js	16
6.	JSO	N	17
6	.1	phones.json	17
6	.2	filter.json	18
6	.3 m	nenu.json	18
7.	CSS		19
8.	SITE	EMAP	20

1. TEHNOLOGIJE

U izradi sajta korišćeni su Javascript, jQuery, AJAX, JSON, HTML5, CSS

2. FUNKCIONALNOSTI


- 1. Dinamički ispis menija
- 2. Dinamički ispis sadržaja (telefona)
- 3. Dlnamički ispis dela za filtriranje
- 4. Sortiranje sadržaja
- 5. Filitriranje sadržaja
- 6. Kontakt forma proverena regularnim izrazima
- 7. Local storage čuvanje I brisanje podataka

3. STRANICE


3.1 index.html







3.2 contact.html



3.3 cart.html





4. HTML

4.1 Index.html

```
| Collis Class- described | Collis | Co
```

4.2 contact.html

```
MON Reference

Ink rel="stylesheet" href="assets/img/ikonica.icg"/)

Ilink rel="stylesheet" href="https://use.fontamesome.com/releases/v5.8.2/css/all.css" integrity="sha384-o53v3Nv+8Ujz8fQzVUhtDYN+PjjycID)xpskiOVPAYjqT885Qq/1cq5FLXAZQ7Ay" crossorigin="anonymous">

Ilink rel="stylesheet" href="https://cinjs.cloudflare.com/sjax/libs/font-amesome/A.7.0/css/font-amesome.min.css">

Ilink rel="stylesheet" href="https://cinjs.cloudflare.com/sjax/libs/font-amesome/A.7.0/css/font-amesome.min.css">

Ilink rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css" integrity="sha384-gg0yReiXcMQv3Xipma24MD+dH/IfQ784/j6cV/iJTQU0hckm7x93voRxf2WZw1f" crossorigin="anonymilink rel="stylesheet" type="text/css" href="assets/css/style.css"/>

Ilink rel="stylesheet" type="text/css" href="assets/css/style.css"/>
       <div class="collapse navbar-collapse justify-content-end" id="navbarNav">

--div class="form-group"
--- clabel for="email">Email adresa</label>
--- claput type="text" class="form-control" id="email" placeholder="name@example.com">
                                                     /div.

div class="bojalarands col-lg-6 col-ad-12")

div class="bojalarands col-lg-6 col-ad-12")

div class="bojalarands col-lg-6 col-ad-12")

div class="text-center font-weight-bold";Adresac/h4)

div class="text-center" libra 222/h6)

div class="text-center font-weight-bold att-3";Baddo vremec/h4)

div class="text-center" font-weight-bold att-3";Baddo vremec/h4)

div class="text-center" long-deligate per late; 08h - 20h/h6)

div class="text-center" long-deligate per late; 08h - 20h/h6)

div class="text-center" long-late; 08h - 16h/h6)

div class="text-center" long-late; 08h/h6)

div class="text-center" long-late; 08h/h6)

div class="text-center" long-late; 08h/h6)

div class="text-center
                                                                   </div class="col-lg-4-col-md-12-d-flex-justify-content-center-align-middle"
----<span class="bojaNarandz">Copyright &copy; David Kostić 2020</span>
   cscript src="https://cdnjs.cloudflare.com/ajax/libs/poppen.js/l.14.7/umd/poppen.min.js" integrity="sha384-U02e70CpHqd5JQ6h]tySKVphtPhadj9M01clHTMGa3JDZurmQqd5F86dIHUZ8M1" crossorigin="anonymous"></script
cscript defer src="https://sjax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
cscript defer src="https://sjax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
cscript defer src="https://sjax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
cscript src="assets/js/min.jg": type="text/javascript"></script src="assets/js/min.jg": type="text/javascript"></script src="assets/js/contact.js" type="text/javascript"></script src="assets/js/c
```

4.3 cart.html

```
| Control Manual | Cont
```

5. JAVASCRIPT

5.1 main.js

```
$.ajax({
    unl: "assets/data/filter.json",
    method: "GEI",
    dataType: "json",
    success: function(filter){
    ispisiFilter(filter);
//ISPISUTE MENT

* function ispisiMenu(menu){

van ispis = ';

* menu.forEach(el => {

ispis = 'cll class="nav-item">

- (a class="bojaNarandz nav-link" href="${el.href}">${el.tekst)}

- (a class="bojaNarandz nav-link" href="${el.href}">${el.tekst)}

document.estElementBvId("navia").innerHIPL = ispis:
    //ISPISUDE-FILTER
function ispisifilter(filter){
    var ispis = "":
    filter.forEach(filter -> {
        if(filter.id == 'osi'){
            ispis += "<div>ch4 class="manginaGore bojaNarandz brend">Operativni sistem</hd>
}

| ispis += "<div>ch4 class="manginaGore bojaNarandz brend">Operativni sistem</hd>
}

| hoend">PRAMK/h4>;
}
          $('.filterDugme').change(klikFilter);
     //FILTRIBANDE
function klikFilter(){
   const checkboxGo = $('input[name="os"]:checked');
   const checkboxRam = $('input[name="ram"]:checked');
   const checkboxRom = $('input[name="rom"]:checked');
           //console.log(checkboxRam);
var boxes - [];
for(let x of checkboxRam){
    boxes.push({
      ramValue : parseInt(x.value),
      name : x.name
            for(let x of checkbox05){
    boxes push({
```

```
boxes.push({
    osValue::x.value,
    name: x.name
})
               var ram = [];
var rom = [];
var os = [];
var psint2 = [];
boxes, forsach(box -> {
    if(box.name --- 'rom'){
        rom.push(box);
    }
    else iff(box.name --- 'rom'){
        rom.push(box);
    }
                                     }
});
if(ram.length && rom.length && os.length){
print = [];
ram.forEach(rom -> {
    data.forEach(refor -> {
        id.data.forEach(telefor -> {
            if.ram.ramValue -- telefor.ram && rom.romValue -- telefor.rom){
            print2.push(telefor);
            });
      });
});
});
                                           ))
)var br = 0;
var found = false;
print.forEach(fon -> {
   parsedData.forEach(fedan -> {
        if(fon.id = _jedan.id){
        if(fon.id = _jedan.id){

                                   | found = true;
| }
| };
| br+;
| if(br -- 1 && found -- false){
| parsedData.push(fon);
| br = 0;
| found = false;
| }
                                     -if(print.length->-0){
--|-ispisiTelefon(parsedData);
```

```
<----<span>Display:</span>
----<span>${el.display}'</span>
                            document.getElementById('proizvodi').innerHTML = ispis;
dodajKlik();
 $( - dupt )'
function dodajukorpu(){
    var id - $(this).data('idtelefon');
    var proizvodi - 350N.parse(localStorage.getItem("proizvodi"));
    if(proizvodi){
        if(proizvodopostoji()){
            kolicina();
        }
}
```

```
lse-{
-dodajULocalStorage();
       ···}
}
else{
dodajPrviULocalStorage();
        -function-proizvodPostoji(){
--return-proizvodi.filter(p->-p.id -- id).length;
      return protection:

function deadjulocalStorage() {
    let proizvodi = JSON.parse(localStorage.getItem("proizvodi"));
    proizvodi.push(
    id: id:
    id: id:
    kolicina : 1
    ));
    localStorage.setItem("proizvodi", JSON.stringify(proizvodi));
    localStorage.setItem("proizvodi", JSON.stringify(proizvodi));
}
        function kolicina(){
    var proizvodi = JSOM.panse(localStorage.getItem("proizvodi"));
    for(let : in proizvodi){
    if(proizvodi[1].id == id){
        proizvodi[1].kolicina++;
        break;
      | ocalStorage.set
| ocalStorage() |
| function dodajPrviULocalStorage() |
| var proizvod[ = [];
| proizvod[ o] = {
| id: id,
| kolicina : 1
       }
}
function ocitstiKorpu(){
|-localStorage.removeItem("proizvodi")
        unction-klikSort(){
    function klikSort(){
    van kriterijumSort = $(this).data('sort');
    van redosled = $(this).data('order');
    sortLS(kriterijumSort, redosled);
      ajaxTelefoni(function(telefons){
    sortina)(telefons, kriterijumSort, redosled);
    ispisiTelefon(telefons);
})

})
function sortinaj(fon, kriterijumsort, redosled)(
-//console.log(fon + "--" + kriterijumsort + redosled);
fon.sort(function(a, b)(
    var va = (kriterijumsort == 'cena') ? a.price.cost : a.name;
    var vb = (kriterijumsort == 'cena') ? b.price.cost : b.name;
    if(va > vb){
        return redosled == "asc" ? 1 : -1;
    }
}

function sortLS(kriterijumSort, redosled){
   setLocalStorage({ kriterijumSort: kriterijumSort, redosled: redosled});
    /*-GET/SET-Funkcije|*/
function-setLocalStorage(val){
--return localStorage.setItem('sort', 'JSON.stringify(val));
    function gettocalStorage(){
| return JSON.parse(localStorage.getItem('sort'));
    function inArray(array, element){
    return array.indexOf(element)!==-1;
```

5.2 korpa.js

```
));
function prikariIrLS() {
  van proizvodi = dohvatiKorpu();
  s.ajax([
  unl: "assets/data/phones.json",
  success: function (data) {
    data = data.filter(el => {
        for (let p of proizvodi) {
            if (el.id -= p.id) {
                 el.kolicina == p.kolicina;
                 return true;
            }
        }
     function dohvatiKorpu() {
   return JSON.parse(localStorage.getItem("proizvodi"));
}
function praznaKorpa() {
   $('#sadorag').html('<h2>Korpa je prazna</h2>');
       | S("sadrzaf").html('kdzXorpa je praznac/h2>");
| function ispisiTabelu(proizvodi) {
| var sum = 0;
| var sights = |
| var si
                  function brisi(id) {
    var proizvoid = dohvatiKorpu();
    var ostaliProizvoid = proizvoid.filter(p -> p.id != id);
    localStorage.settee("proizvoid", "350M.stringify(ostaliProizvoid));
    prikazliziS();
```

5.3 contact.js

6. JSON

6.1 phones.json

6.2 filter.json

6.3 menu.json

7. CSS

```
margin:-0px;
-padding:-0px;
font-family:-'Ubuntu',-sans-serif;
         ojaNarandz{
- color: ■#ffae45;
         eni·li·a{
--margin-right:-25px;
--padding:-5px;
        navig li a:hover{
- color: @rgba(255,174,69, 0.7);
- text-decoration: none;
       haubar-toggler-icon {
background-image; url("data:image/sug:xml;charset-utf8,%26svg view8ox="8 0 32 32" xmlns="http://www.w3.org/2000/svg"%3E%36path stroke="rgba(255,174,69, 0.5)" stroke-width="2" stroke-linecap="round"
stroke-miterlimit="10" d="M4 8h2494 16h2494 24h24"/%3E%36/svg%3E");
haubar-toggler {
border-color: 
| grgb(255,174,69);
   }
#slajder{
background-image: url(".../img/slajder.jpg");
background-size: cover;
background-size: cover;
height: 100vh;
}
}
.telefonIme{
...font-weight: bold;
...font-size: 1.4em;
     .
.brend{
---font-weight: bold;
----font-size: 1.6em;
     }
.marginaGore{
--- margin-top: 20px;
}
.fon{
...width: 100%;
...height: auto;
 }
.bold{
....font-weight: bold;
  }
.fa{
...margin-right: 15px;
...color: ■#ffae45;
 }
#doleFuter{
----position: fixed;
----bottom: 0px;
  }
#korpaTabela{
----color: ■#ffae45;
}
.table td{
... vertical-align: middle;
... text-align: center;
   }
.filterDugme{
|--- border-radius: 20px;
 border-radlus: 20px;

} .checkbox-label{
display: block;
position: relative;
cursor: pointer;
webkit:wer-select: none;
-se-user-select: none;
user-select: none;
user-select: none;
    }
.checkbox-label input{
.position: absolute;
.opacity: 0;
```

8. SITEMAP