tbl_service		
s_id Ø	int(11)	
order_id	int(11)	+
s_name	varchar(255)	
s_price	float(10,2)	

tbl_provinces	
pro_id $\mathcal O$	int(11)
pro_name	varchar(255)

order_type

case_status

name_case

promotion

mc_fullname

mc_email

mc_address

mc_phone

o_total

total_dc

total_service

total_net

order_date

order_end

vat_a

worker_fullname

guaran

tbl_bank		
bank_id 🖉	int(11)	
bank_name	varchar(255)	
bank_phone	varchar(255)	

				d_id 🖉	int(11)	
	tbl_order1		_	order_id	int(11)	
{	order_id 🖉	int(11)		p_id	int(11)	_
	user_id	varchar(255)		p_c_qty	int(11)	
	booking_id	varchar(255)		p_qty_view	int(11)	
	tec_id	varchar(255)		p_d_guaran	varchar(255)	
	m_id	varchar(255)		p_dc	float(10,2)	
	carld	varchar(255)		total	float(10,2)	
{	pro_id	varchar(255)		total	110at(10,2)	
	bank_id	varchar(255)				

varchar(255)

float(10,2)

float(10,2)

float(10,2)

float(10,2)

float(10,2)

datetime

datetime

tbl_order_detail1

tbl_history_prod	uct
hp_id 🖉	int(11)
user_id	int(11)
order_id	int(11)
p_id	int(11)
hp_qty	varchar(255)
hp_type	varchar(255)
hp_detail	varchar(255)
hp_price	int(11)
hp_price_all	int(11)
hp_timestamp	datetime

tbl_product	
p_id Ø	int(11)
b_name	varchar(255)
p_name	varchar(255)
p_detail	varchar(255)
p_price	float(10,2)
p_img	varchar(255)
p_qty	int(11)
p_guaran	varchar(255)
p_min	int(11)
p_datesave	datetime



tbl_service			
$s_id \mathcal{O}$	int(11)		tbl_order1
order_id	int(11)	1 *	order_id 🖉
s_name	varchar(255)		user_id
s_price	float(10,2)		booking_id
			tec_id
ol_provinces			m_id
ro_id 🖉	int(11)	1	carld
ro_name	varchar(255)	*	pro_id
		1	bank_id
			order type

		case_status	varchar(255)
tbl_bank		name_case	varchar(255)
bank_id 🖉	int(11) *	guaran	varchar(255)
bank_name	varchar(255)	promotion	varchar(255)
bank_phone	varchar(255)	mc_fullname	varchar(255)
		mc_email	varchar(255)
		mc_address	varchar(255)
		mc_phone	varchar(255)

order_type

worker_fullname

o_total

total_dc

total_service

total_net

order_date

order_end

vat_a

	tbi_order_detail1		
	d_id Ø	int(11)	
1	order_id	int(11)	
	p_id	int(11)	1,
	p_c_qty	int(11)	
	p_qty_view	int(11)	
	p_d_guaran	varchar(255)	
	p_dc	float(10,2)	
	total	float(10,2)	

int(11) *

varchar(255)

varchar(255)

varchar(255)

varchar(255)

varchar(255)

varchar(255)

varchar(255)

varchar(255)

varchar(255)

float(10,2)

float(10,2)

float(10,2)

float(10,2)

float(10,2)

datetime

datetime

	tbl_history_pro	duct	
	hp_id Ø	int(11)	
	user_id	int(11)	
-	order_id	int(11)	
	p_id	int(11)	-
	hp_qty	varchar(255)	
	hp_type	varchar(255)	
	hp_detail	varchar(255)	
	hp_price	int(11)	
	hp_price_all	int(11)	
	hp_timestamp	datetime	

tbl_product	
p_id Ø	int(11)
b_name	varchar(255)
p_name	varchar(255)
p_detail	varchar(255)
p_price	float(10,2)
p_img	varchar(255)
p_qty	int(11)
p_guaran	varchar(255)
p_min	int(11)
p_datesave	datetime

