Soils & Discharge Merged

PAZ

17 novembre 2016

Purpose

This file merges outlet data with soil data to plot cumulative exported and remaining S-metolachlor mass. The nearest soil sample date for each transect is used to match the initial time ("ti") of the sampling discharge period. This is most adequate merging location given that samples took place shortly before relaunching the automatic sampler.

Note that week numbers for water and soils are offset by one. I.e. Week 1 soils influence/regulate Week 2's water sample results.

Imports:

- WeeklyHydroContam_R.csv
- $\bullet \ \ Weekly Soils _Rng.csv$

Generates:

- WeekSoilHydroCont_R.csv
- \bullet MassBalance_R.csv

Required R-packages:

```
library("plyr")
library("dplyr")
```

Working directory

```
# setwd("D:/Documents/these_pablo/Alteckendorf2016/R")
# setwd("/Users/DayTightChunks/Documents/PhD/Routput/Alteck/R")
# setwd("D:/Documents/these_pablo/Alteckendorf2016/00_TransparencyFolder")
getwd()
```

[1] "/Users/DayTightChunks/Documents/PhD/HydrologicalMonitoring"

Lab parameters

```
# Initial signature measured in tank
initialDelta = d13Co = -32.253
```

Import files

```
outlet = read.csv2("Data/WeeklyHydroContam_R.csv", header = T)
outlet$ti <- as.POSIXct(outlet$ti, "%Y-%m-%d %H:%M", tz = "EST")
sum(is.na(outlet$ti))
## [1] 0
# Select variables from Water dataset
outlet <- outlet[, c("ti", "WeekSubWeek", "Event", "timeSinceApp", "timeSinceApp.NoSo",
                     "diss.d13C", "SD.d13C", "CumOutDiss.g", "CumOutFilt.g",
                     "CumAppMass.g", "iniCo.ug.g.N", "iniCo.ug.g.T", "iniCo.ug.g.S",
                     "CumOutMELsm.g")]
print("Water")
## [1] "Water"
names(outlet)
## [1] "ti"
                            "WeekSubWeek"
                                                 "Event"
                            "timeSinceApp.NoSo" "diss.d13C"
## [4] "timeSinceApp"
## [7] "SD.d13C"
                            "CumOutDiss.g"
                                                 "CumOutFilt.g"
## [10] "CumAppMass.g"
                            "iniCo.ug.g.N"
                                                 "iniCo.ug.g.T"
## [13] "iniCo.ug.g.S"
                            "CumOutMELsm.g"
soils = read.csv2("Data/WeeklySoils_Rng.csv", header =T) # Corrected with only ngC > 2.0
names(soils)
## [1] "ID"
                              "Transect"
                                                    "Wnum"
## [4] "Date.Soil"
                              "Date.ti"
                                                    "Conc.mug.g.dry.soil"
## [7] "Conc.ComSoil.SD"
                              "N_compsoil"
                                                     "comp.d13C"
## [10] "comp.d13C.SD"
                              "N_ngC"
                                                    "ngC.mean"
## [13] "ngC.SD"
                              "prctError"
                                                     "comp.IMP.d13C"
## [16] "DD13C.comp"
                              "MassSoil.g"
                                                    "MassSoil.g.SD"
## [19] "Area.N"
                              "Area.T"
                                                    "Area.S"
soils$Date.ti <- as.POSIXct(soils$Date.ti, "%Y-%m-%d %H:%M", tz = "EST")
\#soils Date.ti \leftarrow as.POSIXct(soils Date.ti, "%d/%m/%Y %H:%M", tz = "EST")
sum(is.na(soils$Date.ti))
## [1] 0
print("Soils")
## [1] "Soils"
str(soils)
## 'data.frame':
                    51 obs. of 21 variables:
                         : Factor w/ 51 levels "AW-N-O", "AW-N-Ox",...: 2 19 36 1 18 35 3 20 37 10 ...
## $ ID
                         : Factor w/ 3 levels "N", "S", "T": 1 2 3 1 2 3 1 2 3 1 ...
## $ Transect
## $ Wnum
                         : int -1 -1 -1 0 0 0 1 1 1 2 ...
                         : Factor w/ 17 levels "03/05/2016 13:10",...: 13 13 13 16 16 16 3 3 3 7 ...
## $ Date.Soil
## $ Date.ti
                         : POSIXct, format: "2016-03-25 00:04:00" "2016-03-25 00:04:00" ...
## $ Conc.mug.g.dry.soil: num 0.018 0.029 0.02 0.889 3.204 ...
## $ Conc.ComSoil.SD : num NA NA NA 0.133 0.481 ...
                        : int NA NA NA NA NA NA 3 3 3 3 ...
## $ N compsoil
## $ comp.d13C
                        : num NA NA NA NA NA ...
                         : num NA NA NA NA NA ...
## $ comp.d13C.SD
                         : int NA NA NA NA NA 3 3 3 3 ...
## $ N_ngC
                         : num NA NA NA NA ...
## $ ngC.mean
```

```
## $ prctError
## $ ngC.SD
                     : num NA NA NA NA NA ...
                     : num NA NA NA NA ...
## $ comp.IMP.d13C
                    : num NA NA NA NA NA ...
## $ DD13C.comp
                     : num NA NA NA NA NA ...
## $ MassSoil.g
                     : num 24.82 38.23 8.66 1226.16 4224.23 ...
## $ MassSoil.g.SD
                    : num NA NA NA 184 634 ...
## $ Area.N
                     : num 139266 139266 139266 139266 ...
## $ Area.T
                     : num 43713 43713 43713 43713 ...
## $ Area.S
                     : num 133175 133175 133175 133175 ...
```

Get soil concentrations for each transect for merging horizontally

```
# North
soils.N <- subset(soils, soils$Transect == "N")</pre>
soils.N <- soils.N[, c("Date.ti",</pre>
                        "MassSoil.g", "MassSoil.g.SD",
                        "Conc.mug.g.dry.soil",
                        "comp.d13C", "comp.d13C.SD", # "comp.d13C.SE",
                        "ID",
                        "Area.N", "Area.T", "Area.S" #,
                        # "Area_Nt", "Area_Tt", "Area_St"
colnames(soils.N) <- c("ti",</pre>
                        "MassSoil.g.North", "MassSoil.g.SD.North",
                        "Conc.mug.g.dry.soil.N",
                        "comp.d13C.North", "comp.d13C.SD.North", # "comp.d13C.SE.North",
                        "ID.N",
                        "Area.N", "Area.T", "Area.S"#,
                        #"Area.Nt", "Area.Tt", "Area.St"
# Talweg
soils.T <- subset(soils, soils$Transect == "T")</pre>
soils.T <- soils.T[, c("Date.ti",</pre>
                        "MassSoil.g", "MassSoil.g.SD",
                        "Conc.mug.g.dry.soil",
                        "comp.d13C", "comp.d13C.SD", # "comp.d13C.SE",
                        "ID")]
colnames(soils.T) <- c("ti",</pre>
                        "MassSoil.g.Talweg", "MassSoil.g.SD.Talweg",
                        "Conc.mug.g.dry.soil.T",
                        "comp.d13C.Talweg", "comp.d13C.SD.Talweg", # "comp.d13C.SE.Talweg",
                        "ID.T" )
# South
soils.S <- subset(soils, soils$Transect == "S")</pre>
soils.S <- soils.S[, c("Date.ti",</pre>
                        "MassSoil.g", "MassSoil.g.SD",
                        "Conc.mug.g.dry.soil",
                        "comp.d13C", "comp.d13C.SD", # "comp.d13C.SE",
```

Total Catchment Mass, Bulk Mass and Bulk Isotopes

Bulk isotopes are calculated based on the following:

$$\delta_{bulk} = \frac{M_{North}}{M_{tot}} \delta_{North} + \frac{M_{Talweg}}{M_{tot}} \delta_{Talweg} + \frac{M_{South}}{M_{tot}} \delta_{South}$$

Bulk mass (not currently used) is a proxy for the potential mass that can be discharged at a give time. It is calculated based on the pondered mass from each transect area and the proportion of that area in relation to the entire catchment such that:

$$M_{bulk} = \frac{A_{North}}{A_{tot}} M_{North} + \frac{A_{Talweg}}{A_{tot}} M_{Talweg} + \frac{A_{South}}{A_{tot}} M_{South}$$

$$C_{bulk} = \frac{A_{North}}{A_{tot}}C_{North} + \frac{A_{Talweg}}{A_{tot}}C_{Talweg} + \frac{A_{South}}{A_{tot}}C_{South}$$

library(zoo)

```
## Attaching package: 'zoo'
## The following objects are masked from 'package:base':
##
       as.Date, as.Date.numeric
class(outlet$ti)
## [1] "POSIXct" "POSIXt"
class(soils.T$ti)
## [1] "POSIXct" "POSIXt"
soilsOut <- merge(outlet, soils.N, by = "ti", all = T)
soilsOut <- merge(soilsOut, soils.T, by = "ti", all = T)</pre>
soilsOut <- merge(soilsOut, soils.S, by = "ti", all = T)</pre>
soilsOut$DD13C.North <- soilsOut$comp.d13C.North - initialDelta</pre>
soilsOut$DD13C.Talweg <- soilsOut$comp.d13C.Talweg - initialDelta</pre>
soilsOut$DD13C.South <- soilsOut$comp.d13C.South - initialDelta</pre>
# Total mass in catchment
soilsOut$CatchMassSoil.g <-</pre>
  soilsOut$MassSoil.g.North +
  soilsOut$MassSoil.g.Talweg +
  soilsOut$MassSoil.g.South
```

```
soilsOut$CatchMassSoil.g.SD <- (</pre>
  ( soilsOut$MassSoil.g.SD.North^2 +
      soilsOut$MassSoil.g.SD.South^2 +
      soilsOut$MassSoil.g.SD.Talweg^2
   )/3
  )^0.5
# Approximate initial mass for first 6 observation (before recording composite soils)
#soilsOut$CatchMassSoil.g[1:6] <- ifelse(is.na(soilsOut$CatchMassSoil.g),</pre>
                                         soilsOut$CumAppMass.q-soilsOut$CumOutMELsm.q,
#
                                         soilsOut$CatchMassSoil.q)
#soilsOut$BulkMass.q <-
# soilsOut$MassSoil.q.North*(soilsOut$Area.N/(soilsOut$Area.N+soilsOut$Area.T+soilsOut$Area.S)) +
# soilsOut$MassSoil.q.Talweq*(soilsOut$Area.T/(soilsOut$Area.N+soilsOut$Area.T+soilsOut$Area.S)) +
# soilsOut$MassSoil.q.South*(soilsOut$Area.S/(soilsOut$Area.N+soilsOut$Area.T+soilsOut$Area.S))
# Bulk catchment isotopes
soilsOut$BulkCatch.d13 <-</pre>
  (soilsOut$MassSoil.g.North/soilsOut$CatchMassSoil.g)*soilsOut$comp.d13C.North +
  (soilsOut$MassSoil.g.Talweg/soilsOut$CatchMassSoil.g)*soilsOut$comp.d13C.Talweg +
  (soilsOut$MassSoil.g.South/soilsOut$CatchMassSoil.g)*soilsOut$comp.d13C.South
soilsOut$BulkCatch.d13.SD <-
  (soilsOut$MassSoil.g.North/soilsOut$CatchMassSoil.g)*soilsOut$comp.d13C.SD.North +
  (soilsOut$MassSoil.g.Talweg/soilsOut$CatchMassSoil.g)*soilsOut$comp.d13C.SD.Talweg +
  (soilsOut$MassSoil.g.South/soilsOut$CatchMassSoil.g)*soilsOut$comp.d13C.SD.South
soilsOut$DD13.Bulk <- (soilsOut$BulkCatch.d13 - (d13Co))</pre>
# Bulk catchment concentrations
soilsOut$Area.Catchment <- soilsOut$Area.N + soilsOut$Area.T + soilsOut$Area.S
soilsOut$BulkCatch.Conc <-</pre>
  (soilsOut$Area.N/soilsOut$Area.Catchment)*soilsOut$Conc.mug.g.dry.soil.N +
  (soilsOut$Area.T/soilsOut$Area.Catchment)*soilsOut$Conc.mug.g.dry.soil.T +
  (soilsOut$Area.S/soilsOut$Area.Catchment)*soilsOut$Conc.mug.g.dry.soil.S
soilsOut$iniCo.Bulk <-
  soilsOut$iniCo.ug.g.N*(soilsOut$Area.N/soilsOut$Area.Catchment) +
  soilsOut$iniCo.ug.g.T*(soilsOut$Area.T/soilsOut$Area.Catchment) +
  soilsOut$iniCo.ug.g.S*(soilsOut$Area.S/soilsOut$Area.Catchment)
print("Merged Soils and Outlet by ti")
## [1] "Merged Soils and Outlet by ti"
str(soilsOut)
## 'data.frame':
                    52 obs. of 46 variables:
                          : POSIXct. format: "2016-03-25 00:04:00" "2016-03-25 12:04:00" ...
## $ WeekSubWeek
                          : Factor w/ 51 levels "W0-0x", "W0-1",..: 1 2 3 4 5 6 26 27 28 29 ...
## $ Event
                           : int 0001112223 ...
```

```
## $ timeSinceApp
                         : num 0.5 3.9 5.5 6.6 7.6 11.6 12.6 14 20.6 2.2 ...
## $ timeSinceApp.NoSo
                         : num 0.5 3.9 5.5 6.6 7.6 11.6 12.6 14 20.6 2.2 ...
## $ diss.d13C
                         : num NA NA NA -31.5 -31.7 ...
## $ SD.d13C
                         : num NA NA NA 0.106 0.151 ...
## $ CumOutDiss.g
                         : num 0.00354 0.02815 0.19818 2.84809 5.2051 ...
## $ CumOutFilt.g
                         : num 0.00345 0.0069 0.01263 0.01571 0.01923 ...
## $ CumAppMass.g
                         : num 33243 33243 33243 33243 ...
## $ iniCo.ug.g.N
                         : num 8.79 8.79 8.79 8.79 8.79 ...
## $ iniCo.ug.g.T
                         : num 7.37 7.37 7.37 7.37 ...
## $ iniCo.ug.g.S
                         : num 15 15 15 15 15 ...
## $ CumOutMELsm.g
                         : num 0.302 2.38 4.76 35.001 62.009 ...
## $ MassSoil.g.North
                         : num 24.8 NA NA 1226.2 NA ...
## $ MassSoil.g.SD.North : num NA NA NA 184 NA ...
## $ Conc.mug.g.dry.soil.N: num 0.018 NA NA 0.889 NA ...
## $ comp.d13C.North
                         : num NA NA NA NA ...
## $ comp.d13C.SD.North
                         : num NA NA NA NA NA ...
## $ ID.N
                         : Factor w/ 51 levels "AW-N-O", "AW-N-Ox", ...: 2 NA NA 1 NA NA 3 NA NA 10 ...
## $ Area.N
                               139266 NA NA 139266 NA ...
## $ Area.T
                         : num 43713 NA NA 43713 NA ...
## $ Area.S
                         : num 133175 NA NA 133175 NA ...
## $ MassSoil.g.Talweg
                        : num 8.66 NA NA 346.54 NA ...
## $ MassSoil.g.SD.Talweg : num NA NA NA 52 NA ...
## $ Conc.mug.g.dry.soil.T: num 0.02 NA NA 0.801 NA ...
## $ comp.d13C.Talweg
                         : num NA NA NA NA ...
## $ comp.d13C.SD.Talweg : num NA NA NA NA NA ...
## $ ID.T
                         : Factor w/ 51 levels "AW-N-O", "AW-N-Ox", ...: 36 NA NA 35 NA NA 37 NA NA 44 .
## $ MassSoil.g.South
                         : num 38.2 NA NA 4224.2 NA ...
## $ MassSoil.g.SD.South : num NA NA NA 634 NA ...
## $ Conc.mug.g.dry.soil.S: num 0.029 NA NA 3.204 NA ...
## $ comp.d13C.South
                         : num NA NA NA NA ...
## $ comp.d13C.SD.South
                         : num NA NA NA NA ...
## $ ID.S
                         : Factor w/ 51 levels "AW-N-O", "AW-N-Ox",...: 19 NA NA 18 NA NA 20 NA NA 27 .
## $ DD13C.North
                         : num NA NA NA NA NA ...
## $ DD13C.Talweg
                         : num NA NA NA NA ...
## $ DD13C.South
                         : num NA NA NA NA ...
## $ CatchMassSoil.g
                         : num 71.7 NA NA 5796.9 NA ...
## $ CatchMassSoil.g.SD
                         : num NA NA NA 382 NA ...
## $ BulkCatch.d13
                         : num NA NA NA NA NA ...
## $ BulkCatch.d13.SD
                         : num NA NA NA NA ...
## $ DD13.Bulk
                         : num NA NA NA NA ...
## $ Area.Catchment
                         : num 316155 NA NA 316155 NA ...
## $ BulkCatch.Conc
                         : num 0.0229 NA NA 1.8521 NA ...
## $ iniCo.Bulk
                         : num 11.2 NA NA 11.2 NA ...
write.csv2(soilsOut,
          'Data/MassBalance_R.csv', row.names = F)
```

Plot

```
library("ggplot2")
library("scales")
library("reshape2")
```

```
library("cowplot")
## Attaching package: 'cowplot'
## The following object is masked from 'package:ggplot2':
##
       ggsave
# Melt data set
##Subset the necessary columns
soilsRemainMass <- soilsOut[, c("ti" , "CumAppMass.g", "CumOutDiss.g", "CumOutFilt.g", "CumOutMELsm.g",
soilsRemainMass$CumAppMass.g[1:3] <- NA</pre>
# Replace Catchment Mass's NA with the most recent non-NA prior to it (assumes no degradation).
# Purpose: To match continuous outlet time array
soilsRemainMass$CatchMassSoil.g <- na.locf(soilsRemainMass$CatchMassSoil.g)
# soilsRemainMass <- na.omit(soilsRemainMass)</pre>
##Then rearrange your data frame
remainMassMolten = melt(soilsRemainMass, id=c("ti"))
# View(remainMassMolten)
pg <- remainMassMolten
# Change variable names:
levels(pg$variable)[levels(pg$variable)=="CumAppMass.g"] <- "Applied SM Cum. (Survey)"</pre>
levels(pg$variable) [levels(pg$variable) == "CumOutMELsm.g"] <- "MEL-SM Cum. (Outlet)"</pre>
levels(pg$variable)[levels(pg$variable)=="CatchMassSoil.g"] <- "Remaining SM (1cm Soil)"</pre>
levels(pg$variable)[levels(pg$variable)=="CumOutDiss.g"] <- "Dissolved SM Cum. (Outlet)"</pre>
levels(pg$variable)[levels(pg$variable)=="CumOutFilt.g"] <- "Sediment SM Cum. (Outlet)"</pre>
# Change the order:
levels(pg$variable)
## [1] "Applied SM Cum. (Survey)"
                                     "Dissolved SM Cum. (Outlet)"
## [3] "Sediment SM Cum. (Outlet)"
                                     "MEL-SM Cum. (Outlet)"
## [5] "Remaining SM (1cm Soil)"
pg$variable <- factor(pg$variable, levels = c("Applied SM Cum. (Survey)", "Remaining SM (1cm Soil)", "
pgSimple <- pg[which(pg$variable != ("Dissolved SM Cum. (Outlet)") & pg$variable != ("Sediment SM Cum.
# names(pg)[names(pg)=="variable"] <- "Estimated Mass"</pre>
massBalTop <- ggplot(pg) +</pre>
  geom_line(aes(x=ti, y=value, group = variable, color=variable)) +
  # Themes and axes
  theme bw() +
  theme(# axis.text.x=element_text(angle = 45, hjust = 1),
        axis.text.x=element_blank(),
        axis.title.x=element_blank(),
        legend.position="top"
```

```
)+
labs(color = "Estimated Mass") +
guides(col = guide_legend(ncol = 1)) + # Sets legend parameters

# xlab("Date") +
scale_x_datetime(breaks = date_breaks("2 weeks"), labels = date_format("%b %d")) +
ylab(expression(paste("Mass ", {(g)}))) +
# scale_y_continuous(breaks = c(100, 5000, 10000, 20000), limits = c(100, 20000))
scale_y_continuous(trans=log_trans(), breaks=c(1,5,10,50,100,500,1000,5000, 10000))
massBalTop
```

 $\hbox{\tt\#\# Warning: Removed 7 rows containing missing values (geom_path).}$


— Applied SM Cum. (Survey)

— Remaining SM (1cm Soil)

Estimated Mass — MEL-SM Cum. (Outlet)

Dissolved SM Cum. (Outlet)

— Sediment SM Cum. (Outlet)



```
scale_y_continuous(breaks = c(1, 25, 50, 100), limits = c(0, 100))
massBal = plot_grid(massBalTop, massBalBottom, ncol = 1, nrow = 2, align = "v")
## Warning: Removed 7 rows containing missing values (geom_path).
## Warning: Removed 112 rows containing missing values (geom_path).
massBal_MEL <- ggplot(pgSimple) +</pre>
  geom_line(aes(x=ti, y=value, group = variable, color=variable)) +
  # Themes and axes
  theme bw() +
  theme(# axis.text.x=element_text(angle = 45, hjust = 1),
        #axis.text.x=element_blank(),
        #axis.title.x=element_blank(),
        legend.position="top"
        )+
  labs(color = "Estimated Mass") +
  guides(col = guide_legend(ncol = 3)) + # Sets legend parameters
  # xlab("Date") +
  scale_x_datetime(breaks = date_breaks("2 weeks"), labels = date_format("%b %d")) +
  ylab(expression(paste("Mass ", {(g)})))
{\tt massBal\_MEL}
```

Warning: Removed 5 rows containing missing values (geom_path).

Estimated Mass — Applied SM Cum. (Survey) — Remaining SM (1cm Soil) — MEL-SM Cum. (Ou

