

Mass Soils - Composite Weeks Alteck 2016

PAZ

November 2016

Purpose

This file merges weekly composite concentrations and isotope data.

Imports:

- SoilCompConc_W1toW15.csv
- SoilCompIsotopes_W1toW15.csv (old, not used)
- SoilCompIsotopes_W1toW15ng.csv

Generates:

- WeeklySoils_Rng.csv

Required R-packages:

```
library("plyr")
library("dplyr")
```

Working directory

```
# setwd("D:/Documents/these_pablo/Alteckendorf2016/R")
# setwd("/Users/DayTightChunks/Documents/PhD/Routput/Alteck/R")
# setwd("D:/Documents/these_pablo/Alteckendorf2016/00_TransparencyFolder")
getwd()
```

```
## [1] "/Users/DayTightChunks/Documents/PhD/HydrologicalMonitoring"
```

Lab Parameters

```
# Pure and cuve isotope average
d13Co = -31.2144

# Lab enrichment: Alteck
epsilon_max = -1.5 # +/- 0.3 (@ 20C, 20% vwc)
epsilon_min = -2.0 # +/- 0.2 (@ 20C, 40% vwc)

epsilon_mean = mean(c(epsilon_max, epsilon_min))
epsilon_mean
```

```
## [1] -1.75
```

```
sd(c(epsilon_max, epsilon_min))
```

```
## [1] 0.3535534
```

Filed Assumptions

```
# S-metolachlor Mass [g]
# Conc. [ug/g dry soil] * [g/106 ug] * density [g/m3] * depth [m] * A [m2]
# Soil bulk density: 2200 or 0.99? -> Leaching experiments: 0.99 [g/cm3]
rho = 0.99*106 # soil density [g/m3]
depth = 0.005 # [m]

# Transect Areas pre-corn applications
Area_Na = 13.92663*104 # [m2]

# Corrections (old values):
#Area_Ta = 6.55813*104 # [m2] # South Burger's as Talweg
#Area_Sa = 11.05376*104 # [m2] # South Burger's as Talweg
Area_Ta = 4.37134*104 # [m2]
Area_Sa = 13.3175*104 # [m2] # South Burger's as South

# Transect Areas post Corn applications (not on transect)
Area_Nb = 14.9949*104 # [m2]

# Corrections (old values):
#Area_Tb = 6.55813*104 # [m2] # South Burger's as Talweg
#Area_Sb = 11.65202*104 # [m2] # South Burger's as Talweg
Area_Tb = 4.37134*104 # [m2]
Area_Sb = 13.91767*104 # [m2] # South Burger's as South
```

Composite Concentrations & Isotope Data - Alteckendorf 2016

Isotopes selected where cleaned according to the following rules:

- The isotope shift was not largely beyond (2x) Streitwieser theoretical limits (i.e. > 10)
- Isotope shift was non-negative
- Nanograms of carbon > 5.0.

1. Import CSV files

```
weeklySoilConc = read.csv2("Data/SoilCompConc_W1toW15.csv", header = TRUE)
weeklySoilConc$Date.ti <- as.POSIXct(strptime(weeklySoilConc$Date.Soil, "%d/%m/%Y %H:%M", tz="EST")) #
sum(is.na(weeklySoilConc$Date.ti))

## [1] 0

# View(weeklySoilConc)
weeklySoilConc <- weeklySoilConc[,c("Filename",
                                     "Transect",
                                     "Wnum",
                                     "Date.Soil",
                                     "Date.ti",
                                     "Conc.mug.g.dry.soil",
                                     "Conc.ComSoil.SD")]

colnames(weeklySoilConc)[colnames(weeklySoilConc) == "Filename"] <- "ID"
print("Soil Composites- Concentrations")

## [1] "Soil Composites- Concentrations"
```

```
str(weeklySoilConc)
```

```
## 'data.frame':   51 obs. of  7 variables:
## $ ID           : Factor w/ 51 levels "AW-N-0","AW-N-0x",...: 2 36 19 1 35 18 3 10 11 12 ...
## $ Transect     : Factor w/ 3 levels "N","S","T": 1 3 2 1 3 2 1 1 1 1 ...
## $ Wnum         : int  -1 -1 -1 0 0 0 1 2 3 4 ...
## $ Date.Soil    : Factor w/ 17 levels "03/05/2016 13:10",...: 13 13 13 16 16 16 3 7 10 14 ...
## $ Date.ti      : POSIXct, format: "2016-03-25 00:04:00" "2016-03-25 00:04:00" ...
## $ Conc.mug.g.dry.soil: num  0.0183 0.0205 0.0285 0.8893 0.8008 ...
## $ Conc.ComSoil.SD  : num  NA NA NA 1.46 1.83 ...
```

```
# JESIUM data (before nangoram revision)
```

```
# weeklySoilIso = read.csv2("Data/SoilCompIsotopes_WitoW15.csv", header = TRUE)
```

```
# After nanogram revision
```

```
weeklySoilIso = read.csv2("Data/SoilCompIsotopes_WitoW15ng.csv", header = TRUE, dec = ".")
if (length(weeklySoilIso) == 1){
  weeklySoilIso = read.csv("Data/SoilCompIsotopes_WitoW15ng.csv", header = T)
}
head(weeklySoilIso)
```

```
##   Filename ID Week Wnum Repl d.13C.12C DD13...31.21. Ave...STDEV
## 1  AW-N-1 AW   N    1    1  -31.246      -0.636    0.5112382
## 2  AW-N-1 AW   N    1    2  -31.123       0.087         NA
## 3  AW-N-1 AW   N    1    3      NA         NA         NA
## 4  AW-N-10 AW  N   10    1  -28.312       2.898    0.6250824
## 5  AW-N-10 AW  N   10    3  -27.428       3.782         NA
## 6  AW-N-11 AW  N   11    1  -27.828       3.382    0.2057681
##   Delete.d13 Delete.DD      Rt Ampl..44 Std.Ampl.   ng..C.
## 1                2648.2      120      904 3.982301
## 2                2648.0      115      904 3.816372
## 3   -29.546      1.664 2648.0      109      904 3.617257
## 4                2655.6      155      658 7.066869
## 5                2656.4      183      658 8.343465
## 6                2656.0      202      658 9.209726
```

```
colnames(weeklySoilIso)[colnames(weeklySoilIso) == "DD13...31.21."] <- "DD13"
colnames(weeklySoilIso)[colnames(weeklySoilIso) == "ng..C."] <- "ngC"
colnames(weeklySoilIso)[colnames(weeklySoilIso) == "Filename"] <- "ID"
```

```
weeklySoilIso <- weeklySoilIso[, c("ID",
                                   # "Repl",
                                   "d.13C.12C",
                                   "DD13",
                                   "ngC")]
```

```
weeklySoilIso <- weeklySoilIso[complete.cases(weeklySoilIso),]
# weeklySoilIso <- subset(weeklySoilIso, DD13 < 10) # & ngC > 5)
```

```
isoCompSummary = ddply(weeklySoilIso, c("ID"), summarise,
                        N_compsoil = length(d.13C.12C),
                        comp.d13C = mean(d.13C.12C),
                        comp.d13C.SD = sd(d.13C.12C),
                        # comp.d13C.SE = comp.d13C.SD / sqrt(N_compsoil),
```

```

        N_ngC = length(ngC),
        ngC.mean = mean(ngC),
        ngC.SD = sd(ngC) #,
        # ngC.SE = ngC.SD/sqrt(N_ngC)
    )

print("Soil Composites - Isotopes All")

## [1] "Soil Composites - Isotopes All"
str(weeklySoilIso)

## 'data.frame':  88 obs. of  4 variables:
## $ ID      : Factor w/ 41 levels "AW-N-1","AW-N-10",...: 1 1 2 2 3 3 4 6 6 6 ...
## $ d.13C.12C: num  -31.2 -31.1 -28.3 -27.4 -27.8 ...
## $ DD13     : num  -0.636 0.087 2.898 3.782 3.382 ...
## $ ngC      : num   3.98 3.82 7.07 8.34 9.21 ...

```

```
print("Soil Composites - Isotopes Ave and St.Dev.")
```

```
## [1] "Soil Composites - Isotopes Ave and St.Dev."
```

```
str(isoCompSummary)

## 'data.frame':  38 obs. of  7 variables:
## $ ID      : Factor w/ 41 levels "AW-N-1","AW-N-10",...: 1 2 3 4 5 6 7 8 9 10 ...
## $ N_compsoil : int   2 2 2 1 2 3 3 2 2 2 ...
## $ comp.d13C  : num  -31.2 -27.9 -28 -28.5 -27.9 ...
## $ comp.d13C.SD: num   0.087 0.625 0.206 NA 0.4 ...
## $ N_ngC     : int   2 2 2 1 2 3 3 2 2 2 ...
## $ ngC.mean   : num   3.9 7.71 8.64 1.57 5.12 ...
## $ ngC.SD     : num   0.117 0.903 0.806 NA 0.503 ...

```

2. Merge lab concentrations and isotopes

```

comp.CoIs = merge(weeklySoilConc, isoCompSummary, by = "ID", all = T)
comp.CoIs$Wnum = as.numeric(comp.CoIs$Wnum)
comp.CoIs <- comp.CoIs[order(comp.CoIs$Wnum),]

comp.CoIs$comp.IMP.d13C <- comp.CoIs$comp.d13C
comp.CoIs$comp.IMP.d13C[is.na(comp.CoIs$comp.d13C)] <- ave(comp.CoIs$comp.d13C,
                                                             comp.CoIs$Wnum,
                                                             FUN= function(x) mean(x, na.rm = T))[is.na(comp.CoIs$comp.d13C)]

comp.CoIs$comp.d13C <- ifelse(is.na(comp.CoIs$comp.d13C), comp.CoIs$comp.IMP.d13C, comp.CoIs$comp.d13C)

print("Merged Soil Concentrations and Isotopes")

```

```
## [1] "Merged Soil Concentrations and Isotopes"
```

```
str(comp.CoIs)

## 'data.frame':  51 obs. of  14 variables:
## $ ID      : Factor w/ 51 levels "AW-N-0","AW-N-0x",...: 2 19 36 1 18 35 3 20 37 10 ...
## $ Transect : Factor w/ 3 levels "N","S","T": 1 2 3 1 2 3 1 2 3 1 ...
## $ Wnum     : num  -1 -1 -1 0 0 0 1 1 1 2 ...

```

```
## $ Date.Soil      : Factor w/ 17 levels "03/05/2016 13:10",...: 13 13 13 16 16 16 3 3 3 7 ...
## $ Date.ti       : POSIXct, format: "2016-03-25 00:04:00" "2016-03-25 00:04:00" ...
## $ Conc.mug.g.dry.soil: num  0.0183 0.0285 0.0205 0.8893 3.204 ...
## $ Conc.ComSoil.SD  : num  NA NA NA 1.46 2.77 ...
## $ N_compsoil      : int   NA NA NA NA NA NA 2 2 3 3 ...
## $ comp.d13C       : num   NaN NaN NaN NaN NaN ...
## $ comp.d13C.SD    : num   NA NA NA NA NA ...
## $ N_ngC          : int   NA NA NA NA NA NA 2 2 3 3 ...
## $ ngC.mean        : num   NA NA NA NA NA ...
## $ ngC.SD          : num   NA NA NA NA NA ...
## $ comp.IMP.d13C    : num   NaN NaN NaN NaN NaN ...
```

3. Compute Degradation Extent and Delta-delta

```
# Pure and cuve isotope average
d13Co
```

```
## [1] -31.2144
```

```
# Lab enrichment: Alteck
epsilon_max # +/- 0.3 (@ 20C, 20% vwc)
```

```
## [1] -1.5
```

```
epsilon_min # +/- 0.2 (@ 20C, 40% vwc)
```

```
## [1] -2
```

```
epsilon_mean
```

```
## [1] -1.75
```

```
sd(c(epsilon_max, epsilon_min))
```

```
## [1] 0.3535534
```

```
# Vine
# (@ 20C, 20% vwc) -0.8 +/- 0.1
# (@ 30C, 20% vwc) -1.4 +/- 0.2
# (@ 20C, 40% vwc) -1.7 +/- 0.2
# Average
```

```
# Remaining fraction
comp.CoIs$DD13C.comp <- (comp.CoIs$comp.d13C - (d13Co))
```

```
# Max epsilon (20C, 20%)
comp.CoIs$f.max.comp <-
  ((10^(-3)*comp.CoIs$comp.d13C + 1)/(10^(-3)*d13Co + 1))^(1000/(epsilon_max))
```

```
comp.CoIs$B.max.comp <-
  (1 - comp.CoIs$f.max.comp)*100
```

```
# Min epsilon (20C, 40%)
comp.CoIs$f.min.comp <-
  ((10^(-3)*comp.CoIs$comp.d13C + 1)/(10^(-3)*d13Co + 1))^(1000/(epsilon_min))
```

```
comp.CoIs$B.min.comp <-
  (1 - comp.CoIs$f.min.comp)*100
```

```
# Mean epsilon (# Alteck)
comp.CoIs$f.mean.comp <-
  ((10^(-3)*comp.CoIs$comp.d13C + 1)/(10^(-3)*d13Co + 1))^(1000/(epsilon_mean))

comp.CoIs$B.mean.comp <-
  (1 - comp.CoIs$f.mean.comp)*100
```

3. Compute Soil S-metolachlor Mass at time t across space

For non-measured plots, the soil concentration and isotope measured at the nearest transect is assumed. The total area for each transect at the end of the season is shown below. Corn fields in the catchment were known to have received S-metolachlor applications only during the last week of May, 2017. Given that two of these plots were not included within the transects, their area were not accounted for but until after the known application dates for corn plots.




Figure 1: Transect Areas [Ha] (North: 14.995; Talweg: 8.774; South: 12.668)

The total pesticide mass for each transect at time t is then given by:

$$M(t)_{Ta} = C(t)_T \cdot \rho \cdot A_T \cdot D \cdot$$

```
# S-metolachlor Mass [g]
# Conc. [ug/g dry soil] * [g/106 ug] * density [g/m3] * depth [m] * A [m2]
# Soil bulk density: 2200 or 0.99? -> Leaching experiments: 0.99 [g/cm3]
rho # soil density [g/m3]
```

```

## [1] 990000
depth # [m]

## [1] 0.005
# Transect Areas pre-corn applications
Area_Na # [m2]

## [1] 139266.3
Area-Ta # [m2]

## [1] 43713.4
Area_Sa # [m2]

## [1] 133175
# Transect Areas post Corn applications (not on transect)
Area_Nb # [m2]

## [1] 149949
Area-Tb # [m2]

## [1] 43713.4
Area-Sb # [m2]

## [1] 139176.7
# Assign new column for S-metolachlor mass in grams
comp.CoIs$MassSoil.g <- NA

# Areas with S-metolachlor before week 9
comp.CoIs$MassSoil.g <-
  ifelse((comp.CoIs$Transect == "N" & comp.CoIs$Wnum < 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area_Na,
  ifelse((comp.CoIs$Transect == "T" & comp.CoIs$Wnum < 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area-Ta,
  ifelse((comp.CoIs$Transect == "S" & comp.CoIs$Wnum < 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area_Sa, comp.CoIs$MassSoil.g)))

# Areas with S-metolachlor after week 9
comp.CoIs$MassSoil.g <-
  ifelse((comp.CoIs$Transect == "N" & comp.CoIs$Wnum >= 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area_Nb,
  ifelse((comp.CoIs$Transect == "T" & comp.CoIs$Wnum >= 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area-Tb,
  ifelse((comp.CoIs$Transect == "S" & comp.CoIs$Wnum >= 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area-Sb, comp.CoIs$MassSoil.g)))

# Areas as variables (for later computation of bulk catchment mass)
comp.CoIs$Area.N <-
  ifelse((comp.CoIs$Wnum < 6), Area_Na, Area_Nb)

comp.CoIs$Area.T <-
  ifelse((comp.CoIs$Wnum < 6), Area-Ta, Area-Tb)

```

```

comp.CoIs$Area.S <-
  ifelse((comp.CoIs$Wnum < 6), Area_Sa, Area_Sb)

print("S-meto mass per transect at time-t")

## [1] "S-meto mass per transect at time-t"

str(comp.CoIs)

## 'data.frame':    51 obs. of  25 variables:
## $ ID                : Factor w/ 51 levels "AW-N-0","AW-N-0x",...: 2 19 36 1 18 35 3 20 37 10 ...
## $ Transect          : Factor w/ 3 levels "N","S","T": 1 2 3 1 2 3 1 2 3 1 ...
## $ Wnum              : num  -1 -1 -1 0 0 0 1 1 1 2 ...
## $ Date.Soil         : Factor w/ 17 levels "03/05/2016 13:10",...: 13 13 13 16 16 16 3 3 3 7 ...
## $ Date.ti           : POSIXct, format: "2016-03-25 00:04:00" "2016-03-25 00:04:00" ...
## $ Conc.mug.g.dry.soil: num  0.0183 0.0285 0.0205 0.8893 3.204 ...
## $ Conc.ComSoil.SD   : num  NA NA NA 1.46 2.77 ...
## $ N_compsoil        : int  NA NA NA NA NA NA 2 2 3 3 ...
## $ comp.d13C         : num  NaN NaN NaN NaN NaN ...
## $ comp.d13C.SD      : num  NA NA NA NA NA ...
## $ N_ngC             : int  NA NA NA NA NA NA 2 2 3 3 ...
## $ ngC.mean          : num  NA NA NA NA NA ...
## $ ngC.SD            : num  NA NA NA NA NA ...
## $ comp.IMP.d13C     : num  NaN NaN NaN NaN NaN ...
## $ DD13C.comp        : num  NaN NaN NaN NaN NaN ...
## $ f.max.comp        : num  NaN NaN NaN NaN NaN ...
## $ B.max.comp        : num  NaN NaN NaN NaN NaN ...
## $ f.min.comp        : num  NaN NaN NaN NaN NaN ...
## $ B.min.comp        : num  NaN NaN NaN NaN NaN ...
## $ f.mean.comp       : num  NaN NaN NaN NaN NaN ...
## $ B.mean.comp       : num  NaN NaN NaN NaN NaN ...
## $ MassSoil.g        : num  12.61 18.8 4.44 613.08 2112.12 ...
## $ Area.N            : num  139266 139266 139266 139266 139266 ...
## $ Area.T            : num  43713 43713 43713 43713 43713 ...
## $ Area.S            : num  133175 133175 133175 133175 133175 ...

tail(comp.CoIs)

##           ID Transect Wnum      Date.Soil      Date.ti
## 8  AW-N-14         N   14 04/07/2016 14:42 2016-07-04 14:42:00
## 25 AW-S-14         S   14 04/07/2016 14:42 2016-07-04 14:42:00
## 42 AW-T-14         T   14 04/07/2016 14:42 2016-07-04 14:42:00
## 9  AW-N-15         N   15 12/07/2016 01:00 2016-07-12 01:00:00
## 26 AW-S-15         S   15 12/07/2016 01:00 2016-07-12 01:00:00
## 43 AW-T-15         T   15 12/07/2016 01:00 2016-07-12 01:00:00
##      Conc.mug.g.dry.soil Conc.ComSoil.SD N_compsoil comp.d13C comp.d13C.SD
## 8              1.3336411      0.09490089      2 -27.92050      0.3995153
## 25              1.0220275      0.09490089      NA -27.32225              NA
## 42              1.5868495      0.09490089      3 -26.72400      0.2533200
## 9               0.9564201      0.09490089      NA      NaN              NA
## 26              1.1610022      0.09490089      NA      NaN              NA
## 43              1.3119054      0.09490089      NA      NaN              NA
##      N_ngC ngC.mean      ngC.SD comp.IMP.d13C DD13C.comp f.max.comp B.max.comp
## 8          2 5.118483 0.5026825      -27.92050      3.29390 0.10405435      89.59456

```



```

## 25      NA      NA      NA      -27.32225      3.89215 0.06904447      93.09555
## 42      3 9.095742 5.9202018      -26.72400      4.49040 0.04582548      95.41745
## 9       NA      NA      NA           NaN           NaN           NaN           NaN
## 26      NA      NA      NA           NaN           NaN           NaN           NaN
## 43      NA      NA      NA           NaN           NaN           NaN           NaN
##      f.min.comp B.min.comp f.mean.comp B.mean.comp MassSoil.g Area.N Area.T
## 8  0.18320832  81.67917  0.1437645   85.62355   989.8919 149949 43713.4
## 25 0.13469351  86.53065  0.1011504   89.88496   704.0999 149949 43713.4
## 42 0.09904449  90.09555  0.0711832   92.88168   343.3646 149949 43713.4
## 9           NaN      NaN      NaN           NaN           NaN   709.9004 149949 43713.4
## 26           NaN      NaN      NaN           NaN           NaN   799.8430 149949 43713.4
## 43           NaN      NaN      NaN           NaN           NaN   283.8718 149949 43713.4
##      Area.S
## 8  139176.7
## 25 139176.7
## 42 139176.7
## 9  139176.7
## 26 139176.7
## 43 139176.7

```

```

write.csv2(comp.CoIs, 'Data/WeeklySoils_Rng.csv', row.names = F)

```