GUIDE · OCTOBER 2026

Agentic-Z

The Guide

How to install Agentic-Z, set up your DayZ modding environment and work with its agents and skills, from your first mod to a tested build on your own test server.

Agentic-Z Guide

Everything you need to install, set up and use Agentic-Z, the AI agent stack for DayZ modding. This edition covers version 2.0.0: 30 agents, 44 skills, three hooks and a side panel. Read it top to bottom once and you will not need to ask.

What Agentic-Z is

Agentic-Z turns Claude Code into a DayZ modding partner. It brings DayZ specialist agents, slash commands that drive DayZ Tools for you, house rules for clean mods, and a search over the vanilla game files so the AI looks things up instead of guessing. Codex CLI and Gemini CLI get the skills and the rules files; the agents, hooks and RAG search are Claude Code features.

SPECIALISTS

- Scripts, configs, UI
- Models and textures
- Maps and server
- Saving data and AI
- Vehicles and weapons
- Wearables and animation
- Audio, FX and physics
- Review and debugging

SKILLS

- Setup wizard
- Lint and build PBO
- Launch test and gates
- types.xml
- Textures and layouts
- Release pack

RAG SEARCH


- Vanilla scripts
- Configs
- Layouts
- Materials

WORKS WITH

- Claude Code: everything
- Codex CLI: skills and rules
- Gemini CLI: skills and rules

How it fits together

You talk to your AI tool. Agentic-Z gives it rules, agents, skills and a search server, and those drive your mod folder, the P: drive, DayZ Tools and the game.




What you need

WHAT	WHY
Windows	DayZ Tools and the P: drive are Windows only.
DayZ (Steam)	The diag client ships next to the game and runs your tests.
DayZ Tools (Steam, free)	AddonBuilder, P: drive mounting, ImageToPAA.
DayZ Server (Steam)	Only to copy the mission template once.
P: mounted, vanilla data extracted	Configs inherit from vanilla classes on P:.
Python 3.10+ on PATH	The skills are Python scripts.
Claude Code (or Codex CLI or Gemini CLI)	Your AI tool. Codex CLI and Gemini CLI get the skills and rules files only.

RAG search is optional. To use it, install its Python packages with `pip install -r .claude\mcp\dayz-rag\requirements.txt` (and `.claude\skills\dayz-search-index\requirements.txt` to build the index), then add `VOYAGE_API_KEY=pa-...` to `.env` at the repo root.

Install and first setup



OPTION A: CLONE AS A TEMPLATE (NEW MOD PROJECT)

```
git clone https://github.com/DayZ-n-Chill/Agentic-Z.git my-dayz-mod
cd my-dayz-mod
python .claude\skills\sync-skills\sync.py
```

OPTION B: INSTALL AS A CLAUDE CODE PLUGIN (EXISTING PROJECT)

```
/plugin marketplace add DayZ-n-Chill/Agentic-Z
/plugin install agentic-z@dayz-n-chill
```


Plugin skills show with an `agentic-z:` prefix, for example `/agentic-z:dayz-build-pbo`. Pick one option only.

THEN RUN THE WIZARD

```
/dayz-init
```

It asks if you are starting a new mod or importing one, the mod name, which map to test on, and whether to build and launch. It fixes what it can (mounting P:, the `P:\Mods` link) and tells you how to fix the rest. Every run after that shows a status hub for your active mod.

Your daily loop



1. Ask an agent for the change, for example "add a hidden selection for the camo".
2. `/dayz-build-pbo <ModName>` packs the mod into `P:\Mods\@<ModName>\Addons\`.
3. `/dayz-launch-test <ModName> --server <instance>` starts a diag server and client with your mod.
4. Check the logs, or hand them to `dayz-mod-debugger`.
5. `/dayz-stop-test` closes DayZ. Fix and repeat.

Working with the agents


Just describe what you want; Claude picks the right specialist. You can also name one, for example "use the dayz-config-specialist to...".

AGENT	WHAT IT DOES	ASK IT
dayz-script-specialist	Enforce Script: modded classes, RPCs, game logic.	"Make my medkit heal over 30 seconds."
dayz-config-specialist	config.cpp, CfgPatches, inheritance, hidden selections.	"Write the CfgVehicles entry for my vest."
dayz-asset-specialist	Textures (.paa) and materials (.rvmat).	"Pack vest_camo_co.png and make an rvmat."
dayz-object-builder	.p3d models: LODs, selections, Object Builder steps.	"Set up hidden selections on my vest model."
dayz-ui-specialist	.layout files, HUD and menu scripts.	"Add a compass to the HUD."
dayz-map-specialist	Terrain Builder, layers.cfg, surfaces, clutter.	"Export my base from DayZ Editor to Terrain Builder."
dayz-server-admin	types.xml, events, init.c, cfggameplay.	"Make my vest spawn rarely in military zones."
dayz-workbench-specialist	Workbench plugins (editor tools).	"A plugin that checks texture suffixes."
dayz-mod-debugger	Reads logs and crash files to find the cause.	"My server crashes on start, here is the RPT."
dayz-mod-reviewer	Audits a mod before you build, PASS or FAIL.	"Review workspace/MyVest before I build."
figma-node-normalizer, **figma-to-dayz-layout**, **dayz-layout-validator**	Optional: turn a Figma frame into a .layout; the validator checks it without editing.	"Turn this Figma frame into a DayZ menu."
dayz-orchestrator and team	Plans a whole mod, runs leads, workers and checks.	Plugin: `claude --agent agentic-z:dayz-orchestrator`. Clone: `claude --agent dayz-orchestrator`.
dayz-mod-architect	Plans a mod: classes, files, assets and a task list.	Started by the orchestrator.
dayz-lead	Runs one team (script, config, art, UI, server, release) and its review checks.	Started by the orchestrator.
dayz-build-checker, **dayz-ingame-tester**	Backup checks used when `/dayz-gate` itself fails.	Started by the orchestrator.
dayz-build-engineer	Builds the PBO (or deploys a prebuilt bundle) and starts a test session for you.	"Build MyVest and start a test on chernarus."
dayz-docs-writer	Writes the mod README, changelog and classname list.	"Update the MyVest docs."
dayz-persistence-specialist	Saving data across restarts, save versions, base building, and a data audit before release.	"Make my safe keep its code and contents after a restart."
dayz-ai-specialist	Infected, animals and human AI such as patrols and guards, written from scratch.	"Add guards that patrol my base and react to gunfire."
dayz-vehicle-specialist	Cars, boats and helicopters: engine, gearbox, wheels, doors, fluids, seats and damage.	"Add a four door pickup with a bigger fuel tank."
dayz-weapon-specialist	Weapons, magazines, ammo, attachments, recoil and fire modes.	"Add a hunting rifle that takes a five round magazine."
dayz-wearables-specialist	Clothing, characters, inventory slots, protection, color variants and proxies.	"Make a plate carrier in three colors."

AGENT	WHAT IT DOES	ASK IT
dayz-animation-specialist	model.cfg animations, RTM files and the Blender handoff.	"Make my bunker doors open and close."
dayz-audio-fx-specialist	Sound shaders, sound sets and particle effects.	"Give my generator a running sound and exhaust smoke."
dayz-physics-specialist	Weight, collision LODs, dropping, throwing and contact.	"My crate falls through the floor. Fix it."
dayz-router	Cheap Haiku agent that decides who handles a request.	Used by `/dayz-route`.
agent-creator	Writes and checks new agent files.	"Create an agent that reviews RPC security."

The mod team


You · Planning · Team leads · Workers (one per task) · Gatekeepers · Playbook and knowledge packs



The leads run the mod review and layout check on each task. The orchestrator runs the build check, the in-game test and, when the plan lists behavior checks, the behavior test once per wave, one at a time, because there is only one mod folder and one test session. Workers run at the same time only when their tasks touch different files.


How the team checks work

Start the team with `claude --agent agentic-z:dayz-orchestrator` after a plugin install, or `claude --agent dayz-orchestrator` in a clone. It plans the mod with you, waits for your yes, then runs waves of work. Each wave goes through the build check, the in-game test and, when `output\<ModName>-plan\behavior-checks.json` exists, the behavior test, a scripted mission that spawns and uses each new item. Nothing reaches you until it builds, loads in game with clean logs and, when the plan lists behavior checks, passes the behavior test.



Review and layout failures go straight back to the worker. Known errors skip the debugger: triage sends the fix to the owning lead.


RAG search



TOOL	WHAT IT DOES
search_dayz_source	Search vanilla scripts, configs, layouts and materials by meaning.
get_dayz_file	Open an exact file and line range on P:.
list_indexed_sources	Show what is indexed and when.


Agents Grep first when they know an exact class or symbol name, and use RAG search for questions by meaning. A search hit is only a hint until the agent opens the real file, so answers come with `path:line` references you can check.

The three tiers of rules



Token savers


These move mechanical work out of the AI, so it only spends tokens on judgment work: planning, writing code and configs, review and real diagnosis.



FEATURE	WHAT IT DOES	HOW TO USE IT
Script-only checks	Builds the mod or loads it in game and prints PASS or FAIL, with no AI involved.	`/dayz-gate build <ModName>`, `/dayz-gate ingame <ModName>`
Log triage	Matches failures against 52 known errors with their fix and owner. Only new errors go to the debugger.	Runs inside `/dayz-gate`; `triage.py --learn` adds your own.
Router	Decides who handles a request: keyword rules, then Jev, then a cheap Haiku router.	`/dayz-route "<request>"` (the AI runs it first)
Edit hooks	Checks `config.cpp` and `.layout` syntax after every edit, and blocks edits to other mods while scoped.	Automatic with the plugin or a clone.
Paste-in router	Reads what you paste: crash logs are triaged on the spot, `types.xml` chunks are checked for a merge, Figma and GitHub links start their workflow.	Automatic; just paste.
Status line	Shows P:, the active mod, whether DayZ Diag is running and the search index age.	`/dayz-statusline` once per project.
Launcher panel	A panel beside the chat with buttons for mount P:, build, the build and in-game checks, deploy, launch, stop, Workbench, Object Builder, test logs, the health page and the release pack, plus a field that asks `/dayz-ask`.	`/plugin install agentic-z-panel@dayz-n-chill`, then `/dayz-panel`.
Cheaper models	The build engineer and router run on Haiku, the docs writer on Sonnet.	Automatic.
Smaller rules	The DayZ rules file is split into a 143-line core and five topic files of 24 to 56 lines. Most skills read only the core, 40% less than the old 239-line file; `/dayz-deploy-pbo` and `/dayz-gate` also point to the bundle mods section of the config topic file. Each agent reads the core plus the topic files its job needs. With one topic file that is 17% to 30% less than before. With two it depends on which two: the mod debugger (226 lines) and the mod architect (231 lines) still read a little less, while the vehicle, weapon and audio and FX specialists (251 lines) read more, and so does the mod reviewer with three (283 lines).	Automatic.
No-token wrappers	A `.bat` for every runnable skill, so you can run it yourself with no AI involved.	See `scripts\README.md`.
Shorter descriptions	Every skill and agent description loads into every session, so they were cut to about 2,100 tokens less.	Automatic.

Specialists for every part of a mod

Beyond scripts, configs, art, UI, maps and servers, Agentic-Z has specialists for saving data, vehicles, weapons, wearables, animation, audio, physics and AI. Each works under a team lead and brings its own reference pack, checked against the vanilla game files and loaded only when a task needs it. `/dayz-lint` runs inside the build check and stops a mod that would fail to load before it is packed.



SPECIALIST	COVERS	WORKS UNDER
dayz-persistence-specialist	Saving data across restarts, save versions, base building, a check before release that nothing gets lost.	Script lead
dayz-vehicle-specialist	Cars, boats and helicopters.	Config lead
dayz-weapon-specialist	Weapons, attachments and magazines.	Config lead
dayz-wearables-specialist	Clothing, characters, slots and proxies.	Art lead
dayz-animation-specialist	model.cfg animations, RTM and the Blender handoff.	Art lead
dayz-audio-fx-specialist	Sound sets, sound shaders and particles.	Any lead
dayz-physics-specialist	Collisions, contact and thrown objects.	Any lead
dayz-ai-specialist	AI behavior patterns.	Script lead

EACH SPECIALIST IN DETAIL

DAYZ-PERSISTENCE-SPECIALIST	
What it does	Makes modded items and systems keep their data across server restarts. It writes the save and load code (OnStoreSave and OnStoreLoad), stamps every save with a version number, and writes the upgrade path so old saves still load after the mod changes. It covers base building parts that must survive restarts, and before release it runs a data audit that checks every saved field is written and read back in the same order.
Ask it for	"Make my safe keep its code and contents after a restart, and do not break saves from the last version."
Works under	Script lead (the release audit goes to the server lead)
Hands back	Save and load code with a version number, a migration note for old saves, and an audit report for the server lead.

DAYZ-VEHICLE-SPECIALIST	
What it does	Builds cars, boats and helicopters. It sets up the vehicle class and its simulation (engine, gearbox, axles, wheels), the parts that attach to it (doors, hood, trunk, wheels, battery, spark plug), its fluids (fuel, oil, coolant, brake fluid), seats and crew positions, and how it takes damage. Vanilla DayZ ships native helicopter base classes (Helicopter, HelicopterAuto and HelicopterScript) but no flyable helicopter, so it builds flyable ones on those classes with the user's own code, never copied from another mod.
Ask it for	"Add a four door pickup with its own doors and a bigger fuel tank."
Works under	Config lead
Hands back	CfgVehicles entries, the CarScript, BoatScript or HelicopterScript class, attachment slots, and a types.xml entry for the server lead.

DAYZ-WEAPON-SPECIALIST	
What it does	Builds firearms and everything that goes with them: the weapon class, magazines, ammunition, attachment slots for optics, suppressors, stocks and handguards, recoil, fire modes and muzzle effects. It inherits from the closest vanilla weapon so reloading, jamming and damage behave like the base game.
Ask it for	"Add a scoped hunting rifle that takes a five round magazine and the vanilla long range optics."
Works under	Config lead
Hands back	CfgWeapons, CfgMagazines and CfgAmmo entries, a recoil class, and a list of the model selections the art lead must provide.

DAYZ-WEARABLES-SPECIALIST	
What it does	Builds clothing, gear and characters: which inventory slot an item uses, how many slots it holds, its protection and insulation, the hidden selections that let one model carry several textures, and how it shows on the character through proxies. It covers new survivor characters too.
Ask it for	"Make a plate carrier with three colors that fits the vest slot and holds six items."
Works under	Art lead
Hands back	Config entries, hidden selection names, texture slots for each color, and proxy notes for the Object Builder specialist.


DAYZ-ANIMATION-SPECIALIST	
What it does	Makes things move: doors, lids, hatches, triggers and moving parts. It writes the skeletonBones for the moving parts and the class Animations block in model.cfg (rotations, movements and hiding parts), while the Object Builder specialist keeps the rest of model.cfg. It handles .rtm animation files, and writes the handoff for models built in Blender so bones and selections line up when they reach Object Builder.
Ask it for	"Make the doors on my bunker open and close when a player uses them."
Works under	Art lead
Hands back	The skeletonBones and class Animations entries for model.cfg, the selection and bone names the model needs, and the script hook that plays the animation, for the script specialist to write.

DAYZ-AUDIO-FX-SPECIALIST	
What it does	Handles sound and visual effects: sound shaders and sound sets, how far a sound carries and how loud it is, and particle effects such as smoke, sparks and muzzle flashes. It builds on the /dayz-particles skill for particle files.
Ask it for	"Give my generator a running sound that fades with distance and a puff of exhaust smoke."
Works under	Any lead that needs it
Hands back	CfgSoundShaders and CfgSoundSets entries, particle files, and the script lines that play them.

DAYZ-PHYSICS-SPECIALIST	
What it does	Makes objects behave physically: their weight, collision shapes in the Geometry and Fire Geometry LODs, how they land when dropped or thrown, and how they push against players and vehicles. It catches the common faults, such as items falling through floors or bullets passing through walls.
Ask it for	"My crate falls through the floor when I drop it. Fix it."
Works under	Any lead that needs it
Hands back	Geometry and mass fixes for the Object Builder specialist and any config changes for the config lead.

DAYZ-AI-SPECIALIST	
What it does	Builds behavior for computer controlled characters: infected, animals and human AI such as patrols and guards. It learns the patterns other modders use by studying how they work, then writes the user's own version. Nothing is copied from another mod.
Ask it for	"Add a patrol of guards that walk a route around my military base and react to gunfire."
Works under	Script lead
Hands back	Script classes for the behavior, the config the server lead needs to spawn them, and notes on server performance.

HOW EVERY SPECIALIST'S KNOWLEDGE IS CHECKED



The existing specialists go deeper too: a full Enforce Script reference, Dabs and widget UI coverage, a texture and material cookbook, model and LOD rules, animated doors, a short spec step in `/dayz-init` before building, and a layout preview at several screen sizes.

Specialist workflows

Every task goes through the same team loop: the user approves the plan, the orchestrator hands tasks to the leads, the leads hand them to specialists, and the gates check the work. Inside that loop each specialist works through its own steps. The specialists that write DayZ content look up vanilla first: they Grep for a class or symbol name they know, use RAG search for questions by meaning or after two or three failed greps, and read the real file before relying on a hit. The build engineer, docs writer, build checker, in-game tester and Figma cleaner have no RAG tool; they work from the mod, its logs or the Figma file.

SPECIALIST	ITS STEPS INSIDE THE LOOP
Script lead	
dayz-script-specialist	1. Searches the vanilla scripts for the class it will change and reads the real file. 2. Writes a **modded class** in the right layer (3_Game, 4_World or 5_Mission) and calls **super**. 3. Adds RPCs only where client and server must talk, and checks which side runs each line. 4. **/dayz-lint** and the build gate check and pack it (nothing compiles Enforce Script there); the in-game gate catches compile errors and reads script.log.
dayz-workbench-specialist	1. Reads how vanilla Workbench plugins are registered. 2. Writes the plugin script and its tool panel. 3. Never opens Workbench itself: it tells the user to open it with **/dayz-launch-workbench --mod <ModName>**. 4. Returns the plugin and the steps to load and run it.
dayz-persistence-specialist	1. Lists every value that must survive a restart. 2. Writes OnStoreSave and OnStoreLoad, with a version number written first. 3. Adds an upgrade path so saves from the last version still load. 4. Runs the data audit: every field is written and read back in the same order. 5. Hands the audit to the server lead before release.
dayz-ai-specialist	1. Studies how vanilla infected and animals decide what to do. 2. Writes the behavior as its own script classes, never copied from another mod. 3. Gives the server lead the spawn setup. 4. In-game test watches the behavior and server performance.
Config lead	
dayz-config-specialist	1. Finds the closest vanilla parent class (Grep for known names, RAG search for questions by meaning) and reads its definition on disk, cited as **path:line**. 2. Writes CfgPatches with the right requiredAddons, then the class itself. 3. Matches hiddenSelections to the names in the model. 4. **/dayz-lint** and the build gate check it loads.
dayz-vehicle-specialist	1. Picks the closest vanilla vehicle as the parent. 2. Writes the vehicle class and its simulation: engine, gearbox, axles, wheels. 3. Adds attachment slots for doors, hood, trunk, wheels, battery and plug, and the fluids. 4. Writes the CarScript or BoatScript class for seats, doors and damage. 5. Gives the server lead a types.xml entry; the behavior gate spawns it and a person-run checklist covers driving.
dayz-weapon-specialist	1. Picks the closest vanilla weapon as the parent. 2. Writes the weapon, magazine and ammo classes and the attachment slots. 3. Sets recoil and fire modes. 4. Lists the model selections and memory points the art lead must provide. 5. The behavior gate spawns it and fits each attachment; a person-run checklist covers firing and reloading.

SPECIALIST	ITS STEPS INSIDE THE LOOP
Art lead	
dayz-object-builder	1. Specifies the LODs (visual, geometry, fire geometry, view geometry and memory) as numbered Object Builder steps; the user builds them, since it cannot edit a .p3d. 2. Names the selections and memory points the config and animations need, and writes model.cfg. 3. Runs **/dayz-p3d-audit** after the user saves the model. 4. Hands the selection names to the config lead.
dayz-asset-specialist	1. Checks each texture has the right suffix (_co, _nohq, _smdi and the rest). 2. Packs them with **/dayz-pack-texture**. 3. Writes the .rvmat for each material. 4. Writes a look checklist for the user to check in Object Builder or in game; it never launches either.
dayz-wearables-specialist	1. Picks the inventory slot and the closest vanilla item as the parent. 2. Sets slots held, protection and insulation. 3. Sets hidden selections so one model carries every color. 4. Notes the proxy positions for the Object Builder specialist. 5. The behavior gate wears each color class; a person checks in game how each color looks.
dayz-animation-specialist	1. Lists the moving parts and their bones. 2. Writes skeletonBones for the moving parts and the class Animations block in model.cfg; the Object Builder specialist keeps the rest of model.cfg. 3. Gives the user the bone and selection names for their own Blender export. 4. Names the script hook that plays the animation; the script specialist writes that code, and the in-game test uses it.
UI lead	
dayz-ui-specialist	1. Reads the vanilla layout closest to the new screen. 2. Writes the .layout and the script class that drives it. 3. Builds icons into an imageset with **/dayz-build-imageset**. 4. The layout checker checks it against the Figma-to-DayZ rules and **/dayz-layout-preview** draws it; the in-game test opens it.
figma-node-normalizer	1. Reads the Figma frame. 2. Cleans layer names and structure so they map to DayZ widgets. 3. Hands the clean tree to the layout converter.
figma-to-dayz-layout	1. Turns the clean tree into a DayZ .layout. 2. Uses only widget types the game supports. 3. Hands it to the layout checker.
Server lead	
dayz-server-admin	1. Writes types.xml entries with **/dayz-edit-types**. 2. Adds events, spawn points and gameplay settings where needed. 3. Splits large economy files with **/dayz-split-types**. 4. Sets up a missing test server instance with **/dayz-add-server** (it starts nothing), and gives you the **/dayz-launch-test** command instead of starting the server itself.
dayz-map-specialist	1. Writes layers.cfg and the surface and clutter configs; if it needs the user's own layers.cfg and it is missing, it stops and asks for it. 2. Gives numbered steps for the DayZ Editor export and the Terrain Builder import and generation, which the user carries out. 3. Returns the files and the steps to rebuild the map.

SPECIALIST	ITS STEPS INSIDE THE LOOP
Release lead	
dayz-build-engineer	1. Packs the mod with `/dayz-build-pbo`. 2. Starts the test session with `/dayz-launch-test`. 3. Reports the build result to the release lead, who passes it to the orchestrator.
dayz-docs-writer	1. Reads what changed in the wave. 2. Updates the README, changelog and classname list. 3. With `/dayz-release-pack`, writes the Workshop text and server-owner notes.
Any lead	
dayz-audio-fx-specialist	1. Reads the vanilla sound or particle closest to the request. 2. Writes the sound shader and sound set, or the particle with `/dayz-particles`. 3. Adds the script line that plays it. 4. In-game test listens and looks.
dayz-physics-specialist	1. Reads the model's geometry LODs and mass. 2. Finds the fault: missing geometry, wrong mass or bad collision. 3. Hands the fix to the Object Builder or config specialist; it never edits. 4. A person-run in-game test drops, throws and shoots it, which the behavior gate cannot.
Checks and fixes	
dayz-mod-reviewer	1. Reads the finished task against the DayZ rules file. 2. Lists each problem with the specialist who owns it. 3. Never edits files.
dayz-layout-validator	1. Checks the .layout against the Figma-to-DayZ rules: file format and widget classes. 2. Reports PASS or FAIL with each problem and its line. Never edits.
dayz-build-checker	1. Runs only when `/dayz-gate build` itself breaks. 2. Reads the AddonBuilder output and names the failing file.
dayz-ingame-tester	1. Runs only when `/dayz-gate ingame` itself breaks. 2. Reads the logs from the test session and reports what failed.
dayz-mod-debugger	1. Gets new errors that triage does not know. 2. Reads script.log, RPT and crash files back to the line that failed. 3. Reports the cause, evidence, location and fix to whoever called it (the orchestrator or a lead), naming the worker agent that owns the fix.

Workflows

Ready-made jobs for the things modders do every week. Each runs as a script where it can, and asks the AI only for judgment.

PASTE IT IN

PASTE	WHAT HAPPENS
A crash log or RPT	Triage matches it against known errors, names the cause and the fix, and hands anything new to the debugger.
A screenshot of a bug	The paste hook suggests a specialist: a UI problem to the UI specialist, a texture or material problem to the asset specialist, an error message or wrong behavior to the script specialist. The router agent sends an error message on screen to the mod debugger (or to gate triage) instead, so the two can disagree on that case.
A Figma link	Runs the Figma pipeline and returns a checked `.layout`.

PASTE	WHAT HAPPENS
A GitHub link	Points at `/dayz-import-mod --source <link>`, which imports the mod into `workspace\` and can fill in the missing standard pieces.
A Steam Workshop link	Refused with the reason: Workshop content is packed, binarized and often protected.
A types.xml chunk	Checks the entries and points at `/dayz-edit-types --merge` to merge them, with any problems listed.

COMMANDS

COMMAND	WHAT IT DOES
`/dayz-recipe`	Starts a mod from a template ("new weapon", "new vest", "new craftable") that pre-fills the plan.
`/dayz-gate behavior`	Runs a test mission that spawns and uses each new item and reports PASS or FAIL per feature.
`/dayz-logwatch`	Watches the logs during a test session and flags script errors the moment they appear.
`/dayz-gate visual`	Takes screenshots during the in-game test and compares them with stored baselines.
`/dayz-release-pack`	Writes the Workshop description, changelog, classname list and server-owner install notes.
`/dayz-server-kit`	Zips types.xml entries, cfgeconomycore lines, the load order and the public `.bikey` for server owners. It never packs a `.biprivatekey`.
`/dayz-upgrade-guard`	Snapshots vanilla before a DayZ update, then lists the mod classes whose vanilla parents changed, and can rebuild the search index.
`/dayz-conflict-check`	Finds collisions with CF, COT and Expansion without extracting them. For packed mods (the usual Workshop install) it reads only the PBO headers, so it compares prefixes, paths and script file names; config and script classes are compared only for unpacked mods. `--ingame` loads them together in a test session, which is how class clashes with packed mods show up.
`/dayz-balance`	Compares your items' stats with similar vanilla items and flags outliers.
`/dayz-health`	A page per mod with the last build, last test, open findings and the history of every gate run.
`/dayz-ask`	Answers a plain-English question about vanilla DayZ with `path:line` citations.

Answer tests (evals) check 23 of the 30 agents, and a change may only keep or raise a score. Prompt caching is left to Claude Code, which does it on its own; Agentic-Z has no rule or test of its own for it. The behavior and visual gates are tested with fixtures only; they have not run in a live DayZ session yet.

Add-ons

The core runs on DayZ Tools, the vanilla game files, Python and Claude Code. A few parts need more: RAG search needs a Voyage AI key, the Figma pipeline needs a Figma MCP server, `/dayz-p3d-audit` needs py3d, `/dayz-build-imageset`, `/dayz-layout-preview` and `/dayz-gate visual` need Pillow, and `/dayz-cot-bootstrap` needs the CF and COT mods.

An optional `agentic-z-addons` plugin for other tools, such as Blender, an AI 3D generator or another MCP server, is planned. No add-on ships yet, and the plugin marketplace lists only `agentic-z` and `agentic-z-panel`. Each add-on will be a workflow that connects the outside tool at one point in the loop, usually handing a finished model to the Object Builder specialist, so the normal gates can check it like any other work. The rules it would follow:

- **Optional:** the core will never load an add-on unless the user installs it.
- **Same gates:** anything an add-on produces will go through the mod review, the build check and the in-game test.
- **No reverse engineering:** no add-on will unpack protected mods or turn binarized models back into editable ones.

How the grading works

The grades are not set by the author. Every agent, skill and shared file is graded by separate AI reviewers against Anthropic's published best practices for Claude Code. The reviewers are Claude instances started fresh for the job: they see

the files, the rubric and the standards, never the earlier grades or the author's opinion. This is not an official Anthropic rating. It is a repeatable review that anyone can run again with the prompts below.

THE FINAL COUNT

The final grades cover 164 items on `origin/develop`. 164 of them are at A+: 30 of the 30 agents, 44 of the 44 skills and 90 of the 90 shared items (hooks, the search server, the panel, scripts and wrappers, answer tests, rules files, knowledge packs and this method note). The final review graded every item at commit `bcccc99`; fresh graders then regraded items on `develop` after each fix round, and each item shows its latest grade, the newest given in rounds 7 to 9, after fix PRs #142 to #144. The grades come from `final_grades.json` and `final_grades_shared.json`; `clean-repo` was graded twice and counts once.

WHO GRADES

- **Independent reviewers.** Each round starts new Claude reviewers with no memory of earlier rounds. For the final review there were six: two for the agents, three for the skills, and one for everything shared (the hooks, the search server, the panel, the scripts and wrappers, the answer tests, the rules files, the knowledge packs and this note; a few shared files were not graded, as "Files not graded" under "Open items and decisions" lists).
- **Read only.** Reviewers cannot edit files. They read every file, run the tests where the session allows it, and check claims against the code and the vanilla DayZ files on the P: drive. Three skill reviewers (for `dayz-launch-objectbuilder`, `dayz-launch-workbench` and `dayz-search-download`) could not run pytest because it was denied in their session, and said so in their reasons.
- **Separate fixers.** Different agents fix what the reviewers found, each owning its own files. A fixer never grades its own work.
- **Regrade.** New reviewers grade again after every fix round. An item only counts as A+ when an independent reviewer gives it A+.

WHAT THEY GRADE AGAINST

- **Anthropic's standards:** the Claude Code subagent documentation (code.claude.com/docs/en/sub-agents), the Agent Skills best practices (docs.claude.com/en/docs/agents-and-tools/agent-skills/best-practices), the Claude Code hooks reference (code.claude.com/docs/en/hooks) and plugins reference (code.claude.com/docs/en/plugins-reference), and for the search server, the Model Context Protocol tool guidance.
- **Agentic-Z's own rules:** `CLAUDE.md` (Tier 1), the DayZ rules file and its topic files (Tier 2), the agent standard in `agent-creator.md`, and `docs/prompt-conventions.md`.
- **The real game:** DayZ facts are checked against the vanilla files on P: (for example which file holds CfgSurfaces, which texture suffixes exist, which widget classes can be a layout's root). Six Enforce Script worked examples (01, 04, 05, 06, 08 and 09) are still marked as vendored and not checked on P:.

THE RUBRIC FOR AGENTS AND SKILLS

FOR AGENTS	FOR SKILLS
Description: a precise third person contract saying what it does and when to use it, with a realistic example and valid YAML.	**Frontmatter:** the name matches the folder; the description says what it does and when to use it, in the third person, kept short.
Tools: only what the role needs, and everything the instructions ask it to do. Read only roles cannot edit.	**Instructions:** concise, accurate to the code (every claim and sample output checked against the script), with a clear "how to run".
Body: lean and specific, pointing at shared rules instead of repeating them, capital letter rules used sparingly.	**Script:** readable, clear error messages, non zero exit on failure, no dead code, shared helpers reused, the environment check run first where the rules require.
Correct and consistent: every path, skill, agent and tool it names exists and is used correctly; no contradiction with the rules or the team flow; DayZ facts verified.	**Tests:** exist, cover the risky logic, and pass.
Handoffs: says what it returns and to whom.	**Safety:** anything destructive is guarded with a backup, a dry run or a confirmation.

THE RUBRIC FOR EVERYTHING ELSE

The 90 shared items are not agents or skills, so each kind is judged by what it is:

KIND OF ITEM	WHAT THE REVIEWER CHECKS
Hooks	The output JSON is correct for the hook event, a bug in the hook never blocks the session, the plugin and clone wiring match, and tests feed the hook input through stdin.
Search server	Every tool carries read only annotations, tool descriptions are clear, errors come back as `isError` results, and tests cover the tools.

KIND OF ITEM	WHAT THE REVIEWER CHECKS
Panel plugin	The plugin manifest and hook wiring follow the plugins reference, and its own tests pass.
Rules files	Every rule is true of the code, nothing repeats another tier, and every path and skill named exists.
Knowledge packs	Game facts cite a P: file and line or are marked as unverified, the cited lines hold when opened on P:, and nothing contradicts the checked references.
Scripts, wrappers and repo tests	The tests run and pass, the documentation and help text match the code, and failures exit non zero with a clear message.
Answer tests (evals)	The cases test what the agent is for, the runner and baselines match, and a change can only keep or raise a score.
This method note	It states the rubric for every kind of item and the grading prompts, gives one row per round with its PRs, and every count, source and claim in it matches the repo and the grade files.

THE SCALE

GRADE	MEANING
A+	Ship it unchanged as an example of best practice. The reviewer found nothing concrete to fix.
A, A-	Very good, with one or two concrete defects a user could hit.
B+ TO B-	Works, but has real gaps: claims that don't match the code, missing tests, unclear handoffs.
C+ TO D	Wrong or risky in ways a user will hit, or built on an approach that can't reach A.

Every grade below A+ must name the concrete defect and the exact fix. Style preferences alone cannot lower a grade.

THE ROUNDS

One row per grading round. "Not recorded" means the test count was not saved at the end of that round.

ROUND	WHAT HAPPENED	TESTS
Start (v1.6.0)	Agents mostly C+ to B-, skills mostly B to C, nothing at A+. Grading only, no changes and no PR.	84
v1.7.0 round 1	Agents rewritten to the lean standard, docs matched to code, tests added to every skill. No PR of its own; the fixes were commit `c25ae2f` on the `feature/agent-team` branch and went in with PR #52 on 2026-10-20.	627
v1.7.0 round 2	DayZ facts checked against the P drive, shared helpers, safer dry runs and backups. No PR of its own; the fixes were commit `6ea925a` on the `feature/agent-team` branch and went in with PR #52 on 2026-10-20.	793
v1.7.0 round 3	Split types server bug, safer setup, launch and update skills. No PR of its own; the fixes were commit `815ae3e` on the `feature/agent-team` branch and went in with PR #52 on 2026-10-20.	919
v1.7.0 round 4	Cleanup safety, update commits, index download, full class indexing. No PR of its own; the fixes were commit `8cf0ba0` on the `feature/agent-team` branch and went in with PR #52 on 2026-10-20.	974
v1.7.0 round 5	Build and update edge cases, vanilla accurate rules, visible hook output. No PR of its own; the fixes were commit `ae9e7e0` on the `feature/agent-team` branch and went in with PR #52 on 2026-10-20.	1,064
v1.8.0 token savers	Gates, triage, router, hooks, status line, panel, wrappers, shorter descriptions. Built and tested, not a grading round. Went in with PR #53 on 2026-10-20.	1,332
v2.0.0 grade 1, round 1	Eight specialists and their packs, lint, the behavior and visual gates, the paste hook, the workflow skills and answer tests graded; fixes in PRs #87 to #92.	Not recorded
v2.0.0 grade 1, round 2	Regrade of the same items; fixes in PRs #94 to #97.	2,059

ROUND	WHAT HAPPENED	TESTS
v2.0.0 grade 2, round 1	Every agent and skill, plus the hooks, the search server, the panel, the scripts and the knowledge packs; fixes in PRs #101 to #106.	Not recorded
v2.0.0 grade 2, round 2	Fresh regrade of the same items; fixes in PRs #107 to #112.	Not recorded
v2.0.0 grade 2, round 3	Fresh regrade; fixes in PRs #113 to #118, ending at commit `bcccc99`.	Not recorded
Final review (grade 3, round 1)	Six fresh reviewers graded all 164 items at `bcccc99`: 143 at A+. The release preparation in PR #119, then fixes in PRs #120 to #125.	2,231 at `bcccc99` (2,228 passed, 3 skipped) plus 13 panel tests
Grade 3, round 2	Fresh regrade; fixes in PRs #126 and #127.	Not recorded
Grade 3, round 3	Fresh regrade; fixes in PRs #128 to #132.	Not recorded
Grade 3, round 4	Fresh regrade; fixes in PRs #133 to #136.	Not recorded
Grade 3, round 5	Independent code review of PRs #133 to #136 and a fresh regrade; fixes in PRs #137 to #140.	Not recorded
Grade 3, round 6	Fresh regrade; fixes in PR #141.	2,845 plus 18 panel tests
Grade 3, round 7	Fresh regrade on `develop` after fix PRs #133 to #141; fix in PR #142.	2,855
Grade 3, round 8	Fresh regrade of the last five items below A+; fixes in PR #143.	2,876
Grade 3, round 9	Fresh regrade of the last four items; fix in PR #144. The final grades in this document come from the fresh regrades of rounds 7 to 9: 164 of 164 items at A+.	2,884

RUN IT YOURSELF

Anyone can repeat the review. Start a fresh Claude Code session in the repo and give it one of these four prompts. For agents:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade every file in .claude/agents/*.md against
Anthropic's current Claude Code subagent standards and the repo's agent standard
in .claude/agents/agent-creator.md: precise third-person description with an
example; minimal tools that cover the body; lean body with references over
inlining; every path, skill, agent and DayZ fact correct and consistent with
CLAUDE.md, .claude/skills/_shared/dayz-conventions.md and the team flow; a Report
naming its recipient. Scale A+ to D. A+ means nothing concrete left to fix. For
anything lower, name a concrete defect a user would actually hit.
Output a table: Agent | Grade | Why | To reach A+.
```

For skills:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade every skill in .claude/skills/*/ (SKILL.md, its
scripts and its tests) against Anthropic's Agent Skills best practices and the
repo's rules: name matches the folder; third-person description of what it does
and when to use it; instructions accurate to the script; readable script with
clear errors and non-zero exit on failure; preflight first where the rules
require; tests that cover the risky logic and pass; destructive steps guarded
by a backup, dry run or confirmation. Run py -m pytest -q on the skill's tests.
Scale A+ to D. A+ means nothing concrete left to fix. For anything lower, name a
concrete defect a user would actually hit.
Output a table: Skill | Grade | Why | To reach A+.
```

For everything else:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade every hook in hooks/, the MCP server in
.claude/mcp/dayz-rag/, the panel plugin in mods/agentic-z-panel/, every wrapper
in scripts/, the answer tests in evals/, the rules files and every knowledge
pack under .claude/skills/_shared/. Hooks: correct output JSON for the event,
never block on their own bug, tests through stdin. MCP server: read-only
annotations, clear tool descriptions, errors returned as isError, tests. Panel:
follows the plugins reference, its tests pass. Rules files: every rule true of
the code. Knowledge packs: game facts cite a P: file and line or are marked
unverified, and the cited lines hold (open them on P:). Scripts and answer
tests: tests run, documentation matches the code. Run
py -m pytest -q .claude scripts/dev hooks. Scale A+ to D. A+ means nothing
concrete left to fix. For anything lower, name a concrete defect a user would
actually hit. Output a table: Item | Grade | Why | To reach A+.
```


For this method note:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade the "How the grading works" section of the
Agentic-Z agent team guide. Check that it states the rubric for every kind of
item graded (agents, skills, hooks, search server, panel, rules files,
knowledge packs, scripts, answer tests and this note); that it gives the
grading prompt for every kind; that the rounds table has one row per round
and names its PRs, or says in plain words that a round had no PR; that every
PR number, commit and date matches git log origin/develop --merges; and that
every count matches final_grades.json and final_grades_shared.json. Scale A+
to D. A+ means nothing concrete left to fix. For anything lower, name a
concrete defect a reader would actually hit.
Output a table: Item | Grade | Why | To reach A+.
```

Because the reviewer is new each time, two runs can word findings differently, and a stricter reviewer can find a new edge case. That is the point: every round found real bugs, and each one is listed in "Real bugs the grading found and fixed".

Quality by version

Every agent and skill was graded at v1.6.0, again after the v1.7.0 grading rounds, and a final time for v2.0.0 by fresh, independent AI reviewers (see "How the grading works"). The v2.0.0 grades also cover the hooks, the search server, the panel, the scripts, the answer tests and every knowledge pack. Items that did not exist yet show "not built"; shared files that were not graded at a version show "n/a".



At v2.0.0, 30 of 30 agents, 44 of 44 skills and 90 of 90 shared items are at A+. Each remaining lower grade names the defect the latest grader found on **develop**, in "Why each item got its grade". Tests went from 84 at v1.6.0 to 2,845 at v2.0.0 (`py -m pytest -q .claude scripts/dev hooks` on `origin/develop`), plus 18 panel tests.

All three columns are grades from independent reviewers. The v2.0.0 column is the final grade, not a goal.

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
Agents			
agent-creator	A-	A+	A+
dayz-ai-specialist	NOT BUILT	NOT BUILT	A+
dayz-animation-specialist	NOT BUILT	NOT BUILT	A+
dayz-asset-specialist	C+	A	A+
dayz-audio-fx-specialist	NOT BUILT	NOT BUILT	A+
dayz-build-checker	A	A	A+
dayz-build-engineer	A-	A-	A+
dayz-config-specialist	C+	A+	A+
dayz-docs-writer	A-	A	A+
dayz-ingame-tester	A	A	A+
dayz-layout-validator	B-	A-	A+
dayz-lead	A-	A+	A+
dayz-map-specialist	C+	A+	A+
dayz-mod-architect	A-	A+	A+
dayz-mod-debugger	B-	A+	A+
dayz-mod-reviewer	B	A-	A+
dayz-object-builder	B-	A-	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
dayz-orchestrator	A-	A	A+
dayz-persistence-specialist	NOT BUILT	NOT BUILT	A+
dayz-physics-specialist	NOT BUILT	NOT BUILT	A+
dayz-router	NOT BUILT	NOT BUILT	A+
dayz-script-specialist	B-	A+	A+
dayz-server-admin	C+	A+	A+
dayz-ui-specialist	C	A+	A+
dayz-vehicle-specialist	NOT BUILT	NOT BUILT	A+
dayz-weapon-specialist	NOT BUILT	NOT BUILT	A+
dayz-wearables-specialist	NOT BUILT	NOT BUILT	A+
dayz-workbench-specialist	C+	A+	A+
figma-node-normalizer	B-	A	A+
figma-to-dayz-layout	C+	A+	A+
Skills			
agentic-z-update	B+	B+	A+
clean-repo	B	A+	A+
dayz-add-scaffold	B+	A-	A+
dayz-add-server	B+	B+	A+
dayz-ask	NOT BUILT	NOT BUILT	A+
dayz-balance	NOT BUILT	NOT BUILT	A+
dayz-build-imageset	B	A-	A+
dayz-build-pbo	B	B	A+
dayz-clean-workspace	B-	A	A+
dayz-conflict-check	NOT BUILT	NOT BUILT	A+
dayz-cot-bootstrap	B	A-	A+
dayz-deploy-pbo	A-	A	A+
dayz-edit-types	C+	A-	A+
dayz-gate	NOT BUILT	NOT BUILT	A+
dayz-health	NOT BUILT	NOT BUILT	A+
dayz-import-mod	B+	A-	A+
dayz-init	C	A-	A+
dayz-launch-objectbuilder	A-	A	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
dayz-launch-test	B+	B+	A+
dayz-launch-workbench	B+	A+	A+
dayz-layout-preview	NOT BUILT	NOT BUILT	A+
dayz-lint	NOT BUILT	NOT BUILT	A+
dayz-logwatch	NOT BUILT	NOT BUILT	A+
dayz-new-mod	B	A	A+
dayz-p3d-audit	B	A-	A+
dayz-pack-texture	B+	B+	A+
dayz-particles	B+	A+	A+
dayz-preflight	B	A+	A+
dayz-recipe	NOT BUILT	NOT BUILT	A+
dayz-record-correction	A-	A-	A+
dayz-release-pack	NOT BUILT	NOT BUILT	A+
dayz-route	NOT BUILT	NOT BUILT	A+
dayz-scope-mod	B	A+	A+
dayz-search-download	B-	A	A+
dayz-search-index	C+	A-	A+
dayz-server-kit	NOT BUILT	NOT BUILT	A+
dayz-setup-objectbuilder	B-	A	A+
dayz-split-types	B	A+	A+
dayz-statusline	NOT BUILT	NOT BUILT	A+
dayz-stop-test	A-	A+	A+
dayz-upgrade-guard	NOT BUILT	NOT BUILT	A+
dayz-workdrive	B+	A+	A+
docs-sync	B	A-	A+
sync-skills	B+	A+	A+
Rules and shared files			
.claude/skills/_shared/dayz-conventions.md (Tier 2 core)	NOT BUILT	NOT BUILT	A+
_shared/conventions/config.md	NOT BUILT	NOT BUILT	A+
_shared/conventions/assets.md	NOT BUILT	NOT BUILT	A+
_shared/conventions/scripts.md	NOT BUILT	NOT BUILT	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
_shared/conventions/server.md	NOT BUILT	NOT BUILT	A+
_shared/conventions/ui.md	NOT BUILT	NOT BUILT	A+
_shared/container-base.md	NOT BUILT	NOT BUILT	A+
_shared/py3d-mlod-notes.md	NOT BUILT	NOT BUILT	A+
_shared/skill_helpers.py + test_skill_helpers.py	NOT BUILT	NOT BUILT	A+
_shared/enscript-style.md	NOT BUILT	NOT BUILT	A+
_shared/answer-formatting.md	NOT BUILT	NOT BUILT	A+
Grading method note (the "How the grading works" section of this document)	NOT BUILT	NOT BUILT	A+
.claude/skills/_shared/README.md (pack index)	NOT BUILT	NOT BUILT	A+
_shared/figma-to-dayz-rules.md	NOT BUILT	NOT BUILT	A+
Specialist knowledge packs			
Knowledge pack _shared/ai (README + 5 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/animation (README + 5 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/models (README + 5 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/physics (README + 4 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/vehicles (README + 6 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/weapons (README + 7 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/wearables (README + 6 reference files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/audio-fx (README + 3 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/textures (README + 4 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/persistence (README + 4 files)	NOT BUILT	NOT BUILT	A+
Enforce Script pack			
enscript/patterns/scheduler.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/physics_items.md	NOT BUILT	NOT BUILT	A+
enscript/references/api_entities_inventory.md, api_game.md, api_network.md, api_player.md, api_scheduling.md, language_compile.md, language_memory.md	NOT BUILT	NOT BUILT	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
enscript/examples/01_custom_item.c, 04_rpc_patterns.c, 05_mission_server.c, 06_json_config.c, 08_gui_menu.c, 09_scheduler_timer.c	NOT BUILT	NOT BUILT	A+
enscript/patterns/netsync.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/json_config_migration.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/rpc.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/language_workarounds.md	NOT BUILT	NOT BUILT	A+
enscript/integrations/central_economy.md	NOT BUILT	NOT BUILT	A+
enscript/integrations/vanilla_plugins.md	NOT BUILT	NOT BUILT	A+
enscript/integrations/input_bindings.md	NOT BUILT	NOT BUILT	A+
enscript/integrations/community_framework.md	NOT BUILT	NOT BUILT	A+
enscript/references/erpc_defines.md	NOT BUILT	NOT BUILT	A+
enscript/references/file_paths.md	NOT BUILT	NOT BUILT	A+
enscript/references/language_types.md	NOT BUILT	NOT BUILT	A+
enscript/references/types_collections.md	NOT BUILT	NOT BUILT	A+
enscript/references/widget_api.md	NOT BUILT	NOT BUILT	A+
enscript/examples/07_agent_modifier.c	NOT BUILT	NOT BUILT	A+
enscript/examples/12_menu_interactions.layout	NOT BUILT	NOT BUILT	A+
enscript/patterns/persistence.md	NOT BUILT	NOT BUILT	A+
enscript/integrations/dabs_framework.md	NOT BUILT	NOT BUILT	A+
enscript/references/item_api.md	NOT BUILT	NOT BUILT	A+
enscript/examples/11_hud_plain_text.layout	NOT BUILT	NOT BUILT	A+
enscript/examples/13_item_preview.layout	NOT BUILT	NOT BUILT	A+
enscript/README.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/modded_class.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/actions.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/singleton.md	NOT BUILT	NOT BUILT	A+
enscript/references/gui_layout.md	NOT BUILT	NOT BUILT	A+
enscript/examples/02_custom_action_singleuse.c	NOT BUILT	NOT BUILT	A+
enscript/examples/03_continuous_action.c	NOT BUILT	NOT BUILT	A+
enscript/examples/10_modded_playerbase.c	NOT BUILT	NOT BUILT	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
Hooks			
hooks/hooks.json	NOT BUILT	NOT BUILT	A+
hooks/test_plugin_copy.py	NOT BUILT	NOT BUILT	A+
hooks/edit_check.py (+ test_edit_check.py)	NOT BUILT	NOT BUILT	A+
hooks/scope_guard.py (+ test_scope_guard.py)	NOT BUILT	NOT BUILT	A+
hooks/paste_router.py (+ test_paste_router.py)	NOT BUILT	NOT BUILT	A+
Search server and panel			
dayz-rag MCP server (server.py, voyage_common.py, README, tests)	NOT BUILT	NOT BUILT	A+
mods/agentic-z-panel (plugin.json, hooks.json, register.tsx, register.test.tsx, types)	NOT BUILT	NOT BUILT	A+
Answer tests (evals)			
evals/baseline.json	NOT BUILT	NOT BUILT	A+
evals/fixtures/dayz-layout-validator/*.layout	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-ai-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-animation-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-asset-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-audio-fx-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-config-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-layout-validator.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-mod-reviewer.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-object-builder.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-persistence-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-physics-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-script-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-vehicle-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-weapon-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-wearables-specialist.json	NOT BUILT	NOT BUILT	A+
scripts/dev/test_run_evals.py	NOT BUILT	NOT BUILT	A+
evals/README.md	NOT BUILT	NOT BUILT	A+
scripts/dev/run_evals.py	NOT BUILT	NOT BUILT	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
Scripts and repo tests			
scripts/dev/evals.bat, clean-repo.bat, docs-sync.bat	NOT BUILT	NOT BUILT	A+
scripts/setup/preflight.bat, workdrive.bat, setup-objectbuilder.bat, statusline.bat, sync-skills.bat	NOT BUILT	NOT BUILT	A+
scripts/dayz/*.bat (the other 35 wrappers: add-scaffold, add-server, ask, balance, build-imageset, build-pbo, clean-workspace, conflict-check, cot-bootstrap, deploy-pbo, gate, health, import-mod, launch-test, layout-preview, lint, logwatch, new-mod, objectbuilder, p3d-audit, pack-texture, recipe, release-pack, route, scope-mod, search-download, search-index, server-kit, status, stop-test, triage, types-edit, types-split, upgrade-guard, workbench)	NOT BUILT	NOT BUILT	A+
scripts/README.md	NOT BUILT	NOT BUILT	A+
scripts/dayz/dayz-search.bat	NOT BUILT	NOT BUILT	A+
scripts/setup/agentic-z-update.bat	NOT BUILT	NOT BUILT	A+
scripts/dev/test_repo_integrity.py	NOT BUILT	NOT BUILT	A+
scripts/dayz/dayz-search.py	NOT BUILT	NOT BUILT	A+

Why each item got its grade

The latest independent grader's reason for each grade, in the grader's words. An A+ means the grader found nothing concrete to fix. Each remaining lower grade names the defect the latest grader found on `develop`.

ITEM	V2.0.0	WHY
Agents		
agent-creator	A+	The description is a clear trigger with an example, and the tools fit its job. Every path, list and test it names exists on develop, every integrity assert now names its rule, and it runs the answer tests with py scripts/dev/run_evals.py, which works from Bash. The integrity test passes.
dayz-ai-specialist	A+	The description is a clear contract with an example. Tools are minimal (no Bash, both dayz-rag names present). Handoffs to the server admin, debugger and script specialist are explicit, and the Report names the script lead. Every P: fact I checked is correct: DZInfectedPackBeh is at P:\DZ\data\aiconfigs\config.cpp:304; CfgAIBehaviours is at line 14 of both P:\DZ\AI\config.cpp and P:\DZ\AI_bliss\config.cpp; the three vanilla script folders exist; ModCommandHandlerBefore, Inside and After are declared in dayzanimal.c and overridden in zombiebase.c; OverrideMovementSpeed and OverrideAlertLevel are in dayzcreatureaiinputcontroller.c. There is one MUST, which is within the caps budget. I found nothing concrete to fix.
dayz-animation-specialist	A+	Ownership is split precisely with dayz-object-builder (skeletonBones and class Animations here; the skeleton class, sections[] and the .p3d stay with object-builder). Each step points at its own file in the animation pack, and every referenced pack file exists. The claim that vanilla ships no model.cfg text holds: no model.cfg exists under P:\DZ. Out-of-scope work (.anm and graph changes) is stated, and the Report lists its recipient and every item it returns. Nothing concrete to fix.
dayz-asset-specialist	A+	Both earlier defects are fixed. It sends dayz-config-specialist the healthLevels[] material paths, which P:\DZ\characters\vests\config.cpp uses, and it no longer forwards the skill's suggested _co suffix for normal or specular maps. The suffix set, the power of two refusal and the overwrite behavior match pack_texture.py, and every pack section it cites exists.
dayz-audio-fx-specialist	A+	Every DayZ fact checked out on P:. Both sound config files exist, and their CfgPatches classes are DZ_Sounds_Effects and DZ_Sounds_Bliss. particlelist.c and P:\graphics\particles exist. powergenerator.c plays a start, loop and stop sound with PlaySoundSet, PlaySoundSetLoop and StopSoundSet, and plays its smoke with SEffectManager.PlayOnObject. Object.c defines all three sound helpers. The tools are the minimum the job needs (no Bash), the handoffs are clear, it is honest that no file gate can hear or see the result, and it names who gets its report. Nothing concrete to fix.
dayz-build-checker	A+	It matches gate_build in gate.py: lint first, then stop the session, then build, a payload-only bundle skips the build, and a bundle with a linker config.cpp gets both build and deploy (FAIL lines and missing-.bisign WARN lines). test_build_checker_matches_gate enforces this order. It has read-only tools and no memory (it is in READ_ONLY_GATES), the PBO path matches build.py, the verdict comes first, and it names who gets the report. Nothing concrete to fix.
dayz-build-engineer	A+	Every skill it names exists with the flags and behavior it describes, including the /dayz-stop-test OK line, /dayz-build-pbo refusing --clean when other PBOs are present and the --server-only flag. Its Bash use is narrowly limited. It stops and reports to the release lead whenever the map or the dependency list is missing.

ITEM	V2.0.0	WHY
dayz-config-specialist	A+	Ownership with the weapon, vehicle, wearables and audio specialists is sharp, and handbacks go through the config lead. Every section it cites exists: 'Config conventions', the inventorySlot string-versus-array bug (T148506) in conventions/config.md, and container-base.md. The workflow covers vanilla parent citation, the requiredAddons ordering, forward declarations, the redeclare-only-changed-entries rule, path checks for $PBOPREFIX$ and \DZ, and a syntax check. Tools are minimal. Nothing concrete to fix.
dayz-docs-writer	A+	Every flag it passes to /dayz-release-pack and /dayz-server-kit is real, and the output files it merges are the ones those scripts write. Its warning list matches both skills. Its git commands are scoped to the mod folder and read only, and it stops and reports when there is no git or no version.
dayz-ingame-tester	A+	It matches gate.py: the ready pattern is DEFAULT_READY_RE, the line comes from vanilla P:\scripts\5_mission\somemission.c:3 as cited, the settle time is 30 seconds and the timeout 300, MOD_QUALIFIED covers NULL pointer and Can't find, and the vanilla-only baseline uses the two newest sessions whose CLI params line lacks the mod. test_ingame_tester_matches_gate enforces this. It has read-only tools, no memory, always stops the session, puts the verdict first and names who gets the report. Nothing concrete to fix.
dayz-layout-validator	A+	Semicolons and = signs inside quotes are allowed, citing vanilla lines that exist on P: (remoteinfo:38, camera_tools:98, watermark:55). Step 3 matches what edit_check.py does with a missing file, a file over 2 MB and the five problem cap. The agent is gate only with no write tools, matching READ_ONLY_GATES.
dayz-lead	A+	Every worker in the table is a real agent (test_lead_workers_are_agents), and it has no write tools and no memory (NO_WRITE_ROLES). Starting workers from a lead is valid under the current spec, which allows a subagent with Agent to start its own subagents up to three levels deep; the spec ignores a type list here, so a bare Agent tool is correct. The table columns match the orchestrator's task table, and the persistence audit, the For the server lead block and the health-page quote all line up with the orchestrator and persistence-specialist files. The Figma steps follow the order in CLAUDE.md, and the gate boundaries are clear. Nothing concrete to fix.
dayz-map-specialist	A+	Clear server-team trigger and example, write tools fit the role, Report names the server lead. Checked on P: and true: P:\DZ\surfaces\config.cpp holds CfgWorlds > CAWorld > Clutter (line 20), CfgSurfaceCharacters (257) and CfgSurfaces (613); surfaces_bliss and surfaces_sakhal exist; no layers.cfg anywhere under P:\DZ\worlds; the world config is at P:\DZ\worlds\chernarusplus\world\config.cpp. Nothing concrete to fix.
dayz-mod-architect	A+	Plan-only role with Write and no Edit. The recipe draft marker matches DRAFT_MARK in dayz-recipe/recipe.py. The behavior actions match ACTIONS in dayz-gate/behavior.py (spawn, hands, wear, attach, cargo), and the id rule matches ID_RE. The Report names the orchestrator and the output paths. Nothing concrete to fix.
dayz-mod-debugger	A+	It is read only, which suits a role that fixes nothing. With no triage it checks both known-errors.json and the learned file triage.py loads, and pasted logs are quoted as <pasted>: <line>. Every owner agent it names exists and its DayZ facts check out.
dayz-mod-reviewer	A+	Lint findings keep lint's own owner, so setup faults go to dayz-orchestrator and an unmounted P: goes to the user, matching known-errors.json. The lint rule names, the --json flag and exit 2 match lint.py. The hidden selection examples are true on P:.

ITEM	V2.0.0	WHY
dayz-object-builder	A+	No defect found. The description is clear about ownership (animation and physics hand-offs) and has a realistic example; that example's config owner, dayz-wearables-specialist, agrees with line 22. Its tools fit a worker that writes model.cfg and runs /dayz-p3d-audit. Every referenced pack file and section exists on origin/develop: models/README.md, lods.md, memory-points.md, named-properties.md, proxies.md and doors.md; p3d-killers.md sections 3 and 5; and the 'Required Properties for Placed Objects' section of config-rvmat-checks.md. The LOD values (Geometry 1.0e+13, Memory 1.0e+15, ViewGeometry 6.0e+15, FireGeometry 7.0e+15) match conventions/assets.md. The proxy example points at P:\DZ\gear\camping\combination_lock3.p3d, which exists. dBodyGetMass exists (P:\scripts\1_core\proto\enphysics.c:122). The mass and autocenter rules match named-properties.md and mass-and-weight.md. The ODOL-versus-MLOD limit and the 'user must save in Object Builder' step are stated honestly, and both are covered in the report.
dayz-orchestrator	A+	Clear main-session contract. The Agent() list carries both the plain and agentic-z: names. Every skill call matches its argument-hint: /dayz-gate build, ingame and behavior with --deps, --server and --json; /dayz-new-mod --author with the cached dayz-author.txt (new_mod.py:34); /dayz-recipe <weapon|vest|craftable> <ModName>; /dayz-health record <ModName> review reading standard input (health.py:467); triage.py --learn. Gate routing, fallbacks and the three-round stop are consistent with dayz-lead and dayz-gate. Nothing concrete to fix.
dayz-persistence-specialist	A+	Nothing concrete to fix. The description is a precise trigger with a realistic example. It has the minimum tools for a script-writing worker, with Bash and Skill for /dayz-lint. The workflow is script first (lint) and has a verification step (the data audit from data-audit.md). Every pack file it names exists. The vanilla hooks check out against P:/scripts/3_game/entities/entityai.c (OnStoreLoad :2978, EEOnAfterLoad :1381, AfterStoreLoad :1419). The audit route agrees with dayz-orchestrator step 6 and the 'For the server lead' heading in dayz-lead. The report names its recipient, and the evals pass 5/5.
dayz-physics-specialist	A+	No defect found. It is a diagnose-only role: no Edit, Write or memory (enforced by NO_WRITE_ROLES in test_repo_integrity.py), Bash is limited to the audit script, and it is never named as the owner, which matches the debugger and the reviewer. All pack files exist, and the README's symptom table matches the workflow. Its DayZ facts check out on P:. WoodenCrate is at P:\DZ\gear\camping\config.cpp:10157. dBodyGetMass, dBodyIsDynamic, RaycastRV and ObjIntersectFire are all in P:\scripts. The claim that neither /dayz-gate behavior nor dayz-ingame-tester can drop, throw or shoot matches the behavior gate's actions (spawn, hands, wear, attach, cargo). Its config hand-offs match dayz-lead's 'Any team' table. The in-game test steps needing a live diag session are stated honestly as a limitation. It has eval questions in evals/questions/dayz-physics-specialist.json.
dayz-router	A+	Minimal tools (Read only); the Haiku pin is documented as a cost decision; output is a single JSON line. Its 41 routes match rules.json targets exactly, names and kinds both (checked by script), and the args keys agree with dayz-route/SKILL.md. Nothing concrete to fix.
dayz-script-specialist	A+	Precise reference map, a correct layer rule, side checks matching conventions/scripts.md lines 20-24, a /dayz-lint step with the Bash and Skill tools it needs, and full handoffs. P:\scripts\3_game\colors.c and 5_mission\gui\ exist. Nothing concrete to fix.
dayz-server-admin	A+	Task and done-check table matches the skills. The /dayz-edit-types backup-only-on-change claim is covered by test_types_edit.py. The /dayz-add-server --map and /dayz-launch-test --server arguments match their argument-hints. The cfgeconomycore folder rule matches split-types, and the audit intake matches data-audit.md. It never starts the server itself. Nothing concrete to fix.

ITEM	V2.0.0	WHY
dayz-ui-specialist	A+	Nothing concrete to fix. The description is third person, says when to use it, and sends Figma input back to the pipeline, as the CLAUDE.md routing rule requires. Every path exists (figma rules, gui_layout.md, widget_api.md with its 'Imagesets in layouts and script' section, 08_gui_menu.c, the numbered .layout examples, dabs_framework.md, ui.md 'UI scripting realities'). The /dayz-layout-preview sizes and finding names match its SKILL.md. The /dayz-build-imageset .gui-sources flow matches its SKILL.md. The P: facts hold: P:\gui\layouts exists, LoadImageFile(int, string) is in enwidgets.c:257, and 'set:dayz_gui image:' is used in ingamehud.c and vanilla layouts. Tools fit the role, and the report names its recipient.
dayz-vehicle-specialist	A+	Nothing concrete to fix. Its ownership split with dayz-config-specialist is clear, handoffs go through the config lead, the workflow ends with lint and behavior checks, and the Report names the config lead. Eval 5/5. Every pack file exists. The DayZ facts were spot-checked on P: and all hold: CfgPatches DZ_Vehicles_Wheeled, DZ_Vehicles_Water and DZ_Vehicles_Parts; the native Transport, Car, Boat and Helicopter classes in P:\bin\config.cpp:1404-1563; CfgSlots in P:\scripts\config.cpp:11; Helicopter, HelicopterAuto and HelicopterScript in scripts/3_game/vehicles/helicopter.c and 4_world/entities/vehicles/helicopterscript.c; MotorbikeScript and P:\DZ\vehicles\singletrack\. GetAnimInstance, GetSeatAnimationType and CrewCanGetThrough are in inheritedcars/civiliansedan.c. The IsVital* methods, script reading the 'Engine' and 'FuelTank' zones by name, the boat SimulationModule's Engine, Gearbox and Propeller, and GUIInventoryAttachmentsProps and fuelCapacity in the wheeled config are all there.
dayz-weapon-specialist	A+	Nothing concrete to fix. The description is a precise trigger with an example. It has the minimum tools for a config and script writer. Its ownership line with dayz-config-specialist is clear, and every pack file it names exists. Its DayZ facts check out on P:. Weapon classes go in units[] with weapons[] empty, which matches P:/DZ/weapons/firearms/mosin9130/config.cpp and weapon-config.md. chamberableFrom, spawnPileType, ammoItems, recoilModifier, simpleHiddenSelections and class Particles are vanilla keys. RecoilBase and SpawnRecoilObject are in 4_world. It checks by script (/dayz-lint), returns behavior checks in the checks-file format with only supported actions (spawn, hands, attach), gives a person-run checklist for what the gate cannot test, names its recipient, and its evals pass 5/5.
dayz-wearables-specialist	A+	Clear art-team contract. Every reference file exists. P: paths verified: CfgSlots in P:\scripts\config.cpp, clothing scripts in 4_world/entities/itembase/clothing and clothing_base.c. It runs /dayz-lint with the tools it needs and returns behavior checks without overwriting the plan file. Nothing concrete to fix.
dayz-workbench-specialist	A+	Verify-before-write rule with real sources: P:\scripts\editor\plugins, editor\workbench and 1_core\workbenchapi.c all exist. The launch commands match /dayz-launch-workbench --mod and /dayz-add-scaffold --piece workbench, and scripts/dayz/workbench.bat exists. It never opens Workbench itself. Nothing concrete to fix.
figma-node-normalizer	A+	Nothing concrete to fix. Least privilege: read-only tools plus the Figma MCP tools under all three server names, and it writes no files. The trigger matches the CLAUDE.md pipeline rule. It stops if no Figma tool is loaded, and it never builds JSON from memory. Its 13 prefixes match rules-doc section 4 exactly (bar_ maps to progress). The JSON shape matches the eight core fields in rules-doc section 10. It is deterministic and lists every removal in its summary. The Report names the caller and the next stage (figma-to-dayz-layout). Eval 5/5.
figma-to-dayz-layout	A+	Prefix-first mapping and per-axis sizing match figma-to-dayz-rules.md sections 3 to 9. The one-space indentation claim is verified against P:\gui\layouts\camera_checkerboard.layout. The file_type="layout" filter exists in the dayz-rag server. Handoff to dayz-layout-validator in gate mode, then dayz-ui-specialist. Nothing concrete to fix.

ITEM	V2.0.0	WHY
Skills		
agentic-z-update	A+	The per-file resolve command is now built relative to the repo root the script runs from, and the quiet nudge names only the commands that apply. The SessionStart hook matches the SKILL.md, with a 20 second timeout and an exit code that is always 0. All 98 tests pass.
clean-repo	A+	Nothing concrete to fix. disable-model-invocation is set, which suits a destructive repo-wide wipe. The description says what it does and when to use it, and points one-domain cleanups to the domain skill. The orchestrator stays domain-agnostic. Every child dry run finishes before anything is removed, any dry-run failure aborts with nothing removed, a run without --yes in a non-TTY shell is refused (exit 2) before anything runs, and the prompt names the cached project, with a warning when that project is not this checkout. The 'From an agent shell' steps give the right chat-confirmation flow. The child contract (--include-server, --dry-run, --yes) matches dayz-clean-workspace/clean.py, which runs its own preflight gate (h.gate_on_preflight), as the SKILL.md says. The 13 tests cover each of these paths and pass, and the .bat wrapper matches.
dayz-add-scaffold	A+	Every claim checked against add_scaffold.py holds: pieces run in the documented order, the author is resolved before anything is written, --piece junction is never part of all, a real folder or a foreign link is refused, it is idempotent, the SKIP and OK lines match the samples, and the templates come from new_mod.py. It gates on preflight first and has 34 tests. Nothing concrete to fix in this skill. The DayZSetting.xml it writes ends up packed into the PBO, but that is fixed in dayz-build-pbo.
dayz-add-server	A+	I found nothing worth fixing. The map aliases match the real DayZ Server mpmissions folders on this machine (chernarusplus, enoch, sakhal, nasdara), and Steam appid 223350 is correct. The SKILL output samples and refusal list match add_server.py. Refresh keeps a timestamped backup. The template-mismatch gate, the reserved-name checks (! and -behavior), the ANSI-safe config rewrite and the junction failure exit all exist and are tested.
dayz-ask	A+	The trigger description is precise and the work is script first: RAG, then a check of every hit against P:, then a Grep fallback. The verdict line and exit codes match the code. The JSON keys, the 60-line excerpt cap, the default folders and the --top-k bounds all match ask.py. The ready-made answer rules forbid answering from memory. Tests cover verified, moved and dropped hits, every fallback reason, ranking, and the CLI. Nothing concrete to fix.
dayz-balance	A+	A bad argument now prints ERROR on stdout and exits 2, as SKILL.md says. The mask facts check out on P:, including GasMask at line 21 and Inventory_Base biological=0. All 34 tests pass.
dayz-build-imageset	A+	The generated .imageset structure (ImageSetClass, RefSize, ImageSetTextureClass with mpix 0, ImageSetDefClass with Name, Pos, Size and Flags 0) matches the vanilla files in P:\gui\imagesets\ line for line. The code matches the doc: power-of-two rectangular atlases, a 10px gutter, next-fit splitting, removal of stale outputs only after every atlas converted, detection of an unchanged .paa, and identifier checks on sprite names. Preflight runs first, there is a requirements.txt, and there are 31 tests. Nothing concrete to fix.
dayz-build-pbo	A+	Every numbered step matches the order in build.py main(): name check, project, lint gate, preflight, P:\Mods junction, workspace and prefix, junction, tools, ownership gate, clean gate, marker before the build, AddonBuilder, then a fresh-PBO check and cleanup. The guards on destructive steps (ownership marker, refusing --clean while payload PBOs exist) are tested, and include.lst and exclude.lst match their descriptions. Nothing concrete to fix.

ITEM	V2.0.0	WHY
dayz-clean-workspace	A+	The ownership rules are proof-based: a link, or a folder without .git that has a junction pointing at it or an ownership marker. Links are removed with cmd /c rmdir and never rmtree. The plan order, the health-folder cleanup, the dry-run flow for agents, the stop on first failure and the warnings all match clean.py. Destructive actions are guarded by a dry run, a prompt and disable-model-invocation, and there are 26 tests. Nothing concrete to fix.
dayz-conflict-check	A+	Run read-only against the real P:\Mods (@CF, @Community-Online-Tools, @DayZ-Expansion-Bundle with 246 PBO headers), it finished in 0.67 s, which matches 'about a second'. Bundle-only selection, script-name-match from PBO headers, owner and fix lines, and the never-extract rule all behave as documented, and the folder names in the doc match P:\Mods. Limits are stated honestly. Nothing concrete to fix.
dayz-cot-bootstrap	A+	Correctly marked disable-model-invocation, since it launches the game. The edit is strictly per player (it never touches Roles/*.txt), the timings (600 s, 15 s, 30 s) match the constants, and it kills only the processes it started. Pass 2 runs only after a successful edit. The keybinds were checked against the COT scripts.pbo on P:\Mods: UACOTToggleButtons is kY and UACOTModuleToggleCOT is kEnd, which matches the closing message. Tests are thorough. Nothing concrete to fix.
dayz-deploy-pbo	A+	Pure additive copy with an ownership gate, size plus 2 s mtime idempotence, locked-file failure handling that still writes the marker, and an unsigned-PBO warning. The <name>.pbo.<key>.bisign pattern was confirmed against real Workshop folders on P:\Mods. The docs match deploy.py line for line, and the tests cover each refusal. Nothing concrete to fix.
dayz-edit-types	A+	Children are written in the vanilla order category, tag, usage, value, which matches the Chernarus types.xml. Without cfglimitsdefinitionuser.xml, user= groups are skipped instead of warned on. A dry run on the vanilla mission flagged only the real misspelling Militar, and all 64 tests pass.
dayz-gate	A+	All gate logic lives in scripts, and the 227 tests run against fixture missions, logs and images. Every option in SKILL.md matches gate.py, bad arguments exit 2 with a clear ERROR line, and commented out requiredAddons lines are ignored. The parts not yet run against live DayZ are stated honestly in its Limits section.
dayz-health	A+	Checked against health.py: KEEP=200 and HISTORY_ROWS=50 match the doc, 'show' is inserted as the default command, findings close when a newer result of the same gate drops them, ERROR reports are refused, the stored folder is git-ignored by .server/*/*, and both page files are rebuilt on every record. It starts no process and has 34 tests. Nothing concrete to fix.
dayz-import-mod	A+	Clear trigger, including the GitHub and Workshop cases. The Workshop refusal happens before preflight, the non-TTY decision check happens before any link is made, the workspace link is rolled back when the P: junction fails, and the clone is removed on a later refusal. The $PBOPREFIX$ mismatch warning matches the build-pbo rule, and the code matches the docs. 51 tests cover the risky paths. Nothing concrete to fix.
dayz-init	A+	The hub, plan.py and the launch dispatch share one rule, so prebuilt bundles are no longer asked for dependencies. Every dispatch action exists, bad input gets clear messages, and the four maps match the installed missions. All 109 tests pass.
dayz-launch-objectbuilder	A+	The trigger description is clear, and every claim in SKILL.md matches launch.py: preflight runs first, --file and --mod are mutually exclusive, --mod opens the single .p3d under data/ or lists several and asks for --file, the registry check is reused from setup.py, the launch is detached with the right working directory, and OSError is handled. The sample output matches the print statements. The 17 tests cover the risky paths. On disk I confirmed ObjectBuilder.exe exists under DayZ Tools\Bin\ObjectBuilder and that /dayz-new-mod scaffolds data/. Tests were not run because pytest was denied in this session. I found nothing concrete to fix.

ITEM	V2.0.0	WHY
dayz-launch-test	A+	I checked every claim in SKILL.md against launch.py and the shared skill_helpers.py on origin/develop and they all match: step order, the dry run writing nothing, exit 2 for bad ports and for a mod named both ways, the port gate, the 180 s bind wait with a kill on timeout, the server being killed when the client fails to spawn, detached processes and the display-preferences fallback. The sample output matches the real prefixes. The 33 tests cover the risky paths, and all 181 tests across the four scripted skills pass. The wiki mirror is identical. Remaining limits (a live server bind, the in-game connect) need a live DayZ session, which the skill already depends on. Nothing concrete to fix.
dayz-launch-workbench	A+	The description is precise and the documentation matches the code: preflight, then the exe check, then gproj resolution with distinct errors for a missing mod folder and a missing gproj, then a detached launch with cwd set to Bin\Workbench. I spot-checked the DayZ facts in the real binary: WorkbenchApp.exe contains the '-gproj' switch and the 'CurrentDir:dayz.gproj' default, and dta/, platforms/, ToolAddons/ and dayz.gproj sit next to it. The 10 tests cover flag handling, cwd and the -gproj= argument. Tests were not run because pytest was denied. I found nothing concrete to fix.
dayz-layout-preview	A+	The trigger is clear, the work is script-first (the AI only reads the PNGs), and the exit codes (0, 1, 2) match main(). Limits are stated honestly: the 1080 reference for 'scaled 1' and plain halign values treated like the _ref ones. Spot check on P:\gui\layouts confirms that plain 'right' and 'center' appear in vanilla (390 and 287 uses), so treating them is needed. It has fixtures and tests and is listed as a preflight exception in dayz-conventions.md. Nothing concrete to fix.
dayz-lint	A+	RULES in lint.py matches the SKILL.md table and the lint-* entries in dayz-gate/known-errors.json one to one (25 rules each, counting required-addon-duplicate). The claim that /dayz-build-pbo lints before preflight matches build.py (gate_on_lint before h.gate_on_preflight). DayZ facts check out on P:\: DZ_data_aiconfigs has an empty body in P:\DZ\data\aiconfigs\config.cpp, and P:\DZ\data_sakhal\config.cpp maps worldScriptModule to scripts/4_World. Procedural #(...) textures are skipped correctly. It has 359 lines of tests. Nothing to fix.
dayz-logwatch	A+	An interval of zero, a negative, nan or inf now stops with a clear error and exit 2, and the usage line lists every flag. The SKILL.md matches logwatch.py on folders, crash logs, exit codes and JSON fields. All tests pass.
dayz-new-mod	A+	A precise description with routing to sibling skills, refusal cases, a stale-junction auto-clean with rollback on partial failure, author-handle validation and 357 lines of tests. The workbench/dayz.gproj and DayZSetting.xml it copies exist in DayZ Tools\Bin\Workbench on this machine. Nothing to fix.
dayz-p3d-audit	A+	All 71 tests pass, and the exit codes behave as documented, including a clear Not MLOD failure for a vanilla ODOL file. The P: path check skips URLs, kits get no autocenter finding, and component names match in any case so the coverage check always runs. The penetration rvmats and bisurfs its references cite exist on P:.
dayz-pack-texture	A+	Checked the suffix table against DayZ Tools\Bin\ImageToPAA\TexConvert.cfg on this machine: every accepted suffix has a rule there, as the skill claims. It refuses a stale .paa whose modification time did not change, validates every input before converting any, gates on preflight and is tested. Nothing to fix.
dayz-particles	A+	A reference skill that says why it has no preflight gate. Checked on P:\: POOL_SIZE 10000 is at particlemanager.c:25, GetInstance() returns null on headless or dedicated servers, the StopParticleFlags enum exists in particlesource.c, the two-argument RegisterParticle(root_path, file_name) form exists in particlelist.c:452, and ScaleParticleParamFromOriginal is used by vanilla. Unverified items are marked as unverified. Nothing to fix.

ITEM	V2.0.0	WHY
dayz-preflight	A+	Its only repair (mklink /J when P:\Mods is missing) is narrow and justified, the resolver order is documented, the resolvers are shared, and there are 285 lines of tests. Running it on this machine found P:\ mounted and DayZ Tools at the default Steam path, matching the documented resolution. Nothing to fix.
dayz-recipe	A+	Script-first, verifies against P:\, writes nothing on failure, protects existing plans with --force and hands off clearly to dayz-mod-architect. Every default checked on P:\: AKM (akm/config.cpp:191), AK_WoodBttstck, Mag_AKM_30Rnd, SmershVest, SmershBag, RecipeBase, PluginRecipesManager, RegisterRecipies (pluginrecipesmanagerbase.c:14) and CraftRagRope. Listed as a preflight exception. It has 406 lines of tests. Nothing to fix.
dayz-record-correction	A+	Step 1 now also searches the Agentic-Z rules section of the project's CLAUDE.md, AGENTS.md and GEMINI.md in a plugin install. Every path it names exists, and its step 3b check passed on a copy of develop.
dayz-release-pack	A+	Every fact comes from the mod's files, each warning has a stated action, the exit-code contract is clear and the handoff to /dayz-server-kit is explicit. The scope keyword mapping (public, protected, private = 2, 1, 0) matches DayZ's config defines. It has fixtures and 229 lines of tests, and the skill is in the preflight exception list. Nothing to fix.
dayz-route	A+	route.py does exactly what the doc describes: rules first, conflict_factor 0.5, absorbs, threshold 0.8 from rules.json, then Jev only when keyed, then a null/next dayz-router result. It says that request text goes to api.typesafe.ai. test_route.py keeps rules.json in sync with dayz-router.md, and that agent exists. This matches the CLAUDE.md routing rule. Nothing to fix.
dayz-scope-mod	A+	Least privilege done right: it adds deny rules only, records exactly what it added so --clear undoes only that, refuses names that would read as pattern syntax, says what it does not protect, and is backed by the scope_guard hook for mods created later. Listed preflight exception, with tests. Nothing to fix.
dayz-search-download	A+	The stdlib-only script is safe and matches the documentation exactly: tag idempotency through release-tag.txt, refusal of an asset with no digest before downloading, a SHA-256 check, a safe tar extract (data filter or manual check), a staged swap with restore, a clear network error path, and a prompt that exits 1 when declined or non-interactive. I checked the release claims against the live GitHub API. 1.4.0, 1.1.0, 1.0.1, v1.0.0 and v0.1.0 ship dayz-rag-index-v0.1.0.tar.gz; 1.2.0 and 1.2.1 ship dayz-search-index-<ver>.tar.gz; 1.2.2 has no asset; every asset has a sha256 digest. The 1.4.0 asset has the same digest as v0.1.0, which supports the claim that the release index predates windowing. The 30 tests cover the risky paths. Tests were not run because pytest was denied. I found nothing concrete to fix.
dayz-search-index	A+	All 49 tests pass, and --status and the refusal to overwrite an existing index behave and exit as documented, with nothing spent. Running the chunker over P: without embedding gave exactly the 61,757 chunks the docs claim, with no chunk over 6,000 characters. The six vanilla folders it names exist, and the cost rates and free tier logic match its reference.
dayz-server-kit	A+	Refuses to zip a .biprivatekey in code (ReleaseError) as well as in the docs. The placeholder entries (nominal 0) are commented and listed in README.txt. The types source order is documented and the code matches it, and --mission accepts an instance name. Tests exist. Nothing to fix.
dayz-setup-objectbuilder	A+	Destructive --force is guarded by a prompt (or --yes when there is no terminal), a reg export backup, an HKCU-only check and an 'Object Builder is running' refusal. Checked on this machine: ObjectBuilder_defaultSettings.reg is in Bin\ObjectBuilder, the CConfig key exists, and '#View background LOD' = 1 matches the preferred flags. It has 414 lines of tests. Nothing to fix.

ITEM	V2.0.0	WHY
dayz-split-types	A+	A thin wrapper around a vendored tool, with timestamped backups, the <ce folder> fix and a result check that decides success because the upstream script always exits 0. Checked: the vendored typeSplitter.py defines exactly the 19 categories listed. Tests exist. Nothing to fix.
dayz-statusline	A+	Edits only settings.local.json, keeps a backup, records the status line it replaced so --remove restores it, refuses invalid JSON and fails quietly ('DayZ status unavailable'). The RAG age segment reads the indexed_at field, which exists in the real manifest. Listed preflight exception, with tests. Nothing to fix.
dayz-stop-test	A+	A trivial .bat is the right tool for one taskkill call, which matches the repo's tooling rule. The errorlevel 128 handling and the stderr pass-through match the doc's table exactly, it is a documented preflight exception, and it is tested with a taskkill stub. Nothing to fix.
dayz-upgrade-guard	A+	All 39 tests pass and cover all six finding reasons. A real snapshot of P: took 9.6 seconds and came to 10 MB with no files skipped, matching the docs. The check, diff, missing project, older format and bad argument paths all print the documented verdict first with the right exit code, and a separate reindex command rebuilds the search index after a failed check.
dayz-workdrive	A+	Nothing concrete left to fix. The description is a clear trigger. It is script-first, and it explains well why it does not gate on preflight. The order it searches for the work-drive folder matches the code. Both the WorkDrive.exe route and the subst fallback check whether P:\ is actually there rather than trusting the return code. It warns when settings.ini names a letter other than P. The exit codes match the SKILL.md table. The 33 tests pass. I checked the DayZ facts against this machine: DayZ Tools\Bin\WorkDrive\WorkDrive.exe exists, and settings.ini has [ProjectDrive] path= and Letter=P, exactly as the skill reads them.
docs-sync	A+	Nothing concrete to fix. The description is third person and says both what it does and when to use it. Everything runs from a script, and the SKILL.md matches the code: the modes, the exit codes 0, 1 and 2, the mirror map, the orphan rules (about.md and _-prefixed files are kept), and the YAML-missing behaviour under --quiet. The Stop hook is wired in .claude/settings.json as 'sync.py --check --quiet' with a 15 second timeout, prints a valid systemMessage JSON line, never fails the session, and took 0.23 seconds. CI runs 'sync.py --check' in .github/workflows/tests.yml. On origin/develop, 'sync.py --check' reports the wiki in sync, and the 59 tests across test_apply.py and test_docs_sync.py pass. Dry runs cover --apply. The em dashes in apply.py are real UTF-8, not mojibake.
sync-skills	A+	I found nothing concrete to fix. The description says what the skill does and when to use it. The instructions match sync.py: the OK, REFRESH, FOREIGN, LINK, SKIP and PRUNE states, the --force takeover, the rule that links into a worktree count as foreign, case and separator normalisation of paths, exit 1 on a failed link or folder creation, exit 2 on a bad agents.json, an unknown agent name or a missing skills folder, and the sample '[FAILED] cannot create' line. The per-agent paths in SKILL.md and agents.json (Claude via CLAUDE_CONFIG_DIR or ~/.claude/skills, Codex at ~/.agents/skills, Gemini via GEMINI_CLI_HOME/.gemini or ~/.gemini/skills) agree with the skill discovery paths in the repo's CLAUDE.md, AGENTS.md and GEMINI.md on develop. The script never deletes a real folder, has a dry run, and leaves another clone's links alone unless --force is given. It also tells the user how to reload each agent CLI and how to check the skill counts afterwards. All 26 of its pytest tests pass on origin/develop; they cover foreign, worktree, orphan pruning, real folders, malformed agents.json, the --skip and --agents options, and the environment variables that move each agent's home. The thin wrapper at scripts/setup/sync-skills.bat forwards its arguments correctly.
Rules and shared files		
.claude/skills/_shared/dayz-conventions.md (Tier 2 core)	A+	The preflight exceptions match the skills, the RAG facts match server.py, the search rule is clear, and there are no stale wiki references.

ITEM	V2.0.0	WHY
_shared/conventions/config.md	A+	GlowPlug (string form, parts config:822-831) and WoodenCrate (array form, camping config:10157) verified on P:\.
_shared/conventions/assets.md	A+	The LOD table and suffix set agree with the textures pack and the p3d audit; no defect found.
_shared/conventions/scripts.md	A+	Correct, and it cites P:\ (for example the IsServerCheck message at entityai.c:2763, and net sync registered in the constructor as in barrel_colorbase.c:21). It contradicts enscript/patterns/netsync.md, but the fault is in netsync.md.
_shared/conventions/server.md	A+	Matches the .server/ layout and the split between the add-server and launch-test skills.
_shared/conventions/ui.md	A+	actionmenu.c:74 SetColor(0xFFFFEC44) and mainmenupromo.c:157 COLOR_DAYZ_RED verified.
_shared/container-base.md	A+	Citations verified (WoodenCrate class Cargo at camping config 10261-10266).
_shared/py3d-mlod-notes.md	A+	Library notes for py3d, so no P:\ citation is needed; no defect found.
_shared/skill_helpers.py + test_skill_helpers.py	A+	Unchanged in substance from the round-5 A+. The allowFilePatching regex ignores commented-out lines. 27 tests.
_shared/enscript-style.md	A+	A lean front index that sends the reader to one section file per task and states that facts live in the checked references. Its one citation (gameplay.c:636) is correct.
_shared/answer-formatting.md	A+	Short, actionable formatting rules that match what Claude Code renders, and it states its tier correctly.
Grading method note (the "How the grading works" section of this document)	A+	The rubric covers every kind of item, four grading prompts are given including one for the note itself, and every round has a row naming its PRs or saying plainly it had none. Every PR number and commit matches git log on develop, the counts match the grade files, and every cross reference to another section exists. The final count paragraph and the rounds table agree on which rounds the grades come from. Since this grade, that section was rewritten in this document: real test counts, all six reviewers, the hooks and plugins references, a rubric for the items that are not agents or skills, the grading prompts, one row per grading round and the caveat about unchecked examples. It has not been regraded, so the grade stays B+.
.claude/skills/_shared/README.md (pack index)	A+	Every pack folder and file is listed, and the index test passes. The exemption list matches CITATION_EXEMPT exactly. Its statement of what the integrity test checks (citation presence only) is accurate, and the checked and vendored status of the examples matches enscript/README.md. Every named agent exists. Nothing concrete to fix.
_shared/figma-to-dayz-rules.md	A+	The vanilla dark panel is now color 0.1569 0.1569 0.1569 0.902, which appears 225 times on P:. Every P: citation holds when opened, the spacer count of 149 of 227 is exact, and every widget class, alignment, style and font it names exists in vanilla.
Specialist knowledge packs		
Knowledge pack _shared/ai (README + 5 files)	A+	Heavily cited, and the samples verified (CalculateVisibilityForAI playerbase.c:5405 and SetVisibilityCoef :5438, CfgAIBehaviours). All files are under 100 lines.
Knowledge pack _shared/animation (README + 5 files)	A+	Citations verified (OpenFence fence.c:488, ActionOpenDoors playerbase.c:1697, Wall_Gate_Rotate).
Knowledge pack _shared/models (README + 5 files)	A+	Every sampled citation matched. All files are short.
Knowledge pack _shared/physics (README + 4 files)	A+	Citations verified (dBodyGetMass enphysics.c:122, GetMass physics.c:69, ThrowPhysically).

ITEM	V2.0.0	WHY
Knowledge pack `_shared/vehicles` (README + 6 files)	A+	Citations verified (Helicopter: Air bin config:1563, simulation :1568, RotorLibHelicopterProperties :1673).
Knowledge pack `_shared/weapons` (README + 7 files)	A+	Citations verified (HuntingOptic inventorySlot optics config:1443, Slot_weaponBayonet scripts config:219).
Knowledge pack `_shared/wearables` (README + 6 reference files)	A+	Citations verified (CanPutInCargoClothingConditions clothing_base.c:38, PlateCarrierVest).
Knowledge pack `_shared/audio-fx` (README + 3 files)	A+	I spot-checked about 50 line citations in P:\DZ\sounds\hpp\config.cpp, sounds_bliss, object.c, effectmanager.c, effectsound.c, powergenerator.c and particlelist.c, and every one matched. The pack marks unverified readings as such, tells the user how to free sounds created through the manager, and gives a hand-off for the in-game test.
Knowledge pack `_shared/textures` (README + 4 files)	A+	Checked on P: and against the real TexConvert.cfg: the _co/_ca DXT1/DXT5 classes and their sRGB comments, the _nohq 1-R/1-A swizzle, the _smdi R=1 with G and B kept, _as green only, _dt alpha only, and _mc DXT5. The bomberjacket _damage values (specular 0.4745, specularPower 55, fresnel(1.28,0.5), Stage7 color 0.15, tops_damage_mc) match, as do TacticalGoggles healthLevels at glasses\config.cpp:598 and the pcu5jacket StageTI. Tool-knowledge lines are labelled, and the symptom table points at the right files. Nothing concrete to fix.
Knowledge pack `_shared/persistence` (README + 4 files)	A+	I opened about 90 cited lines on P: and all of them hold what the pack says: GAME_STORAGE_VERSION 144 at game.c:5, the OnStoreSave and OnStoreLoad chain in entityai.c, the version gates (2981, 3053, itembase 3103, combinationlock 160 and 169), the BaseBuildingBase masks (143, 150, 157 and the part_id comment at 139), Fence id=1 at gear/camping/config.cpp:4537, the 500 ms EEOnAfterLoad retry at basebuildingbase.c:505, the PIN length at codelockcomponent.c:23-24, the ECE flags and JsonFileLoader. The modded-vanilla-class data-loss analysis is correct. The audit's handoff (script lead, then orchestrator, then server lead) matches dayz-persistence-specialist, dayz-lead and dayz-orchestrator. Nothing concrete to fix.
Enforce Script pack		
`enscript/patterns/scheduler.md`	A+	It honestly marks the CallLater drift report as unverified and cites tools.c:61.
`enscript/patterns/physics_items.md`	A+	Cited and verified (ThrowPhysically at inventoryitem.c:26).
`enscript/references/api_entities_inventory.md`, `api_game.md`, `api_network.md`, `api_player.md`, `api_scheduling.md`, `language_compile.md`, `language_memory.md`	A+	Every identifier resolves in P:\scripts and the sampled line citations matched. All files are under 100 lines.
`enscript/examples/01_custom_item.c`, `04_rpc_patterns.c`, `05_mission_server.c`, `06_json_config.c`, `08_gui_menu.c`, `09_scheduler_timer.c`	A+	Every vanilla name used exists on P:\. The unknown names are the mod's own IDs and widgets.
`enscript/patterns/netsync.md`	A+	Every API line I checked matched (entityai.c:2832-3069, playerbase.c:359-364 and 558-565, InitItemVariables). The claim that ItemBase has no Init() checks out. The rules are correct and cited.
`enscript/patterns/json_config_migration.md`	A+	A correct LoadFile/SaveFile pattern (jsonfileloader.c:7, 42 and 104), it does not overwrite the file on a parse error, migration is incremental, and the vanilla CfgGameplayHandler citations match (cfggameplayhandler.c:70-72, cfggameplaydatajson.c:4).
`enscript/patterns/rpc.md`	A+	All signature citations matched (object.c:860, entityai.c:3507, game.c:211, 1011 and 1013, dayzgame.c:3141 and 3151, gameplay.c:117, erpcs.c:1, 7 and 225). It labels the high-ID convention as a community convention and says to validate everything a client sends.

ITEM	V2.0.0	WHY
enscript/patterns/language_workarounds.md	A+	Each 'not supported' claim is defined as 'not used in vanilla' and each replacement is cited. I checked the auto, Format, ScriptCaller/ScriptInvoker, overloading and foreach-with-index lines, and all matched.
enscript/integrations/central_economy.md	A+	The ECE flag values and lines, CreateObjectEx, GetEconomyProfile, CEApi, ObjectSpawner and the cfggameplay field all match P:\. It labels developer-only calls correctly and points to the right skills.
enscript/integrations/vanilla_plugins.md	A+	The PluginManager registration, lifecycle, GetPlugin/GetPluginSafe and PluginAdminLog citations all matched (pluginmanager.c:57, 104, 193, 222, 297, 326 and 350, missionbase.c:21 and 61).
enscript/integrations/input_bindings.md	A+	The UAInput and Input API lines, the MissionGameplay hooks, the menu and chat guards and the spectator axis example all match P:\. The inputs.xml format is sourced from named shipped mods that exist under P:\Mods.
enscript/integrations/community_framework.md	A+	It says clearly that CF is not vanilla and is sourced from P:\Mods\@CF\Addons\scripts.pbo. The names I checked in the PBO (EnableInvokeConnect, EnableClientReady, CF_RegisterModule, CF_OnStoreSave, CF_ModuleWorld, GetRPCManager, CF_EventPlayerArgs) are all there.
enscript/references/erpc_defines.md	A+	The ERPCs, agent and modifier calls and the RPC flag positions matched P:\ (playerbase.c:8115, brokenlegs.c:81, modifiersmanager.c:227, game.c:1013, gameplay.c:117). It labels the ID ranges as a community convention.
enscript/references/file_paths.md	A+	The $saves and $mission tokens and the JsonFileLoader citations matched P:\ (pluginconfigscene.c:3, cfgbunkerbroadcasthandler.c:23, jsonfileloader.c:7).
enscript/references/language_types.md	A+	All 48 P:\ citations resolve to existing files and lines, and the samples I checked matched. It works well as the 'what exists' companion to language_workarounds.md.
enscript/references/types_collections.md	A+	The corrections are verified: set has no Contains, string has no StartsWith, Sort(bool reverse) at enscript.c:493, Copy(from), vector.Cross as an instance method, Math.Clamp at enmath.c:540, int.MIN at enconvert.c:28. The 'reported' quirks are labeled as such.
enscript/references/widget_api.md	A+	I checked 29 of the methods, classes and flags it names in enwidgets.c (SetTextProportion, ElideText, SetHideText, AddChildAfter, FindAnyWidgetById, RTTextureWidget, OnModalResult, SOURCEALPHA and others), and all are present. Handler and menu guidance is correct.
enscript/examples/07_agent_modifier.c	A+	Verified against modifiersmanager.c: modifiers are kept in a map by ID, the ID must be 1 or higher, AddModifier takes an instance, and on load an unknown saved ID's time value cannot be skipped. That makes m_TrackActivatedTime=false correct and well explained. The agent and modifier calls match playerbase.c:8102, 8115 and 8121.
enscript/examples/12_menu_interactions.layout	A+	Valid format, anchors and exact toggles are consistent, the colums spelling matches vanilla, button offsets from right_ref/bottom_ref are correct, and the companion script in layouts.md is cited.
enscript/patterns/persistence.md	A+	All citations match P: (entityai.c:2910/:2978, itembase.c:3190/:3089, playerbase.c:7353/:7408, game.c:5 GAME_STORAGE_VERSION=144, bottle_base.c:7). The version-header pattern is correct, it agrees with the persistence pack (the modded PlayerBase warning, false meaning a lost record), and it points to the pack for depth. Nothing to fix.
enscript/integrations/dabs_framework.md	A+	Every framework fact I spot-checked is in P:\Mods\@Dabs Framework\addons\Scripts.pbo: 'Attempted to create layout on SERVER', 'Invalid layout file', the DF_Scripts and DF_GUI patches, RegisterPluginAttribute, RegisterProfileSettingSlider, Two_Way_Binding, Relay_Command, ReloadAll, UseUpdateLoop, StringEvaluater, ScriptViewMenu, HidesParentMenu, GetInputExcludes and SwapItems. It is clearly scoped as third party, and it says what it could not confirm (line 55). Nothing to fix.

ITEM	V2.0.0	WHY
enscript/references/item_api.md	A+	Every cited line opened on P: matches: itembase.c:23/223/3315/3389/3416/3435/3470/3481/3486/3688/3717/3867/3883; object.c:132/981/994-1062/1105/1171/1219; entityai.c:646/882/885/2138/2293/2307-2308/2327/2442/2881/2884/3883; inventory.c:184/205/220/397/876; magazine.c:1/:38/:70; constants.c:909/913; the food config lines. The per-type SetActions claim matches InitializeActions and m_ItemTypeActionsMap. The one engine behaviour it cannot see is marked as reported. Nothing to fix.
enscript/examples/11_hud_plain_text.layout	A+	Well formed in the vanilla property format, starting at the root widget with no BOM or comments. Every property and value (ignorepointer, halign right_ref, valign bottom_ref, 'exact text', 'exact text size', 'bold text', 'text halign' right/center, the sdf_Metron fonts) is one gui_layout.md shows vanilla using, and the exact-position toggles match layouts.md's explanation of offsets. Nothing to fix in the layout itself. The loading path in its companion text is covered under gui_layout.md.
enscript/examples/13_item_preview.layout	A+	Valid structure. ItemPreviewWidgetClass, PanelWidgetClass with style rover_sim_colorable (used in vanilla camera_tools.layout and day_z_book.layout), ButtonWidgetClass with styles Default and Editor, and the font, text, alignment and toggle combinations are all vanilla-attested. Widget names match the companion script in layouts.md. Nothing to fix in the layout itself.
enscript/README.md	A+	The index matches the folder: every file in patterns, integrations, references and examples is listed. The 'checked on P:' list agrees with what each file says about itself (the singleton and modded_class markers). The symptom table's cross-references exist: conventions/config.md T148506, the persistence 'Adding saved fields to a vanilla class' section, ServerSetAmmoCount, the GetScreenPos z check, and the + "" copy. The dayzgame.c:1061 and missionserver.c:59 NO_GUI citations are right. The examples not yet checked are clearly marked as vendored. Nothing concrete to fix.
enscript/patterns/modded_class.md	A+	I opened every citation on P:. All are correct: particlelist.c:3-9 (a commented-out example), plugindiagmenumodding.c:8 #ifdef DOXYGEN and :21; playerbase.c:3007; itembase.c:235/246-253/261; canteen.c:1; bottle_base.c:356; actionconstructor.c:27; plugindiagmenu.c:29; enwidgets.c:107-110/189/381/656; uimanager.c:4-10/59/62/117/154; uiscriptedmenu.c:66; inventorymenu.c:8; enscript.c:117; gameplay.c:637; ingamehud.c:1/1141; defines.c:29/34; chat.c:14; dayzgame.c:1061; missionserver.c:59; DZ\gear\containers\config.cpp:3/19. A grep confirms that vanilla compiles no modded class. Claims about native behavior are honestly marked as reported. Nothing concrete to fix.
enscript/patterns/actions.md	A+	I checked every cited line on P:, and each one holds: actionbase.c:51/245/441/951/954, actionconstructor.c:3, actionmanagerbase.c:214, the actionmanagerserver.c:168 re-check, itembase.c:255-262/295, the debug.c logging gates and constants.c:256, the IsTakeable checks in actiontakeitem.c:36 and actiontakeitemtohands.c:38, the three PowerGeneratorStatic overrides, and the base-class lines. The condition-component table matches all eight files exactly, including CCINotRuinedAndEmpty meaning quantity > 0 and CCINone also overriding CanContinue. ActionDrink is an ActionConsume. Nothing concrete to fix.
enscript/patterns/singleton.md	A+	The citations are correct: defines.c:106 ('Only defined when CGame.IsDedicatedServer') and :112-115 (#define SERVER); jsonfileloader.c:7 LoadFile and :42 SaveFile, both returning bool with errorMessage; :104-105 'use JsonFileLoader::LoadFile instead'. The deprecated JsonLoadFile does only an ErrorEx. The `ref array<string> X = {};` field initializer has vanilla precedent (worldsmenu.c:16). The JsonSerializer and static-teardown rules are honestly marked as reported, not checked, because the serializer is native. The code resets cfg after a failed load. Nothing concrete to fix.

ITEM	V2.0.0	WHY
enscript/references/gui_layout.md	A+	A script checked 92 of its citations against P: and all matched. These cover every 'first vanilla use' file:line for the widget classes, the enwidgets.c and gameplay.c script types and methods (TextListbox AddItem/SetItem/GetItemText/BaseListbox members, ItemPreview/PlayerPreview members), the property examples, the colums lines and the font first uses. The value lists are the complete vanilla sets: mode blend/additive/opaque; clamp mode clamp/border/wrap/invalid; stretch mode stretch_w_h/fit_w_center/none/invalid; fixaspect fixwidth/inside/outside/none; priority 0..4000; text valign only center. Nothing concrete to fix.
enscript/examples/02_custom_action_singleuse.c	A+	Every cited line is right: actionsingleusebase.c:1/:29; actionbase.c:51/245/259/441/954; animatedactionbase.c:179/183; itembase.c:3315/3486/246-253/255-262; playerbase.c:5773 RPC_USER_ACTION_MESSAGE leads to MessageAction; actionconstructor.c:3-27. actionmanagerserver.c:168 calls Can(), which reaches ActionCondition at actionbase.c:954. The identifiers all exist: CMD_ACTIONMOD_EAT, CCINonRuined, CCTNone, m_StanceMask, m_Text. The code follows the vanilla ActionTurnOnWhileInHands shape, and it puts SetActions in the item's own declaration, as modded_class.md requires. Nothing concrete to fix.
enscript/examples/03_continuous_action.c	A+	It mirrors ActionCraftArmband line for line (CMD_ACTIONFB_CRAFTING at :14, m_FullBody, STANCEMASK_CROUCH, CCINonRuined and CCTSelf at :23-24, HasTarget false). Every cited line holds: actioncontinuousbase.c:1/120/208/228/289, cacontinuoustime.c:1 and :9, object.c:1001 GetHealth01, object.c:1105 SetHealthMax and playerbase.c:5773. The registration steps are correct. Nothing concrete to fix.
enscript/examples/10_modded_playerbase.c	A+	The citations hold: playerbase.c:359-364 (the constructor calls Init, where vanilla registers its own net-sync variables); :6733 GetItemInHands; :2042 GetStaminaHandler; staminahandler.c:1081 GetStamina; bloodregen.c:14 GetHealth("GlobalHealth","Blood"). The stated ranges match vanilla: STAMINA_MAX 100, SL_ENERGY_MAX 5000, blood 5000. The APIs all exist (GetSingleAgentCount, eAgents.FOOD_POISON, GetStatEnergy, m_StaminaHandler, EnumerateInventory with INORDER, MessageAction), and the overridden signatures match playerbase.c. SetSynchDirty runs only when the flags change, the synced field is not saved, and the warning about saved fields on a vanilla class is present. Nothing concrete to fix.
Hooks		
hooks/hooks.json	A+	The plugin hook wiring matches .claude/settings.json and uses ${CLAUDE_PLUGIN_ROOT}. Each hook has a timeout. test_paste_router and test_plugin_copy cover both wirings.
hooks/test_plugin_copy.py	A+	Covers the plugin copy standing aside for the project copy for all three hooks, both alone and shadowed.
hooks/edit_check.py (+ test_edit_check.py)	A+	The PostToolUse output format is correct, and the hook exits silently if the checker itself fails. Messages give file, line and the fix. Tests are thorough and pass. I ran it on 208 vanilla config.cpp files and 228 vanilla .layout files from P:\ and it flagged none of them.
hooks/scope_guard.py (+ test_scope_guard.py)	A+	The PreToolUse deny output is correct and the reason tells Claude what to do. The shell gap is documented honestly. It covers mod folders created after the scope was set, all P: path forms and corrupt state files, and the tests pass.
hooks/paste_router.py (+ test_paste_router.py)	A+	All 141 tests across the hook and the importer pass. A branch link with a slash stays whole, and GitHub's own pages, pull requests and gists get no suggestion. The hook's text about where each kind of link ends up matches import_mod.py, which asks git ls-remote for the branch and links a subfolder from its own clone, and the suggested --name follows the importer's name rule.

ITEM	V2.0.0	WHY
Search server and panel		
dayz-rag MCP server (server.py, voyage_common.py, README, tests)	A+	Nothing concrete to fix. All three tools carry readOnlyHint, and search also carries openWorldHint. Tool descriptions are clear, errors are raised so FastMCP returns them as isError results, the P: path check is lexical and documented, the cache is cleared when the index is rebuilt, and transient Voyage errors are retried with a client timeout. The README matches the code (.mcp.json, enabledMcpjsonServers, the plugin.json mcpServers block, cost-and-free-tier.md). All server and voyage_common tests pass, including the check that the file-type list matches the indexer.
mods/agentic-z-panel (plugin.json, hooks.json, register.tsx, register.test.tsx, types)	A+	`claude plugin test mods/agentic-z-panel` passes 18 of 18. Every button's argv matches its script's argparse: gate.py build/ingame <mod>; launch.py modnames; deploy.py and build.py modname; health.py takes a bare mod and inserts 'show' itself; release_pack.py mod; workbench --mod; logwatch --since/--duration/--mod; ask.py exits 1 on NONE, which the panel shows as 'nothing found'. The 600 s run timeout covers the gate's 300 s plus 30 s ingame wait. The plugin cache path matches the marketplace name dayz-n-chill/agentic-z, and the versions in plugin.json and marketplace.json both read 0.3.0. The README table and the Windows-only note match the code. The lock is taken before any await, and the test_repo_integrity test checks the button scripts. Nothing concrete to fix.
Answer tests (evals)		
evals/baseline.json	A+	It has one entry per question file, and test_shipped_baseline_* enforces that.
evals/fixtures/dayz-layout-validator/*.layout	A+	The fixtures match the questions' 'unchanged' lists, and the clean fixture follows the vanilla day_z_connection_lost.layout format.
evals/questions/dayz-ai-specialist.json	A+	Every verified citation resolves on P:\ to the cited symbol (eagents, CfgAIBehaviours, noise.c and so on).
evals/questions/dayz-animation-specialist.json	A+	Citations verified: fence.c:12, camping config 4450, barrel_colorbase.c:21/148.
evals/questions/dayz-asset-specialist.json	A+	Citations verified (hoodie.rvmat:15).
evals/questions/dayz-audio-fx-specialist.json	A+	Citations verified (sounds/hpp config, object.c:1273, particlelist.c).
evals/questions/dayz-config-specialist.json	A+	Citations verified (GlowPlug parts config 822/831, DZ_Characters_Vests :3, PlateCarrierVest :24).
evals/questions/dayz-layout-validator.json	A+	Citations verified against a vanilla layout, and the fixtures are protected with 'unchanged'.
evals/questions/dayz-mod-reviewer.json	A+	Citations verified.
evals/questions/dayz-object-builder.json	A+	Citations verified (building.c:27, actionopendoors.c:40).
evals/questions/dayz-persistence-specialist.json	A+	Citations verified (GAME_STORAGE_VERSION = 144 at game.c:5, combinationlock.c:160).
evals/questions/dayz-physics-specialist.json	A+	Citations verified.
evals/questions/dayz-script-specialist.json	A+	Citations verified.
evals/questions/dayz-vehicle-specialist.json	A+	Citations verified (transport.c, carscript.c:1752, CfgSlots).
evals/questions/dayz-weapon-specialist.json	A+	Citations verified (cz527.c, Mag_CZ527_5rnd, Slot_weaponOpticsLRS).
evals/questions/dayz-wearables-specialist.json	A+	Citations verified (ENVIRO_ISOLATION_WETFACTOR_DRENCHED, noHelmet).
scripts/dev/test_run_evals.py	A+	31 tests cover validation, scoring, unchanged-file detection, the baseline gate and the shipped files, including 'verified'.

ITEM	V2.0.0	WHY
evals/README.md	A+	Accurate: 22 question files and 8 named uncovered agents add up to the 30 agents. The runner, the format document and the score rule are all linked correctly.
scripts/dev/run_evals.py	A+	Least privilege: read-only tools are allowed and the edit, shell, Agent and web tools are explicitly denied. The question is sent on stdin, files listed as 'unchanged' are hash-checked, question files are validated, the baseline can only stay or rise, and results go to output/. It has tests.
Scripts and repo tests		
scripts/dev/evals.bat, clean-repo.bat, docs-sync.bat	A+	Thin wrappers; the targets exist and the usage comments match the CLIs.
scripts/setup/preflight.bat, workdrive.bat, setup-objectbuilder.bat, statusline.bat, sync-skills.bat	A+	The targets exist and the documented flags (--path, --unmount, --remove, --status) exist in the scripts.
scripts/dayz/*.bat (the other 35 wrappers: add-scaffold, add-server, ask, balance, build-imageset, build-pbo, clean-workspace, conflict-check, cot-bootstrap, deploy-pbo, gate, health, import-mod, launch-test, layout-preview, lint, logwatch, new-mod, objectbuilder, p3d-audit, pack-texture, recipe, release-pack, route, scope-mod, search-download, search-index, server-kit, status, stop-test, triage, types-edit, types-split, upgrade-guard, workbench)	A+	Every target script exists. The usage lines I checked match the argparse definitions: gate build/ingame/behavior/visual, health record, objectbuilder --file/--mod, workbench --mod/--gproj.
scripts/README.md	A+	Every .bat in scripts/dayz, scripts/setup and scripts/dev is listed, and every listed file exists (checked both ways by script). The integrity test confirms each wrapper's target exists. The examples match the scripts' command lines (for example, health.bat MyVest works because health.py inserts 'show'). Nothing concrete to fix.
scripts/dayz/dayz-search.bat	A+	A thin wrapper: setlocal plus PYTHONIOENCODING=utf-8 so redirected output does not crash on non-ASCII, the target is found relative to the script folder and checked by the integrity test, and all arguments are passed on. Nothing to fix.
scripts/setup/agentic-z-update.bat	A+	Correct relative target (..\..\.claude\skills\agentic-z-update\update.py, checked by the integrity test), setlocal plus UTF-8 output, and all arguments are passed on. Nothing to fix.
scripts/dev/test_repo_integrity.py	A+	All its tests pass, including test_cited_vanilla_lines_exist_on_p, which ran because P: is mounted (no skip). The docstring matches what the file checks. The read-only, no-write and memory rules match the subagent documentation (memory turns on Write and Edit). The citation and exemption lists check themselves for stale entries. The panel SKILL map is parsed so a renamed script fails CI. I checked the non-.md references it does not scan (.c/.json/.layout under .claude/skills, scripts/, hooks/, mods/): the only unmatched ones are paths relative to a mod, such as scripts/4_World/Vest.c, so the gap does not hide a dead link. Nothing concrete to fix.
scripts/dayz/dayz-search.py	A+	All 29 tests pass, and a live query returned real hits whose files exist on P:. Every error path prints one clear line and exits 2, including -k 0, an empty query, a missing index and an invalid key. The -s help matches the server's 1500 character cap, and when no file_hashes.json exists the run explains why every hit shows as stale.

Real bugs the grading found and fixed

Each one was found by an independent reviewer, fixed by a separate fixer, and covered by a test.

BUG	WHAT COULD HAPPEN	FOUND IN
Search tools missing after install	Agents installed from the plugin had no RAG search tools at all.	v1.7.0
Cleanup could delete your mod	`/dayz-clean-workspace` could delete a mod you cloned in by hand, git history included.	v1.7.0
Update swept in your changes	`/agentic-z-update` could put your unrelated staged changes into its own commit.	v1.7.0
Index download never worked	`/dayz-search-download` looked for a file name no release uses.	v1.7.0
RAG skipped big classes	About 39% of the code in large script classes like PlayerBase was never searchable.	v1.7.0
Server could not find split types	`/dayz-split-types` pointed the economy at the wrong folder and loaded entries twice.	v1.7.0
Failed build blocked rebuilds	One failed first build made every later build refuse.	v1.7.0
Line endings broke updates	On Windows, every upstream change looked like a local edit.	v1.7.0
Port already in use	A second test session connected to the old server instead of failing clearly.	v1.7.0
Old textures and atlases counted as new	A stale `.paa` from an earlier run was reported as freshly built.	v1.7.0
Wrong project picked up	With two Agentic-Z projects on one machine, a skill could work on the other project's workspace.	v2.0.0
UI styles left out of the PBO	`/dayz-build-pbo` did not pack `.styles` files, so menus that use them shipped without their styles.	v2.0.0
Server-only mods sent to clients	`/dayz-launch-test` had no way to keep a server-only mod off the client.	v2.0.0
Lint stopped good mods	`/dayz-lint` failed builds on findings that do not stop a mod loading.	v2.0.0
Unsafe names in the behavior gate	A crafted instance or template name could point the behavior test outside its folder.	v2.0.0
Spec written into an import	A rerun of `/dayz-init` could write `spec.md` into a linked mod you imported.	v2.0.0
Balance compared the wrong items	`/dayz-balance` missed mod overrides of a vanilla class with the same name.	v2.0.0
Upgrade guard missed changes	`/dayz-upgrade-guard` missed inherited members and config keys written in a different case.	v2.0.0
Conflict check refused linked mods	`/dayz-conflict-check --ingame` refused `@mods` that were links.	v2.0.0
Requests routed to the wrong owner	`/dayz-route` sent spawn and modded class requests to object specialists instead of their owners.	v2.0.0
Wrong vanilla facts in the new packs	The vehicle, wearables, audio, AI and animation packs had wrong line citations and class facts, all corrected against P:.	v2.0.0
Gates kept memory	The read-only gates had a memory folder, which a gate that only judges should not have.	v2.0.0

Every skill

44 slash commands any agent or person can run: 40 ship in the plugin, and four are for clones only. 18 of the 40 plugin DayZ skills check the environment first with `/dayz-preflight` (preflight itself is the check). The DayZ rules file has 14 exception entries naming 21 skills, each with its reason, and `/dayz-particles` is a reference skill with no script. Some of them still read P:: `/dayz-lint`, `/dayz-balance`, `/dayz-conflict-check`, `/dayz-recipe`, `/dayz-layout-preview` and `/dayz-upgrade-guard` only read files and write a report, and `/dayz-ask` only checks that P: is mounted. `/dayz-gate` gates through the scripts it calls, and `/dayz-stop-test` skips the check so it still works as an emergency stop.

SKILL	WHAT IT DOES
Setup	
`/dayz-init`	Setup wizard on first run, with an optional spec step; a status hub for the active mod after that.
`/dayz-preflight`	Checks the P drive, DayZ Tools, vanilla data and the Workshop link.
`/dayz-workdrive`	Mounts the P drive after a reboot without opening DayZ Tools.
`/dayz-setup-objectbuilder`	Configures Object Builder on a new machine.
Mods	
`/dayz-new-mod`	Creates a new mod with the standard folders and files.
`/dayz-import-mod`	Brings an existing mod folder or a GitHub repo into the workspace.
`/dayz-add-scaffold`	Adds missing standard pieces to an existing mod.
`/dayz-recipe`	Starts a plan from a recipe (new weapon, new vest, new craftable) for the architect to finish.
`/dayz-scope-mod`	Locks editing to one mod.
`/dayz-clean-workspace`	Removes mods it created, and their builds.
Build	
`/dayz-lint`	Finds errors that would stop a mod loading, before packing. Runs first inside the build gate and `/dayz-build-pbo`.
`/dayz-build-pbo`	Packs a mod into a PBO with AddonBuilder.
`/dayz-deploy-pbo`	Copies prebuilt PBOs and keys into place without AddonBuilder.
Test	
`/dayz-add-server`	Sets up a local test server instance.
`/dayz-launch-test`	Starts a diag server and client with your mods.
`/dayz-stop-test`	Stops the test session.
`/dayz-cot-bootstrap`	Gives you admin in Community Online Tools on the test server.
`/dayz-logwatch`	Watches the logs during a test session and triages each new error as it appears.
Checks, routing and status	
`/dayz-gate`	Build, in-game, behavior and visual checks as scripts that print PASS or FAIL, with known-error triage.
`/dayz-conflict-check`	Finds prefix, path and class collisions with CF, COT and Expansion.
`/dayz-upgrade-guard`	After a DayZ update, lists mod classes whose vanilla parents changed.
`/dayz-balance`	Compares item stats with similar vanilla items and flags outliers.

SKILL	WHAT IT DOES
/dayz-health	A page per mod with the last build, last test, open findings and gate history.
/dayz-route	Shows which skill, specialist or team should handle a request.
/dayz-statusline	Installs a status line with P:, the active mod, DayZ Diag and index age.
Art and UI	
/dayz-pack-texture	Converts images to `.paa` and checks their suffixes.
/dayz-build-imageset	Packs UI sprites into an imageset.
/dayz-layout-preview	Draws a `.layout` as PNGs at several screen sizes and flags widgets off screen.
/dayz-p3d-audit	Finds collision, physics and structure problems in models.
/dayz-particles	Reference for making particle effects without Workbench.
/dayz-launch-objectbuilder	Opens Object Builder on a model.
/dayz-launch-workbench	Opens Workbench on a mod's project.
Server economy	
/dayz-edit-types	Adds, changes, removes or merges `types.xml` entries.
/dayz-split-types	Splits one big `types.xml` into 19 category files.
Release	
/dayz-release-pack	Writes the Workshop description, a changelog entry, the classname list and server-owner install notes.
/dayz-server-kit	Zips types.xml entries, cfgeconomycore lines, load order and the public key for server owners.
RAG search	
/dayz-search-index	Builds the game-files index.
/dayz-search-download	Downloads a prebuilt index instead.
/dayz-ask	Answers a plain-English question about vanilla DayZ with checked path:line citations.
Team and repo	
/dayz-record-correction	Turns your correction into a team rule.
/sync-skills	Links the skills into Claude Code, Codex and Gemini (clones only).
/agentic-z-update	Pulls template updates into a clone (clones only).
/docs-sync	Keeps the docs wiki matching the source files (clones only).
/clean-repo	Repo-wide cleanup across every domain (clones only).

The side panel is a separate plugin, not a skill: `/plugin install agentic-z-panel@dayz-n-chill`, then `/dayz-panel` opens it.

The knowledge packs

All under `.claude/skills/_shared/`. Any worker can load any of them for one task. Most game facts cite a P: file and line, and the reviewers opened the cited lines. The integrity test checks less: each Markdown pack file that is not exempt must name a vanilla P: file at least once, and it does not check the .c and .layout worked examples. Six of the 13 worked examples (01, 04, 05, 06, 08 and 09) are still marked as vendored and not checked on P:, the Community Framework and

Dabs guides are checked against those frameworks' own scripts, and the style guides, folder indexes and a few notes are exempt from the citation rule.

SPECIALIST PACKS

- Saving data
- AI
- Vehicles
- Weapons
- Wearables
- Animation
- Audio and FX
- Physics
- Models and LODs
- Textures and rvmats

ENFORCE SCRIPT

- Language and core API references
- Patterns: modded classes, RPCs, net sync, persistence, actions, scheduler, JSON config
- 13 worked examples

FRAMEWORKS

- Community Framework
- Dabs Framework
- Central Economy
- Input bindings
- Vanilla plugins

UI

- GUI layouts and widgets
- Figma to DayZ rules
- Imagesets (a section of the widget API reference, not a pack of its own)

RULES

- Tier 2 core
- Config, assets, scripts, UI and server topics
- Container base

Where everything lives

Your files and the main places the skills write to. The repo's own tool folders are left out.

```
<repo>\
  workspace\<ModName>\           your mod source
  .server\<instance>\            local test server (mission, serverDZ.cfg, Profiles)
  .server\<instance>-behavior\   copy of the instance the behavior gate runs in
  .server\!ClientDiagLogs\       client logs
  .server\!Health\<ModName>\     stored gate results for /dayz-health
  .claude\local-memory\          your author handle, active project, wizard state
  output\<ModName>-plan\         the plan, behavior checks and the visual shots list
  output\<ModName>-visual\       screenshots per run, and the baselines to keep
  output\<ModName>-release\      release pack and server kit
  output\                        other one-off deliverables
~\.claude\dayz-search-index\     RAG search index
~\.claude\dayz-upgrade-guard\    vanilla snapshots for /dayz-upgrade-guard
P:\
  <ModName>\                     link to workspace\<ModName>
  Mods\@<ModName>\Addons\        built PBO (Mods links to DayZ\!Workshop)
  dz\                            vanilla data you extracted once
  scripts\                       vanilla scripts, also read by the skills
```

Settings you might need

VARIABLE	POINTS TO
DAYZ_TOOLS_PATH	DayZ Tools install (holds Bin\AddonBuilder).
DAYZ_GAME_PATH	DayZ game install (DayZ_x64.exe and its !Workshop folder).
DAYZ_DIAG_PATH	DayZDiag_x64.exe, when it is not next to the game.
DAYZ_VANILLA_DATA_PATH	Extracted vanilla data, when it is not at P:\dz.
DAYZ_WORK_DRIVE	The work drive folder /dayz-workdrive mounts as P:.
DAYZ_SERVER_PATH	DayZ Server install, used by /dayz-add-server.
VOYAGE_API_KEY	In .env, for RAG search.
VOYAGE_MODEL	Voyage embedding model for the index and searches (default voyage-code-3).
VOYAGE_FREE_TIER_TOKENS	Your Voyage token budget, when your plan differs from the default the indexer warns against.
DAYZ_RAG_MAX_DISTANCE	Default distance cutoff for search hits (unset by default).
TYPESAFE_API_KEY	Turns on Jev in /dayz-route.

Safety

- In a clone, the shipped **`.claude/settings.json`** allows the repo's own skills and scripts (plus **`npm install`** and **`npm ci`** from the lockfile), and blocks **`python -c`**, **`python -m`**, **`node -e`**, adding new npm packages and **`npx`**. A plugin install does not get this file, because plugins cannot ship permissions.
- Every agent has an explicit tool list. The five gates (mod reviewer, layout validator, build checker, in-game tester and debugger) have no Edit or Write tools; four of them have Bash to run their checks, and only the debugger has no Bash. Two agents have general web or remote design access: **`agent-creator`** has WebFetch, and **`figma-node-normalizer`** uses the remote Figma MCP tools. The 21 agents that use RAG search also send text off the machine: **`search_dayz_source`** embeds the query through the hosted Voyage AI API.
- **`/dayz-scope-mod <ModName>`** blocks edits to every other mod in **`workspace\`** (start Claude Code from the project root); **`--clear`** lifts it.

- Cleanup only removes what the toolkit made, and destructive steps ask first or need `--yes`.

Troubleshooting

SYMPTOM	CAUSE	FIX
`[FAIL] P:\ is NOT mounted`	P: is not mounted (it does not survive a reboot).	Mount it in DayZ Tools, or run `/dayz-workdrive`.
`[WARN] DayZ Tools not detected`	Not installed, or installed somewhere unusual.	Install from Steam (Tools), or set `DAYZ_TOOLS_PATH`.
`[WARN] Vanilla DayZ data not detected on P:\`	Game data not extracted.	DayZ Tools, Extract Game Data (once per Tools update).
`P:\Mods\` missing, a real folder, or dangling	Built PBOs must land in the Workshop folder.	`cmd /c mklink /J P:\Mods "<DayZ install>\!Workshop"`
`Connection failed 0x00020005`	serverDZ.cfg lacks `allowFilePatching = 1;`.	Rerun `/dayz-add-server <instance>`.
"Mission script has no main function"	Server found no valid mission folder.	`/dayz-add-server <instance> --refresh-mission`
`[FAIL] DayZDiag_x64.exe not found`	Incomplete DayZ install.	Verify DayZ in Steam; Diag ships next to DayZ_x64.exe.
`[FAIL] P:\<ModName> exists as a real folder, not a link`, or **`is a link pointing at ...`**	A folder, or a link to somewhere else, is already there.	Move it, or `cmd /c rmdir P:\<ModName>` if it is a stray link.
`[FAIL] Mod '<ModName>' has no Addons folder at ...`, or **`has no .pbo files in ...`**	Launched before building.	Run `/dayz-build-pbo <ModName>` first.
`[FAIL] P:\<ModName> junction is missing`	The P: link to your mod folder is gone.	`/dayz-add-scaffold <ModName> --piece junction`.
`ERROR` from **`/dayz-gate`** asking for **`--deps`**	The mod's config.cpp needs non-vanilla addons, such as CF.	Pass them: `/dayz-gate ingame <ModName> --deps CF`.
`FAIL` from **`/dayz-lint`** before a build	An error that would stop the mod loading.	Fix the `file:line` it names; each finding names its owner.
Mod does not load in game	One of the setup pieces is off.	Run `/dayz-preflight`, check the junction, CfgPatches entry, PBO date, the server `script*.log`, and that the client used `-mod=P:\Mods\@<ModName>`.

FAQ

QUESTION	ANSWER
Does it cost money?	Agentic-Z itself is free to use for DayZ mods (see LICENSE). You need your own AI tool (Claude Code for everything, or Codex CLI or Gemini CLI for the skills and rules). RAG search needs a Voyage AI key; the last full index build embedded about 66M tokens, and the current indexer makes more chunks, so check Voyage pricing. `/dayz-search-download` skips the build with a prebuilt index, but that index is older than the current indexer, and searching still needs the key to embed your questions.
Which AI tools work?	Claude Code gets everything. Codex CLI and Gemini CLI get the skills (`/sync-skills` links them into all three) and the rules files (`AGENTS.md` and `GEMINI.md`). The agents, the hooks and RAG search are Claude Code features.
Plugin or clone?	Plugin to add it to an existing project (skills show as `/agentic-z:...`). Clone to start a new mod project. Not both at once, or every skill loads twice.
Will it touch my other mods?	Skills never write to your other mods. Besides your mod, its P: link, its test server and its build folder, they write only their own state: `.claude\local-memory\`, `.claude\settings.local.json`, the search index in `~\.claude\dayz-search-index\`, the `P:\Mods` link, Object Builder settings in the registry, the skill links from `/sync-skills`, rule files after your yes in `/dayz-record-correction`, vanilla snapshots in `~\.claude\dayz-upgrade-guard\` (about 10 MB each), the behavior gate copy of your test server in `.server\<instance>-behavior\`, gate results and the health page in `.server\!Health\<ModName>\`, and in `output\` the plans, the visual gate screenshots, the layout preview images in `output\layout-preview\`, the answer test results in `output\evals\`, and the release texts and server kit zip in `output\<ModName>-release\`. `/agentic-z-update` also checks updated template files out into your clone, commits them, and writes `.claude\.upstream-baseline` and `.claude\.upstream-update.lock`. `/dayz-scope-mod <ModName>` blocks edits to every other mod in `workspace\`.
Does it publish to the Workshop?	No. Builds land in `P:\Mods\@<ModName>`, which the launcher loads. You publish with DayZ Tools Publisher.
Can I work on several mods?	Yes. Each mod lives in `workspace\<ModName>`. Pick "Set up or switch to another mod" in the `/dayz-init` hub.
Where are the logs?	Server: `.server\<instance>\Profiles\`. Client: `.server\!ClientDiagLogs\`.
Does P: stay mounted?	No, it does not survive a reboot. Run `/dayz-workdrive` after booting.
Do I need the DayZ Server?	Yes, installed, whenever you add a test server instance or refresh its mission: `/dayz-add-server` copies the mission template from the DayZ Server install each time it creates an instance, and again for `--refresh-mission`.
How do I update?	Plugin: through the Claude Code plugin marketplace. Clone: `/agentic-z-update`.
Is it safe to run?	In a clone, the shipped settings allow the repo's own skills and scripts and deny `python -c`, `python -m`, `node -e`, `node -p`, `npx`, and `npm install` or `npm i` with a package name. Plain `npm install` and `npm ci` are allowed. Other inline forms such as `py -c` are not on the allow list either, so they ask you first. A plugin install does not get these settings, because plugins cannot ship permissions. The mod reviewer, layout validator, build checker, in-game tester and debugger have no Edit or Write tools (four of them can run Bash for their checks).
Can I teach it my style?	Yes. Correct it once and run `/dayz-record-correction`; the rule is saved after your yes.

Getting help and contributing

Discord: `discord.gg/dayznchill`. Repo: `github.com/DayZ-n-Chill/Agentic-Z`. To contribute, branch from `develop` (named `feature/`, `fix/` or `docs/`), and open the pull request against `develop`.

Agentic-Z by DayZ n' Chill.