
Agentic-Z Agent Team

Agentic-Z 2.0.0 is a Claude Code plugin and repo template for DayZ modding: 30 agents in `.claude/agents/`, 44 skills in `.claude/skills/`, knowledge packs, three hooks and the `dayz-rag` MCP search server, each graded by independent reviewers. Version 2.0.0 is on `develop`; `main` carries 1.6.0. The pipeline has the same structure as the Dev Agent Team: the user approves a plan, `dayz-orchestrator` splits it into tasks, `dayz-lead` hands each task to a worker, gates return PASS or FAIL, and the user gives final approval before publishing.

Architecture

You | Planning | Team leads | Workers (one per task) | Gatekeepers | Playbook and knowledge packs



Gate order: **`dayz-lead`** runs **`dayz-mod-reviewer`** on every task and **`dayz-layout-validator`** on every **`.layout`** change. Once per wave, **`dayz-orchestrator`** runs the build gate, the in-game gate and, when the plan lists behavior checks, the behavior gate, one at a time, because there is one mod folder and one test session. Workers run in parallel only when their tasks touch different files.

Components

What Agentic-Z 2.0.0 adds to a Claude Code session, one row per component. Agents, skills, rule tiers and knowledge packs have their own sections below.

COMPONENT	IMPLEMENTATION AND EFFECT
Knowledge and search	
RAG search: game files	`search_dayz_source` in the `dayz-rag` MCP server: an index of the vanilla DayZ files on P: (scripts, configs, layouts, materials, economy XML), embedded with Voyage AI code embeddings and stored in LanceDB. Agents find vanilla code by meaning ("how does food spoil") instead of guessing class names.
File lookup	`get_dayz_file` returns an exact file and line range on P: and refuses any path outside it, so agents read the real source behind a search hit.
Cite then verify	Rule in every agent: a search hit is a hint until the real file confirms it. Answers carry checkable `path:line` references and fewer invented classes.
Cited answers	`/dayz-ask` answers a plain English question about vanilla, checks every hit against P:, and falls back to keyword search when there is no index or key.
Prebuilt index	`/dayz-search-download` pulls a prebuilt index from GitHub, so a fresh install gets search without spending Voyage credits on embedding.
Knowledge packs	DayZ reference files under `.claude/skills/_shared/`; agents load only the pack their task needs. See "Knowledge packs".
Agent team	
Orchestrator and leads	`dayz-orchestrator` (the main session), `dayz-mod-architect`, and `dayz-lead` for each of six teams. The user describes a mod once and approves a plan; the team splits and tracks the work.
Workers and specialists	One agent per area of DayZ: script, config, models, textures, UI, maps, server and Workbench, plus eight domain specialists. See "Agents".
Gates	`dayz-mod-reviewer`, `dayz-layout-validator`, and the `/dayz-gate` build, in-game and behavior gates, each returning PASS or FAIL. Work reaches the user only after it builds, loads in game with clean logs and, when the plan lists behavior checks, passes the behavior gate.
Router	`/dayz-route` keyword rules, then TypeSafe's Jev when `TYPESAFE_API_KEY` is set, then the Haiku `dayz-router` agent. Most requests reach the right handler with no model tokens.
Figma pipeline (optional)	`figma-node-normalizer`, `figma-to-dayz-layout` and `dayz-layout-validator` turn a Figma frame into a checked DayZ `.layout`. Unused without a Figma input.
Agent creator	`agent-creator` writes and checks agent files against the standard template and rules.

COMPONENT	IMPLEMENTATION AND EFFECT
Rules and learning	
Rule tiers	Repo rules, DayZ rules, then agents and packs; the more specific tier wins, and no file repeats another. See "Rule tiers".
Corrections become rules	`/dayz-record-correction` drafts a rule from a user correction and saves it after the user approves, so a mistake corrected once is corrected for the whole team.
Agent memory	19 of the 30 agents set `memory: project` and keep notes on the project's decisions in its own `.claude/agent-memory/` folder, wherever it is cloned. The gates, `dayz-lead` and `dayz-router` have none.
Hooks (hooks/hooks.json; each exits silently on its own errors, so a hook bug never blocks the session)	
Edit check	`hooks/edit_check.py`, a PostToolUse hook on `Edit`, `Write` and `MultiEdit`: syntax check of `config.cpp` and `.layout` files. A problem returns `{"decision": "block"}` with each `file:line`, so a missing `;` or `}` is fixed in the same turn, before a build fails on it.
Scope guard	`hooks/scope_guard.py`, a PreToolUse hook: denies edits to other mods while `/dayz-scope-mod` is set.
Paste-in router	`hooks/paste_router.py`, a UserPromptSubmit hook: crash logs go to triage, `types.xml` chunks to a checked merge, Figma and GitHub links to their workflow.
Safety	
Permission lists	`.claude/settings.json` ships 26 allow rules and 11 deny rules, and every agent has an explicit `tools` list. Agents can run the repo's own skills, but not inline code (`python -c`, `node -e`) or new installs (`npm install`, `npx`).
Read-only gates	`dayz-mod-reviewer`, `dayz-layout-validator`, `dayz-build-checker`, `dayz-ingame-tester` and `dayz-mod-debugger` cannot edit files; `dayz-lead` and `dayz-physics-specialist` have no write tools. Agents that judge the work cannot change it.
Platforms and distribution	
Three AI tools	`/sync-skills` links the same skills into Claude Code, Codex and Gemini.
Plugin or clone	The `agentic-z` plugin from the `dayz-n-chill` marketplace (updates through the marketplace), or a clone of the repo as a mod template (updates with `/agentic-z-update`).
Side panel	`agentic-z-panel` 0.3.0, a second plugin with DayZ status and buttons that run the skill scripts directly: build, check, launch, stop, open the editors and read the logs with no model tokens.
Self-checking repo	The test suite, panel tests, answer tests (evals), the `tests.yml` GitHub workflow, and `/docs-sync` to keep the wiki matching the source catch broken agents, missing files and wrong tool names before release. Counts in "Verification status".

Verification status


Checked against `origin/develop` at commit `2902f83` (version 2.0.0) on October 22, 2026.

`WORKS` checked `NEEDS A STEP` works after one setup step `NOT RUN LIVE` tested without a real DayZ session

COMPONENT	STATUS	CHECK
Test suite	`WORKS`	`py -m pytest -q .claude scripts/dev hooks` on a clean copy of `origin/develop` collects 2,884 tests. They check that every agent and skill is registered, every file and skill they name exists, gates cannot edit, tier files match, and every wrapper points at a real script.
Panel tests	`WORKS`	`claude plugin test mods/agentic-z-panel` runs 18 tests.
CI on GitHub	`WORKS`	The `tests` workflow passes on `develop` at commit `2902f83`. It runs on every pull request and every push to `develop` and `main`.
Answer tests (evals)	`WORKS`	23 of the 30 agents have a question file and a score in `evals/baseline.json`. The seven without are listed in "Limits".
DayZ facts in the packs	`WORKS`	The graders opened the cited lines on P: for every pack. Six Enforce Script examples are marked as vendored and not checked.
RAG search: game files	`NEEDS A STEP`	Needs a Voyage API key in `.env` and an index built by `/dayz-search-index` with class windowing, which indexes large script classes in full. The index on disk is the August 10, 2026 build (52,048 chunks), which predates class windowing.
Orchestrator, leads and gates in a real session	`NOT RUN LIVE`	Tested with scripts and fixtures only; not run against a real DayZ session.
Behavior and visual gates	`NOT RUN LIVE`	Tested with fixtures only. The test mission and the window capture have not run in a live session.

Grades by version

Grades for every agent and skill at three points: v1.6.0, after the v1.7.0 grading rounds, and the final v2.0.0 review, all from fresh, independent AI reviewers (method in "Grading method"). The v2.0.0 review also covers the hooks, the search server, the panel, the scripts, the answer tests and every knowledge pack. "not built" marks an item that did not exist yet; "n/a" marks a core file not graded at that version.



At v2.0.0: 30 of 30 agents, 44 of 44 skills and 90 of 90 core items at A+. Tests: 84 at v1.6.0, 2,884 at v2.0.0 (`py -m pytest -q .claude scripts/dev hooks` on `origin/develop`), plus 18 panel tests.

All three columns are grades from independent reviewers. The v2.0.0 column is the final grade, not a target.

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
Agents			
agent-creator	A-	A+	A+
dayz-ai-specialist	NOT BUILT	NOT BUILT	A+
dayz-animation-specialist	NOT BUILT	NOT BUILT	A+
dayz-asset-specialist	C+	A	A+
dayz-audio-fx-specialist	NOT BUILT	NOT BUILT	A+
dayz-build-checker	A	A	A+
dayz-build-engineer	A-	A-	A+
dayz-config-specialist	C+	A+	A+
dayz-docs-writer	A-	A	A+
dayz-ingame-tester	A	A	A+
dayz-layout-validator	B-	A-	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
dayz-lead	A-	A+	A+
dayz-map-specialist	C+	A+	A+
dayz-mod-architect	A-	A+	A+
dayz-mod-debugger	B-	A+	A+
dayz-mod-reviewer	B	A-	A+
dayz-object-builder	B-	A-	A+
dayz-orchestrator	A-	A	A+
dayz-persistence-specialist	NOT BUILT	NOT BUILT	A+
dayz-physics-specialist	NOT BUILT	NOT BUILT	A+
dayz-router	NOT BUILT	NOT BUILT	A+
dayz-script-specialist	B-	A+	A+
dayz-server-admin	C+	A+	A+
dayz-ui-specialist	C	A+	A+
dayz-vehicle-specialist	NOT BUILT	NOT BUILT	A+
dayz-weapon-specialist	NOT BUILT	NOT BUILT	A+
dayz-wearables-specialist	NOT BUILT	NOT BUILT	A+
dayz-workbench-specialist	C+	A+	A+
figma-node-normalizer	B-	A	A+
figma-to-dayz-layout	C+	A+	A+
Skills			
agentic-z-update	B+	B+	A+
clean-repo	B	A+	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
dayz-add-scaffold	B+	A-	A+
dayz-add-server	B+	B+	A+
dayz-ask	NOT BUILT	NOT BUILT	A+
dayz-balance	NOT BUILT	NOT BUILT	A+
dayz-build-imageset	B	A-	A+
dayz-build-pbo	B	B	A+
dayz-clean-workspace	B-	A	A+
dayz-conflict-check	NOT BUILT	NOT BUILT	A+
dayz-cot-bootstrap	B	A-	A+
dayz-deploy-pbo	A-	A	A+
dayz-edit-types	C+	A-	A+
dayz-gate	NOT BUILT	NOT BUILT	A+
dayz-health	NOT BUILT	NOT BUILT	A+
dayz-import-mod	B+	A-	A+
dayz-init	C	A-	A+
dayz-launch-objectbuilder	A-	A	A+
dayz-launch-test	B+	B+	A+
dayz-launch-workbench	B+	A+	A+
dayz-layout-preview	NOT BUILT	NOT BUILT	A+
dayz-lint	NOT BUILT	NOT BUILT	A+
dayz-logwatch	NOT BUILT	NOT BUILT	A+
dayz-new-mod	B	A	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
dayz-p3d-audit	B	A-	A+
dayz-pack-texture	B+	B+	A+
dayz-particles	B+	A+	A+
dayz-preflight	B	A+	A+
dayz-recipe	NOT BUILT	NOT BUILT	A+
dayz-record-correction	A-	A-	A+
dayz-release-pack	NOT BUILT	NOT BUILT	A+
dayz-route	NOT BUILT	NOT BUILT	A+
dayz-scope-mod	B	A+	A+
dayz-search-download	B-	A	A+
dayz-search-index	C+	A-	A+
dayz-server-kit	NOT BUILT	NOT BUILT	A+
dayz-setup-objectbuilder	B-	A	A+
dayz-split-types	B	A+	A+
dayz-statusline	NOT BUILT	NOT BUILT	A+
dayz-stop-test	A-	A+	A+
dayz-upgrade-guard	NOT BUILT	NOT BUILT	A+
dayz-workdrive	B+	A+	A+
docs-sync	B	A-	A+
sync-skills	B+	A+	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
Rules and core files			
.claude/skills/_shared/dayz-conventions.md (Tier 2 core)	NOT BUILT	NOT BUILT	A+
_shared/conventions/config.md	NOT BUILT	NOT BUILT	A+
_shared/conventions/assets.md	NOT BUILT	NOT BUILT	A+
_shared/conventions/scripts.md	NOT BUILT	NOT BUILT	A+
_shared/conventions/server.md	NOT BUILT	NOT BUILT	A+
_shared/conventions/ui.md	NOT BUILT	NOT BUILT	A+
_shared/container-base.md	NOT BUILT	NOT BUILT	A+
_shared/py3d-mlod-notes.md	NOT BUILT	NOT BUILT	A+
_shared/skill_helpers.py + test_skill_helpers.py	NOT BUILT	NOT BUILT	A+
_shared/enscript-style.md	NOT BUILT	NOT BUILT	A+
_shared/answer-formatting.md	NOT BUILT	NOT BUILT	A+
Grading method note (the "Grading method" section of this document)	NOT BUILT	NOT BUILT	A+
.claude/skills/_shared/README.md (pack index)	NOT BUILT	NOT BUILT	A+
_shared/figma-to-dayz-rules.md	NOT BUILT	NOT BUILT	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
Specialist knowledge packs			
Knowledge pack _shared/ai (README + 5 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/animation (README + 5 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/models (README + 5 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/physics (README + 4 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/vehicles (README + 6 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/weapons (README + 7 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/wearables (README + 6 reference files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/audio-fx (README + 3 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/textures (README + 4 files)	NOT BUILT	NOT BUILT	A+
Knowledge pack _shared/persistence (README + 4 files)	NOT BUILT	NOT BUILT	A+
Enforce Script pack			
enscript/patterns/scheduler.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/physics_items.md	NOT BUILT	NOT BUILT	A+
enscript/references/api_entities_inventory.md, api_game.md, api_network.md, api_player.md, api_scheduling.md, language_compile.md, language_memory.md	NOT BUILT	NOT BUILT	A+
enscript/examples/01_custom_item.c, 04_rpc_patterns.c, 05_mission_server.c, 06_json_config.c, 08_gui_menu.c, 09_scheduler_timer.c	NOT BUILT	NOT BUILT	A+
enscript/patterns/netsync.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/json_config_migration.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/rpc.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/language_workarounds.md	NOT BUILT	NOT BUILT	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
enscript/integrations/central_economy.md	NOT BUILT	NOT BUILT	A+
enscript/integrations/vanilla_plugins.md	NOT BUILT	NOT BUILT	A+
enscript/integrations/input_bindings.md	NOT BUILT	NOT BUILT	A+
enscript/integrations/community_framework.md	NOT BUILT	NOT BUILT	A+
enscript/references/erpc_defines.md	NOT BUILT	NOT BUILT	A+
enscript/references/file_paths.md	NOT BUILT	NOT BUILT	A+
enscript/references/language_types.md	NOT BUILT	NOT BUILT	A+
enscript/references/types_collections.md	NOT BUILT	NOT BUILT	A+
enscript/references/widget_api.md	NOT BUILT	NOT BUILT	A+
enscript/examples/07_agent_modifier.c	NOT BUILT	NOT BUILT	A+
enscript/examples/12_menu_interactions.layout	NOT BUILT	NOT BUILT	A+
enscript/patterns/persistence.md	NOT BUILT	NOT BUILT	A+
enscript/integrations/dabs_framework.md	NOT BUILT	NOT BUILT	A+
enscript/references/item_api.md	NOT BUILT	NOT BUILT	A+
enscript/examples/11_hud_plain_text.layout	NOT BUILT	NOT BUILT	A+
enscript/examples/13_item_preview.layout	NOT BUILT	NOT BUILT	A+
enscript/README.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/modded_class.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/actions.md	NOT BUILT	NOT BUILT	A+
enscript/patterns/singleton.md	NOT BUILT	NOT BUILT	A+
enscript/references/gui_layout.md	NOT BUILT	NOT BUILT	A+
enscript/examples/02_custom_action_singleuse.c	NOT BUILT	NOT BUILT	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
enscript/examples/03_continuous_action.c	NOT BUILT	NOT BUILT	A+
enscript/examples/10_modded_playerbase.c	NOT BUILT	NOT BUILT	A+
Hooks			
hooks/hooks.json	NOT BUILT	NOT BUILT	A+
hooks/test_plugin_copy.py	NOT BUILT	NOT BUILT	A+
hooks/edit_check.py (+ test_edit_check.py)	NOT BUILT	NOT BUILT	A+
hooks/scope_guard.py (+ test_scope_guard.py)	NOT BUILT	NOT BUILT	A+
hooks/paste_router.py (+ test_paste_router.py)	NOT BUILT	NOT BUILT	A+
Search server and panel			
dayz-rag MCP server (server.py, voyage_common.py, README, tests)	NOT BUILT	NOT BUILT	A+
mods/agentic-z-panel (plugin.json, hooks.json, register.tsx, register.test.tsx, types)	NOT BUILT	NOT BUILT	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
Answer tests (evals)			
evals/baseline.json	NOT BUILT	NOT BUILT	A+
evals/fixtures/dayz-layout-validator/*.layout	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-ai-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-animation-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-asset-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-audio-fx-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-config-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-layout-validator.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-mod-reviewer.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-object-builder.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-persistence-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-physics-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-script-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-vehicle-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-weapon-specialist.json	NOT BUILT	NOT BUILT	A+
evals/questions/dayz-wearables-specialist.json	NOT BUILT	NOT BUILT	A+
scripts/dev/test_run_evals.py	NOT BUILT	NOT BUILT	A+
evals/README.md	NOT BUILT	NOT BUILT	A+
scripts/dev/run_evals.py	NOT BUILT	NOT BUILT	A+

ITEM	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
Scripts and repo tests			
scripts/dev/evals.bat, clean-repo.bat, docs-sync.bat	NOT BUILT	NOT BUILT	A+
scripts/setup/preflight.bat, workdrive.bat, setup-objectbuilder.bat, statusline.bat, sync-skills.bat	NOT BUILT	NOT BUILT	A+
scripts/dayz/*.bat (the other 35 wrappers: add-scaffold, add-server, ask, balance, build-imageset, build-pbo, clean-workspace, conflict-check, cot-bootstrap, deploy-pbo, gate, health, import-mod, launch-test, layout-preview, lint, logwatch, new-mod, objectbuilder, p3d-audit, pack-texture, recipe, release-pack, route, scope-mod, search-download, search-index, server-kit, status, stop-test, triage, types-edit, types-split, upgrade-guard, workbench)	NOT BUILT	NOT BUILT	A+
scripts/README.md	NOT BUILT	NOT BUILT	A+
scripts/dayz/dayz-search.bat	NOT BUILT	NOT BUILT	A+
scripts/setup/agentic-z-update.bat	NOT BUILT	NOT BUILT	A+
scripts/dev/test_repo_integrity.py	NOT BUILT	NOT BUILT	A+
scripts/dayz/dayz-search.py	NOT BUILT	NOT BUILT	A+

Grading method

Every agent, skill and core file is graded by AI reviewers, not by the author, against Anthropic's published best practices for Claude Code. Each reviewer is a Claude instance started fresh for the job: it sees the files, the rubric and the standards, never the earlier grades or the author's opinion. This is not an official Anthropic rating; it is a repeatable review that anyone can rerun with the prompts under "Reproducing the review".

CURRENT COUNTS

The grades cover 164 items on `origin/develop`. 164 of them are at A+: 30 of the 30 agents, 44 of the 44 skills and 90 of the 90 core items (hooks, the search server, the panel, scripts and wrappers, answer tests, rules files, knowledge packs and this method note). Each item shows its latest grade. The grades come from `final_grades.json` and `final_grades_shared.json`; `clean-repo` is graded in two batches and counts once.

REVIEWERS

- **Independent reviewers.** Every review starts new Claude reviewers with no memory of earlier reviews. A full review uses six: two for the agents, three for the skills, and one for everything else (the hooks, the search server, the panel, the scripts and wrappers, the answer tests, the rules files, the knowledge packs and this note). The few core files that are not graded are listed under "Limits".
- **Read only.** Reviewers cannot edit files. They read every file, run the tests where the session allows it, and check claims against the code and the vanilla DayZ files on the P: drive. A reviewer whose session does not allow pytest says so in its reasons. In the final review, three skill reviewers (for `dayz-launch-objectbuilder`, `dayz-launch-workbench` and `dayz-search-download`) could not run pytest because it was denied in their session, and said so in their reasons.
- **Separate fixers.** Other agents fix the findings, each owning its own files. A fixer never grades its own work.
- **Regrade.** New reviewers grade every fixed item again. An item counts as A+ only when an independent reviewer gives it A+.

STANDARDS

- **Anthropic's standards:** the Claude Code subagent documentation (code.claude.com/docs/en/sub-agents), the Agent Skills best practices (docs.claude.com/en/docs/agents-and-tools/agent-skills/best-practices), the Claude Code hooks reference (code.claude.com/docs/en/hooks) and plugins reference (code.claude.com/docs/en/plugins-reference), and for the search server, the Model Context Protocol tool guidance.
- **Agentic-Z's own rules:** `CLAUDE.md` (Tier 1), the DayZ rules file and its topic files (Tier 2), the agent standard in `agent-creator.md`, and `docs/prompt-conventions.md`.
- **The real game:** DayZ facts are checked against the vanilla files on P: (for example which file holds CfgSurfaces, which texture suffixes exist, which widget classes can be a layout's root). Six Enforce Script worked examples (01, 04, 05, 06, 08 and 09) are marked as vendored and not checked on P:.

RUBRIC: AGENTS AND SKILLS

FOR AGENTS	FOR SKILLS
Description: a precise third person contract saying what it does and when to use it, with a realistic example and valid YAML.	**Frontmatter:** the name matches the folder; the description says what it does and when to use it, in the third person, kept short.
Tools: only what the role needs, and everything the instructions ask it to do. Read only roles cannot edit.	**Instructions:** concise, accurate to the code (every claim and sample output checked against the script), with a clear "how to run".
Body: lean and specific, pointing at the rules files instead of repeating them, capital letter rules used sparingly.	**Script:** readable, clear error messages, non zero exit on failure, no dead code, common helpers reused, the environment check run first where the rules require.
Correct and consistent: every path, skill, agent and tool it names exists and is used correctly; no contradiction with the rules or the team flow; DayZ facts verified.	**Tests:** exist, cover the risky logic, and pass.
Handoffs: says what it returns and to whom.	**Safety:** anything destructive is guarded with a backup, a dry run or a confirmation.

RUBRIC: CORE ITEMS

The 90 core items are not agents or skills, so each kind is judged by what it is:

KIND OF ITEM	WHAT THE REVIEWER CHECKS
Hooks	The output JSON is correct for the hook event, a bug in the hook never blocks the session, the plugin and clone wiring match, and tests feed the hook input through stdin.
Search server	Every tool carries read only annotations, tool descriptions are clear, errors come back as `isError` results, and tests cover the tools.
Panel plugin	The plugin manifest and hook wiring follow the plugins reference, and its own tests pass.
Rules files	Every rule is true of the code, nothing repeats another tier, and every path and skill named exists.
Knowledge packs	Game facts cite a P: file and line or are marked as unverified, the cited lines hold when opened on P:, and nothing contradicts the checked references.
Scripts, wrappers and repo tests	The tests run and pass, the documentation and help text match the code, and failures exit non zero with a clear message.
Answer tests (evals)	The cases test what the agent is for, the runner and baselines match, and a change can only keep or raise a score.
This method note	It states the rubric for every kind of item, the grade scale and the grading prompts, and every count, source and claim in it matches the repo and the grade files.

GRADE SCALE

GRADE	MEANING
A+	Ship it unchanged as an example of best practice. The reviewer found nothing concrete to fix.
A, A-	Very good, with one or two concrete defects a user could hit.
B+ TO B-	Works, but has real gaps: claims that don't match the code, missing tests, unclear handoffs.
C+ TO D	Wrong or risky in ways a user will hit, or built on an approach that can't reach A.

Every grade below A+ must name the concrete defect and the exact fix. Style preferences alone cannot lower a grade.

REPRODUCING THE REVIEW

Start a fresh Claude Code session in the repo and give it one of these four prompts. For agents:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade every file in .claude/agents/*.md against
Anthropic's current Claude Code subagent standards and the repo's agent standard
in .claude/agents/agent-creator.md: precise third-person description with an
example; minimal tools that cover the body; lean body with references over
inlining; every path, skill, agent and DayZ fact correct and consistent with
CLAUDE.md, .claude/skills/_shared/dayz-conventions.md and the team flow; a Report
naming its recipient. Scale A+ to D. A+ means nothing concrete left to fix. For
anything lower, name a concrete defect a user would actually hit.
Output a table: Agent | Grade | Why | To reach A+.
```

For skills:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade every skill in .claude/skills/*/ (SKILL.md, its
scripts and its tests) against Anthropic's Agent Skills best practices and the
repo's rules: name matches the folder; third-person description of what it does
and when to use it; instructions accurate to the script; readable script with
clear errors and non-zero exit on failure; preflight first where the rules
require; tests that cover the risky logic and pass; destructive steps guarded
by a backup, dry run or confirmation. Run py -m pytest -q on the skill's tests.
Scale A+ to D. A+ means nothing concrete left to fix. For anything lower, name a
concrete defect a user would actually hit.
Output a table: Skill | Grade | Why | To reach A+.
```

For everything else:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade every hook in hooks/, the MCP server in
.claude/mcp/dayz-rag/, the panel plugin in mods/agentic-z-panel/, every wrapper
in scripts/, the answer tests in evals/, the rules files and every knowledge
pack under .claude/skills/_shared/. Hooks: correct output JSON for the event,
never block on their own bug, tests through stdin. MCP server: read-only
annotations, clear tool descriptions, errors returned as isError, tests. Panel:
follows the plugins reference, its tests pass. Rules files: every rule true of
the code. Knowledge packs: game facts cite a P: file and line or are marked
unverified, and the cited lines hold (open them on P:). Scripts and answer
tests: tests run, documentation matches the code. Run
py -m pytest -q .claude scripts/dev hooks. Scale A+ to D. A+ means nothing
concrete left to fix. For anything lower, name a concrete defect a user would
actually hit. Output a table: Item | Grade | Why | To reach A+.
```

For this method note:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade the "Grading method" section of the
Agentic-Z agent team guide. Check that it states who grades, the rubric for
every kind of item graded (agents, skills, hooks, search server, panel, rules
files, knowledge packs, scripts, answer tests and this note), the grade scale,
and the grading prompt for every kind; and that every count matches
final_grades.json and final_grades_shared.json. Scale A+ to D. A+ means
nothing concrete left to fix. For anything lower, name a concrete defect a
reader would actually hit.
Output a table: Item | Grade | Why | To reach A+.
```

Because each reviewer is new, two runs can word findings differently, and a stricter reviewer can find a new edge case.

Limits

- **Live DayZ session.** Nothing in 2.0.0 has run against a real DayZ session: not the team loop, the in-game, behavior or visual gates, or the panel's launch buttons. The behavior and visual gates are tested with fixtures only.
- **Published version.** Version 2.0.0 is on `develop`; `main` carries 1.6.0. The 2.0.0 release notes are on `develop`, and CI passes there.
- **Search timeout.** The installed plugin (1.6.0) has the search timeout bug; the fix is in 2.0.0, which is on `develop` and not yet released.
- **Answer tests.** 23 of the 30 agents have them. `dayz-build-checker`, `dayz-ingame-tester`, `dayz-mod-architect`, `dayz-lead`, `dayz-orchestrator`, `dayz-router` and `figma-to-dayz-layout` have no question file.
- **Files not graded.** Nine answer test files, `expansion_style.md`, `examples/layouts.md` and the nine `enscript-style/` section files.
- **Unchecked examples.** Six of the 13 Enforce Script worked examples are marked as vendored and not checked on P:.
- **Preflight exceptions.** The DayZ rules file has 14 exception entries naming 21 skills that skip the preflight gate; `docs/dayz-modding.md` lists five of them.

Token savers and workflows

All token savers and workflows below are built and tested. None has run in a live DayZ session.

TOKEN SAVERS

SAVER	MECHANISM
Script-only gates	`/dayz-gate build`, `ingame`, `behavior` and `visual` are scripts that print `PASS` (exit 0), `FAIL` (exit 1) or `ERROR` (exit 2). The model is involved only when something fails. The largest saving.
Log triage	`known-errors.json` holds 52 known errors, each with its fix and owner. Only new errors go to `dayz-mod-debugger`; `triage.py --learn` adds project entries.
Router	Keyword rules before any model call; see "Components".
Hooks	Edit check, scope guard and paste-in router; see "Components".
Status line	`/dayz-statusline` shows P:, the active mod, DayZ Diag and index age under the prompt, with no tokens.
Cheaper models	`dayz-build-engineer` and `dayz-router` run on Haiku, `dayz-docs-writer` on Sonnet.
Small rules loading	Tier 2 is a 143-line core and five topic files of 24 to 56 lines. Most skills read only the core; `/dayz-deploy-pbo` and `/dayz-gate` also point to the bundle mods section of the config topic file. Each agent reads the core plus the topic files its job needs, up to 283 lines for `dayz-mod-reviewer`, which reads three. Compared with the former single 239-line Tier 2 file: the core alone is 40% less; with one topic file an agent reads 17% to 30% less; with two it depends on which two: `dayz-mod-debugger` (226 lines) and `dayz-mod-architect` (231 lines) read a little less, while `dayz-vehicle-specialist`, `dayz-weapon-specialist` and `dayz-audio-fx-specialist` (251 lines) read more, as does `dayz-mod-reviewer` with three (283 lines).
Panel and wrappers	The `agentic-z-panel` buttons and a `.bat` wrapper for every runnable skill run the scripts directly.
Short descriptions	Agent and skill descriptions are kept short, since every session loads them: about 2,100 tokens less loaded into every session.

WORKFLOWS

PASTE-IN INPUTS

- Crash log or RPT
- Screenshot of a bug
- Figma link
- GitHub link
- types.xml chunk

BUILD

- Mod recipes
- Live log watch
- Behavior and visual gates
- Release pack

MAINTENANCE

- Upgrade guard
- Conflict check with CF, COT, Expansion
- Balance sheet against vanilla
- Health page per mod

SERVER OWNERS

- Server kit
- Cited answers about vanilla
- Answer tests
- Layout preview


ROADMAP

- **Live DayZ checks.** Build one small mod end to end with DayZ running on the user's PC, and run the in-game, behavior and visual gates for real. Asked for before it runs.
- **Release 2.0.0.** Merge `develop` into `main` after the user's yes. Nothing is released until then.
- **RAG search.** After the release: a Voyage API key in `.env` and a full re-index.
- **Answer tests for the last seven agents.** Write question files for `dayz-build-checker`, `dayz-ingame-tester`, `dayz-mod-architect`, `dayz-lead`, `dayz-orchestrator`, `dayz-router` and `figma-to-dayz-layout`, and record a baseline.
- **Grade the files not yet graded.** The nine newer question files, the Expansion style notes (`expansion_style.md`), the layouts example (`examples/layouts.md`) and the style guide section files (`enscript-style/`), in the next independent round.
- **Preflight exception list.** Bring `docs/dayz-modding.md` in line with the rules file.
- **Add-ons plugin.** An optional `agentic-z-addons` plugin for outside tools, built only after the core is done and only for the add-ons the user names.

Domain specialists

Eight specialist agents, each with its own knowledge pack, work under the team leads alongside the workers, and `/dayz-lint` runs inside the build gate. Every fact in the packs is checked against the vanilla files on P: and written fresh; nothing is copied from other mods.

Agentic-Z stays the base, and the team loop stays plan, leads, workers, gates, ship. The specialists add only workers, knowledge packs and one check inside the existing build gate. All of it is on develop.




BUILD ORDER

1. **Research map.** Every topic from outside research and the knowledge pack, sorted into the subjects below. It is not part of the repo.
2. **Foundation.** Client and server ownership rules added to the DayZ rules, a `references/` folder layout for specialists, and an empty answer-tests (evals) folder.
3. **`/dayz-lint`.** Agentic-Z's own checker for errors that would stop a mod from loading, run inside `/dayz-gate build` and `/dayz-build-pbo` before packing. Its findings feed the known-errors triage.
4. **`dayz-persistence-specialist`:** storage, save versions and migrations, base building, and a pre-release check that nothing gets lost.
5. **`dayz-vehicle-specialist`:** cars, boats, helicopters and flight.
6. **`dayz-weapon-specialist`:** CfgWeapons, attachments, magazines, selections.
7. **`dayz-wearables-specialist`:** clothing, characters, slots and proxy alignment.
8. **`dayz-animation-specialist`:** model.cfg animation sources, RTM, and the Blender handoff.
9. **`dayz-audio-fx-specialist`:** sound shaders and sound sets, with the existing particles skill.
10. **`dayz-physics-specialist`:** collision layers, contact and thrown objects.
11. **`dayz-ai-specialist`:** how Expansion's AI behaves, learned by observation only, never copied.
12. **Upgrades to existing agents and skills:** deeper script reference, UI (Dabs and widgets), texture and rvmat cookbook, model and LOD rules, animated doors in the object builder, a short spec step in `/dayz-init`, and a layout preview at several screen sizes.

KNOWLEDGE VERIFICATION CYCLE

Each specialist and its pack go through the same cycle: research, a reference written in Agentic-Z's own words, a check of every fact against P: by a separate agent, answer tests, wiring into the lead, router and reviewer, and independent grading.



SCOPE DECISIONS

What was taken from the outside research and knowledge pack, and what was left out.

VERDICT	ITEMS
BUILD NEW	Persistence, base building, data audit, vehicles, aviation, weapons, clothing, characters, proxy alignment, doors, physics, sound, AI patterns, animation pipeline, `/dayz-lint`, layout preview, answer tests.
KEEP OURS	Preflight, p3d audit, particles, PBO build, in-game testing, mod workflow, the DayZ rules and script style (the pack copied these from Agentic-Z), the CLAUDE, AGENTS and GEMINI files.
EXPAND OURS	Script reference, UI development, texture pipeline, model pipeline, a spec step before building.
LATER	Blender animation and assembly, UV atlas, 3D viewer, p3d inspector, model preflight, animation format checkers, vehicle proxy checks.
DON'T TAKE	Racing-game vehicle rips, PBO reverse engineering, scraped notes and Discord dumps, the pack's MIT label, copied Expansion or VPP code, AI 3D generators, the pack's bookkeeping system.

The specialists have not run in a live DayZ session; see "Limits". In-game testing of each specialist needs DayZ launched on the user's PC; it is asked for before it runs.

Version comparison

What each version has and does not have. Agent, skill and hook counts are from the repo at each version; test counts are the pytest totals recorded at each version.

FEATURE	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
Counts			
Agents	14	21	30
Skills	29	31	44
Hooks	0	0	3
Tests	84	1,064	2,884 plus 18 panel tests

FEATURE	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
Agents			
Workers for script, config, models, textures, UI, maps, server and Workbench	HAS	HAS	HAS
`dayz-mod-reviewer` and `dayz-mod-debugger`	HAS	HAS	HAS
Figma-to-DayZ pipeline: three agents and its rules file	HAS	HAS	HAS
`agent-creator`	HAS	HAS	HAS
Orchestrator, architect and team leads	DOES NOT HAVE	HAS	HAS
`dayz-build-engineer` and `dayz-docs-writer`	DOES NOT HAVE	HAS	HAS
`dayz-build-checker` and `dayz-ingame-tester`	DOES NOT HAVE	HAS	HAS
`dayz-router` and `/dayz-route`	DOES NOT HAVE	DOES NOT HAVE	HAS
Eight domain specialists with knowledge packs	DOES NOT HAVE	DOES NOT HAVE	HAS
Checks			
`/dayz-gate` build, in-game, behavior and visual gates as scripts, with known-error triage	DOES NOT HAVE	DOES NOT HAVE	HAS
`/dayz-lint` inside the build gate	DOES NOT HAVE	DOES NOT HAVE	HAS
Hooks: edit check, scope guard and paste-in router	DOES NOT HAVE	DOES NOT HAVE	HAS
Answer tests (evals)	DOES NOT HAVE	DOES NOT HAVE	HAS
`tests` workflow on every pull request	DOES NOT HAVE	DOES NOT HAVE	HAS

FEATURE	V1.6.0 RELEASED	V1.7.0 AGENT TEAM	V2.0.0 FINAL
Skills and tools			
`/dayz-deploy-pbo`	DOES NOT HAVE	HAS	HAS
`/dayz-record-correction`	DOES NOT HAVE	HAS	HAS
Workflow commands: recipe, log watch, release pack, server kit, upgrade guard, conflict check, balance, health, cited answers and layout preview	DOES NOT HAVE	DOES NOT HAVE	HAS
Token savers: status line, Tier 2 split into a core file and topic files	DOES NOT HAVE	DOES NOT HAVE	HAS
`agentic-z-panel` side panel	DOES NOT HAVE	DOES NOT HAVE	HAS
Search			
`dayz-rag` search over vanilla DayZ source	HAS	HAS	HAS
Wiki search: `/dayz-search-wiki-index` and the `search_dayz_wiki` tool	HAS	HAS	DOES NOT HAVE

Rule tiers

Every agent loads its rules from three tiers. When two disagree, the more specific tier wins; no tier repeats another.

TIER	CONTENTS AND FILES	LOADED BY
1 · Repo rules	Communication, tooling, memory, routing. `CLAUDE.md`, `AGENTS.md`, `GEMINI.md`.	Every agent, every task
2 · DayZ rules	Enforce Script style, config and asset rules, environment, vanilla search. `.claude/skills/_shared/dayz-conventions.md` plus five topic files in `conventions/`: config, assets, scripts, UI and server.	All DayZ work
3 · Agents and knowledge packs	The 30 agents, the 44 skills, and the packs in "Knowledge packs".	Only what the task needs

Agents

30 agent files in `.claude/agents/`, all shipped in the plugin. "New" in the Since 1.6.0 column means added since version 1.6.0. Agents with no model named here use the session's model.

AGENT	ROLE	SINCE 1.6.0
Planning		
dayz-orchestrator	Runs as the main session (`claude --agent agentic-z:dayz-orchestrator`). Plans the mod with the user, splits it into small tasks, hands them to leads, runs the gates, tracks what is done.	NEW
dayz-mod-architect	Plans the classes, files, assets and behavior checks before work starts.	NEW
dayz-lead	One agent for six teams: script, config, art, UI, server, release. Splits its share into worker tasks and checks the results fit.	NEW
Workers		
dayz-script-specialist	Enforce Script: modded classes, RPCs, game logic.	KEEP
dayz-workbench-specialist	Tools inside Enfusion Workbench.	KEEP
dayz-config-specialist	`config.cpp`, class inheritance and hidden selections.	KEEP
dayz-object-builder	`.p3d` models, LODs, selections and doors.	KEEP
dayz-asset-specialist	`.paa` textures and `.rvmat` materials.	KEEP
dayz-ui-specialist	`.layout` files and the scripts that drive them.	KEEP
figma-node-normalizer	Normalizes a Figma frame so it can be converted.	KEEP
figma-to-dayz-layout	Converts the normalized frame into a DayZ `.layout`, and repairs one the validator failed.	KEEP
dayz-server-admin	`types.xml`, `init.c` and server settings.	KEEP
dayz-map-specialist	Terrain Builder and DayZ Editor work.	KEEP
dayz-build-engineer	Runs the build, test server and launch skills. Model: Haiku.	NEW
dayz-docs-writer	Keeps the mod's README, changelog and classname list current. Model: Sonnet.	NEW

AGENT	ROLE	SINCE 1.6.0
Specialists		
dayz-persistence-specialist	Data that survives restarts: storage, save versions and migrations, base building, and a pre-release data audit that nothing gets lost. Script team; the audit goes to the server lead.	NEW
dayz-ai-specialist	Infected, animals and human AI such as patrols and guards. Expansion's AI patterns learned by observation only and written from scratch, never copied. Script team.	NEW
dayz-vehicle-specialist	Cars, boats and helicopters: engine, gearbox, wheels, doors, fluids, seats, damage, get-in actions and flight. Config team.	NEW
dayz-weapon-specialist	CfgWeapons, magazines, ammo, attachments, bones and selections, recoil and fire modes. Config team.	NEW
dayz-wearables-specialist	Clothing, characters, inventory slots, protection, color variants, proxies and proxy alignment. Art team.	NEW
dayz-animation-specialist	model.cfg animation sources, RTM files and the Blender handoff. Art team.	NEW
dayz-audio-fx-specialist	Sound shaders, sound sets, client-only audio and particle effects (with the `/dayz-particles` skill). Any team.	NEW
dayz-physics-specialist	Weight, collision LODs and layers, dropping, throwing and contact. Diagnoses and hands the fix to the owner; never edits. Any team.	NEW
Support		
dayz-router	Haiku agent behind `/dayz-route` that decides who handles a request.	NEW
agent-creator	Writes and checks new agent files against the agent standard.	KEEP
Gates (read-only)		
dayz-mod-reviewer	Checks the mod against the DayZ conventions; PASS or FAIL.	KEEP
dayz-layout-validator	Checks a `.layout` against the Figma-to-DayZ rules without editing it; the UI gate.	KEEP
dayz-build-checker, dayz-ingame-tester	Fallbacks, started only when the `/dayz-gate build` or `/dayz-gate ingame` script itself errors (exit code 2).	NEW
dayz-mod-debugger	Reads the logs for errors triage does not know, and names the cause and the owner.	MOVED

Skills

44 skills in `.claude/skills/`, each a slash command any agent or user can run. 40 ship in the plugin; `/sync-skills`, `/agentic-z-update`, `/docs-sync` and `/clean-repo` are for clones only. Preflight gating of the 40 plugin DayZ skills:

- 18 run `/dayz-preflight` first (preflight itself is the check).
- The DayZ rules file has 14 exception entries naming 21 skills, each with its reason. Some of them read P:: `/dayz-lint`, `/dayz-balance`, `/dayz-conflict-check`, `/dayz-recipe`, `/dayz-layout-preview` and `/dayz-upgrade-guard` only read files and write a report, and `/dayz-ask` only checks that P: is mounted. `/dayz-gate` gates through the scripts it calls, and `/dayz-stop-test` skips the check so it still works as an emergency stop.
- `/dayz-particles` is a reference skill with no script.

SKILL	FUNCTION
Setup	
/dayz-init	Setup wizard on first run, with an optional spec step; a status hub for the active mod after that.
/dayz-preflight	Checks the P drive, DayZ Tools, vanilla data and the Workshop link.
/dayz-workdrive	Mounts the P drive after a reboot without opening DayZ Tools.
/dayz-setup-objectbuilder	Configures Object Builder on a new machine.
Mods	
/dayz-new-mod	Creates a new mod with the standard folders and files.
/dayz-import-mod	Brings an existing mod folder or a GitHub repo into the workspace.
/dayz-add-scaffold	Adds missing standard pieces to an existing mod.
/dayz-recipe	Starts a plan from a recipe (new weapon, new vest, new craftable) for the architect to finish.
/dayz-scope-mod	Locks editing to one mod.
/dayz-clean-workspace	Removes mods it created, and their builds.
Build	
/dayz-lint	Finds errors that would stop a mod loading, before packing. Runs first inside the build gate and `/dayz-build-pbo`.
/dayz-build-pbo	Packs a mod into a PBO with AddonBuilder.
/dayz-deploy-pbo	Copies prebuilt PBOs and keys into place without AddonBuilder.

SKILL	FUNCTION
Test	
/dayz-add-server	Sets up a local test server instance.
/dayz-launch-test	Starts a diag server and client with the given mods.
/dayz-stop-test	Stops the test session.
/dayz-cot-bootstrap	Grants the user admin in Community Online Tools on the test server.
/dayz-logwatch	Watches the logs during a test session and triages each new error as it appears.
Checks, routing and status	
/dayz-gate	Build, in-game, behavior and visual checks as scripts that print PASS or FAIL, with known-error triage.
/dayz-conflict-check	Finds prefix, path and class collisions with CF, COT and Expansion.
/dayz-upgrade-guard	After a DayZ update, lists mod classes whose vanilla parents changed.
/dayz-balance	Compares item stats with similar vanilla items and flags outliers.
/dayz-health	A page per mod with the last build, last test, open findings and gate history.
/dayz-route	Shows which skill, specialist or team should handle a request.
/dayz-statusline	Installs a status line with P:, the active mod, DayZ Diag and index age.
Art and UI	
/dayz-pack-texture	Converts images to `.paa` and checks their suffixes.
/dayz-build-imageset	Packs UI sprites into an imageset.
/dayz-layout-preview	Draws a `.layout` as PNGs at several screen sizes and flags widgets off screen.
/dayz-p3d-audit	Finds collision, physics and structure problems in models.
/dayz-particles	Reference for making particle effects without Workbench.
/dayz-launch-objectbuilder	Opens Object Builder on a model.
/dayz-launch-workbench	Opens Workbench on a mod's project.

SKILL	FUNCTION
Server economy	
/dayz-edit-types	Adds, changes, removes or merges `types.xml` entries.
/dayz-split-types	Splits one big `types.xml` into 19 category files.
Release	
/dayz-release-pack	Writes the Workshop description, a changelog entry, the classname list and server-owner install notes.
/dayz-server-kit	Zips types.xml entries, cfgeconomycore lines, load order and the public key for server owners.
RAG search	
/dayz-search-index	Builds the game-files index.
/dayz-search-download	Downloads a prebuilt index instead.
/dayz-ask	Answers a plain-English question about vanilla DayZ with checked path:line citations.
Team and repo	
/dayz-record-correction	Turns a user correction into a team rule.
/sync-skills	Links the skills into Claude Code, Codex and Gemini (clones only).
/agentic-z-update	Pulls template updates into a clone (clones only).
/docs-sync	Keeps the docs wiki matching the source files (clones only).
/clean-repo	Repo-wide cleanup across every domain (clones only).

The side panel is a separate plugin, not a skill: `/plugin install agentic-z-panel@dayz-n-chill`, then `/dayz-panel` opens it.

Knowledge packs

All under `.claude/skills/_shared/`. Any worker can load any pack for a task.

- **Citations.** Most game facts cite a P: file and line, and the reviewers opened the cited lines.
- **Integrity test.** Checks less: each Markdown pack file that is not exempt must name a vanilla P: file at least once. It does not check the `.c` and `.layout` worked examples.
- **Unchecked.** Six of the 13 worked examples (01, 04, 05, 06, 08 and 09) are marked as vendored and not checked on P:.
- **Frameworks.** The Community Framework and Dabs guides are checked against those frameworks' own scripts.
- **Exempt from the citation rule.** The style guides, folder indexes and a few notes.

SPECIALIST PACKS

- Saving data
- AI
- Vehicles
- Weapons
- Wearables
- Animation
- Audio and FX
- Physics
- Models and LODs
- Textures and rvmats

ENFORCE SCRIPT

- Language and core API references
- Patterns: modded classes, RPCs, net sync, persistence, actions, scheduler, JSON config
- 13 worked examples

FRAMEWORKS

- Community Framework
- Dabs Framework
- Central Economy
- Input bindings
- Vanilla plugins

UI

- GUI layouts and widgets
- Figma to DayZ rules
- Imagesets (a section of the widget API reference, not a pack of its own)

RULES

- Tier 2 core
- Config, assets, scripts, UI and server topics
- Container base

Specialist workflows

Per-agent steps inside the "Task lifecycle". Agents that write DayZ content look up vanilla first: Grep for a known class or symbol name, RAG search for questions by meaning or after two or three failed greps, then read the real file before relying on a hit. `dayz-build-engineer`, `dayz-docs-writer`, `dayz-build-checker`, `dayz-ingame-tester` and `figma-node-normalizer` have no RAG tool; they work from the mod, its logs or the Figma file.

AGENT	STEPS
Script lead	
dayz-script-specialist	1. Searches the vanilla scripts for the class it will change and reads the real file. 2. Writes a `modded class` in the right layer (3_Game, 4_World or 5_Mission) and calls `super`. 3. Adds RPCs only where client and server must talk, and checks which side runs each line. 4. `/dayz-lint` and the build gate check and pack it (neither compiles Enforce Script); the in-game gate catches compile errors in script.log.
dayz-workbench-specialist	1. Reads how vanilla Workbench plugins are registered. 2. Writes the plugin script and its tool panel. 3. Never opens Workbench itself: it tells the user to open it with `/dayz-launch-workbench --mod <ModName>`. 4. Returns the plugin and the steps to load and run it.
dayz-persistence-specialist	1. Lists every value that must survive a restart. 2. Writes OnStoreSave and OnStoreLoad, with a version number written first. 3. Adds an upgrade path so saves from the last version still load. 4. Runs the data audit: every field is written and read back in the same order. 5. Hands the audit to the server lead before release.
dayz-ai-specialist	1. Studies how vanilla infected and animals decide what to do. 2. Writes the behavior as its own script classes, never copied from another mod. 3. Gives the server lead the spawn setup. 4. In-game test watches the behavior and server performance.

AGENT	STEPS
Config lead	
dayz-config-specialist	1. Finds the closest vanilla parent class (Grep for known names, RAG search for questions by meaning) and reads its definition on disk, cited as `path:line`. 2. Writes CfgPatches with the right requiredAddons, then the class itself. 3. Matches hiddenSelections to the names in the model. 4. `/dayz-lint` and the build gate check it loads.
dayz-vehicle-specialist	1. Picks the closest vanilla vehicle as the parent. 2. Writes the vehicle class and its simulation: engine, gearbox, axles, wheels. 3. Adds attachment slots for doors, hood, trunk, wheels, battery and plug, and the fluids. 4. Writes the CarScript or BoatScript class for seats, doors and damage. 5. Gives the server lead a types.xml entry; the behavior gate spawns it and a person-run checklist covers driving.
dayz-weapon-specialist	1. Picks the closest vanilla weapon as the parent. 2. Writes the weapon, magazine and ammo classes and the attachment slots. 3. Sets recoil and fire modes. 4. Lists the model selections and memory points the art lead must provide. 5. The behavior gate spawns it and fits each attachment; a person-run checklist covers firing and reloading.

AGENT	STEPS
Art lead	
dayz-object-builder	1. Specifies the LODs (visual, geometry, fire geometry, view geometry, memory) as numbered Object Builder steps for the user, since it cannot edit a .p3d. 2. Names the selections and memory points the config and animations need, and writes model.cfg. 3. Runs `/dayz-p3d-audit` after the user saves the model. 4. Hands the selection names to the config lead.
dayz-asset-specialist	1. Checks each texture has the right suffix (_co, _nohq, _smdi and the rest). 2. Packs them with `/dayz-pack-texture`. 3. Writes the .rvmat for each material. 4. Writes a look checklist for the user to check in Object Builder or in game; it never launches either.
dayz-wearables-specialist	1. Picks the inventory slot and the closest vanilla item as the parent. 2. Sets slots held, protection and insulation. 3. Sets hidden selections so one model carries every color. 4. Notes the proxy positions for the Object Builder specialist. 5. The behavior gate wears each color class; a person checks in game how each color looks.
dayz-animation-specialist	1. Lists the moving parts and their bones. 2. Writes skeletonBones for the moving parts and the class Animations block in model.cfg; the Object Builder specialist keeps the rest of model.cfg. 3. Gives the user the bone and selection names for their own Blender export. 4. Names the script hook that plays the animation; the script specialist writes that code, and the in-game test uses it.
UI lead	
dayz-ui-specialist	1. Reads the vanilla layout closest to the new screen. 2. Writes the .layout and the script class that drives it. 3. Builds icons into an imageset with `/dayz-build-imageset`. 4. The layout checker checks it against the Figma-to-DayZ rules and `/dayz-layout-preview` draws it; the in-game test opens it.
figma-node-normalizer	1. Reads the Figma frame. 2. Cleans layer names and structure so they map to DayZ widgets. 3. Hands the clean tree to the layout converter.
figma-to-dayz-layout	1. Turns the clean tree into a DayZ .layout. 2. Uses only widget types the game supports. 3. Hands it to the layout checker.

AGENT	STEPS
Server lead	
dayz-server-admin	1. Writes types.xml entries with `/dayz-edit-types`. 2. Adds events, spawn points and gameplay settings where needed. 3. Splits large economy files with `/dayz-split-types`. 4. Sets up a missing test server instance with `/dayz-add-server` (which starts nothing) and returns the `/dayz-launch-test` command instead of starting the server.
dayz-map-specialist	1. Writes layers.cfg and the surface and clutter configs; if the user's own layers.cfg is needed and missing, it stops and asks. 2. Gives numbered steps for the DayZ Editor export and the Terrain Builder import and generation, which the user carries out. 3. Returns the files and the steps to rebuild the map.
Release lead	
dayz-build-engineer	1. Packs the mod with `/dayz-build-pbo`. 2. Starts the test session with `/dayz-launch-test`. 3. Reports the build result to the release lead, who passes it to the orchestrator.
dayz-docs-writer	1. Reads what changed in the wave. 2. Updates the README, changelog and classname list. 3. With `/dayz-release-pack`, writes the Workshop text and server-owner notes.
Any lead	
dayz-audio-fx-specialist	1. Reads the vanilla sound or particle closest to the request. 2. Writes the sound shader and sound set, or the particle with `/dayz-particles`. 3. Adds the script line that plays it. 4. In-game test listens and looks.
dayz-physics-specialist	1. Reads the model's geometry LODs and mass. 2. Finds the fault: missing geometry, wrong mass or bad collision. 3. Hands the fix to the Object Builder or config specialist; it never edits. 4. A person-run in-game test drops, throws and shoots it, which the behavior gate cannot.

AGENT	STEPS
Checks and fixes	
dayz-mod-reviewer	1. Reads the finished task against the DayZ rules file. 2. Lists each problem with the specialist who owns it. 3. Never edits files.
dayz-layout-validator	1. Checks the .layout against the Figma-to-DayZ rules: file format and widget classes. 2. Reports PASS or FAIL with each problem and its line. Never edits.
dayz-build-checker	1. Runs only when `/dayz-gate build` itself breaks. 2. Reads the AddonBuilder output and names the failing file.
dayz-ingame-tester	1. Runs only when `/dayz-gate ingame` itself breaks. 2. Reads the logs from the test session and reports what failed.
dayz-mod-debugger	1. Gets new errors that triage does not know. 2. Reads script.log, RPT and crash files back to the line that failed. 3. Reports cause, evidence, location and fix to its caller (the orchestrator or a lead), naming the worker that owns the fix.

Task lifecycle

1. The user approves the mod plan from **dayz-mod-architect**, for example "a tactical vest with three retextures".
2. **dayz-orchestrator** splits it into tasks, for example "write the vest's config.cpp entry".
3. **dayz-lead** for the matching team takes the task and starts a worker.
4. The worker runs a RAG search, checks the real file, loads the playbook, and does the one task.
5. The lead gates it with **dayz-mod-reviewer** (plus **dayz-layout-validator** for UI); after the wave the orchestrator builds the mod and loads it in game. Known errors go to their owner through triage, new ones to **dayz-mod-debugger**, and the task returns with notes.
6. Passing work is packed into a PBO and loaded on a test server.
7. The user approves and publishes to the Steam Workshop with DayZ Tools Publisher.

Agentic-Z 2.0.0 on **origin/develop** at **2902f83**, October 22, 2026. **main** carries 1.6.0.