
Agentic-Z Agent Team

Agentic-Z 2.0.0, the DayZ modding plugin with a full mod team: 30 agents and 44 skills, graded by independent reviewers. Built on **`develop`** and not yet released to **`main`**. Same shape as the Dev Agent Team: you approve, a planner splits the work, leads hand it to workers, gatekeepers check it, and you give the final yes before you publish it.

The flowchart

You · Planning · Team leads · Workers (one per task) · Gatekeepers · Playbook and knowledge packs



The leads run the mod review and layout check on each task. The orchestrator runs the build check, the in-game test and, when the plan lists behavior checks, the behavior test once per wave, one at a time, because there is only one mod folder and one test session. Workers run at the same time only when their tasks touch different files.

The AI features

Everything Agentic-Z 2.0.0 gives an AI agent, beyond the agents themselves: what each one is, and what it does for you.

FEATURE	WHAT IT IS	WHAT IT DOES FOR YOU
Knowledge and search		
RAG search: game files	A searchable index of the vanilla DayZ files on your P drive (scripts, configs, layouts, materials, economy XML), built with Voyage AI code embeddings and stored in LanceDB.	Agents find vanilla code by meaning, like "how does food spoil", instead of guessing class names. Tool: `search_dayz_source`.
File lookup	Opens an exact file and line range on the P drive, and refuses anything outside it.	Agents read the real source behind a search hit. Tool: `get_dayz_file`.
Cite then verify	A rule every agent follows: a search hit is a hint until the real file confirms it.	Answers come with `path:line` references you can check, and fewer made-up classes.
Cited answers	`/dayz-ask` answers a vanilla question, checks every hit against P:, and falls back to a keyword search when there is no index or key.	A plain English question gets an answer with checked `path:line` citations.
Prebuilt index	`/dayz-search-download` pulls a ready-made index from GitHub.	A fresh install gets search without spending Voyage credits on embedding.
Knowledge packs	DayZ know-how under `.claude/skills/_shared/`: ten specialist packs, an Enforce Script pack with references, patterns, framework guides and 13 worked examples, and the Figma rules.	Agents load only the pack their task needs, so they work from facts checked against P:.
The agent team		
Orchestrator and leads	A planner that runs as your main session, an architect, and one lead per team.	You describe a mod once and approve a plan; the team splits and tracks the work.
Specialists	DayZ experts for script, config, models, textures, UI, maps, server and Workbench, plus saving data, AI, vehicles, weapons, wearables, animation, audio and FX, and physics.	Each task goes to an agent that knows that corner of DayZ.
Gatekeepers	Mod review, layout check, build check, in-game test and behavior test, each answering PASS or FAIL.	Nothing reaches you until it builds, loads in game with clean logs and, when the plan lists behavior checks, passes the behavior test.
Router	`/dayz-route` keyword rules, then Jev when a TypeSafe key is set, then the Haiku `dayz-router`.	Most requests reach the right handler with no model tokens.
Figma pipeline (optional)	Three agents that turn a Figma frame into a checked DayZ `.layout`.	An extra for people who design menus in Figma. Unused otherwise.
Agent creator	An agent that writes and checks new agent files.	New agents follow the same template and rules.
Rules and learning		
Three tiers	Repo rules, then DayZ rules (a core file plus five topic files), then agents and packs. The more specific tier wins.	Every agent works from the same rules without each file repeating them.
Corrections become rules	`/dayz-record-correction` drafts a rule from your correction and saves it after your yes.	You correct a mistake once and the whole team stops making it.
Agent memory	Each worker agent keeps notes in the project's own `.claude/agent-memory/` folder. Gates and the lead have none.	Agents remember your project's choices between sessions, wherever you cloned it.
Hooks		
Edit check	A syntax check after every `config.cpp` or `.layout` edit.	A missing `;` or `}` is fixed in the same turn, before a build fails on it.
Scope guard	Denies edits to other mods while `/dayz-scope-mod` is set.	An agent working on one mod can't damage another.
Paste-in router	Reads what you paste: crash logs go to triage, `types.xml` chunks to a checked merge, Figma and GitHub links to their workflow.	You paste, and the right workflow starts without explaining what it is.
Safety		
Permission lists	A shipped allow list and deny list for shell commands, and an explicit tool list on every agent.	Agents can run the repo's own skills, but not inline code or new installs.
Read-only checkers	The mod reviewer, layout validator, build checker, in-game tester and debugger can't edit files, and the lead and physics specialist have no write tools.	The agents that judge the work don't quietly change it.
Works everywhere		
Three AI tools	`/sync-skills` links the same skills into Claude Code, Codex and Gemini.	Use whichever AI tool you like; the skills are the same.
Plugin or clone	Install as a Claude Code plugin, or clone the repo as a mod template.	Plugin users update through the marketplace; clones use `/agentic-z-update`.

FEATURE	WHAT IT IS	WHAT IT DOES FOR YOU
Side panel	`agentic-z-panel` 0.3.0, a second plugin with DayZ state and one-click buttons.	Build, check, launch, stop, open the editors and read the logs without spending tokens.
Self-checking repo	2,845 tests, 18 panel tests, answer tests for 23 of the 30 agents, a CI workflow on GitHub, and `/docs-sync` to keep the wiki matching the source.	Broken agents, missing files and wrong tool names are caught before release.

Does it work? Checked October 22, 2026


Each feature was checked against `origin/develop` at version 2.0.0 (commit `e70cf1a`),
or the table says why it couldn't be yet.

WORKS checked NEEDS A STEP works once you do one thing NOT RUN YET built, waiting for a real DayZ session

FEATURE	STATUS	WHAT WAS CHECKED
Test suite	WORKS	`py -m pytest -q .claude scripts/dev hooks` in a clean worktree of `origin/develop` collects 2,845 tests, plus 18 panel tests. They check every agent and skill is registered, every file and skill they name exists, gates can't edit, tier files match, and every wrapper points at a real script.
Panel tests	WORKS	`claude plugin test mods/agentic-z-panel` runs 18 tests.
CI on GitHub	WORKS	The tests workflow passed on the last three pushes to `develop`, the newest being the merge of PR #144, the last grading fix.
Answer tests (evals)	WORKS	23 of the 30 agents have a question file and a score in `evals/baseline.json`. Seven are not covered yet.
DayZ facts in the packs	WORKS	The graders opened the cited lines on P: for every pack. Six Enforce Script examples are still marked as vendored and not checked.
RAG search: game files	NEEDS A STEP	The index on disk is the August 10, 2026 build (52,048 chunks). The search timeout fix ships in 2.0.0, which is on `develop` and not yet released. Needs a Voyage API key in `.env` and a full re-index to pick up class windowing.
Orchestrator, leads, gates in a real session	NOT RUN YET	Nothing in this build has run against a real DayZ session. The first real test is building one small mod end to end.
Behavior and visual gates	NOT RUN YET	Tested with fixtures only. The test mission and the window capture have never run in a live session.

Quality by version

Every agent and skill was graded at v1.6.0, again after the v1.7.0 grading rounds, and a final time for v2.0.0 by fresh, independent AI reviewers (see "How the grading works"). The v2.0.0 grades also cover the hooks, the search server, the panel, the scripts, the answer tests and every knowledge pack. Items that did not exist yet show "not built"; shared files that were not graded at a version show "n/a".



Each version is graded by fresh reviewers. A grade only moves up when a new reviewer confirms it.

At v2.0.0, 30 of 30 agents, 44 of 44 skills and 90 of 90 shared items are at A+. Each remaining lower grade names the defect the latest grader found on **develop**, in "Why each item got its grade". Tests went from 84 at v1.6.0 to 2,845 at v2.0.0 (**py -m pytest -q .claude scripts/dev hooks** on **origin/develop**), plus 18 panel tests.

All three columns are grades from independent reviewers. The v2.0.0 column is the final grade, not a goal.

ITEM
Agents
agent-creator
dayz-ai-specialist
dayz-animation-specialist
dayz-asset-specialist
dayz-audio-fx-specialist
dayz-build-checker
dayz-build-engineer
dayz-config-specialist
dayz-docs-writer
dayz-ingame-tester
dayz-layout-validator
dayz-lead
dayz-map-specialist
dayz-mod-architect
dayz-mod-debugger
dayz-mod-reviewer
dayz-object-builder
dayz-orchestrator
dayz-persistence-specialist
dayz-physics-specialist
dayz-router
dayz-script-specialist
dayz-server-admin

ITEM
dayz-ui-specialist
dayz-vehicle-specialist
dayz-weapon-specialist
dayz-wearables-specialist
dayz-workbench-specialist
figma-node-normalizer
figma-to-dayz-layout
Skills
agentic-z-update
clean-repo
dayz-add-scaffold
dayz-add-server
dayz-ask
dayz-balance
dayz-build-imageset
dayz-build-pbo
dayz-clean-workspace
dayz-conflict-check
dayz-cot-bootstrap
dayz-deploy-pbo
dayz-edit-types
dayz-gate
dayz-health
dayz-import-mod
dayz-init
dayz-launch-objectbuilder
dayz-launch-test
dayz-launch-workbench
dayz-layout-preview
dayz-lint
dayz-logwatch
dayz-new-mod
dayz-p3d-audit
dayz-pack-texture
dayz-particles
dayz-preflight
dayz-recipe
dayz-record-correction
dayz-release-pack

ITEM
dayz-route
dayz-scope-mod
dayz-search-download
dayz-search-index
dayz-server-kit
dayz-setup-objectbuilder
dayz-split-types
dayz-statusline
dayz-stop-test
dayz-upgrade-guard
dayz-workdrive
docs-sync
sync-skills
Rules and shared files
.claude/skills/_shared/dayz-conventions.md (Tier 2 core)
_shared/conventions/config.md
_shared/conventions/assets.md
_shared/conventions/scripts.md
_shared/conventions/server.md
_shared/conventions/ui.md
_shared/container-base.md
_shared/py3d-mlod-notes.md
_shared/skill_helpers.py + test_skill_helpers.py
_shared/enscript-style.md
_shared/answer-formatting.md
Grading method note (the "How the grading works" section of this document)
.claude/skills/_shared/README.md (pack index)
_shared/figma-to-dayz-rules.md
Specialist knowledge packs
Knowledge pack _shared/ai (README + 5 files)
Knowledge pack _shared/animation (README + 5 files)
Knowledge pack _shared/models (README + 5 files)
Knowledge pack _shared/physics (README + 4 files)
Knowledge pack _shared/vehicles (README + 6 files)
Knowledge pack _shared/weapons (README + 7 files)
Knowledge pack _shared/wearables (README + 6 reference files)
Knowledge pack _shared/audio-fx (README + 3 files)
Knowledge pack _shared/textures (README + 4 files)
Knowledge pack _shared/persistence (README + 4 files)

ITEM
Enforce Script pack
enscript/patterns/scheduler.md
enscript/patterns/physics_items.md
enscript/references/api_entities_inventory.md, api_game.md, api_network.md, api_player.md, api_scheduling.md, language_compile.md, language_memory.md
enscript/examples/01_custom_item.c, 04_rpc_patterns.c, 05_mission_server.c, 06_json_config.c, 08_gui_menu.c, 09_scheduler_timer.c
enscript/patterns/netsync.md
enscript/patterns/json_config_migration.md
enscript/patterns/rpc.md
enscript/patterns/language_workarounds.md
enscript/integrations/central_economy.md
enscript/integrations/vanilla_plugins.md
enscript/integrations/input_bindings.md
enscript/integrations/community_framework.md
enscript/references/erpc_defines.md
enscript/references/file_paths.md
enscript/references/language_types.md
enscript/references/types_collections.md
enscript/references/widget_api.md
enscript/examples/07_agent_modifier.c
enscript/examples/12_menu_interactions.layout
enscript/patterns/persistence.md
enscript/integrations/dabs_framework.md
enscript/references/item_api.md
enscript/examples/11_hud_plain_text.layout
enscript/examples/13_item_preview.layout
enscript/README.md
enscript/patterns/modded_class.md
enscript/patterns/actions.md
enscript/patterns/singleton.md
enscript/references/gui_layout.md
enscript/examples/02_custom_action_singleuse.c
enscript/examples/03_continuous_action.c
enscript/examples/10_modded_playerbase.c
Hooks
hooks/hooks.json
hooks/test_plugin_copy.py
hooks/edit_check.py (+ test_edit_check.py)
hooks/scope_guard.py (+ test_scope_guard.py)
hooks/paste_router.py (+ test_paste_router.py)

ITEM
Search server and panel
dayz-rag MCP server (server.py, voyage_common.py, README, tests)
mods/agentic-z-panel (plugin.json, hooks.json, register.tsx, register.test.tsx, types)
Answer tests (evals)
evals/baseline.json
evals/fixtures/dayz-layout-validator/*.layout
evals/questions/dayz-ai-specialist.json
evals/questions/dayz-animation-specialist.json
evals/questions/dayz-asset-specialist.json
evals/questions/dayz-audio-fx-specialist.json
evals/questions/dayz-config-specialist.json
evals/questions/dayz-layout-validator.json
evals/questions/dayz-mod-reviewer.json
evals/questions/dayz-object-builder.json
evals/questions/dayz-persistence-specialist.json
evals/questions/dayz-physics-specialist.json
evals/questions/dayz-script-specialist.json
evals/questions/dayz-vehicle-specialist.json
evals/questions/dayz-weapon-specialist.json
evals/questions/dayz-wearables-specialist.json
scripts/dev/test_run_evals.py
evals/README.md
scripts/dev/run_evals.py
Scripts and repo tests
scripts/dev/evals.bat, clean-repo.bat, docs-sync.bat
scripts/setup/preflight.bat, workdrive.bat, setup-objectbuilder.bat, statusline.bat, sync-skills.bat
scripts/dayz/*.bat (the other 35 wrappers: add-scaffold, add-server, ask, balance, build-imageset, build-pbo, clean-workspace, conflict-check, cot-bootstrap, deplo
scripts/README.md
scripts/dayz/dayz-search.bat
scripts/setup/agentic-z-update.bat
scripts/dev/test_repo_integrity.py
scripts/dayz/dayz-search.py

Why each item got its grade

The latest independent grader's reason for each grade, in the grader's words. An A+ means the grader found nothing concrete to fix. Each remaining lower grade names the defect the latest grader found on `develop`.

ITEM
Agents
agent-creator
dayz-ai-specialist
dayz-animation-specialist
dayz-asset-specialist
dayz-audio-fx-specialist
dayz-build-checker
dayz-build-engineer
dayz-config-specialist
dayz-docs-writer
dayz-ingame-tester

ITEM
dayz-layout-validator
dayz-lead
dayz-map-specialist
dayz-mod-architect
dayz-mod-debugger
dayz-mod-reviewer
dayz-object-builder
dayz-orchestrator
dayz-persistence-specialist
dayz-physics-specialist

ITEM
dayz-router
dayz-script-specialist
dayz-server-admin
dayz-ui-specialist
dayz-vehicle-specialist
dayz-weapon-specialist
dayz-wearables-specialist
dayz-workbench-specialist
figma-node-normalizer
figma-to-dayz-layout

ITEM
Skills
`agentic-z-update`
`clean-repo`
`dayz-add-scaffold`
`dayz-add-server`
`dayz-ask`
`dayz-balance`
`dayz-build-imageset`
`dayz-build-pbo`
`dayz-clean-workspace`
`dayz-conflict-check`

ITEM
dayz-cot-bootstrap
dayz-deploy-pbo
dayz-edit-types
dayz-gate
dayz-health
dayz-import-mod
dayz-init
dayz-launch-objectbuilder
dayz-launch-test
dayz-launch-workbench
dayz-layout-preview
dayz-lint

ITEM
dayz-logwatch
dayz-new-mod
dayz-p3d-audit
dayz-pack-texture
dayz-particles
dayz-preflight
dayz-recipe
dayz-record-correction
dayz-release-pack
dayz-route
dayz-scope-mod
dayz-search-download
dayz-search-index

ITEM
dayz-server-kit
dayz-setup-objectbuilder
dayz-split-types
dayz-statusline
dayz-stop-test
dayz-upgrade-guard
dayz-workdrive
docs-sync
sync-skills
Rules and shared files
.claude/skills/_shared/dayz-conventions.md (Tier 2 core)

ITEM
_shared/conventions/config.md
_shared/conventions/assets.md
_shared/conventions/scripts.md
_shared/conventions/server.md
_shared/conventions/ui.md
_shared/container-base.md
_shared/py3d-mlod-notes.md
_shared/skill_helpers.py + test_skill_helpers.py
_shared/enscript-style.md
_shared/answer-formatting.md
Grading method note (the "How the grading works" section of this document)
.claude/skills/_shared/README.md (pack index)
_shared/figma-to-dayz-rules.md
Specialist knowledge packs
Knowledge pack _shared/ai (README + 5 files)
Knowledge pack _shared/animation (README + 5 files)
Knowledge pack _shared/models (README + 5 files)
Knowledge pack _shared/physics (README + 4 files)
Knowledge pack _shared/vehicles (README + 6 files)
Knowledge pack _shared/weapons (README + 7 files)
Knowledge pack _shared/wearables (README + 6 reference files)
Knowledge pack _shared/audio-fx (README + 3 files)
Knowledge pack _shared/textures (README + 4 files)

ITEM
Knowledge pack _shared/persistence (README + 4 files)
Enforce Script pack
enscript/patterns/scheduler.md
enscript/patterns/physics_items.md
enscript/references/api_entities_inventory.md, api_game.md, api_network.md, api_player.md, api_scheduling.md, language_compile.md, language_memory.md
enscript/examples/01_custom_item.c, 04_rpc_patterns.c, 05_mission_server.c, 06_json_config.c, 08_gui_menu.c, 09_scheduler_timer.c
enscript/patterns/netsync.md
enscript/patterns/json_config_migration.md
enscript/patterns/rpc.md
enscript/patterns/language_workarounds.md
enscript/integrations/central_economy.md
enscript/integrations/vanilla_plugins.md
enscript/integrations/input_bindings.md
enscript/integrations/community_framework.md
enscript/references/erpc_defines.md
enscript/references/file_paths.md
enscript/references/language_types.md
enscript/references/types_collections.md
enscript/references/widget_api.md

ITEM
enscript/examples/07_agent_modifier.c
enscript/examples/12_menu_interactions.layout
enscript/patterns/persistence.md
enscript/integrations/dabs_framework.md
enscript/references/item_api.md
enscript/examples/11_hud_plain_text.layout
enscript/examples/13_item_preview.layout
enscript/README.md
enscript/patterns/modded_class.md
enscript/patterns/actions.md
enscript/patterns/singleton.md

ITEM
enscript/references/gui_layout.md
enscript/examples/02_custom_action_singleuse.c
enscript/examples/03_continuous_action.c
enscript/examples/10_modded_playerbase.c
Hooks
hooks/hooks.json
hooks/test_plugin_copy.py
hooks/edit_check.py (+ test_edit_check.py)
hooks/scope_guard.py (+ test_scope_guard.py)
hooks/paste_router.py (+ test_paste_router.py)
Search server and panel
dayz-rag MCP server (server.py, voyage_common.py, README, tests)
mods/agentic-z-panel (plugin.json, hooks.json, register.tsx, register.test.tsx, types)

ITEM
Answer tests (evals)
evals/baseline.json
evals/fixtures/dayz-layout-validator/*.layout
evals/questions/dayz-ai-specialist.json
evals/questions/dayz-animation-specialist.json
evals/questions/dayz-asset-specialist.json
evals/questions/dayz-audio-fx-specialist.json
evals/questions/dayz-config-specialist.json
evals/questions/dayz-layout-validator.json
evals/questions/dayz-mod-reviewer.json
evals/questions/dayz-object-builder.json
evals/questions/dayz-persistence-specialist.json
evals/questions/dayz-physics-specialist.json
evals/questions/dayz-script-specialist.json
evals/questions/dayz-vehicle-specialist.json
evals/questions/dayz-weapon-specialist.json
evals/questions/dayz-wearables-specialist.json
scripts/dev/test_run_evals.py
evals/README.md
scripts/dev/run_evals.py
Scripts and repo tests
scripts/dev/evals.bat, clean-repo.bat, docs-sync.bat
scripts/setup/preflight.bat, workdrive.bat, setup-objectbuilder.bat, statusline.bat, sync-skills.bat
scripts/dayz/*.bat (the other 35 wrappers: add-scaffold, add-server, ask, balance, build-imageset, build-pbo, clean-workspace, conflict-check, cot-bootstrap, deplo
scripts/README.md
scripts/dayz/dayz-search.bat

ITEM
scripts/setup/agentic-z-update.bat
scripts/dev/test_repo_integrity.py
scripts/dayz/dayz-search.py

How the grading works

The grades are not set by the author. Every agent, skill and shared file is graded by separate AI reviewers against Anthropic's published best practices for Claude Code. The reviewers are Claude instances started fresh for the job: they see the files, the rubric and the standards, never the earlier grades or the author's opinion. This is not an official Anthropic rating. It is a repeatable review that anyone can run again with the prompts below.

THE FINAL COUNT

The final grades cover 164 items on `origin/develop`. 164 of them are at A+: 30 of the 30 agents, 44 of the 44 skills and 90 of the 90 shared items (hooks, the search server, the panel, scripts and wrappers, answer tests, rules files, knowledge packs and this method note). The final review graded every item at commit `bcccc99`; fresh graders then regraded items on `develop` after each fix round, and each item shows its latest grade, the newest given in rounds 7 to 9, after fix PRs #142 to #144. The grades come from `final_grades.json` and `final_grades_shared.json`; `clean-repo` was graded twice and counts once.

WHO GRADES

- **Independent reviewers.** Each round starts new Claude reviewers with no memory of earlier rounds. For the final review there were six: two for the agents, three for the skills, and one for everything shared (the hooks, the search server, the panel, the scripts and wrappers, the answer tests, the rules files, the knowledge packs and this note; a few shared files were not graded, as "Files not graded" under "Open items and decisions" lists).
- **Read only.** Reviewers cannot edit files. They read every file, run the tests where the session allows it, and check claims against the code and the vanilla DayZ files on the P: drive. Three skill reviewers (for `dayz-launch-objectbuilder`, `dayz-launch-workbench` and `dayz-search-download`) could not run pytest because it was denied in their session, and said so in their reasons.
- **Separate fixers.** Different agents fix what the reviewers found, each owning its own files. A fixer never grades its own work.
- **Regrade.** New reviewers grade again after every fix round. An item only counts as A+ when an independent reviewer gives it A+.

WHAT THEY GRADE AGAINST

- **Anthropic's standards:** the Claude Code subagent documentation (code.claude.com/docs/en/sub-agents), the Agent Skills best practices (docs.claude.com/en/docs/agents-and-tools/agent-skills/best-practices), the Claude Code hooks reference (code.claude.com/docs/en/hooks) and plugins reference (code.claude.com/docs/en/plugins-reference), and for the search server, the Model Context Protocol tool guidance.
- **Agentic-Z's own rules:** `CLAUDE.md` (Tier 1), the DayZ rules file and its topic files (Tier 2), the agent standard in `agent-creator.md`, and `docs/prompt-conventions.md`.
- **The real game:** DayZ facts are checked against the vanilla files on P: (for example which file holds CfgSurfaces, which texture suffixes exist, which widget classes can be a layout's root). Six Enforce Script worked examples (01, 04, 05, 06, 08 and 09) are still marked as vendored and not checked on P:.

THE RUBRIC FOR AGENTS AND SKILLS

FOR AGENTS	FOR SKILLS
Description: a precise third person contract saying what it does and when to use it, with a realistic example and valid YAML.	**Frontmatter:** the name matches the folder; the description says what it does and when to use it, in the third person, kept short.
Tools: only what the role needs, and everything the instructions ask it to do. Read only roles cannot edit.	**Instructions:** concise, accurate to the code (every claim and sample output checked against the script), with a clear "how to run".
Body: lean and specific, pointing at shared rules instead of repeating them, capital letter rules used sparingly.	**Script:** readable, clear error messages, non zero exit on failure, no dead code, shared helpers reused, the environment check run first where the rules require.
Correct and consistent: every path, skill, agent and tool it names exists and is used correctly; no contradiction with the rules or the team flow; DayZ facts verified.	**Tests:** exist, cover the risky logic, and pass.
Handoffs: says what it returns and to whom.	**Safety:** anything destructive is guarded with a backup, a dry run or a confirmation.

THE RUBRIC FOR EVERYTHING ELSE

The 90 shared items are not agents or skills, so each kind is judged by what it is:

KIND OF ITEM	WHAT THE REVIEWER CHECKS
Hooks	The output JSON is correct for the hook event, a bug in the hook never blocks the session, the plugin and clone wiring match, and tests feed the hook input through stdin.
Search server	Every tool carries read only annotations, tool descriptions are clear, errors come back as `isError` results, and tests cover the tools.
Panel plugin	The plugin manifest and hook wiring follow the plugins reference, and its own tests pass.
Rules files	Every rule is true of the code, nothing repeats another tier, and every path and skill named exists.
Knowledge packs	Game facts cite a P: file and line or are marked as unverified, the cited lines hold when opened on P:, and nothing contradicts the checked references.
Scripts, wrappers and repo tests	The tests run and pass, the documentation and help text match the code, and failures exit non zero with a clear message.

KIND OF ITEM	WHAT THE REVIEWER CHECKS
Answer tests (evals)	The cases test what the agent is for, the runner and baselines match, and a change can only keep or raise a score.
This method note	It states the rubric for every kind of item and the grading prompts, gives one row per round with its PRs, and every count, source and claim in it matches the repo and the grade files.

THE SCALE

GRADE	MEANING
A+	Ship it unchanged as an example of best practice. The reviewer found nothing concrete to fix.
A, A-	Very good, with one or two concrete defects a user could hit.
B+ TO B-	Works, but has real gaps: claims that don't match the code, missing tests, unclear handoffs.
C+ TO D	Wrong or risky in ways a user will hit, or built on an approach that can't reach A.

Every grade below A+ must name the concrete defect and the exact fix. Style preferences alone cannot lower a grade.

THE ROUNDS

One row per grading round. "Not recorded" means the test count was not saved at the end of that round.

ROUND	WHAT HAPPENED	TESTS
Start (v1.6.0)	Agents mostly C+ to B-, skills mostly B to C, nothing at A+. Grading only, no changes and no PR.	84
v1.7.0 round 1	Agents rewritten to the lean standard, docs matched to code, tests added to every skill. No PR of its own; the fixes were commit `c25ae2f` on the `feature/agent-team` branch and went in with PR #52 on 2026-10-20.	627
v1.7.0 round 2	DayZ facts checked against the P drive, shared helpers, safer dry runs and backups. No PR of its own; the fixes were commit `6ea925a` on the `feature/agent-team` branch and went in with PR #52 on 2026-10-20.	793
v1.7.0 round 3	Split types server bug, safer setup, launch and update skills. No PR of its own; the fixes were commit `815ae3e` on the `feature/agent-team` branch and went in with PR #52 on 2026-10-20.	919
v1.7.0 round 4	Cleanup safety, update commits, index download, full class indexing. No PR of its own; the fixes were commit `8cf0ba0` on the `feature/agent-team` branch and went in with PR #52 on 2026-10-20.	974
v1.7.0 round 5	Build and update edge cases, vanilla accurate rules, visible hook output. No PR of its own; the fixes were commit `ae9e7e0` on the `feature/agent-team` branch and went in with PR #52 on 2026-10-20.	1,064
v1.8.0 token savers	Gates, triage, router, hooks, status line, panel, wrappers, shorter descriptions. Built and tested, not a grading round. Went in with PR #53 on 2026-10-20.	1,332
v2.0.0 grade 1, round 1	Eight specialists and their packs, lint, the behavior and visual gates, the paste hook, the workflow skills and answer tests graded; fixes in PRs #87 to #92.	Not recorded
v2.0.0 grade 1, round 2	Regrade of the same items; fixes in PRs #94 to #97.	2,059
v2.0.0 grade 2, round 1	Every agent and skill, plus the hooks, the search server, the panel, the scripts and the knowledge packs; fixes in PRs #101 to #106.	Not recorded
v2.0.0 grade 2, round 2	Fresh regrade of the same items; fixes in PRs #107 to #112.	Not recorded
v2.0.0 grade 2, round 3	Fresh regrade; fixes in PRs #113 to #118, ending at commit `bcccc99`.	Not recorded
Final review (grade 3, round 1)	Six fresh reviewers graded all 164 items at `bcccc99`: 143 at A+. The release preparation in PR #119, then fixes in PRs #120 to #125.	2,231 at `bcccc99` (2,228 passed, 3 skipped) plus 13 panel tests
Grade 3, round 2	Fresh regrade; fixes in PRs #126 and #127.	Not recorded
Grade 3, round 3	Fresh regrade; fixes in PRs #128 to #132.	Not recorded

ROUND	WHAT HAPPENED	TESTS
Grade 3, round 4	Fresh regrade; fixes in PRs #133 to #136.	Not recorded
Grade 3, round 5	Independent code review of PRs #133 to #136 and a fresh regrade; fixes in PRs #137 to #140.	Not recorded
Grade 3, round 6	Fresh regrade; fixes in PR #141.	2,845 plus 18 panel tests
Grade 3, round 7	Fresh regrade on `develop` after fix PRs #133 to #141; fix in PR #142.	2,855
Grade 3, round 8	Fresh regrade of the last five items below A+; fixes in PR #143.	2,876
Grade 3, round 9	Fresh regrade of the last four items; fix in PR #144. The final grades in this document come from the fresh regrades of rounds 7 to 9: 164 of 164 items at A+.	2,884

RUN IT YOURSELF

Anyone can repeat the review. Start a fresh Claude Code session in the repo and give it one of these four prompts. For agents:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade every file in .claude/agents/*.md against
Anthropic's current Claude Code subagent standards and the repo's agent standard
in .claude/agents/agent-creator.md: precise third-person description with an
example; minimal tools that cover the body; lean body with references over
inlining; every path, skill, agent and DayZ fact correct and consistent with
CLAUDE.md, .claude/skills/_shared/dayz-conventions.md and the team flow; a Report
naming its recipient. Scale A+ to D. A+ means nothing concrete left to fix. For
anything lower, name a concrete defect a user would actually hit.
Output a table: Agent | Grade | Why | To reach A+.
```

For skills:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade every skill in .claude/skills/*/ (SKILL.md, its
scripts and its tests) against Anthropic's Agent Skills best practices and the
repo's rules: name matches the folder; third-person description of what it does
and when to use it; instructions accurate to the script; readable script with
clear errors and non-zero exit on failure; preflight first where the rules
require; tests that cover the risky logic and pass; destructive steps guarded
by a backup, dry run or confirmation. Run py -m pytest -q on the skill's tests.
Scale A+ to D. A+ means nothing concrete left to fix. For anything lower, name a
concrete defect a user would actually hit.
Output a table: Skill | Grade | Why | To reach A+.
```

For everything else:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade every hook in hooks/, the MCP server in
.claude/mcp/dayz-rag/, the panel plugin in mods/agentic-z-panel/, every wrapper
in scripts/, the answer tests in evals/, the rules files and every knowledge
pack under .claude/skills/_shared/. Hooks: correct output JSON for the event,
never block on their own bug, tests through stdin. MCP server: read-only
annotations, clear tool descriptions, errors returned as isError, tests. Panel:
follows the plugins reference, its tests pass. Rules files: every rule true of
the code. Knowledge packs: game facts cite a P: file and line or are marked
unverified, and the cited lines hold (open them on P:). Scripts and answer
tests: tests run, documentation matches the code. Run
py -m pytest -q .claude scripts/dev hooks. Scale A+ to D. A+ means nothing
concrete left to fix. For anything lower, name a concrete defect a user would
actually hit. Output a table: Item | Grade | Why | To reach A+.
```

For this method note:

```
Read-only grading task. Do not edit files. Be strict and independent; you have
not seen earlier grades. Grade the "How the grading works" section of the
Agentic-Z agent team guide. Check that it states the rubric for every kind of
item graded (agents, skills, hooks, search server, panel, rules files,
knowledge packs, scripts, answer tests and this note); that it gives the
grading prompt for every kind; that the rounds table has one row per round
and names its PRs, or says in plain words that a round had no PR; that every
PR number, commit and date matches git log origin/develop --merges; and that
every count matches final_grades.json and final_grades_shared.json. Scale A+
to D. A+ means nothing concrete left to fix. For anything lower, name a
```

```
concrete defect a reader would actually hit.
Output a table: Item | Grade | Why | To reach A+.
```

Because the reviewer is new each time, two runs can word findings differently, and a stricter reviewer can find a new edge case. That is the point: every round found real bugs, and each one is listed in "Real bugs the grading found and fixed".

Real bugs the grading found and fixed

Each one was found by an independent reviewer, fixed by a separate fixer, and covered by a test.

BUG	WHAT COULD HAPPEN	FOUND IN
Search tools missing after install	Agents installed from the plugin had no RAG search tools at all.	v1.7.0
Cleanup could delete your mod	`/dayz-clean-workspace` could delete a mod you cloned in by hand, git history included.	v1.7.0
Update swept in your changes	`/agentic-z-update` could put your unrelated staged changes into its own commit.	v1.7.0
Index download never worked	`/dayz-search-download` looked for a file name no release uses.	v1.7.0
RAG skipped big classes	About 39% of the code in large script classes like PlayerBase was never searchable.	v1.7.0
Server could not find split types	`/dayz-split-types` pointed the economy at the wrong folder and loaded entries twice.	v1.7.0
Failed build blocked rebuilds	One failed first build made every later build refuse.	v1.7.0
Line endings broke updates	On Windows, every upstream change looked like a local edit.	v1.7.0
Port already in use	A second test session connected to the old server instead of failing clearly.	v1.7.0
Old textures and atlases counted as new	A stale `.paa` from an earlier run was reported as freshly built.	v1.7.0
Wrong project picked up	With two Agentic-Z projects on one machine, a skill could work on the other project's workspace.	v2.0.0
UI styles left out of the PBO	`/dayz-build-pbo` did not pack `.styles` files, so menus that use them shipped without their styles.	v2.0.0
Server-only mods sent to clients	`/dayz-launch-test` had no way to keep a server-only mod off the client.	v2.0.0
Lint stopped good mods	`/dayz-lint` failed builds on findings that do not stop a mod loading.	v2.0.0
Unsafe names in the behavior gate	A crafted instance or template name could point the behavior test outside its folder.	v2.0.0
Spec written into an import	A rerun of `/dayz-init` could write `spec.md` into a linked mod you imported.	v2.0.0
Balance compared the wrong items	`/dayz-balance` missed mod overrides of a vanilla class with the same name.	v2.0.0
Upgrade guard missed changes	`/dayz-upgrade-guard` missed inherited members and config keys written in a different case.	v2.0.0
Conflict check refused linked mods	`/dayz-conflict-check --ingame` refused `@mods` that were links.	v2.0.0
Requests routed to the wrong owner	`/dayz-route` sent spawn and modded class requests to object specialists instead of their owners.	v2.0.0
Wrong vanilla facts in the new packs	The vehicle, wearables, audio, AI and animation packs had wrong line citations and class facts, all corrected against P:.	v2.0.0
Gates kept memory	The read-only gates had a memory folder, which a gate that only judges should not have.	v2.0.0

Open items and decisions

ITEM	STATE	NEEDS
Live DayZ checks	Still owed. Nothing in this build has run against a real DayZ session: not the team loop, not the in-game, behavior or visual gates, not the panel's launch buttons.	Build one small mod end to end with DayZ running on the user's PC. Asked for before it runs.
Release 2.0.0 to `main`	Version 2.0.0 and its release notes are on `develop`. CI passes there.	User: say yes to merging `develop` into `main`. Nothing is released until then.
Items below A+	0 of 164 graded items are below A+. The reason for each in "Why each item got its grade" names the defect the latest grader found on `develop`.	A fix round, then a fresh independent regrade.
Answer tests for seven agents	No question file yet for the build checker, in-game tester, architect, lead, orchestrator, router and Figma to layout.	Write their question files and record a baseline.
Files not graded	Nine answer test files, `expansion_style.md`, `examples/layouts.md` and the nine `enscript-style/` section files have no v2.0.0 grade.	Grade them in the next independent round.
Preflight exception list	The DayZ rules file has 14 exception entries naming 21 skills that skip the preflight gate; `docs/dayz-modding.md` still lists five.	Bring `docs/dayz-modding.md` in line with the rules file.
RAG search	The installed plugin (1.6.0) has the search timeout bug. The fix is in 2.0.0.	The release, a Voyage API key in `.env`, and a full re-index.

Token savers and workflows (built in 2.0.0) and the roadmap

Every token saver and workflow below is built, tested and on `develop`. None has run against a live DayZ session yet.

SAVE TOKENS

SAVER	WHAT IT DOES
Script-only gates	`/dayz-gate build`, `ingame`, `behavior` and `visual` are plain scripts that print PASS, FAIL or ERROR. Claude only wakes up when something fails. The biggest saving.
Log triage	52 known errors, each with its fix and owner. Only new errors go to the debugger, and `triage.py --learn` adds your own.
Router	Keyword rules first, then TypeSafe's Jev when `TYPESAFE_API_KEY` is set, then the Haiku `dayz-router`.
Hooks	The edit check, the scope guard and the paste-in router.
Status line	P:, active mod, DayZ Diag and index age under the prompt, with no tokens.
Cheaper models	The build engineer and router run on Haiku, the docs writer on Sonnet.
Smaller rules loading	Tier 2 split into a 143-line core and five topic files of 24 to 56 lines. Most skills read only the core, 40% less than the old 239-line file; `/dayz-deploy-pbo` and `/dayz-gate` also point to the bundle mods section of the config topic file. Each agent reads the core plus the topic files its job needs. With one topic file that is 17% to 30% less than before. With two it depends on which two: the mod debugger (226 lines) and the mod architect (231 lines) still read a little less, while the vehicle, weapon and audio and FX specialists (251 lines) read more, and so does the mod reviewer with three (283 lines).
Panel and wrappers	The `agentic-z-panel` buttons and a `.bat` for every runnable skill run the scripts directly.
Shorter descriptions	About 2,100 tokens less loaded into every session.

WORKFLOWS

PASTE IN

- Crash log or RPT
- Screenshot of a bug
- Figma link
- GitHub link
- types.xml chunk

BUILD FASTER

- Mod recipes
- Live log watch
- Behavior and visual gates
- Release pack

STAY HEALTHY

- Upgrade guard
- Conflict check with CF, COT, Expansion
- Balance sheet against vanilla
- Health page per mod

SERVE OWNERS


- Server kit
- Cited answers about vanilla
- Answer tests
- Layout preview

ROADMAP

1. **Live DayZ checks.** Build one small mod end to end with DayZ running, and run the in-game, behavior and visual gates for real.
2. **Release 2.0.0.** Merge `develop` into `main` after the user's yes.
3. **Close the open defects.** Fix every item below A+, then a fresh independent regrade.
4. **Answer tests for the last seven agents.**
5. **Grade the files not yet graded.** The nine newer question files, the Expansion style notes, the layouts example and the style guide section files.
6. **Add-ons plugin.** An optional `agentic-z-addons` plugin for outside tools, built only after the core is done and only for the add-ons the user names.

Growing the team: new specialists (built in 2.0.0)


Agentic-Z stays the base. The loop did not change: plan, leads, workers, gates, ship. The new material only added workers, knowledge packs and one check inside the existing build gate. All of it is on `develop`. Every fact is verified against the vanilla files on P: and written fresh in our own words; nothing is copied from outside sources.



THE ORDER IT WAS BUILT IN

1. **Research map.** Every topic from outside research and the knowledge pack, sorted into the subjects below. Private, not in the repo.
2. **Foundation.** Client and server ownership rules added to the DayZ rules, a `references/` folder layout for specialists, and an empty answer-tests (evals) folder.
3. **`/dayz-lint`.** Our own checker for errors that would stop a mod from loading, run inside `/dayz-gate build` and `/dayz-build-pbo` before packing. Its findings feed the known-errors triage.
4. **Saving data specialist (persistence):** storage, save versions and migrations, base building, and a pre-release check that nothing gets lost.
5. **Vehicle specialist:** cars, boats, helicopters and flight.
6. **Weapon specialist:** CfgWeapons, attachments, magazines, selections.
7. **Wearables specialist:** clothing, characters, slots and proxy alignment.
8. **Animation specialist:** model.cfg animation sources, RTM, and the Blender handoff.
9. **Audio and FX specialist:** sound shaders and sound sets, with the existing particles skill.
10. **Physics specialist:** collision layers, contact and thrown objects.
11. **AI specialist:** how Expansion's AI behaves, learned by observation only, never copied.
12. **Upgrade what exists:** deeper script reference, UI (Dabs and widgets), texture and rvmat cookbook, model and LOD rules, animated doors in the object builder, a short spec step in `/dayz-init`, and a layout preview at several screen sizes.

THE SAME CYCLE FOR EVERY SPECIALIST



NEW SPECIALISTS

SPECIALIST	COVERS	JOINS
dayz-persistence-specialist	Saving data, save versions, migrations, base building, pre-release data audit.	Script lead (audit: server lead)
dayz-vehicle-specialist	Cars, boats, helicopters, get-in actions, flight.	Config lead
dayz-weapon-specialist	Weapons, attachments, magazines, bones and selections.	Config lead
dayz-wearables-specialist	Clothing, characters, slots, proxies.	Art lead
dayz-animation-specialist	model.cfg animations, RTM, Blender handoff.	Art lead
dayz-audio-fx-specialist	Sound shaders, sound sets, client-only audio, particles.	Any lead
dayz-physics-specialist	Collision layers, contact, thrown objects.	Any lead
dayz-ai-specialist	Expansion AI behavior patterns, written fresh.	Script lead

WHAT WE TAKE AND WHAT WE LEAVE

VERDICT	ITEMS
BUILD NEW	Persistence, base building, data audit, vehicles, aviation, weapons, clothing, characters, proxy alignment, doors, physics, sound, AI patterns, animation pipeline, `/dayz-lint`, layout preview, answer tests.
KEEP OURS	Preflight, p3d audit, particles, PBO build, in-game testing, mod workflow, the DayZ rules and script style (the pack copied these from Agentic-Z), the CLAUDE, AGENTS and GEMINI files.
EXPAND OURS	Script reference, UI development, texture pipeline, model pipeline, a spec step before building.
LATER	Blender animation and assembly, UV atlas, 3D viewer, p3d inspector, model preflight, animation format checkers, vehicle proxy checks.
DON'T TAKE	Racing-game vehicle rips, PBO reverse engineering, scraped notes and Discord dumps, the pack's MIT label, copied Expansion or VPP code, AI 3D generators, the pack's bookkeeping system.

In-game testing of each specialist needs DayZ launched on the user's PC. It has not run yet, and it is asked for before it runs.

What changed from Agentic-Z 1.6.0

Each row comes from the quality review or the 2.0.0 build.

CHANGE	WHY
NEW **Orchestrator, architect and team leads**	Before, you picked a specialist yourself and nothing split a mod into tasks or checked that the pieces fit.
NEW **Eight specialists with knowledge packs**	Saving data, AI, vehicles, weapons, wearables, animation, audio and FX, and physics each have an agent and a pack checked against P:.
NEW **Script-only gates**	A reviewer existed, but nothing forced a check before a build. Now every wave has to lint, pack cleanly and load in game with clean logs.
NEW **Workflows and hooks**	Recipes, log watch, release pack, server kit, upgrade guard, conflict check, balance, health page, cited answers, layout preview and the paste-in router.
MOVED **Debugger on the fail path**	Triage sends known errors straight to the owner; the debugger gets only new ones.
FIX **Search works after install**	An installed agent had no search tools at all. Every agent now asks for the tools under both names.
FIX **Every agent ships in the plugin**	The Figma and layout agents and two skills weren't registered, so plugin users never got them. A test now checks every agent and skill.
NEW **Corrections become rules**	A skill turns your correction into a rule in the right tier, only after your yes.
GONE **Wiki search**	The wiki crawler, `/dayz-search-wiki-index` and the `search_dayz_wiki` tool were removed. The search server covers vanilla DayZ source only.

The three tiers every agent works from

The more specific tier wins, and no tier repeats another.

TIER	WHAT IT HOLDS	LOADS
1 · Repo rules	How every agent works: communication, tooling, memory, routing. `CLAUDE.md`, `AGENTS.md`, `GEMINI.md`.	Every agent, every task
2 · DayZ rules	Enforce Script style, config and asset rules, environment, vanilla search. `dayz-conventions.md` plus topic files for config, assets, scripts, UI and server.	All DayZ work
3 · Agents and knowledge packs	The 30 agents, the 44 skills, and the packs below.	Only what the task needs

The agents

30 agents in all. "New" means added since version 1.6.0.

AGENT	JOB	SINCE 1.6.0
Plan		
Mod orchestrator	Plans the mod with you, splits it into small tasks, hands them to leads, runs the gates, tracks what is done.	NEW
Mod architect	Plans the classes, files, assets and behavior checks before work starts.	NEW
Lead (one agent, six teams)	Runs one team: script, config, art, UI, server or release. Splits its share into worker tasks and checks the results fit.	NEW
Workers		
Script engineer	Writes Enforce Script: modded classes, RPCs, game logic.	KEEP
Workbench plugins	Builds tools inside Enfusion Workbench.	KEEP
Config engineer	Writes config.cpp, class inheritance and hidden selections.	KEEP
Object Builder	Sets up .p3d models, LODs, selections and doors.	KEEP
Textures and materials	Handles .paa textures and .rvmat materials.	KEEP
UI engineer	Builds .layout files and the scripts that drive them.	KEEP
Figma cleaner	Tidies a Figma frame so it can be converted.	KEEP
Figma to layout	Turns the cleaned frame into a DayZ .layout, and repairs one the validator failed.	KEEP
Server admin	types.xml, init.c and server settings.	KEEP
Map builder	Terrain Builder and DayZ Editor work.	KEEP
Build engineer	Runs the build, test server and launch skills (Haiku).	NEW
Docs writer	Keeps the mod's README, changelog and classname list current (Sonnet).	NEW
Specialists		
Saving data	Saving data across restarts, save versions, base building, and a data audit before release. Works under the script lead.	NEW
AI	Infected, animals and human AI such as patrols and guards, written from scratch. Works under the script lead.	NEW
Vehicles	Cars, boats and helicopters: engine, gearbox, wheels, doors, fluids, seats and damage. Works under the config lead.	NEW
Weapons	Weapons, magazines, ammo, attachments, recoil and fire modes. Works under the config lead.	NEW
Wearables	Clothing, characters, inventory slots, protection, color variants and proxies. Works under the art lead.	NEW
Animation	model.cfg animations, RTM files and the Blender handoff. Works under the art lead.	NEW
Audio and FX	Sound shaders, sound sets and particle effects. Works under any lead that needs it.	NEW
Physics	Weight, collision LODs, dropping, throwing and contact. Diagnoses and hands the fix to the owner; never edits. Works under any lead.	NEW
Support		
Router	Cheap Haiku agent behind `/dayz-route` that decides who handles a request.	NEW
Agent creator	Writes and checks new agent files against the agent standard.	KEEP
Gatekeepers (read only)		
Mod reviewer	Checks the mod against the DayZ conventions, PASS or FAIL.	KEEP
Layout validator	Checks a `.layout` against the Figma-to-DayZ rules without editing it; the UI gate.	KEEP
Build checker and in-game tester	Fallbacks for when `/dayz-gate build` or `/dayz-gate ingame` itself breaks.	NEW
Debugger	Reads the logs for errors triage does not know, and names the cause and the owner.	MOVED

The skills

44 slash commands any agent or person can run: 40 ship in the plugin, and four are for clones only. 18 of the 40 plugin DayZ skills check the environment first with `/dayz-preflight` (preflight itself is the check). The DayZ rules file has 14 exception entries naming 21 skills, each with its reason, and `/dayz-particles` is a reference skill with no script. Some of them still read P:: `/dayz-lint`, `/dayz-balance`, `/dayz-conflict-check`, `/dayz-recipe`, `/dayz-layout-preview` and `/dayz-upgrade-guard` only read files and write a report, and `/dayz-ask` only checks that P: is mounted. `/dayz-gate` gates through the scripts it calls, and `/dayz-stop-test` skips the check so it still works as an emergency stop.

SKILL	WHAT IT DOES
Setup	
`/dayz-init`	Setup wizard on first run, with an optional spec step; a status hub for the active mod after that.
`/dayz-preflight`	Checks the P drive, DayZ Tools, vanilla data and the Workshop link.
`/dayz-workdrive`	Mounts the P drive after a reboot without opening DayZ Tools.
`/dayz-setup-objectbuilder`	Configures Object Builder on a new machine.
Mods	
`/dayz-new-mod`	Creates a new mod with the standard folders and files.
`/dayz-import-mod`	Brings an existing mod folder or a GitHub repo into the workspace.
`/dayz-add-scaffold`	Adds missing standard pieces to an existing mod.
`/dayz-recipe`	Starts a plan from a recipe (new weapon, new vest, new craftable) for the architect to finish.
`/dayz-scope-mod`	Locks editing to one mod.
`/dayz-clean-workspace`	Removes mods it created, and their builds.
Build	
`/dayz-lint`	Finds errors that would stop a mod loading, before packing. Runs first inside the build gate and `/dayz-build-pbo`.
`/dayz-build-pbo`	Packs a mod into a PBO with AddonBuilder.
`/dayz-deploy-pbo`	Copies prebuilt PBOs and keys into place without AddonBuilder.
Test	
`/dayz-add-server`	Sets up a local test server instance.
`/dayz-launch-test`	Starts a diag server and client with your mods.
`/dayz-stop-test`	Stops the test session.
`/dayz-cot-bootstrap`	Gives you admin in Community Online Tools on the test server.
`/dayz-logwatch`	Watches the logs during a test session and triages each new error as it appears.
Checks, routing and status	
`/dayz-gate`	Build, in-game, behavior and visual checks as scripts that print PASS or FAIL, with known-error triage.
`/dayz-conflict-check`	Finds prefix, path and class collisions with CF, COT and Expansion.
`/dayz-upgrade-guard`	After a DayZ update, lists mod classes whose vanilla parents changed.
`/dayz-balance`	Compares item stats with similar vanilla items and flags outliers.
`/dayz-health`	A page per mod with the last build, last test, open findings and gate history.
`/dayz-route`	Shows which skill, specialist or team should handle a request.
`/dayz-statusline`	Installs a status line with P:, the active mod, DayZ Diag and index age.
Art and UI	
`/dayz-pack-texture`	Converts images to `.paa` and checks their suffixes.
`/dayz-build-imageset`	Packs UI sprites into an imageset.

SKILL	WHAT IT DOES
/dayz-layout-preview	Draws a `.layout` as PNGs at several screen sizes and flags widgets off screen.
/dayz-p3d-audit	Finds collision, physics and structure problems in models.
/dayz-particles	Reference for making particle effects without Workbench.
/dayz-launch-objectbuilder	Opens Object Builder on a model.
/dayz-launch-workbench	Opens Workbench on a mod's project.
Server economy	
/dayz-edit-types	Adds, changes, removes or merges `types.xml` entries.
/dayz-split-types	Splits one big `types.xml` into 19 category files.
Release	
/dayz-release-pack	Writes the Workshop description, a changelog entry, the classname list and server-owner install notes.
/dayz-server-kit	Zips types.xml entries, cfgeconomycore lines, load order and the public key for server owners.
RAG search	
/dayz-search-index	Builds the game-files index.
/dayz-search-download	Downloads a prebuilt index instead.
/dayz-ask	Answers a plain-English question about vanilla DayZ with checked path:line citations.
Team and repo	
/dayz-record-correction	Turns your correction into a team rule.
/sync-skills	Links the skills into Claude Code, Codex and Gemini (clones only).
/agentic-z-update	Pulls template updates into a clone (clones only).
/docs-sync	Keeps the docs wiki matching the source files (clones only).
/clean-repo	Repo-wide cleanup across every domain (clones only).

The side panel is a separate plugin, not a skill: `/plugin install agentic-z-panel@dayz-n-chill`, then `/dayz-panel` opens it.

The knowledge packs

All under `.claude/skills/_shared/`. Any worker can load any of them for one task. Most game facts cite a P: file and line, and the reviewers opened the cited lines. The integrity test checks less: each Markdown pack file that is not exempt must name a vanilla P: file at least once, and it does not check the .c and .layout worked examples. Six of the 13 worked examples (01, 04, 05, 06, 08 and 09) are still marked as vendored and not checked on P:, the Community Framework and Dabs guides are checked against those frameworks' own scripts, and the style guides, folder indexes and a few notes are exempt from the citation rule.

SPECIALIST PACKS

- Saving data
- AI
- Vehicles
- Weapons
- Wearables
- Animation
- Audio and FX
- Physics
- Models and LODs
- Textures and rvmats

ENFORCE SCRIPT

- Language and core API references
- Patterns: modded classes, RPCs, net sync, persistence, actions, scheduler, JSON config
- 13 worked examples

FRAMEWORKS

- Community Framework
- Dabs Framework
- Central Economy
- Input bindings
- Vanilla plugins

UI

- GUI layouts and widgets
- Figma to DayZ rules
- Imagesets (a section of the widget API reference, not a pack of its own)

RULES

- Tier 2 core
- Config, assets, scripts, UI and server topics
- Container base

Specialist workflows

Every task goes through the same team loop: the user approves the plan, the orchestrator hands tasks to the leads, the leads hand them to specialists, and the gates check the work. Inside that loop each specialist works through its own steps. The specialists that write DayZ content look up vanilla first: they Grep for a class or symbol name they know, use RAG search for questions by meaning or after two or three failed greps, and read the real file before relying on a hit. The build engineer, docs writer, build checker, in-game tester and Figma cleaner have no RAG tool; they work from the mod, its logs or the Figma file.

SPECIALIST	ITS STEPS INSIDE THE LOOP
Script lead	
dayz-script-specialist	1. Searches the vanilla scripts for the class it will change and reads the real file. 2. Writes a `modded class` in the right layer (3_Game, 4_World or 5_Mission) and calls `super`. 3. Adds RPCs only where client and server must talk, and checks which side runs each line. 4. `/dayz-lint` and the build gate check and pack it (nothing compiles Enforce Script there); the in-game gate catches compile errors and reads script.log.
dayz-workbench-specialist	1. Reads how vanilla Workbench plugins are registered. 2. Writes the plugin script and its tool panel. 3. Never opens Workbench itself: it tells the user to open it with `/dayz-launch-workbench --mod <ModName>`. 4. Returns the plugin and the steps to load and run it.
dayz-persistence-specialist	1. Lists every value that must survive a restart. 2. Writes OnStoreSave and OnStoreLoad, with a version number written first. 3. Adds an upgrade path so saves from the last version still load. 4. Runs the data audit: every field is written and read back in the same order. 5. Hands the audit to the server lead before release.
dayz-ai-specialist	1. Studies how vanilla infected and animals decide what to do. 2. Writes the behavior as its own script classes, never copied from another mod. 3. Gives the server lead the spawn setup. 4. In-game test watches the behavior and server performance.
Config lead	
dayz-config-specialist	1. Finds the closest vanilla parent class (Grep for known names, RAG search for questions by meaning) and reads its definition on disk, cited as `path:line`. 2. Writes CfgPatches with the right requiredAddons, then the class itself. 3. Matches hiddenSelections to the names in the model. 4. `/dayz-lint` and the build gate check it loads.
dayz-vehicle-specialist	1. Picks the closest vanilla vehicle as the parent. 2. Writes the vehicle class and its simulation: engine, gearbox, axles, wheels. 3. Adds attachment slots for doors, hood, trunk, wheels, battery and plug, and the fluids. 4. Writes the CarScript or BoatScript class for seats, doors and damage. 5. Gives the server lead a types.xml entry; the behavior gate spawns it and a person-run checklist covers driving.
dayz-weapon-specialist	1. Picks the closest vanilla weapon as the parent. 2. Writes the weapon, magazine and ammo classes and the attachment slots. 3. Sets recoil and fire modes. 4. Lists the model selections and memory points the art lead must provide. 5. The behavior gate spawns it and fits each attachment; a person-run checklist covers firing and reloading.
Art lead	
dayz-object-builder	1. Specifies the LODs (visual, geometry, fire geometry, view geometry and memory) as numbered Object Builder steps; the user builds them, since it cannot edit a .p3d. 2. Names the selections and memory points the config and animations need, and writes model.cfg. 3. Runs `/dayz-p3d-audit` after the user saves the model. 4. Hands the selection names to the config lead.
dayz-asset-specialist	1. Checks each texture has the right suffix (_co, _nohq, _smdi and the rest). 2. Packs them with `/dayz-pack-texture`. 3. Writes the .rvmat for each material. 4. Writes a look checklist for the user to check in Object Builder or in game; it never launches either.
dayz-wearables-specialist	1. Picks the inventory slot and the closest vanilla item as the parent. 2. Sets slots held, protection and insulation. 3. Sets hidden selections so one model carries every color.

SPECIALIST	ITS STEPS INSIDE THE LOOP
	4. Notes the proxy positions for the Object Builder specialist. 5. The behavior gate wears each color class; a person checks in game how each color looks.
dayz-animation-specialist	1. Lists the moving parts and their bones. 2. Writes skeletonBones for the moving parts and the class Animations block in model.cfg; the Object Builder specialist keeps the rest of model.cfg. 3. Gives the user the bone and selection names for their own Blender export. 4. Names the script hook that plays the animation; the script specialist writes that code, and the in-game test uses it.
UI lead	
dayz-ui-specialist	1. Reads the vanilla layout closest to the new screen. 2. Writes the .layout and the script class that drives it. 3. Builds icons into an imageset with **`/dayz-build-imageset`**. 4. The layout checker checks it against the Figma-to-DayZ rules and **`/dayz-layout-preview`** draws it; the in-game test opens it.
figma-node-normalizer	1. Reads the Figma frame. 2. Cleans layer names and structure so they map to DayZ widgets. 3. Hands the clean tree to the layout converter.
figma-to-dayz-layout	1. Turns the clean tree into a DayZ .layout. 2. Uses only widget types the game supports. 3. Hands it to the layout checker.
Server lead	
dayz-server-admin	1. Writes types.xml entries with **`/dayz-edit-types`**. 2. Adds events, spawn points and gameplay settings where needed. 3. Splits large economy files with **`/dayz-split-types`**. 4. Sets up a missing test server instance with **`/dayz-add-server`** (it starts nothing), and gives you the **`/dayz-launch-test`** command instead of starting the server itself.
dayz-map-specialist	1. Writes layers.cfg and the surface and clutter configs; if it needs the user's own layers.cfg and it is missing, it stops and asks for it. 2. Gives numbered steps for the DayZ Editor export and the Terrain Builder import and generation, which the user carries out. 3. Returns the files and the steps to rebuild the map.
Release lead	
dayz-build-engineer	1. Packs the mod with **`/dayz-build-pbo`**. 2. Starts the test session with **`/dayz-launch-test`**. 3. Reports the build result to the release lead, who passes it to the orchestrator.
dayz-docs-writer	1. Reads what changed in the wave. 2. Updates the README, changelog and classname list. 3. With **`/dayz-release-pack`**, writes the Workshop text and server-owner notes.
Any lead	
dayz-audio-fx-specialist	1. Reads the vanilla sound or particle closest to the request. 2. Writes the sound shader and sound set, or the particle with **`/dayz-particles`**. 3. Adds the script line that plays it. 4. In-game test listens and looks.
dayz-physics-specialist	1. Reads the model's geometry LODs and mass. 2. Finds the fault: missing geometry, wrong mass or bad collision. 3. Hands the fix to the Object Builder or config specialist; it never edits. 4. A person-run in-game test drops, throws and shoots it, which the behavior gate cannot.
Checks and fixes	
dayz-mod-reviewer	1. Reads the finished task against the DayZ rules file. 2. Lists each problem with the specialist who owns it. 3. Never edits files.
dayz-layout-validator	1. Checks the .layout against the Figma-to-DayZ rules: file format and widget classes. 2. Reports PASS or FAIL with each problem and its line. Never edits.
dayz-build-checker	1. Runs only when **`/dayz-gate build`** itself breaks. 2. Reads the AddonBuilder output and names the failing file.
dayz-ingame-tester	1. Runs only when **`/dayz-gate ingame`** itself breaks. 2. Reads the logs from the test session and reports what failed.

SPECIALIST	ITS STEPS INSIDE THE LOOP
dayz-mod-debugger	1. Gets new errors that triage does not know. 2. Reads script.log, RPT and crash files back to the line that failed. 3. Reports the cause, evidence, location and fix to whoever called it (the orchestrator or a lead), naming the worker agent that owns the fix.

How one task moves through the team

1. You approve the mod plan from the architect, such as "a tactical vest with three retextures".
2. The orchestrator splits it into tasks, like "write the vest's config.cpp entry".
3. The right lead takes the task and starts a worker.
4. The worker runs a RAG search, checks the real file, loads the playbook, and does the one task.
5. The lead checks it with the mod reviewer (and the layout check for UI). When the whole wave is done, the orchestrator builds the mod and loads it in game. If anything fails, the debugger reads the logs and the task goes back with notes.
6. Passing work is packed into a PBO and loaded on a test server.
7. You give the final yes and publish it to the Steam Workshop with DayZ Tools Publisher.

Agentic-Z 2.0.0, as built on **`origin/develop`** (commit **`e70cf1a`**, October 22, 2026). Not yet released to **`main`**.