

Assignment: Stored Procedure

Date: 05/10/2020 Name: D.Saravanan

1. Create a table and use INOUT parameter in stored procedure and display the output.

Create and Insert:

```
mysql> show databases;
+-----+
| Database |
+-----+
| assignment |
| dataset |
| information_schema |
| module |
| mysql |
| performance_schema |
| sys |
+-----+
7 rows in set (0.01 sec)

mysql> use assignment;
Database changed
mysql> show tables;
+-----+
| Tables_in_assignment |
+-----+
| Departments |
| Employees |
| School |
+-----+
3 rows in set (0.00 sec)

mysql> create table EmpData(Emp_Id mediumint unsigned unique,
-> First_Name varchar(10),
-> Last_Name varchar(10),
-> Gender varchar(2),
-> Email_Id varchar(50),
-> Year_Joining year,
-> Salary int unsigned,
-> Last_Hike varchar(5),
-> Social_Security_Number varchar(15),
-> Location varchar(20),
-> User_Name varchar(20),
-> Password varchar(20));
Query OK, 0 rows affected (1.62 sec)

mysql> load data infile '/var/lib/mysql-files/empdata.csv'
-> into table EmpData
-> fields terminated by ','
-> enclosed by '"'
-> lines terminated by '\n'
-> ignore 1 rows;
Query OK, 51 rows affected (0.20 sec)
Records: 51 Deleted: 0 Skipped: 0 Warnings: 0

mysql>
```

Table: EmpData

```
mysql> select * from EmpData limit 45;
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| Emp_Id | First_Name | Last_Name | Gender | Email_Id | Year_Joining | Salary | Last_Hike | Social_Security_Number | Location | User_Name | Password |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| 677599 | Lois | Walker | F | lois.walker@hotmail.com | 2003 | 168251 | 21% | 467-99-4677 | Denver | lwalker | Dc3jTjX.v2NP | |
| 946761 | Brenda | Robinson | F | brenda.robinson@gmail.com | 2008 | 51063 | 27% | 537-71-4566 | Stonewall | bsrbinson | TCoj#Zg;S0-o |
| 428945 | Joe | Robinson | M | joe.robinson@gmail.com | 2016 | 59155 | 16% | 025-92-3584 | Michigantown | jwrobinson | G04sJ8M1EH[A |
| 408351 | Diane | Evans | F | diane.evans@yahoo.com | 1999 | 180294 | 1% | 314-35-9851 | Hydetown | dievans | 0gGrtp1HfLcr5 |
| 193819 | Benjamin | Russell | M | benjamin.russell@charter.net | 2013 | 117642 | 13% | 121-98-7248 | Fremont | brussell | Rd<y8cp!@R;*KF |
| 499687 | Patrick | Bailey | M | patrick.bailey@aol.com | 2005 | 72305 | 5% | 439-99-7721 | Macksburg | pfbailley | K785aY/* |
| 539712 | Nancy | Baker | F | nancy.baker@bp.com | 2016 | 98189 | 6% | 641-29-2071 | Atlanta | ntbaker | xJdKlAcYQht_BE# |
| 380986 | Carol | Murphy | F | carol.murphy@gmail.com | 1993 | 69918 | 22% | 422-87-7023 | Blancheater | cvmurphy | Us+V8wuz2Uc-k |
| 477616 | Frances | Young | F | frances.young@gmail.com | 1994 | 121587 | 28% | 028-92-8912 | Delmita | fbyoung | KJ*USc017[A |
| 162402 | Diana | Peterson | F | diana.peterson@hotmail.co.uk | 2014 | 43010 | 4% | 512-33-6767 | Eureka Springs | dtpeterson | 3o8-v8tYxjYEao |
| 231469 | Ralph | Flores | M | ralph.flores@yahoo.com | 2009 | 118457 | 8% | 302-15-0130 | Sabetha | rlflores | 7tPlrSr}qTq |
| 153989 | Jack | Alexander | M | jack.alexander@gmail.com | 2017 | 82965 | 23% | 428-99-9413 | Las Vegas | jcalexander | 9L*-01U.9mSUS |
| 386158 | Melissa | King | F | melissa.king@comcast.net | 2015 | 166892 | 1% | 277-17-9106 | New Matamoras | mqking | FE51<e-Y}[4f78 |
| 391576 | Wayne | Watson | M | wayne.watson@gmail.com | 2017 | 92758 | 14% | 011-94-6649 | Maids | wgwatson | wM4J[]&j-e6c |
| 441774 | Cheryl | Scott | F | cheryl.scott@gmail.com | 1999 | 92220 | 12% | 590-84-2279 | Quercreek | coscott | V0b+-2Nl_yR |
| 528509 | Paula | Diaz | F | paula.diaz@gmail.com | 1994 | 152654 | 8% | 234-57-7674 | Seuilaville | pgdiaz | 3Kq5t1U |
| 912900 | Joshua | Stewart | M | joshua.stewart@yahoo.ca | 2002 | 184896 | 1% | 755-07-3676 | New Douglas | jstewart | K7v198Bznj |
| 214352 | Theresa | Lee | F | theresa.lee@gmail.com | 2015 | 197537 | 1% | 055-02-9969 | Toeterville | tglee | JS#hNAX1j%QEr |
| 890290 | Julia | Scott | F | julia.scott@apple.com | 2005 | 141518 | 3% | 251-99-1941 | Primm Springs | jsscott | r.:Q7c^Tpb |
| 622406 | Thomas | Lewis | M | thomas.lewis@gmail.com | 1998 | 73862 | 3% | 467-99-2604 | Dutchtown | tqlewis | y;03Jda#4g|IG |
| 979687 | Carol | Edwards | F | carol.edwards@msn.com | 2016 | 93967 | 30% | 316-35-9870 | Shreveport | cjedwards | w1>v-a9gt |
| 969580 | Matthew | Turner | M | matthew.turner@gmail.com | 2016 | 52237 | 9% | 598-82-1988 | Heathsville | mtturner | lPt-d[]lZd1_1A |
| 426038 | Joan | Stewart | F | joan.stewart@yahoo.com | 2009 | 111673 | 12% | 420-99-6443 | Middleport | jstewart | qBmq_U-0s1WpGz |
| 388642 | Ruby | Rogers | F | ruby.rogers@gmail.com | 2013 | 160623 | 9% | 236-55-0172 | Woodbury | rrrogers | t3wPqD0sc<9V |
| 560455 | Carolyn | Hayes | F | carolyn.hayes@hotmail.co.uk | 2001 | 42005 | 14% | 730-28-1350 | Saint Cloud | cvhayes | NY!Y2w.L_v-09{ |
| 477253 | Anne | Russell | F | anne.russell@ibm.com | 2013 | 103160 | 29% | 456-99-5619 | Stockholm | alrussell | c8Nk&Y^-Vz12 |
| 263480 | Daniel | Cooper | M | daniel.cooper@yahoo.com | 2014 | 153790 | 13% | 181-86-2024 | Manning | dkcooper | d8p[Pwx2fsw0-Z |
| 683826 | Roger | Roberts | M | roger.roberts@gmail.com | 2009 | 129625 | 12% | 120-98-6493 | Mount Vernon | rroberts | 41C_01k|Jb01T0 |
| 474599 | Maria | Walker | F | maria.walker@microsoft.com | 1998 | 48944 | 21% | 447-27-3175 | Lawrenceburg | mwwalker | cw%U)s? |
| 335732 | Brenda | Butler | F | brenda.butler@gmail.com | 1997 | 69508 | 29% | 282-15-6484 | Mesa | bmbutler | uXctPz-gYr*> |
| 329752 | Lillian | Brown | F | lillian.brown@aol.com | 2015 | 67251 | 22% | 249-99-8821 | Panacea | lxbrown | CG-M5-z |
| 893212 | Amy | Howard | F | amy.howard@aol.com | 2003 | 112715 | 30% | 686-24-2843 | Kline | abhoward | tlio:TE6 |
| 621833 | Gregory | Edwards | M | gregory.edwards@outlook.com | 2015 | 169245 | 22% | 010-94-6817 | Bonanza | gxedwards | V4$Vy*MO{ |
| 456747 | Roy | Griffin | M | roy.griffin@yahoo.com | 2012 | 170895 | 19% | 358-08-7660 | Liberty | rzgriffin | qm&zh<b.NsKaZ |
| 278556 | Richard | Mitchell | M | richard.mitchell@verizon.net | 2016 | 122226 | 14% | 013-94-5886 | Ohatchee | rymitchell | RWeXJP01:KpX<Rn |
| 333476 | Mary | Wilson | F | mary.wilson@bcglobal.net | 1991 | 109394 | 16% | 198-84-0652 | Nashville | mpwilson | Pw1&w;f< |
| 216701 | Aaron | Price | M | aaron.price@bp.com | 1997 | 54492 | 6% | 491-29-5152 | Eckerty | anprice | uK9uV4oXk9 |
| 134841 | Donna | Brown | F | donna.brown@aol.com | 2013 | 129836 | 8% | 544-81-5182 | Lima | drbrown | u7%Qo2zyKK |
| 726264 | Carl | Collins | M | carl.collins@yahoo.com | 2007 | 162159 | 7% | 544-81-6171 | Wright | cncollins | XiNULSmjAFL/ |
| 766610 | Joyce | Jenkins | F | joyce.jenkins@aol.com | 2010 | 119321 | 13% | 695-16-6506 | Ellsworth | tejenkins | C5/iW3Ryfo(-e1V |
| 923947 | Mary | Bryant | F | mary.bryant@verizon.net | 2004 | 156442 | 4% | 491-29-7461 | Conroy | mgbryant | A[iRZ21{ |
| 227922 | Amanda | Hughes | F | amanda.hughes@rediffmail.com | 2007 | 114257 | 22% | 311-35-2540 | Lake Charles | amhughes | B2N-J[]_k7jF |
| 265813 | Jack | Campbell | M | jack.campbell@gmail.com | 2007 | 186280 | 23% | 047-15-1537 | Kalvesta | jecampbell | rRn>wRf4H1-1 |
| 247137 | Alan | Rivera | M | alan.rivera@apple.com | 2006 | 54910 | 12% | 491-29-7149 | Knoxville | arivera | r5u0-3H5f(S |
| 407061 | Elizabeth | Jackson | F | elizabeth.jackson@aol.com | 2005 | 85420 | 24% | 660-24-4434 | Rochester | ejjackson | EAHCnJsf6wRwr |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
45 rows in set (0.00 sec)

mysql>
```

Parameter mode: in

```
mysql> # parameter mode: in
mysql>
mysql> delimiter //
mysql> create procedure emailid (in empid mediumint, in name varchar(10)) begin select Email_Id from EmpData where Emp_Id = empid and First_Name = name; end//
Query OK, 0 rows affected (0.20 sec)

mysql> call emailid (301576, 'Wayne')//
+-----+
| Email_Id |
+-----+
| wayne.watson@gmail.com |
+-----+
1 row in set (0.01 sec)

Query OK, 0 rows affected (0.01 sec)

mysql> create procedure highpay (in pay int) begin select Emp_Id, First_Name, Salary, Last_Hike from EmpData where Salary > pay order by Salary limit 5; end//
Query OK, 0 rows affected (0.17 sec)

mysql> call highpay (60000)//
+-----+-----+-----+-----+
| Emp_Id | First_Name | Salary | Last_Hike |
+-----+-----+-----+-----+
| 335732 | Brenda    | 60508  | 29%       |
| 380086 | Carol     | 60018  | 20%       |
| 363065 | Nancy     | 61924  | 4%        |
| 329752 | Lillian   | 67251  | 22%       |
| 499687 | Patrick   | 72305  | 5%        |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

mysql> create procedure genderpay (in pay int) begin select Gender, max(Salary) as Max_Salary, count(Last_Hike) as Hike_Count from EmpData where Salary < pay group by Gender; end//
Query OK, 0 rows affected (0.20 sec)

mysql> call genderpay (60000)//
+-----+-----+-----+
| Gender | Max_Salary | Hike_Count |
+-----+-----+-----+
| F      | 51063      | 4          |
| M      | 54402      | 3          |
+-----+-----+-----+
2 rows in set (0.01 sec)

Query OK, 0 rows affected (0.01 sec)

mysql> delimiter ;
mysql>
```

Parameter mode: out

```
mysql> # parameter mode: out
mysql>
mysql> delimiter //
mysql> create procedure avgSalary (out result int unsigned)
-> begin
-> select avg(Salary) into result from EmpData;
-> select result;
-> end//
Query OK, 0 rows affected (0.23 sec)

mysql> call avgSalary (@result)//
+-----+
| result |
+-----+
| 114644 |
+-----+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

mysql> create procedure isaverage (in value int unsigned, out result varchar(25))
-> begin
-> declare avgSalary int unsigned default 0;
-> select avg(Salary) into avgSalary from EmpData;
-> if (avgSalary < value) then
-> set result = 'above average salary';
-> elseif (avgSalary = value) then
-> set result = 'average salary';
-> else
-> set result = 'below average salary';
-> end if;
-> select result;
-> end//
Query OK, 0 rows affected (0.21 sec)

mysql> call isaverage (121587, @result)//
+-----+
| result |
+-----+
| above average salary |
+-----+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

mysql> delimiter ;
mysql> drop procedure avgSalary;
Query OK, 0 rows affected (0.20 sec)

mysql> drop procedure isaverage;
Query OK, 0 rows affected (0.18 sec)

mysql>
```

Parameter mode: inout

```
mysql> # parameter mode: inout
mysql>
mysql> delimiter //
mysql> create procedure payhike (in empId int unsigned, out hikePercent int unsigned, out increment int unsigned, inout pay int unsigned)
-> begin
-> declare hike decimal(3,2) default 0.00;
-> declare startYear int unsigned;
-> declare avgYear int unsigned;
-> select Year_Joining into startYear from EmpData where Emp_Id = empId and Salary = pay;
-> select avg(Year_Joining) into avgYear from EmpData;
-> if (startYear < avgYear) then
-> set hike = 0.15;
-> elseif (startYear = avgYear) then
-> set hike = 0.10;
-> else
-> set hike = 0.05;
-> end if;
-> set hikePercent = hike*100;
-> set increment = pay*hike;
-> set pay = pay + increment;
-> select hikePercent, increment, pay;
-> end//
Query OK, 0 rows affected (0.16 sec)

mysql> delimiter ;
mysql>
mysql> set @pay = 42005;
Query OK, 0 rows affected (0.00 sec)

mysql> call payhike (560455, @hikePercent, @increment, @pay);
+-----+-----+-----+
| hikePercent | increment | pay |
+-----+-----+-----+
|          15 |       6301 | 48306 |
+-----+-----+-----+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

mysql> set @pay = 160623;
Query OK, 0 rows affected (0.00 sec)

mysql> call payhike (388642, @hikePercent, @increment, @pay);
+-----+-----+-----+
| hikePercent | increment | pay |
+-----+-----+-----+
|           5 |       8031 | 168654 |
+-----+-----+-----+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

mysql> █
```

Parameter mode: inout

```
mysql> # parameter mode: inout
mysql>
mysql> delimiter //
mysql> create procedure mathCal (in m int, in n int, out x int, out y int, inout z int)
-> begin
-> declare num1 int default 0;
-> declare num2 int default 0;
-> declare num3 int default 0;
-> while num1 < m do
-> while num2 < n do
-> set num2 = num2 + 1;
-> set num3 = num3 + 1;
-> end while;
-> set num1 = num1 + 1;
-> set num2 = 0;
-> end while;
-> set x = num1, y = num3;
-> set z = x + y + z;
-> select x, y, z;
-> end//
Query OK, 0 rows affected (0.18 sec)

mysql> delimiter ;
mysql>
mysql> set @z = 30;
Query OK, 0 rows affected (0.00 sec)

mysql> call mathCal (10, 20, @x, @y, @z);
+-----+-----+-----+
| x | y | z |
+-----+-----+-----+
| 10 | 200 | 240 |
+-----+-----+-----+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

mysql> set @z = -20;
Query OK, 0 rows affected (0.00 sec)

mysql> call mathCal (-5, 7, @x, @y, @z);
+-----+-----+-----+
| x | y | z |
+-----+-----+-----+
| 0 | 0 | -20 |
+-----+-----+-----+
1 row in set (0.01 sec)

Query OK, 0 rows affected (0.01 sec)

mysql> █
```