



Skills
Network

Create credentials to access your database instance

Objective(s)

At the end of this lab you will be able to:

- Create your own instance of database on IBM Cloud using DB2 service

Exercise

Database credentials are required to connect from remote applications like Jupyter notebooks which are used in the labs and assignment in the last two weeks of the course.

0. Go to your IBM Cloud Resources dashboard (or click on IBM Cloud in the top left corner):

<https://cloud.ibm.com/resources>

Note: you may need to log into IBM Cloud in the process of loading the resources/dashboard.

If your connection is slow it may take over 30 seconds for the dashboard to fully load.

1. Locate and click on your Db2 service listed under Services.

(NOTE: In the example below the service is called **Db2-f7**. Your Db2 service may have different letters/numbers in the suffix e.g. **Db2-f8**, **Db-50** etc.)

^

Cloud Foundry apps (3)

.js

iot-solution-tutorial

@gmail.

.py

your-name-computer-vision-app

@gmail.

^

Cloud Foundry services (1)

Car Diagnostic API-6b

@gmail.

^

Services and software (8)

Cloudant-ex

Default

Db2-f7

Default

Language Translator-iu

Default

2. Click on Service Credentials in the left menu

[Resource list](#) /

Db2-f7



Active

Add tags

Manage

Getting started

Service credentials

Connections

3. Click on the button to create **New credential**

New credential +

In the prompt that comes up click the **Add** Button in the bottom right:

Create credential

Name:

Service credentials-3

Role: ⓘ

Manager



[Advanced options](#) ▾

Cancel

Add

4. Check the box to **View credentials**
5. Copy and save the credentials making a note of the following:

- **port** is the database port
- **db** is the database name
- **host** is the hostname of the database instance
- **username** is the username you'll use to connect
- **password** is the password you'll use to connect

[Resource list](#) /**Db2-f7**

Active

Add tags

Manage

Getting started

Service credentials

Connections

Service credentials

You can generate a new set of credentials for cases where you want to manually connect an app or external consumer to an IBM Cloud service. [Learn more](#)



Key name

Date created



Service credentials-1

2021-07-0

```
{
  "connection": {
    "cli": {
      "arguments": [
        "-u",
        "mwh70849",
        "-p",
        "XXXXXXXXXXXX",
        "--ssl",
        "--sslCAFile",
        "1dd14d0c-1b52-4f63-a606-53ec",
        "--authenticationDatabase",
        "admin",
        "--host",
        "XXXXXXXXXXXX",
        "abases.appdomain.cloud:31198"
      ]
    }
  }
}
```

You need to scroll down to get the credentials details.

```

"db2": {
  "authentication": {
    "method": "direct",
    "password": " ",
    "username": "qdg93144"
  },
  "certificate": {
    "certificate_base64": "LS0tLS1CRUdJTiBDRVJUSUZJQ0FURSB0tLS0tCk1JSURFakNDQWZxZ0F3SUJBZ01KQVA1S0R3ZTNCTkxiTUEwR0NT
UU0JEYkc5MVpDQkVZWfJowW1Ge1pYTXdIaGN0TWpBd01qSTVNRFF5TVRBeVdoY05NekF3TWpJMgpNRFF5TVRBeVdqQWVNUnd3R2dZRFZRUEQk5KUWswZ1
Uc5dzBCQVFFRkF8T0NBUTHBTU1JQkNnS0NBUEVBUVb0XUvbitpWW9xdkdGNU8xSGpEalpsK25iYjE4UkR4ZGwKTzRUL3FoUGMxMTREY1FUK0p1RXdhG13aG1j
0QwpDVGcrSUsxbjBrdDMrTHM3d1dTakxqVE96N3M3M1ZUSU5yYmx3cnRIRU1vM1JWtkV6SkNHVW5LSXdZWwZVSUtrC1dNM1R0SD15cnFsSGN0Z2pIU1FmRk
VRmNEN0Y3EKY21QcHNqdDBPTnI0YnhJMVRyUWxEemNiN1hMSFBwW91SUprdnVzMUZvaTEySmRNM1MrK3labFZPMUZmZkU3bwpKMjhUdGJoZ3JGOGtIU0NM
KR1FJREFRQUJvMU13C1VUQWR0Z05WSE0RUZnUUVV1Q3JZanFJQzclVUpxVmZEMDh1ZWdqdzU0UmN3SHdZRFZSMGpCQmd3Rm9BVWV0clKkanFJQzclVUpxVr
kF0QmdrcWhraUc5dzBCQVFFRkF8T0NBUTHBTU1JQkNnS0NBUEVBUVb0XUvbitpWW9xdkdGNU8xSGpEalpsK25iYjE4UkR4ZGwKTzRUL3FoUGMxMTREY1FUK0p1RXdhG13aG1j
PekIyWmE2S1YrQTVscEttMwdjV3VHYzMkk1U1VTFzT0d1Ujd3ZFVjU0TVU4aERvNi9sVHRMRVB2Mnc3VlNPS1FDK013ejgrTFJMdjVHSH5BN1JySwNhKw
E42K0JibzhvW6Y5Ykh6UG91clYS1BoaGdXZ2J5CkN0cUdIK0NWNNQ1eFg3b05NS3VNSUNqRVZndnNLWnRqeTQ5VW5iNVZ2bHQ0b1J3dTF1bGdzRDNjek1t
RPT0KLS0tLS1FTkQ0V0VSE1GSUNBVEU0tLS0tLQo=",
    "name": "1cbbb1b6-3a1a-4d49-9262-3102a8f7a7c8"
  },
  "composed": [
    "db2://qdg93144: @54a2f15b-5c0f-46df-8954-7e38e612c2bd.clogj3sd0tgtu01qde00.databases.appdomain.
eplset"
  ],
  "database": "bludb",
  "host_ios": [
    "54a2f15b-5c0f-46df-8954-7e38e612c2bd.clogj3sd0tgtu01qde00.databases.appdomain.cloud:30592"
  ],
  "hosts": [
    {
      "hostname": " ",
      "port": 32733
    }
  ],
  "jdbc_url": [
    "jdbc:db2://54a2f15b-5c0f-46df-8954-7e38e612c2bd.clogj3sd0tgtu01qde00.databases.appdomain.cloud:32733/bludb:use
on=true;"
  ],
  "path": "/bludb"
}

```

Author(s)

Rav Ahuja

Other Contributor(s)

Simran Garg



Skills Network