CONFIGURATIONS








jdk1.8.0_181
Archivo
Inicio
Compartir
Vista
C:\Program Files\Java\jdk1.8.0_181
COPY
Nombre
Tipo
Tamaño
bin
include
jre
lib
COPYRIGHT
javafx-src
LICENSE
README
release
src
THIRDPARTYLICENSEREADME
THIRDPARTYLICENSEREADME-JAVAFX


Este equipo
Carpetas (7)
Descargas
Documentos
Escritorio
Imágenes
Música
Objetos 3D
Videos
Dispositivos y unidades (1)
Windows (C:)
click derecho
Ver
Ordenar por
Agrupar por
Actualizar
Pegar
Pegar acceso directo
Deshacer Eliminar
Agregar una ubicación de red
Propiedades
Escribe aquí para buscar


Sistema
Panel de control > Sistema y seguridad > Sistema
Ver información básica acerca del equipo
Windows 10
Administrador de dispositivos
Configuración de Acceso remoto
Protección del sistema
Configuración avanzada del sistema
Procesador:
Memoria instalada (RAM):
Tipo de sistema:
Lápiz y entrada táctil:
Nombre del equipo:
DESKTOP-KPN13A2
WORKGROUP



Path



CLASSPATH





OPEN THE WINDOW OF COMMANDS



Símbolo del sistema

```
C:\Users\daya_>javac -version
javac 1.8.0_181

C:\Users\daya_>javac
Usage: javac <options> <source files>
where possible options include:
  -g                         Generate all debugging info
  -g:none                    Generate no debugging info
  -g:{lines,vars,source}     Generate only some debugging info
  -nowarn                    Generate no warnings
  -verbose                   Output messages about what the compiler is doing
  -deprecation               Output source locations where deprecated APIs are used
  -classpath <path>          Specify where to find user class files and annotation processors
  -cp <path>                 Specify where to find user class files and annotation processors
  -sourcepath <path>         Specify where to find input source files
  -bootclasspath <path>      Override location of bootstrap class files
  -extdirs <dirs>            Override location of installed extensions
  -endorseddirs <dirs>       Override location of endorsed standards path
  -proc:{none,only}          Control whether annotation processing and/or compilation is done.
  -processor <class1>[,<class2>,<class3>...] Names of the annotation processors to run; bypasses default discovery process
  -processorpath <path>      Specify where to find annotation processors
  -parameters                Generate metadata for reflection on method parameters
  -d <directory>             Specify where to place generated class files
  -s <directory>             Specify where to place generated source files
  -h <directory>             Specify where to place generated native header files
  -implicit:{none,class}     Specify whether or not to generate class files for implicitly referenced files
  -encoding <encoding>       Specify character encoding used by source files
  -source <release>          Provide source compatibility with specified release
  -target <release>          Generate class files for specific VM version
  -profile <profile>         Check that API used is available in the specified profile
  -version                   Version information
  -help                      Print a synopsis of standard options
  -Akey[=value]              Options to pass to annotation processors
  -X                         Print a synopsis of nonstandard options
  -J<flag>                   Pass <flag> directly to the runtime system
  -Werror                    Terminate compilation if warnings occur
  @<filename>                Read options and filenames from file
```

TO WRITE


Símbolo del sistema
\Users\daya_>echo %CLASSPATH%
"C:\Program Files\Java\jdk1.8.0_181\lib;.";
\Users\daya_>
TO WRITE