

■ JavaScript Interview Quiz (20 Questions)

This quiz covers **JavaScript basics, variables, and data types**.

Each question has four options (A–D).

■ The **Answer Key** is provided at the end.

Q1. What is JavaScript primarily used for?

- A. Making web pages interactive
- B. Server hardware programming
- C. Operating system design
- D. Database queries

Q2. Which company created JavaScript?

- A. Microsoft
- B. Sun Microsystems
- C. Netscape
- D. Oracle

Q3. Which keyword is used to declare a variable in modern JS?

- A. int
- B. let
- C. define
- D. var

Q4. What is the difference between let and const?

- A. No difference
- B. const is block-scoped
- C. let can't be reassigned
- D. const can't be reassigned

Q5. What will `typeof null` return?

- A. null
- B. undefined
- C. object
- D. error

Q6. Which of the following is NOT a primitive data type?

- A. String
- B. Object
- C. Number
- D. Boolean

Q7. What does `undefined` mean in JavaScript?

- A. Variable declared but not assigned
- B. A null value
- C. An error
- D. A type of object

Q8. Which of these can store multiple values in JS?

- A. Boolean
- B. Array
- C. Number
- D. String

Q9. What is a symbol in JavaScript?

- A. Emoji
- B. Unique identifier
- C. Error type
- D. Number

Q10. Which of the following is correct for declaring a constant?

- A. let pi = 3.14;
- B. var pi = 3.14;
- C. const pi = 3.14;
- D. define pi = 3.14;

Q11. What will `console.log(5 + '5')` output?

- A. 10
- B. 55
- C. Error
- D. undefined

Q12. What is the default value of an uninitialized variable?

- A. null
- B. 0
- C. undefined
- D. false

Q13. Which data type is used for true/false values?

- A. Boolean
- B. String
- C. Number
- D. Bit

Q14. Which operator checks both value and type?

- A. ==
- B. ===
- C. !=
- D. =

Q15. Which keyword is block-scoped?

- A. var
- B. let
- C. static
- D. def

Q16. What will `typeof NaN` return?

- A. undefined
- B. NaN
- C. number
- D. error

Q17. Which is used for very large integers?

- A. float
- B. BigInt
- C. Number
- D. double

Q18. Which data type represents an ordered collection?

- A. Object
- B. Function
- C. Array
- D. Symbol

Q19. What is the output of `typeof undefined`?

- A. object
- B. undefined
- C. null
- D. error

Q20. Why do we use variables?

- A. To store data
- B. To loop
- C. To create servers
- D. To debug code

■ Answer Key

Q.No	Answer
1	A
2	C
3	B
4	D
5	C
6	B
7	A
8	B
9	B
10	C
11	B
12	C
13	A
14	B
15	B
16	C
17	B
18	C
19	B
20	A