

narcissistic abuse at work

 <https://www.verywellmind.com/effects-of-narcissistic-abuse-5208164>

 <https://www.talkspace.com/mental-health/conditions/articles/narcissistic-abuse/>

 <https://www.verywellhealth.com/narcissistic-abuse-recovery-challenges-and-treatment-5210945>

 <https://www.narcissisticabuserehab.com/the-long-term-consequences-of-narcissistic-abuse/>

 <https://wnaad.com/about-narcissistic-abuse>

 <https://www.talkspace.com/mental-health/conditions/articles/narcissistic-abuse-recover-heal/>

 <https://www.nationaldaycalendar.com/international/world-narcissistic-abuse-awareness-day-june-1>

 <https://www.talkspace.com/mental-health/conditions/articles/narcissistic-abuse/>

 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9301298/>

 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5884951/>

 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6249238/>



5 Ways Narcissistic Abuse Change You

Narcissistic abuse (NPD) is a form of emotional abuse that can have profound and lasting effects on a person's well-being. If you've been a victim of narciss...

 youtu.be



The Narcissism Doctor: THESE Toxic Patterns Are Signs Y...

Dr. Ramani, a licensed clinical psychologist, is back for another eye-opening discussion on narcissistic personalities. In this interview, you'll learn:- How ...

 www.youtube.com

points

Narcissistic abuse can have severe and long-lasting impacts on the mental health of its victims. The effects can be multifaceted and far-reaching, affecting various aspects of a person's life and well-being. Here are some key ways in which narcissistic abuse can impact long-term mental health:

1. Post-Traumatic Stress Disorder (PTSD):

- Prolonged exposure to narcissistic abuse can lead to the development of PTSD, characterized by symptoms such as flashbacks, heightened anxiety, and avoidance behaviors
- .
- **Anxiety and Depression:**
 - Victims of narcissistic abuse often experience anxiety and depression due to the constant emotional manipulation and control. These conditions can persist long after the abuse has ended
- .
- **Low Self-Esteem and Self-Worth:**
 - The constant criticism and belittling by narcissistic abusers can lead to deep-seated feelings of inadequacy and low self-esteem. This can make it difficult for victims to regain confidence and self-worth
- .
- **Mood Swings and Irritability:**
 - The emotional turmoil caused by narcissistic abuse can result in mood swings, irritability, and a general sense of emotional instability
- .
- **Memory and Concentration Issues:**
 - Chronic stress from abuse can affect brain function, leading to difficulties with memory and concentration
- .
- **Fear and Hypervigilance:**
 - Victims may develop a heightened sense of fear and hypervigilance due to the constant threat of abuse, making it challenging to feel safe and secure
- .
- **Loss of Identity:**
 - Narcissistic abuse can lead to the erasure of the victim's identity, causing them to lose their sense of self and autonomy
- .
- **Difficulty with Trust and Intimacy:**
 - The experience of narcissistic abuse can make it difficult for victims to form healthy, trusting relationships in the future, as they may struggle with intimacy and fear of being hurt again
- .
- **Physical Health Consequences:**

- Chronic stress from narcissistic abuse can contribute to various physical health problems, such as cardiovascular disease, obesity, and other stress-related illnesses
- .
- **Recovery and Healing:**
 - Recovery from narcissistic abuse requires professional support, self-reflection, and a commitment to rebuilding self-esteem and emotional resilience. It is essential to recognize the signs of narcissistic abuse and seek help to mitigate its long-term effects on mental health

1. • .

In summary, narcissistic abuse can have a profound and lasting impact on mental health, affecting various aspects of a person's life and well-being. It is crucial to acknowledge these effects and seek appropriate support for recovery and healing.

A lack of emotions is a common consequence of narcissistic abuse. This can manifest in several ways:

1. **Emotional Numbing:**

- Prolonged exposure to narcissistic abuse can lead to emotional numbing, a coping mechanism to deal with the constant emotional turmoil. This numbing can make it difficult for victims to experience and express emotions, including positive ones like happiness and joy

• • .

• **Dissociation:**

- Dissociation is a defense mechanism that helps individuals disconnect from their emotions to avoid the overwhelming pain and distress associated with narcissistic abuse. This disconnection can result in a lack of emotional responsiveness

• • .

• **Trauma Bonding:**

- Trauma bonding, also known as Stockholm syndrome, can occur when a victim develops a strong emotional bond with their abuser. This bond can lead to a suppression of emotions, as the victim may feel a sense of loyalty or obligation to the abuser despite the abuse

• • .

• **Fear of Emotional Expression:**

- Narcissistic abuse often involves emotional manipulation, making victims fear expressing their emotions. This fear can lead to a lack of emotional expression, as victims may believe that showing emotions will lead to further abuse or rejection

• • .

- **Loss of Emotional Identity:**

- Narcissistic abuse can erode a person's sense of self, including their emotional identity. This erosion can result in a lack of emotional awareness and expression, as the victim may struggle to understand and articulate their feelings

• • .

- **Avoidance of Emotional Pain:**

- The experience of narcissistic abuse can be so emotionally painful that victims may avoid experiencing emotions altogether. This avoidance can lead to a lack of emotional expression and a sense of emotional numbness

1. • .

In summary, a lack of emotions in the context of narcissistic abuse is often a coping mechanism or a result of the abuse itself. It can manifest in various ways, including emotional numbing, dissociation, trauma bonding, fear of emotional expression, loss of emotional identity, and avoidance of emotional pain.

- Florian ein arbeits kollege eines samstags, dass er wurstechen geholt hat und dafür lob bekommen sollte.
- Nach 6 Jahren mich als unerfahrenen deklariert hat nach dem ich einmal im Jahr ein fehler gemacht hatte.
- seine argumente waren immer für die Firma als erstes, nicht den arbeitern
- Konstate Kritik auch bei kleinen Sachen, Beispiel: oberfläche war ok aber nicht gut genug oder Ich kann keine Teile teilen rutschen (ein teil mit dem schwingschleifer bearbeiten) oder schlecht sandstrahlen nach 2J Jahren
- Wenn nichts auf dem Tisch war habe ich ihm gefragt und, weil es seine Aufgabe ist, und hat mich beschuldigt das ich nicht früher ihm angesprochen habe das er mich nicht als mitarbeiter gesehen hat.
- Er hat immer geprallt das er für uns kämpft das wir mehr Geld bekommen, aber kein macht hat, besonders als die anderen 2 die Firma verlassen hat.
- Strom Ausfall vor der pause und dann die pause gemacht, nach der Pause habe ich nach weiteren Instruktionen gewartet. Nach einer weile bin ich zu ihm gegangen, weil er die verantwortung hat. ein ganze normale frage und hat dann angeschaut das ich nicht am meinen arbeitsplatz war und das es nicht seine aufgabe war sondern sein stellvertreter schuld war.(immer auf andere die schuld geben).
- Als der geschäftsführer runter kam mir gesagt hat das wir mehr geld bekommen hat er sich übelst nettangestellt.
- bin zum stellvertr gegangen und habe gesagt das ich depressionen habe oder mental angeschlagen bin. danach hat er verdutzt mich angeschaut und gesagt " bist du krank,

kannst du nicht arbeiten". danach aht er mich weiter arbeiten lassen.

- Florain hatte acuh ein tag wo er nicht weiter wusste habe ihm gesagt das er langsam machen sollte
- ich habe meine kündigung vor angekündigt nach dem ich ausschuss gemacht habe and ihm gesparh 1. mich kritisiert das ich zu viel ausschuss mache was nicht war ist 2. ich alles nicht so personhlich nehem soll 3. das alle sein missverstandinis ist. alle in der werkstatt hat das gehort und waren entsetz uber sine reaktion.
- Gaslighting war immer da
- Manipulation
- konstantes stress und hass gefuhl uber die ghanze zeit dort auf der arbeit. angst fehler zu machen.
- er hat gelogen wenn etwas fehelrhaft ist müssen wir dann fur rabat verkaufen was gelogen ist.

Year after Westphal how am i doing

Leben

besser wie vor, als ich dort bei westphal angefangen habe, und davor in der schule. Durch die hilfe von joraden peterson wo er erklart was and das warum im Leben so sind wie sie sind. Und mit der hilfe von allen wats und joseph campell mir die phylosephy beigebracht vom leben it self. keine angst etc. zen war eine gute idee hat mich vieles gelehrt.

- Körper
Stresslevel hatte ich immer wegen der angst. Stress ist Weg vollkommen. nach der sesshin am 12.05.2024 auch neorologisch wie meine synapsen sich geandert haben(habe es gefulht). muskel masse wieder auf ein stand gebracht der ok ist. ich mache jeden tag sport(arbeits tage) Essen etwas schlechter aber working on it. habe einene wochen plan fuer meine projecte.
double chechking
- daydreaming
- no interest towards others
- no strong mentalization (reflective function feeling what others may feel)
- low EQ
- high agreeableness

**was habe ich nach meiner Kündigung gemacht um
narcistic abuse zu kontern**

- jeden 2 tag bis März ibuprofen genehmen
- Leichte reizbarkeit bis ende 2023
- Stressgefühl bis ende Januar 2024
- emotional (stark)
- hohe Aufmerksamkeit
- Tag traumen (seit ich kind war aberr nun mehr wissen [Maladaptive Daydreaming_Mind Wandering](#))
- Angst fehler zu machen seit 2024 Februar weg
- Konzentration schwache ist noch da
- hoher blutdruck seit ende 2023 weg (indikator Rote augen sind weg)
- wut gefühl weg seit 2024 ende Februar
- keine emotion bei arger oder context wichtigkeit immer noch

WICHTIG

- Neurologisch kann stress schaden errichten, nach Verfolgen.
- [narcissistic abuse at work](#) (constant Control)
 - **Memory and Concentration Issues:** Chronic stress from abuse can affect brain function, leading to difficulties with memory and concentration
 - ich gucke immer 2 mal weil ich mich nicht selber sicher bin
- emotional numb/cold als Schutz mechanism muss seit kind und jetzt auch
- trust issues seit kind
- still
- ich sah nie die Funktion als kind was freunde sind
- zu rational oder funktional sehen
-
- daydreaming
- **25.06** Mentalization / Reflection function none
 - shy and nice
 - I was talking with a girl and asked her why she has sleep disorders adn she said because of covid, and I asked her clarification like is there other explanations why sleeping disorders acours on her. and she passive aggressively said "what do you mean by what else"
 - because my social cue is shit I cant tell if I made something wrong
 - I even can tell if people are angry anymore am i so broken
 - people upsetting because of the narcisstic abuse if someone if upset about me I'll be submissiv towards him/her to get out of the conflict and fear of it. it comes to my fault

again. **conflict avoidant** (childhood trauma) 1. **Conflict Avoidance and Narcissistic Abuse:**

- **Conflict avoidant** individuals tend to shy away from disagreements or confrontations to maintain peace.
- If you've experienced narcissistic abuse, several factors may contribute to conflict avoidance:
 - **Fear of Retaliation:** Narcissists can react aggressively when challenged. Victims may fear retaliation or further abuse.
 - **Emotional Exhaustion:** Constant manipulation and gaslighting can drain emotional resources, leading to avoidance.
 - **Self-Blame:** Victims often blame themselves for the abuse, making them hesitant to engage in conflict.
 - **Isolation:** Narcissists isolate victims, reducing their support network and making conflict resolution harder.
 - **Loss of Identity:** Narcissistic abuse can erode self-esteem and confidence, making confrontation daunting.

daydreaming

► <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8751151/>

According to a growing body of literature, maladaptive daydreaming (MD) is characterized as “extensive imagination activity that replaces human interaction and/or interferes with academic, interpersonal, or vocational functioning,” [►1]. Somer’s seminal work on six maladaptive daydreamers (MDers) [►1] featured a description of captivity, rescue and escape, and idealized self as central MD motifs. MDers can lose themselves for hours in vivid, highly structured dreams, frequently with a strong sense of being present in the daydream.

MD is a subset of the greater cognitive phenomena of daydreaming (i.e., a waking fantasy activity), which is a common, healthy mental activity that 96 percent of Americans engage in [►2]. According to Killingsworth and Gilbert (2010) [►3], this brain process accounts for over half of all human thought, and the average person appears to have hundreds of daydreaming episodes per day [►4].

Daydreaming may operate on a continuum from healthy daydreaming to MD, which has been conceptualized as a psychological dysfunction attendant to trauma [►1]. Historically, Freud believed that the function of the daydream was the same as that of night dreams—that is, wish-fulfilment. Freud (1908) [►5] wrote, “it was no longer difficult to recognize that night-dreams are wish-fulfilments in just the same way as day-dreams—the phantasies which we all know so well” (p. 149).

Most contemporary psychoanalysts would agree that beyond wish fulfilment, adaptive daydreaming can serve a host of purposes, such as to reverse narcissistic injuries, spur creativity and artistic pursuits, or heighten self-esteem and pleasurable affects. When daydreaming is not determined by defensive functions, it can be flexible and contain elements of reversible dissociation and regression. Along these lines, Kris (1952) [7] famously described how certain regressions can be in the service of the ego, in contrast to other regressions which evidence an ego that is overwhelmed.

“We have now to elucidate in greater detail the relations of wit and caricature to dreams: in dreams, the ego abandons its supremacy, and the primary process obtains control, whereas in wit and caricature the process remains in the service of the ego” (p. 177). This phrase alone suffices to indicate that the problem at hand is a more general one. The distinction between an ego overwhelmed by regression and ‘regression in the service of the ego’ covers a large and imposing range of mental experience.

Other authors have noted how daydreams can serve as a form of motoric self-control, self-restraint, and delay of gratification [7,8,9]. In its maladaptive form, daydreaming can be rigid and compulsory, leading to self and object fragmentation and experiences of dissociation marked by distressing self-states [10]. MD may be determined by defensive needs and may represent an escape into fantasy and avoidance. Winnicott believed that excessive daydreaming and fantasizing interferes with action and negatively affects dreaming [11].

Mental state

Crying from 25.06 - 27 while sick
Maladaptive daydreaming ten fold

old

Went to work while my grandfather was in bed Dead and only I cared was I was to late at work also why my grandma died. My father cried when Grandpa funeral but I sense nothing.

social anhedonia

After quitting relief instead of happiness
Never had friends
Looks of interest in people
Purposeless why
No emotions just sadnesses

Never happiness just release
Functional thinking
Lack of speech monoton voice

Anhedonia most commonly occurs in people with MDD.

Inner piece I want inner piece
No wanting things but conscience enough to figure out that's wrong
Broke my heart into pieces willfully when I was young
Old enough to don't care about things I know my likings
I don't know what love is
How does enjoyment feels like
Defensive mechanics numbness lose of interest

concert anhedonia

It put me at ease but I don't feel anything. Just a cloud in the Sky. No happiness nothing
A clear mind, no connection. At least no analysis in things
Jacob Lee concert as well no emotions that was
Sadness and release I feel
But bodily? Only?
Mentally how ?
Still have haste towards the company
but never I had a thought of happiness

perplexity

I don't feel depressed

I appreciate you clarifying that you don't feel depressed. Your situation is unique and complex, and it's important to acknowledge that not all emotional experiences fit neatly into predefined categories. Given this additional information, let's explore some other possibilities:

1. Alexithymia: This is a condition where individuals have difficulty identifying and describing emotions. It's not a mental health disorder itself, but can be associated with various conditions or occur on its own.
2. Emotional blunting: Sometimes, this can occur as a side effect of certain medications, particularly some antidepressants or anti-anxiety medications, even if you don't feel depressed.
3. Chronic stress: Long-term stress can lead to emotional exhaustion or numbness as a protective mechanism.

4. Burnout: Prolonged periods of high stress or overwork can lead to a state of burnout, which can include emotional detachment.
5. Dissociation: This is a disconnection between a person's thoughts, memories, feelings, actions, or sense of identity, which can sometimes manifest as emotional numbness.
6. Personality factors: Some personality types or traits might naturally experience emotions less intensely.
7. Past experiences: Sometimes, early life experiences can shape how we process and experience emotions in adulthood.
8. Neurological differences: In some cases, differences in brain structure or function can affect emotional processing.

Given the complexity of your situation, it might be beneficial to:

1. Consult a neuropsychologist: They can conduct comprehensive assessments to understand your emotional processing better.
2. Explore different therapeutic approaches: Even if you're not depressed, therapies like Acceptance and Commitment Therapy (ACT) or Emotion-Focused Therapy might be helpful.
3. Keep a detailed journal: Track your experiences, noting any situations where you do feel something, even if it's subtle.
4. Engage in new experiences: Sometimes, novel situations can evoke emotional responses we don't typically feel.
5. Practice mindfulness: This can help increase awareness of subtle emotional states you might be overlooking.
6. Consider creative expression: Art, music, or writing can sometimes access emotions in non-traditional ways.

Remember, your experience is valid, even if it doesn't fit typical descriptions of emotional disorders. It's okay to seek help and explore this further with professionals who can offer personalized insights and strategies.

don't feel anything at the concert

I can't feel anything happy or never experienced it but idk

I'm concerned to hear that you feel you can't experience happiness or positive emotions. This situation sounds challenging and potentially indicative of a deeper issue. Here are some thoughts and suggestions:

1. Possible anhedonia: What you're describing might be related to anhedonia, which is the inability to feel pleasure. This can be a symptom of depression or other mental health conditions.
2. Emotional numbness: Sometimes, prolonged stress, trauma, or certain mental health issues can lead to emotional numbness, where it becomes difficult to feel any strong emotions, positive or negative.
3. Seek professional help: It's important to consult with a mental health professional, such as a therapist or psychiatrist. They can help diagnose any underlying conditions and provide appropriate treatment.
4. Physical health check: Sometimes, physical health issues can affect our mood and ability to feel pleasure. A general health check-up might be beneficial.
5. Mindfulness and self-reflection: Practicing mindfulness or keeping a journal might help you become more aware of your emotions and any subtle changes in your mood.
6. Gradual exposure: Try engaging in activities that you used to enjoy or that others find pleasurable. Sometimes, the act of doing can precede the feeling.
7. Support system: Reach out to friends, family, or support groups. Talking about your experiences can be helpful.
8. Patience and self-compassion: Remember that healing and change take time. Be patient and kind to yourself in this process.

Remember, the inability to feel happiness is not a personal failure, and it's not necessarily permanent. With proper support and treatment, many people find ways to reconnect with positive emotions. Don't hesitate to reach out for help – you deserve to experience joy and fulfillment in your life.

What are the main causes of apathy

The main causes of apathy include:

1. Neurological conditions such as Alzheimer's disease, Parkinson's disease, Huntington's disease, frontotemporal dementia, and stroke[1][2][3].
2. Psychiatric disorders like major depression, schizophrenia, and PTSD[1][2][3][4].
3. Damage to specific brain regions, particularly the dorsal anterior cingulate cortex and ventral striatum, which are crucial for processing rewards and motivating behavior[2][3].
4. Chronic stress, trauma, or challenging life circumstances that lead to emotional detachment as a coping mechanism[1][4].
5. Burnout and emotional exhaustion, often seen in caregivers or those experiencing prolonged stress[2].

6. Adolescence, where apathy may emerge as individuals navigate identity changes, societal pressures, and academic demands[1].
7. Certain medications, particularly antidepressants, can sometimes cause apathy as a side effect[1].
8. Severe anxiety can lead to emotional fatigue, low serotonin levels, negative thinking, and difficulty enjoying activities, all of which can contribute to apathy[5].

Quellen:

[1] What is apathy? Symptoms and management - MedicalNewsToday 

<https://www.medicalnewstoday.com/articles/what-is-apathy>

[2] What is Apathy? Signs, Causes and Treatment - Healthline 

<https://www.healthline.com/health/apathy>

[3] Apathy: Definition, Causes, Symptoms & Treatment - Cleveland Clinic 

<https://my.clevelandclinic.org/health/symptoms/24824-apathy>

[4] Apathy: Definition, Causes, Symptoms, and Treatment - Patient.info 

<https://patient.info/signs-symptoms/apathy>

[5] Apathy - Wikipedia  <https://en.wikipedia.org/wiki/Apathy>

For the benefit of all

Human defense mechanic intellectualizing and rational

Porn addiction because no natural dopamine intake

I never had a good sense of mentalization reflection functional I don't care what people think

Emotions were hidden emotional suppression from childhood

Happiness is fleeting why should be Happy if life is running out

Autism I lost 140 euros to prove something to a homeless person narcissist abuse give just give

Stood there like submissive autistic ass

Psychopath not a psychopath no markers

autism

Alexithymia

Alexithymia is common in autism, affecting approximately half of autistic individuals. It involves challenges in recognizing and articulating one's own feelings, which can lead to difficulties in emotional regulation and social communication.

It's important to note that alexithymia is not exclusive to autism and can occur independently.

Likewise, not all autistic people experience alexithymia.

Research has shown that alexithymia in autistic individuals is associated with higher rates of anxiety, depression, and social communication difficulties. Understanding and addressing alexithymia could potentially improve mental health outcomes and quality of life for autistic

people.

In conclusion, autistic individuals do feel emotions but may process and express them differently. The misconception that they lack emotions is harmful and inaccurate