

PHP TUTORIAL (Procedurals)

Season 2

Lesson 3 UPGRADED RETRIEVE





READY KA NA BA?

NASA SEASON 2 NA TAYO!

LET'S START --→



connections.php x index.php x success.php x


```
1 <?php
2
3
4 ?>
5
6 <center>
7
8 <h3>New Record has been successfully inserted! </h3>
9
10
11 </center>
12
13
14
```

```

1  <?php
2
3
4  ?>
5
6  <center>
7
8  <h3>New Record has been successfully inserted! </h3>
9
10
11  <h5> Check the records by clicking <a href="">here</a> </h5>
12
13  </center>

```



<h5> yan ah
hindi <h3>



```
1 <?php
2
3
4 ?>
5
6 <center>
7
8 <h3>New Record has been successfully inserted! </h3>
9
10
11 <h5> Check the records by clicking <a href="ViewRecord.php">here</a> </h5>
12
13 </center>
```






wala pa tayong 'ViewRecord.php'

so gagawa na tayo




then save

Windows (C:) > xampp > htdocs > PHP SEASON 2


<input type="checkbox"/> Name	Date modified	Type	Size
 Admin	11/27/2017 12:54 ...	File folder	
 Users	11/27/2017 12:55 ...	File folder	
 connections.php	11/26/2017 10:43 ...	PHP File	1 KB
 index.php	11/26/2017 11:15 ...	PHP File	7 KB
 success.php	11/27/2017 12:52 ...	PHP File	1 KB
 ViewRecord.php	11/27/2017 12:54 ...	PHP File	1 KB

gumawa muna ko ng dalawang folder

which is Admin and Users sa folder kung nasaan yung ginagawa natin.




```
1 <?php
2
3
4 ?>
```




Create new file then
save mo siya sa folder
ng Admin

save as index.php




```
1 <?php
2
3
4 ?>
```



ganun din sa
folder ng Users

save as index.php



pakibura lahat ng nasa red line



```
1 <?php
```

```
2
```

```
3
```

```
4 ?>
```

```
5
```

```
6 <center>
```

```
7
```

```
8
```






```
9
```

```
10 </center>
```



ayan , ngayon see next image.

Name				Date modified	Type	Size
Admin				11/27/2017 12:57 ...	File folder	
Users				11/27/2017 12:59 ...	File folder	
connections.php				11/26/2017 10:43 ...	PHP File	1 KB
index.php				11/26/2017 11:15 ...	PHP File	7 KB
success.php				11/27/2017 1:01 AM	PHP File	1 KB
ViewRecord.php				11/27/2017 12:54 ...	PHP File	1 KB

etong '**ViewRecord.php**' ilipat sa Admin folder



<input type="checkbox"/> Name	Date modified	Type	Size
 Admin	11/27/2017 1:02 AM	File folder	
 Users	11/27/2017 12:59 ...	File folder	
 connections.php	11/26/2017 10:43 ...	PHP File	1 KB
 index.php	11/26/2017 11:15 ...	PHP File	7 KB
 success.php	11/27/2017 1:01 AM	PHP File	1 KB


ayan wla na siya dito,

<input type="checkbox"/> Name	Date modified	Type	Size
 index.php	11/27/2017 12:57 ...	PHP File	1 KB
 ViewRecord.php	11/27/2017 12:54 ...	PHP File	1 KB

Admin folder

ayan kasi nandito na siya


<input type="checkbox"/> Name	Date modified	Type	Size
 index.php	11/27/2017 12:57 ...	PHP File	1 KB
<input checked="" type="checkbox"/>  ViewRecord.php	11/27/2017 12:54 ...	PHP File	1 KB



open ko yung 'ViewRecord.php'
natin sa text editor natin



```
1 <?php
2
3 include("connections.php");
4
5 ?>
```



kung lumabas to, click just **No**



```
1 <?php
```

```
2  
3 include("../connections.php");
```

```
4
```

```
5
```

```
6
```

```
7 ?>
```

update nyo lang yung line na to, or
itype nyo lang ulit tong code na to. basta
sundan nyo lang ako

```
1 <?php
2
3 include "../connections.php";
4
5
6
7 ?>
```


alam nyo na ibig sabihin nito diba ?

yung '../'


sa mga hindi pa alam kung ano ito, ang
ibig sabihin po niyan is:

lalabas ako ng isang folder at ilocate
(hahanapin) ko si **connections.php**

```
1 <a href="">Main</a>
2 &nbsp;
3 &nbsp;
4 <a href="">View Records</a>
```




sa admin folder
ko pa rin sya
i-sasave.
orayt!



```
1 <a href="">Main</a>
2 &nbsp;
3 &nbsp;
4 <a href="">View Records</a>
```

ayan so, ngayon punta tayo sa index.php
ni admin



ngayon open nyo lang



```
1 <?php
```

```
2 session_start();
```

```
3
```

```
4
```

```
5
```

```
6
```

```
7
```

```
8 ?>
```

nagtataka ba kayo kung bakit may session
tayo agad d2? for future purposes. hayaan
nyo lang siya jan




```
1 <?php
2
3 session_start();
4
5 include("../connections.php");
6
7 include("nav.php");
8
9
10 ?>
```



TESTING!
TESTING!

TESTING!
TESTING!

AGAIN!



paul

john

Male ▼

0813 ▼ 1234567




poj@jan.com







Register

type nyo lang sa localhost nyo.

localhost/folder_name/Admin

so eto siya.. ngayon igitna natin siya

<input type="checkbox"/> Name	Date modified	Type	Size
 index.php	11/27/2017 1:14 AM	PHP File	1 KB
<input checked="" type="checkbox"/>  nav.php	11/27/2017 1:11 AM	PHP File	1 KB
 ViewRecord.php			1 KB

- Open
- 7-Zip >
- CRC SHA >
-  Edit with Notepad++
-  Scan with Windows Defender...
- Open with >
-  Add to archive...
-  Add to "nav.rar"
-  Compress and email...
-  Compress to "nav.rar" and email
- Restore previous versions
- Send to >
- Cut
- Copy
- Create shortcut
- Delete
- Rename
- Properties



```
1 <center>
```

```
2
```

```
3 <a href="">Main</a>
```

```
4 &nbsp;
```

```
5 &nbsp;
```

```
6 <a href="">View Records</a>
```

```
7
```

```
8
```

```
9 </center>
```



<center> tag HTML



TESTING!
TESTING!

TESTING!
TESTING!

AGAIN!



[Main](#) [View Records](#)

so eto siya, ngayon mag retrieve na tayo ng records




BEFORE THAT! ENGLISH YAN HA!
HAHAHA

MAGLALAGAY MUNA AKO NG
BUTTON STYLE!

YES! BUTTON STYLE YANG
NABABASA MO! HAHAHA

SASAMHAN KO NG KAUNTING HTML
+ CSS PARA NAMAN BONGGA!

GAME KA NA! START



so open nyo yung connections.php,

mostly eto yung hindi alam ng mga web designer,

sating mga php developer lalo na yung mga senior developer na kagaya ko, gumagawa kami ng paraan para mapadali rin ang trabaho namin/natin.


```

1 <?php
2 $connections = mysqli_connect("localhost","root","","my_database");
3 if (mysqli_connect_errno()){
4     echo "Failed to connect to MySQL: " . mysqli_connect_error();
5 }
6 ?>

```

```

8 <style>
9 .btn-primary{
10     -webkit-border-radius: 0;
11     -moz-border-radius: 0;
12     border-radius: 0px;
13     font-family: Georgia;
14     color: #ffffff;
15     font-size: 16px;
16     background: #34d9bd;
17     padding: 6px 20px 8px 20px;
18     text-decoration: none;
19 }
20
21 .btn-primary:hover {
22     background: #4ccfb3;
23     text-decoration: none;
24 }
25 </style>
26

```

so gumawa ako ng specification ng button natin, so eto siya

instead na gumawa ako ng css folder, at dun ko ilagay yung
css file, sa connections.php ko siya nilagay,

you know why?

kapag nag include ka ng connections, nandun rin ang style
ntin,

kapag may connections, may style. ganun lang kasimple

```
1 <?php
2 $connections = mysqli_connect("localhost","root","","my_database");
3 if (mysqli_connect_errno()){
4     echo "Failed to connect to MySQL: " . mysqli_connect_error();
5 }
6 ?>
7
8 <style>
9 .btn-primary
10     -webkit-border-radius: 0;
11     -moz-border-radius: 0;
12     border-radius: 0px;
13     font-family: Georgia;
14     color: #ffffff;
15     font-size: 16px;
16     background: #34d9bd;
17     padding: 6px 20px 8px 20px;
18     text-decoration: none;
19 }
20
21 .btn-primary:hover {
22     background: #4ccfb3;
23     text-decoration: none;
24 }
25 </style>
```

eto ang tatawagin natin kapag may gusto tayong button na gawing primary

kung mapapansin nyo, eto talaga ng name niya

.btn-primary

para saan ba yung '.' or 'dot' sa umpisa ?

ang ibig sabihin lang nyan , it represents as CLASS. mamaya malalaman nyo. see next image.

yung class na sinasabi ko dito ay pang CSS



```
1 <center>
2
3 <a href="">Main</a>
4 &nbsp;
5 &nbsp;
6 <a href="">View Records</a>
7
8
9 </center>
```

gusto kong baguhin ang itsura ng Main
link natin at gawin natin siyang fancy one.

so papano natin gagawin yon

nav.php

```

1 <center>
2
3 <a href="" class="btn-primary" >Main</a>
4 &nbsp;
5 &nbsp;
6 <a href="">View Records</a>
7
8
9 </center>

```

tinawag ko yung 'btn-primary' so san siya galing?

connections.php

```

1 <?php
2 $connections = mysqli_connect("localhost","root","","my_database");
3 if (mysqli_connect_errno()){
4     echo "Failed to connect to MySQL: " . mysqli_connect_error();
5 }
6 ?>
7
8 <style>
9 .btn-primary{
10     -webkit-border-radius: 0;
11     -moz-border-radius: 0;
12     border-radius: 0px;
13     font-family: Georgia;
14     color: #ffffff;
15     font-size: 16px;
16     background: #34d9bd;
17     padding: 6px 20px 8px 20px;
18     text-decoration: none;
19 }
20
21 .btn-primary:hover {
22     background: #4ccfb3;
23     text-decoration: none;
24 }
25 </style>
26
27

```

eto siya



nav.php x

```
1 <center>
2
3 <a href="" class="btn-primary" >Main</a>
4 &nbsp;
5 &nbsp;
6 <a href="">View Records</a>
7
8
9 </center>
```

connections.php x

```
1 <?php
2 $connections = mysqli_connect("localhost","root","","my_database");
3 if (mysqli_connect_errno()){
4     echo "Failed to connect to MySQL: " . mysqli_connect_error();
5 }
6 ?>
7
8 <style>
9 .btn-primary{
10     -webkit-border-radius: 0;
11     -moz-border-radius: 0;
12     border-radius: 0px;
13     font-family: Georgia;
14     color: #ffffff;
15     font-size: 16px;
16     background: #34d9bd;
17     padding: 6px 20px 8px 20px;
18     text-decoration: none;
19 }
20
21 .btn-primary:hover {
22     background: #4ccfb3;
23     text-decoration: none;
24 }
25 </style>
26
27
```




at itong buong code
na ito ang tatawagin
ng btn-primary natin
na sya mismo sa
Main link natin.



TESTING!
TESTING!

TESTING!
TESTING!

AGAIN!




[Main](#) [View Records](#)

so eto siya, ngayon mag retrieve na tayo ng records

Main

[View Records](#)



LUPEEEEEET !!



SO! ANG TANONG NIYO
MALAMANG NIYAN EH!

PAANO NANGYARI
YOWN! HIIHI



```


1 <?php
2
3 session_start();
4
5 include("../connections.php");
6
7 include("nav.php");
8
9
10 ?>
    
```

sa index.php ng Admin folder
naka include d2 yung connections natin

so sa connections.php nandun ang <style>
natin, ngayon since nasa taas ng nav.php yung
connections.php natin unang babasahin ng buong
web kung sino ang nasa taas pababa

tandaan: ang laging basa ni web is from top
to bottom.

ewan ko kung naiintindihan nyo,
bahala kayo jan.



```
1 <center>
2
3 <a href="" class="btn-primary" >Main</a>
4 &nbsp;
5 &nbsp;
6 <a href="" class="btn-primary" >View Records</a>
7
8
9 </center>
```



ngayon binigyan ko rin ng class si View
Records link natin



TESTING!
TESTING!

TESTING!
TESTING!

AGAIN!




Main

View Records

so ayan na siya, alright !

at tayo ay mag reretrieve na,

gutom na ako, pa donate nmn jan sa mababait.
hahaha












**One
Eternity
Later**

Main

View Records

ALRIGHT! game!

<input type="checkbox"/> Name	Date modified	Type	Size
 index.php	11/27/2017 1:18 AM	PHP File	1 KB
<input checked="" type="checkbox"/>  nav.php			KB
 ViewRecord.php			KB


- Open
- 7-Zip >
- CRC SHA >
-  Edit with Notepad++
-  Scan with Windows Defender...
- Open with >
-  Add to archive...
-  Add to "nav.rar"
-  Compress and email...
-  Compress to "nav.rar" and email
- Restore previous versions
- Send to >
- Cut
- Copy
- Create shortcut
- Delete
- Rename
- Properties

<input type="checkbox"/> Name	Date modified	Type
index.php	11/27/2017 1:18 AM	PHP File
<input checked="" type="checkbox"/> nav.php	11/27/2017 2:05 PM	PHP File
<input checked="" type="checkbox"/> ViewRecord.php	11/27/2017 1:05 AM	PHP File

eto yun

```
index.php x nav.php x
1 <center>
2
3 <a href="" class="btn-primary" >Main</a>
4 &nbsp;
5 &nbsp;
6 <a href="ViewRecord.php" class="btn-primary" >View Records</a>
7
8
9 </center>
```

nilagyan ko ng php file yung href ng View Records link natin



Refresh nyo yung page, then click this

so wala pang laman diba ?

ngayon aayusin na natin siya





NOW! ETO NA!

ANG GAGAWIN KO IS UPGRADED
RETRIEVE.

ILALABAS LAHAT NG DATA!
WITHOUT RELOADING THE
PAGE!

ALAM NA THIS!
HAHAHA







```
1 <?php
```

```
2  
3 include("../connections.php");
```

```
4
```

```
5
```

```
6
```

```
7
```

```
8
```


```
9 ?>
```

kinonek ko muna yung retriever.php natin



```
1 <?php
2
3 include("../connections.php");
4
5
6 $retireve_query = mysqli_query($connections, "");
7
8
9 ?>
```

then query ka





```

1 <?php
2
3 include("../connections.php");
4
5
6 $retireve_query = mysqli_query($connections, "SELECT * FROM tbl_user ");
7
8 while($row_users = mysqli_fetch_assoc()){
9
10
11 }
12
13
14 ?>

```

then nag lagay ako ng while_loop

```
1 <?php
2
3 include("../connections.php");
4
5
6 $retireve_query = mysqli_query($connections, "SELECT * FROM tbl_user ");
7
8 while($row_users = mysqli_fetch_assoc( $retireve_query )){
9
10
11 }
12
13
14 ?>
```

kung ano ang sinabi ni query

yun ang gagawin niya.

```
1 <<?php
2
3 include("../connections.php");
4
5
6 $retireve_query = mysqli_query($connections, "SELECT * FROM tbl_user ");
7
8 while($row_users = mysqli_fetch_assoc( $retireve_query )){
9
10     $id_user = $row_users["id_user"];
11
12
13
14 }
15
16
17 ?>
```





unahin natin kunin si primary key opkors


```

1 <?php
2
3 include("../connections.php");
4
5
6 $retireve_query = mysqli_query($connections, "SELECT * FROM tbl_user ");
7
8 while($row_users = mysqli_fetch_assoc( $retireve_query )){
9
10     $id_user = $row_users["id_user"];
11
12     $db_first_name = $row_users["first_name"];
13     $db_middle_name = $row_users["middle_name"];
14     $db_last_name = $row_users["last_name"];
15     $db_gender = $row_users["gender"];
16     $db_prefix = $row_users["prefix"];
17     $db_seven_digit = $row_users["seven_digit"];
18     $db_email = $row_users["email"];
19     $db_password = $row_users["password"];
20
21
22
23
24 }
25
26
27 ?>

```

then yung mga kailangan nating field
kinuha ko narin

<input type="checkbox"/> Name	Date modified	Type	Size
 index.php	11/27/2017 1:18 AM	PHP File	1 KB
 nav.php	11/27/2017 2:05 PM	PHP File	1 KB
 retriever.php	11/27/2017 2:27 PM	PHP File	1 KB
<input checked="" type="checkbox"/>  ViewRecord.php			1 KB

 Edit with Notepad++

Open

7-Zip >

CRC SHA >

Scan with Windows Defender...

Open with >

Add to archive...

Add to "ViewRecord.rar"

Compress and email...

Compress to "ViewRecord.rar" and email

Restore previous versions

Send to >

Cut

Copy

Create shortcut

Delete

Rename

Properties

ngayon open ko muna si ViewRecord.php



1 <?php

```
2  
3 session_start();  
4  
5 include("../connections.php");  
6  
7 include("nav.php");  
8  
9
```

10 ?>

nag update ako ng codes sa ViewRecord.php natin



index.php x nav.php x retriever.php x ViewRecord.php x new 2 x

```
1 <?php
2
3 session_start();
4
5 include("../connections.php");
6
7 include("nav.php");
8
9
10
11 ?>
```

```
13
14 <script type="application/javascript">
15
16
17 </script>
```



```
1 <?php
2
3 session_start();
4
5 include("../connections.php");
6
7 include("nav.php");
8
9
10
11 ?>
12
13
14 <script type="application/javascript">
15
16 setInterval(function() {
17     |
18
19
20 }, 1000);
21
22
23 </script>
```

naglagay ako ng konting, konting javascript

```
1 <?php
2
3 session_start();
4
5 include("../connections.php");
6
7 include("nav.php");
8
9
10
11 ?>
12
13
14 <script type="application/javascript">
15
16 setInterval(function() {
17
18
19
20 }, 1000);
21
22
23 </script>
```

function name yan, meaning ng **setInterval**
ito ay tungkol sa time like: **sec, mins, hour,**
milisec.



```
1 <?php
2
3 session_start();
4
5 include("../connections.php");
6
7 include("nav.php");
8
9
10
11 ?>
12
13
14 <script type="application/javascript">
15
16 setInterval(function() {
17     $('').load('');
18 }, 1000);
19
20
21
22
23
24 </script>
```

dont miss any thing, please .. maselan ang javascript

```
1 <?php
2
3 session_start();
4
5 include("../connections.php");
6
7 include("nav.php");
8
9
10
11 ?>
12
13
14 <script type="application/javascript">
15
16 setInterval(function() {
17     $( '#retriever' ).load('');
18
19 }, 1000);
20
21
22
23
24 </script>
```

ayan ang id na hahanapin niya, so gawin na natin yung divider na may id'ng ganyan

```
10
11 ?>
12
13
14 <script type="application/javascript">
15
16 setInterval(function() {
17     $( '#retriever' ).load('');
18
19 },1000);
20
21
22
23
24 </script>
25
26 <div id="retriever">
27
28 </div>
29
30
31
32
33
34
35
36
```

gets ?

```
10
11  ?>
12
13
14  <script type="application/javascript">
15
16  setInterval(function() {
17
18      $('#retriever').load('');
19
20
21  }, 1000);
22
23
24  </script>
25
26  <div id="retriever">
27
28  </div>
29
30
31
32
33
34
35
36
```

ayan yan oh.



10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

hahanapin niya ang element na may id'ng 'retriever'

```
<script type="application/javascript">
```

```
setInterval(function() {
```

```
    $(' #retriever ').load('');
```

```
},1000);
```

```
</script>
```

```
<div id="retriever">
```

```
</div>
```

10

11 `?>`

12

13

14 `<script type="application/javascript">`

15

16 `setInterval(function() {`

17

18 `$(' #retriever ').load('');`

19

20 `},1000);`

21

22

23

24 `</script>`

25

26 `<div id="retriever">` so eto yon, ngayon anong gagawin niya jan?

27

28 `</div>`

29

30

31

32

33

34


```
0
1  ?>
2
3
4  <script type="application/javascript">
5
6  setInterval(function() {
7
8      $(' #retriever ').load('');
9
10 },1000);
11
12 </script>
13
14 <div id="retriever">
15
16 </div>
```

ilo-load niya

ngayon ano yung iloload niya?!

10

11 ?>

12

13

14 <script type="application/javascript">

15

16 setInterval(function() {

17

18 \$(' #retriever ').load(' retriever.php ');

19

20 },1000);

21

22

23 </script>

24

25 <div id="retriever">

26

27 </div>

28

29


30

31

32

si retrieve.php

ngayon, ilan loading time niya?



?>

```
<script type="application/javascript">
```

```
setInterval(function() {
```

```
    $(' #retriever ').load(' retriever.php ');
```

```
}, 1000);
```

load per 1 second

```
</script>
```

```
<div id="retriever">
```

```
</div>
```

meaning, iloload ni ajax, ang retriever.php
per 1 seconds.





now refresh this page


ViewRecord.php

Main

View Records

so ayan, wala pang lalabas na record mula sa database kasi di pa naman tayo nag echo .. ngayon mag echo na tayo.

<input type="checkbox"/> Name	Date modified	Type	Size
 index.php	11/27/2017 1:18 AM	PHP File	1 KB
 nav.php	11/27/2017 2:05 PM	PHP File	1 KB
<input checked="" type="checkbox"/>  retriever.php			1 KB
 ViewRecord.php			1 KB



retriever.php

```
1 <?php
2
3 include("../connections.php");
4
5
6 $retireve_query = mysqli_query($connections, "SELECT * FROM tbl_user ");
7
8 while($row_users = mysqli_fetch_assoc( $retireve_query )){
9
10     $id_user = $row_users["id_user"];
11
12     $db_first_name = $row_users["first_name"];
13     $db_middle_name = $row_users["middle_name"];
14     $db_last_name = $row_users["last_name"];
15     $db_gender = $row_users["gender"];
16     $db_preffix = $row_users["preffix"];
17     $db_seven_digit = $row_users["seven_digit"];
18     $db_email = $row_users["email"];
19     $db_password = $row_users["password"];
20
21     echo $db_first_name . " <br> ";
22
23
24 }
25
26
27 ?>
```

echo ko yung \$db_first_name

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37

?>

sa ViewRecord.php

```
<script type="application/javascript">
setInterval(function() {
    $('#retriever').load('retriever.php');
}, 1000);
</script>

<div id="retriever">
<?php include("retriever.php"); ?>
</div>
```

then include nyo yung retriever.php sa loob ng divider natin

pwede rin kahit hindi nyo na iinclude si retriever.php, kasi niloload naman siya ni ajax every 1 sec., kaya ko siya iinclude jan is para mapabilis lang yung loading niya .. and yes, realtime siya .. pwede nyo rin to gamitin kung gagawa kayo ng chat application sa web nyo. at nagawa ko na yun with seen pa. okay next...


Main

View Records

ul

after kong mag refresh, lumabas to, ngayon
add tayo bagong entry without refreshing
or hitting F5 from this page.

ayan na ang BFF kong si paul.
hahahaha.



hit nyo yan, then
see next image

Main

View Records

sa incognito tayo mag bubukas

New tab Ctrl+T

New window Ctrl+N

New incognito window Ctrl+Shift+N

History

Downloads Ctrl+J

Bookmarks

Zoom - 90% +

Print... Ctrl+P

Cast...

Find... Ctrl+F

More tools

Edit Cut Copy Paste

Settings

Help

Exit Ctrl+Shift+Q

Main

View Records

ngayon nasa incognito nako at pumasok na ko agad sa system natin sa localhost.



localhost/PHP SEASON 2 x

localhost/PHP%20SEASON%202/

Index of / localhost / 127.0.0.1 / Icons Microsoft.Office.AIO... MS Activator 64 Tabrieza Event and Re Client Area - Viewen Titanium Ring - Otte

Main

View Records

localhost/PHP SEASON 2 x

localhost/PHP%20SEASON%202/

Index of / localhost / 127.0.0.1 / Icons Microsoft.Office.AIO... MS Activator 64 Tabrieza Event and Re Client Area - Viewen... Titanium Ring - Otte...

Nichols

Maitim

Negro

Male

0813 1234567

negro@wafafa.com

Register

ngayon mag papasok ako ng bagong entry, dont mind my data inputs,
hahaha

" Hi Nichols! Panget mo, Labyu! "

shota ni paul yan. haha

Nichols
Maitim
Negro
Male ▼
0813 ▼
1234567
negro@wafafa.com

Register

kailangan pag na hit ko yung button mula dito sa register, mag aappear dapat agad yung name ni nichols dun sa top left ntn. chec niyo na lang after niyo ma hit. :D

Main

View Records



localhost/PHP SEASON 2 x



localhost/PHP%20SEASON%20/success.php



Index of /



localhost / 127.0.0.1 /



Icons



Microsoft.Office.AIO...



MS Activator 64



Tabrieza Event and Re



Client Area - Viewen




Titanium Ring - Otte



so, nothing's happen, I think may nakalimutan akong ilagay






SA MAIN FOLDER MAY NAKA SAVE AKONG **js** FOLDER




COPY MO LANG YUNG FOLDER THEN
LAGAY MO SA ADMIN FOLDER MO.

**PS: I-PM MO SI SIR PARA MAKUHA YUNG js FOLDER.
PA PEYMUS AKO EH. JOKE. HAHAHA**


FOR ADDITIONAL POINTS

<input type="checkbox"/> Name	Date modified	Type	Size
 js	11/27/2017 3:28 PM	File folder	
 index.php	11/27/2017 1:18 AM	PHP File	1 KB
 nav.php	11/27/2017 2:05 PM	PHP File	1 KB
 retriever.php	11/27/2017 2:53 PM	PHP File	1 KB
 ViewRecord.php	11/27/2017 3:25 PM	PHP File	1 KB

so ayan nasa folder na nang admin ko,
ngayon buksan ko yan

<input type="checkbox"/> Name	Date modified	Type	Size
<input checked="" type="checkbox"/>  jQuery.js	9/22/2017 5:58 AM	JavaScript File	277 KB

tandaan yung name niya



```
6
7 include("nav.php");
8
9
10
11 ?>
12
13 <script type="text/javascript" src="js/jquery.js"></script>
14
15 <script type="application/javascript">
16
17 _
18 setInterval(function() {
19
20     $('#retriever').load('retriever.php');
21
22
23 },1000);
24
25
26 </script>
27
28 <div id="retriever">
29 <?php include("retriever.php"); ?>
30 </div>
```

Then inilagay ko siya dito. Now balik tayo sa Page at -Refresh mo lang kasi nagdagdag tayo ng codes. :D

Main

View Records

ul
chols

bag refresh ko dalawa na sila opkors,
ngayon buksan ko ulit yung incognito ko,
magay tayo bagon entry

PHP


Lord

Male ▼

0813 ▼ 9999999

Register

I-add niyo ngayun yung real name niyo para makita sya, dapat mag add yong real name niyo without pressing F5 (Refresh) sa kabilang browser. Then hit niu yung register para makita niyo. hihhi





CONGRATULATIONS!

ISA KA NG PHP LORD!


PERO SYEMPRES JOKE LANG
YUN! HAHAA!

MADAMI KA PA MA EEXPLORE SA
PHP!



Activity #3.

Display a 20 real data of your classmates using UPGRADED RETRIEVE. (NO DUMMY DATA ALLOWED). Take some screenshots for of your activity.




Submit your activity @ matanacio2021@gmail.com
(rar or zip your file with a filename(your Lastname))



ARE YOU READY
FOR THE NEXT
TUTORIAL

Next topic:
HTACCESS
(.htaccess)



IF YES
(Type
ACCESS
on GC)
:D