MySQL Commands Cheat Sheet

-- Database-Level

DROP DATABASE databaseName

DROP DATABASE IF EXISTS databaseName

CREATE DATABASE databaseName

CREATE DATABASE IF NOT EXISTS databaseName

SHOW DATABASES

USE databaseName

SELECT DATABASE()

SHOW CREATE DATABASE databaseName

-- Delete the database (irrecoverable!)

-- Delete if it exists

-- Create a new database

-- Create only if it does not exists

--Show all the databases in this server

-- Set the default (current) database

-- Show the default database

-- Show the CREATE DATABASE

statement

-- Table-Level

DROP TABLE [IF EXISTS] tableName, ...

CREATE TABLE [IF NOT EXISTS] tableName

(columnName columnType columnAttribute, ...

PRIMARY KEY(columnName),

FOREIGN KEY (columnNmae) REFERENCES tableName (columnNmae)

SHOW TABLES

)

-- Show all the tables in the default database

DESCRIBE|DESC tableName

-- Describe the details for a table ALTER TABLE tableName ... -- Modify a table, e.g., ADD COLUMN

and DROP COLUMN

ALTER TABLE tableName ADD columnDefinition

ALTER TABLE tableName DROP columnName

ALTER TABLE tableName ADD FOREIGN KEY (columnNmae) REFERENCES tableName (columnNmae)

ALTER TABLE tableName DROP FOREIGN KEY constraintName

SHOW CREATE TABLE tableName

-- Show the CREATE TABLE statement for this tableName

-- Row-Level

INSERT INTO tableName VALUES (column1Value, column2Value,...)

-- Insert on all Columns

VALUES (column1Value, column2Value,...), ... INSERT INTO tableName

-- Insert multiple rows

INSERT INTO tableName (column1Name, ..., columnNName) VALUES

(column1Value, ..., columnNValue)

-- Insert

on selected Columns

DELETE FROM tableName WHERE criteria

UPDATE tableName SET columnName = expr, ... WHERE criteria

SELECT * | column1Name AS alias1, ..., columnNName AS aliasN FROM tableName WHERE criteria GROUP BY columnName ORDER BY columnName ASC|DESC, ... HAVING group Constraints LIMIT count | offset count

-- Others

SHOW WARNINGS;

-- Show the warnings of the previous statement