

Risk Assessment No: T004		Task: Driving Tipper Wagon (on site)						
Prepared By: Derick Bibby		Date: 22.08.2025			RA Review Date: 21.08.2026			
		Reviewed By: Lee Hardy			Date: 22.08.2025			
PPE: Safety Footwear, High Visibility Jacket, High Visibility Trousers, Hard Hat								
Hazard	Persons at Risk	L	S	R	Control Measures	L	S	R
Striking overhead services / objects	Wagon driver	3	4	12	- Remain constantly observant when driving through site - If you are unsure if there is sufficient clearance for your vehicle, park your wagon and obtain advice - Never move your wagon with the tipper body raised - All overhead lines to be considered live. - No loading of vehicles by excavator within vicinity of overhead services. - No tipping of vehicles within vicinity of overhead services. - Exclusion zones to be set out by site management and relayed to operative at daily briefings. - Goal posts to be installed to indicate safe working height if applicable, e.g. on temporary haul roads.	1	4	4
Collison with persons, vehicles, or property	Operative Site personnel Pedestrians	3	5	15	- Ensure that there is sufficient clearance between the wagon and any obstruction (property, vehicles etc.) - Clear segregation to mark all pedestrian routes from plant work areas - Where this is not possible, all persons to notify operator upon approach to plant, prior to entering work area. This must be by way of 'thumbs up', which will be instructed to all personnel and visitors upon site induction.	1	5	5

Equipment failure	Operative Site personnel	3	4	12	- All-round checks must be done before start of work each day. These will include all aspects of the wagon and will be recorded on a checklist, provided to each driver at the start of the week. - All faults and damage must be recorded on the checklist and reported to Fox Group immediately. - All wagons will be roadworthy and of legal standard. - All drivers must ensure that their machines are kept sufficiently clean and mechanically sound. - All items of equipment on the wagon that are provided as safety features must be kept in sound working order. This is especially important with lights, mirrors, horn, cameras and reversing beepers. In the event of any of these elements not working, stop and report the issue immediately. - It is also extremely important that windows are kept clean, to maintain all-round vision from within the cab.	2	4	8
Incorrect/Unauthorised Use	Operative Site personnel Pedestrians	4	5	20	- Only assigned licenced drivers are permitted to drive wagons. - Safe Working Load (SWL) must not be exceeded. - All wagons must be kept locked and isolated when not in use. Engines must be switched off and keys on the driver's person. No wagons must ever be left running unattended. - All drivers should acquaint themselves with the manual for the wagon they are provided and operate according to the manufacturer's instructions. - No attachments shall be used for any reason other than that which they were intended. - No personnel shall enter any skip. - Separate RAMS shall be consulted for lifting and recovery operations. - If a wagon becomes stuck, driver will ring the number provided to them and await recovery instructions – NEVER attempt to recover your own vehicle.	1	5	5

Overturning	Operative	2	4	8	• Always follow DVLA/DVSA and in-house training and site-specific instructions when tipping loads – Do not tip on angles, slopes or undesignated areas. • Always ensure that the wagon being used is suitable for the task – pay consideration to ground conditions, terrain, environment, access and proximity to drop edges. • Driver to ensure they are familiar with the limits of the wagon and must not go beyond the gradient or load capabilities. These are found in the operator manual of the wagon and the in-cab load charts. • Where fitted, Safe Load Indicators will provide a visual and audible warning that a load is too heavy and must be reassessed. • In-cab inclinometers should be used to ensure the wagon is not at risk of tilting beyond its capabilities. • Driver must not operate or traverse wagon while visibility is poor. If visibility worsens while working, stop the operation and safely isolate wagon until it is safe to carry on. • All works in proximity to open trenches will be assessed by a suitably qualified person. Always tip on a level surface and not on a gradient. • Ensure haul roads/routes are maintained and in a good condition to drive over. • When waiting at a stockpile to be loaded, ensure a minimum of 2 wagon lengths between each vehicle and wait in designated area. • Ensure differential lock is set correctly for each task and utilised when needed. • Thoroughly check wheels for cracks and warps, and tyre pressures and condition at the beginning and end of each shift. • Always wear a seatbelt. Operatives must NEVER clip in a seatbelt and sit on it. This will be inspected regularly by the Fox Group supervisor/foreman.	1	4	4
-------------	-----------	---	---	---	--	---	---	---

Falling objects	Operative	2	3	6	- When loaded, ensure the load is level and that the wagon is capable of performing the task. - Maintain a steady operating speed when dealing with wet material, as this may slop around at height and spill over edges. - Be aware of any works going on directly above your working area – for example, varying levels on a site, working in a quarry etc.	1	3	3
COSHH & Environmental Hazards	Operative Site personnel Pedestrians	4	4	16	- COSHH assessments for diesel and hydraulic oil have been created and communicated to all operatives on site. - When waiting to work, engines should be switched off to reduce exhaust fumes. Operatives must not sit inside a machine with an idling engine. - Daily plant checks for leaks, cracks, and hoses/attachment fittings to identify any potential problems. - Report all spillages immediately	2	4	8
Falls From Height	Operative	3	4	12	- When entering or exiting wagon, maintain 3 points of contact at all times and always face towards the cab. - Never jump from the cab. - Inspect steps, grips, handles on daily plant checks - Where fitted, ensure hand rails are secure and clean	1	4	4
Fire	Operative Site personnel	2	4	8	- No smoking in any wagon - If smell or see smoke, switch off and isolate wagon immediately and report to Fox Group foreman/supervisor.	1	4	4