

How Git Works

Git Is Not What You Think



Paolo Perrotta

@nusco

We're going to talk about the
internals of Git.

“Porcelain” Commands

- `git add`
- `git commit`
- `git push`
- `git pull`
- `git branch`
- `git checkout`
- `git merge`
- `git rebase`
- ...

“Plumbing” Commands

- `git cat-file`
- `git hash-object`
- `git count-objects`
- ...

If you want to master Git, don't worry
about learning the commands.
Instead, learn the model.



Git Is..

...a Distributed Revision Control System



Git Is..

...a Revision Control System



Git Is..

...a Stupid Content Tracker



Git Is..

...a Persistent Map



Values and Keys

Any sequence of bytes



SHA1 hash

Values and Keys

"Apple Pie"




23991897e13e47ed0adb91a0082c31c82fe0cbe5

Every object in Git has its own SHA1.
So, what if they collide?


Winning the Jackpot

1 chance in 175.000.000

Winning the Jackpot



Chances of Two SHA1s Colliding



SHA1s are unique in the universe.

Git Is..

...a Persistent Map




Git Is..


...a Stupid Content Tracker




The Object Database




The Object Database




The Object Database




The Git Object Model




The Git Object Model




The Git Object Model



The Git Object Model




The Git Object Model



Git Objects

- Blobs
- Trees
- Commits
- Annotated Tags

What Git Really Is



Git Is..

...a Stupid Content Tracker

