

# Gift App Backend — Frontend Developer API Guide

Generated from docs/generated/openapi.json (379 paths / 466 operations) on 2026-05-18 10:40 PKT.

**How to use this guide:** Each section is grouped module-by-module. Purposes are intentionally one line for fast frontend planning. Use Swagger/OpenAPI for request/response schemas and examples.

## Frontend Integration Flows

### Required app flows covered by this guide:

- **Auth flows:** login/register, token refresh, sessions, profile, password reset, and guest session creation.
- **Guest flows:** use guest session + guest marketplace APIs under 05 Customer / Guest - Marketplace; guest users can browse configured marketplace surfaces only.
- **Registered customer flows:** marketplace, wishlist, addresses, contacts, events, cart, orders, provider chat, reviews, reports, recurring payments, transactions, referrals, subscriptions, wallet, and payment methods.
- **Provider flows:** dashboard, business info, buyer chat, reviews, inventory, promotional offers, orders, payouts, payout methods, refunds, and analytics. Provider inventory visibility does not require gift moderation approval; approved active non-suspended providers remain the visibility gate.
- **Super Admin/Admin flows:** staff, roles, users, providers, moderation, support chat, payments/payouts, disputes/refunds, settings, audit logs, notifications, and storage policy.
- **Storage upload flow:** create/complete uploads using the storage endpoints before attaching media URLs to profile, chat, support, gift, review, or dispute payloads.
- **Payment/order flow:** cart/order checkout, payment methods, payment records, transactions, recurring payments/subscriptions, and order history.
- **Payout flow:** provider payout methods, earnings, payout requests, and admin payout approvals/settings.
- **Dispute/refund flow:** customer disputes, provider disputes, evidence, decisions, financial adjustments, tracking logs, provider refund requests, and refund policy settings.

## Superadmin / Admin APIs

Use SUPER\_ADMIN token, or ADMIN token with the RBAC permission shown in Swagger access notes.

### Admin - Commission & Payout Settings (7 APIs)

| Method | Endpoint                                            | Purpose                               | Access                                          |
|--------|-----------------------------------------------------|---------------------------------------|-------------------------------------------------|
| GET    | /api/v1/admin/payout-settings                       | Fetch commission and payout settings  | SUPER_ADMIN or ADMIN with payoutSettings.read   |
| PATCH  | /api/v1/admin/payout-settings                       | Update commission and payout settings | SUPER_ADMIN or ADMIN with payoutSettings.update |
| GET    | /api/v1/admin/payout-settings/audit-logs            | List payout settings audit logs       | SUPER_ADMIN or ADMIN with payoutSettings.read   |
| GET    | /api/v1/admin/payout-settings/commission-tiers      | List commission tiers                 | SUPER_ADMIN or ADMIN with payoutSettings.read   |
| POST   | /api/v1/admin/payout-settings/commission-tiers      | Create commission tier                | SUPER_ADMIN or ADMIN with payoutSettings.update |
| PATCH  | /api/v1/admin/payout-settings/commission-tiers/{id} | Update commission tier                | SUPER_ADMIN or ADMIN with payoutSettings.update |
| DELETE | /api/v1/admin/payout-settings/commission-tiers/{id} | Delete commission tier                | SUPER_ADMIN or ADMIN with payoutSettings.update |

## Admin - Dashboard Overview (5 APIs)

| Method | Endpoint                                     | Purpose                                      | Access                                   |
|--------|----------------------------------------------|----------------------------------------------|------------------------------------------|
| GET    | /api/v1/admin/dashboard/gift-vs-payment      | Fetch gift vs direct payment distribution    | SUPER_ADMIN or ADMIN with dashboard.read |
| GET    | /api/v1/admin/dashboard/overview             | Fetch Super Admin dashboard overview metrics | SUPER_ADMIN or ADMIN with dashboard.read |
| GET    | /api/v1/admin/dashboard/provider-performance | Fetch provider performance table             | SUPER_ADMIN or ADMIN with dashboard.read |
| GET    | /api/v1/admin/dashboard/recent-disputes      | Fetch recent disputes table                  | SUPER_ADMIN or ADMIN with dashboard.read |
| GET    | /api/v1/admin/dashboard/revenue-trends       | Fetch monthly revenue trends                 | SUPER_ADMIN or ADMIN with dashboard.read |

## Admin - Dispute Decisions (3 APIs)

| Method | Endpoint                                     | Purpose                        | Access                                                                                              |
|--------|----------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------------------|
| GET    | /api/v1/admin/disputes/{id}/confirmation     | Fetch decision confirmation    | SUPER_ADMIN or ADMIN with disputes.decide                                                           |
| POST   | /api/v1/admin/disputes/{id}/decision         | Submit final dispute decision  | SUPER_ADMIN or ADMIN with disputes.decide plus action-specific permission (approve/reject/escalate) |
| GET    | /api/v1/admin/disputes/{id}/decision-summary | Fetch dispute decision summary | SUPER_ADMIN or ADMIN with disputes.decide                                                           |

## Admin - Dispute Evidence (1 APIs)

| Method | Endpoint                             | Purpose                | Access                                  |
|--------|--------------------------------------|------------------------|-----------------------------------------|
| GET    | /api/v1/admin/disputes/{id}/evidence | Fetch dispute evidence | SUPER_ADMIN or ADMIN with disputes.read |

## Admin - Dispute Linkage (4 APIs)

| Method | Endpoint                                       | Purpose                                         | Access                                             |
|--------|------------------------------------------------|-------------------------------------------------|----------------------------------------------------|
| POST   | /api/v1/admin/disputes/{id}/link-transaction   | Confirm dispute transaction linkage             | SUPER_ADMIN or ADMIN with disputes.linkTransaction |
| GET    | /api/v1/admin/disputes/{id}/linkage            | Fetch current dispute transaction linkage state | SUPER_ADMIN or ADMIN with disputes.read            |
| POST   | /api/v1/admin/disputes/{id}/refund-preview     | Preview dispute refund selection                | SUPER_ADMIN or ADMIN with disputes.refund.evaluate |
| GET    | /api/v1/admin/disputes/{id}/transaction-search | Search original transaction for a dispute       | SUPER_ADMIN or ADMIN with disputes.read            |

## Admin - Dispute Manager (8 APIs)

| Method | Endpoint                      | Purpose              | Access                                    |
|--------|-------------------------------|----------------------|-------------------------------------------|
| GET    | /api/v1/admin/disputes        | List dispute queue   | SUPER_ADMIN or ADMIN with disputes.read   |
| GET    | /api/v1/admin/disputes/export | Export dispute cases | SUPER_ADMIN or ADMIN with disputes.export |

| Method | Endpoint                                  | Purpose                                           | Access                                          |
|--------|-------------------------------------------|---------------------------------------------------|-------------------------------------------------|
| GET    | /api/v1/admin/disputes/stats              | Fetch dispute dashboard stats                     | SUPER_ADMIN or ADMIN with disputes.read         |
| GET    | /api/v1/admin/disputes/{id}               | Fetch dispute details and evidence review summary | SUPER_ADMIN or ADMIN with disputes.read         |
| GET    | /api/v1/admin/disputes/{id}/internal-data | Fetch internal transaction data                   | SUPER_ADMIN or ADMIN with disputes.read         |
| GET    | /api/v1/admin/disputes/{id}/notes         | Fetch internal dispute notes                      | SUPER_ADMIN or ADMIN with disputes.read         |
| POST   | /api/v1/admin/disputes/{id}/notes         | Add internal dispute note                         | SUPER_ADMIN or ADMIN with disputes.notes.create |
| GET    | /api/v1/admin/disputes/{id}/timeline      | Fetch dispute timeline                            | SUPER_ADMIN or ADMIN with disputes.read         |

### Admin - Dispute Tracking (3 APIs)

| Method | Endpoint                                        | Purpose                          | Access                                             |
|--------|-------------------------------------------------|----------------------------------|----------------------------------------------------|
| POST   | /api/v1/admin/disputes/{id}/follow-up-notes     | Add dispute follow-up note       | SUPER_ADMIN or ADMIN with disputes.notes.create    |
| GET    | /api/v1/admin/disputes/{id}/tracking-log        | Fetch full dispute tracking log  | SUPER_ADMIN or ADMIN with disputes.tracking.read   |
| GET    | /api/v1/admin/disputes/{id}/tracking-log/export | Export full dispute tracking log | SUPER_ADMIN or ADMIN with disputes.tracking.export |

### Admin - Guest Access Settings (3 APIs)

| Method | Endpoint                                       | Purpose                               | Access                                               |
|--------|------------------------------------------------|---------------------------------------|------------------------------------------------------|
| GET    | /api/v1/admin/guest-access-settings            | Fetch guest access settings           | SUPER_ADMIN or ADMIN with guestAccessSettings.read   |
| PATCH  | /api/v1/admin/guest-access-settings            | Update guest access settings          | SUPER_ADMIN or ADMIN with guestAccessSettings.update |
| GET    | /api/v1/admin/guest-access-settings/audit-logs | List guest access settings audit logs | SUPER_ADMIN or ADMIN with guestAccessSettings.read   |

### Admin - In-App Messaging Settings (3 APIs)

| Method | Endpoint                                    | Purpose                                   | Access                                             |
|--------|---------------------------------------------|-------------------------------------------|----------------------------------------------------|
| GET    | /api/v1/admin/messaging-settings            | Fetch in-app messaging settings           | SUPER_ADMIN or ADMIN with messagingSettings.read   |
| PATCH  | /api/v1/admin/messaging-settings            | Update in-app messaging settings          | SUPER_ADMIN or ADMIN with messagingSettings.update |
| GET    | /api/v1/admin/messaging-settings/audit-logs | List in-app messaging settings audit logs | SUPER_ADMIN or ADMIN with messagingSettings.read   |

### Admin - Media Upload Policy (3 APIs)

| Method | Endpoint                               | Purpose                             | Access                                     |
|--------|----------------------------------------|-------------------------------------|--------------------------------------------|
| GET    | /api/v1/media-upload-policy            | Fetch global media upload policy    | SUPER_ADMIN or ADMIN with mediaPolicy.read |
| PATCH  | /api/v1/media-upload-policy            | Update global media upload policy   | SUPER_ADMIN                                |
| GET    | /api/v1/media-upload-policy/audit-logs | List media upload policy audit logs | SUPER_ADMIN                                |

## Admin - Message Moderation (12 APIs)

| Method | Endpoint                                                              | Purpose                                       | Access                                                   |
|--------|-----------------------------------------------------------------------|-----------------------------------------------|----------------------------------------------------------|
| GET    | /api/v1/admin/message-moderation/conversations                        | List flagged message moderation conversations | SUPER_ADMIN or ADMIN with messageModeration.read         |
| GET    | /api/v1/admin/message-moderation/conversations/{id}                   | Fetch message moderation conversation detail  | SUPER_ADMIN or ADMIN with messageModeration.read         |
| GET    | /api/v1/admin/message-moderation/conversations/{id}/history           | Fetch message moderation conversation history | SUPER_ADMIN or ADMIN with messageModeration.read         |
| GET    | /api/v1/admin/message-moderation/export                               | Export message moderation rows                | SUPER_ADMIN or ADMIN with messageModeration.export       |
| GET    | /api/v1/admin/message-moderation/filter-options                       | Fetch message moderation filter options       | SUPER_ADMIN or ADMIN with messageModeration.read         |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/block           | Block a flagged message                       | SUPER_ADMIN or ADMIN with messageModeration.block        |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/dismiss-flag    | Dismiss a moderation flag                     | SUPER_ADMIN or ADMIN with messageModeration.dismiss      |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/note            | Add internal private moderation note          | SUPER_ADMIN or ADMIN with messageModeration.notes.create |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/reprocess       | Reprocess a message through scanner           | SUPER_ADMIN or ADMIN with messageModeration.moderate     |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/suspend-account | Suspend the message sender account            | SUPER_ADMIN or ADMIN with messageModeration.suspend      |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/warn-user       | Warn the message sender                       | SUPER_ADMIN or ADMIN with messageModeration.warn         |
| GET    | /api/v1/admin/message-moderation/stats                                | Fetch message moderation stats                | SUPER_ADMIN or ADMIN with messageModeration.read         |

### Message moderation frontend notes:

- Use the conversation list for the moderation queue and conversation detail for the flagged message preview / AI moderation alert.
- Actions: block message, warn user, suspend account, dismiss flag, add internal private note, and reprocess. Use the next list item as the “Next Incident” source after an action.
- Permissions: SUPER\_ADMIN can perform all actions. ADMIN needs messageModeration.read for queue/detail, export for export, block/warn/suspend/dismiss for those actions, notes.create for private notes, and moderate for reprocess.
- Redaction: flagged harmful content returns `body: null` by default and always includes `redactedBody`. Do not render raw harmful content unless a future explicit unmask permission is implemented.
- Internal notes are admin-only and must never be rendered in customer/provider chat screens.

## Admin - Promotional Offers Management (10 APIs)

| Method | Endpoint                                | Purpose                           | Access                                              |
|--------|-----------------------------------------|-----------------------------------|-----------------------------------------------------|
| GET    | /api/v1/promotional-offers              | List Promotional Offers           | SUPER_ADMIN or ADMIN with promotionalOffers.read    |
| POST   | /api/v1/promotional-offers              | Create Promotional Offers         | SUPER_ADMIN or ADMIN with promotionalOffers.create  |
| GET    | /api/v1/promotional-offers/export       | List Promotional Offers Export    | SUPER_ADMIN or ADMIN with promotionalOffers.export  |
| GET    | /api/v1/promotional-offers/stats        | List Promotional Offers Stats     | SUPER_ADMIN or ADMIN with promotionalOffers.read    |
| GET    | /api/v1/promotional-offers/{id}         | Fetch Promotional Offers details  | SUPER_ADMIN or ADMIN with promotionalOffers.read    |
| PATCH  | /api/v1/promotional-offers/{id}         | Update Promotional Offers         | SUPER_ADMIN or ADMIN with promotionalOffers.update  |
| DELETE | /api/v1/promotional-offers/{id}         | Delete Promotional Offers         | SUPER_ADMIN or ADMIN with promotionalOffers.delete  |
| PATCH  | /api/v1/promotional-offers/{id}/approve | Update Promotional Offers Approve | SUPER_ADMIN or ADMIN with promotionalOffers.approve |
| PATCH  | /api/v1/promotional-offers/{id}/reject  | Update Promotional Offers Reject  | SUPER_ADMIN or ADMIN with promotionalOffers.reject  |

| Method | Endpoint                               | Purpose                          | Access                                                    |
|--------|----------------------------------------|----------------------------------|-----------------------------------------------------------|
| PATCH  | /api/v1/promotional-offers/{id}/status | Update Promotional Offers Status | SUPER_ADMIN or ADMIN with promotionalOffers.status.update |

## Admin - Provider Business Categories (5 APIs)

| Method | Endpoint                                  | Purpose                                  | Access                                                      |
|--------|-------------------------------------------|------------------------------------------|-------------------------------------------------------------|
| GET    | /api/v1/provider-business-categories      | List provider business categories        | PUBLIC                                                      |
| POST   | /api/v1/provider-business-categories      | Create provider business category        | SUPER_ADMIN or ADMIN with providerBusinessCategories.create |
| GET    | /api/v1/provider-business-categories/{id} | Fetch provider business category details | SUPER_ADMIN or ADMIN with providerBusinessCategories.read   |
| PATCH  | /api/v1/provider-business-categories/{id} | Update provider business category        | SUPER_ADMIN or ADMIN with providerBusinessCategories.update |
| DELETE | /api/v1/provider-business-categories/{id} | Delete provider business category        | SUPER_ADMIN or ADMIN with providerBusinessCategories.delete |

## Admin - Provider Dispute Evidence (3 APIs)

| Method | Endpoint                                                    | Purpose                                        | Access                                                      |
|--------|-------------------------------------------------------------|------------------------------------------------|-------------------------------------------------------------|
| GET    | /api/v1/admin/provider-disputes/{id}/evidence               | Fetch provider dispute evidence exchange       | SUPER_ADMIN or ADMIN with providerDisputes.read             |
| POST   | /api/v1/admin/provider-disputes/{id}/evidence/mark-reviewed | Mark provider dispute evidence review complete | SUPER_ADMIN or ADMIN with providerDisputes.update           |
| POST   | /api/v1/admin/provider-disputes/{id}/evidence/request       | Request additional provider dispute evidence   | SUPER_ADMIN or ADMIN with providerDisputes.evidence.request |

## Admin - Provider Dispute Logs (2 APIs)

| Method | Endpoint                                                   | Purpose                                | Access                                                 |
|--------|------------------------------------------------------------|----------------------------------------|--------------------------------------------------------|
| GET    | /api/v1/admin/provider-disputes/{id}/resolution-log        | Fetch provider dispute resolution log  | SUPER_ADMIN or ADMIN with providerDisputes.logs.read   |
| GET    | /api/v1/admin/provider-disputes/{id}/resolution-log/export | Export provider dispute resolution log | SUPER_ADMIN or ADMIN with providerDisputes.logs.export |

## Admin - Provider Dispute Manager (7 APIs)

| Method | Endpoint                                      | Purpose                                | Access                                                  |
|--------|-----------------------------------------------|----------------------------------------|---------------------------------------------------------|
| GET    | /api/v1/admin/provider-disputes               | List provider dispute queue            | SUPER_ADMIN or ADMIN with providerDisputes.read         |
| GET    | /api/v1/admin/provider-disputes/export        | Export provider dispute queue          | SUPER_ADMIN or ADMIN with providerDisputes.export       |
| GET    | /api/v1/admin/provider-disputes/stats         | Fetch provider dispute dashboard stats | SUPER_ADMIN or ADMIN with providerDisputes.read         |
| GET    | /api/v1/admin/provider-disputes/{id}          | Fetch provider dispute details         | SUPER_ADMIN or ADMIN with providerDisputes.read         |
| GET    | /api/v1/admin/provider-disputes/{id}/notes    | Fetch provider dispute internal notes  | SUPER_ADMIN or ADMIN with providerDisputes.read         |
| POST   | /api/v1/admin/provider-disputes/{id}/notes    | Add provider dispute internal note     | SUPER_ADMIN or ADMIN with providerDisputes.notes.create |
| GET    | /api/v1/admin/provider-disputes/{id}/timeline | Fetch provider dispute timeline        | SUPER_ADMIN or ADMIN with providerDisputes.read         |

## Admin - Provider Dispute Resolution (3 APIs)

| Method | Endpoint                                      | Purpose                   | Access                                             |
|--------|-----------------------------------------------|---------------------------|----------------------------------------------------|
| POST   | /api/v1/admin/provider-disputes/{id}/finalize | Finalize provider dispute | SUPER_ADMIN or ADMIN with providerDisputes.resolve |

| Method | Endpoint                                          | Purpose                                   | Access                                             |
|--------|---------------------------------------------------|-------------------------------------------|----------------------------------------------------|
| POST   | /api/v1/admin/provider-disputes/{id}/notify-again | Resend provider dispute notifications     | SUPER_ADMIN or ADMIN with providerDisputes.notify  |
| GET    | /api/v1/admin/provider-disputes/{id}/resolution   | Fetch provider dispute resolution summary | SUPER_ADMIN or ADMIN with providerDisputes.resolve |

## Admin - Provider Dispute Rulings (2 APIs)

| Method | Endpoint                                            | Purpose                               | Access                                                   |
|--------|-----------------------------------------------------|---------------------------------------|----------------------------------------------------------|
| POST   | /api/v1/admin/provider-disputes/{id}/ruling         | Save provider dispute ruling          | SUPER_ADMIN or ADMIN with providerDisputes.ruling.create |
| GET    | /api/v1/admin/provider-disputes/{id}/ruling-summary | Fetch provider dispute ruling summary | SUPER_ADMIN or ADMIN with providerDisputes.ruling.read   |

## Admin - Provider Financial Adjustments (3 APIs)

| Method | Endpoint                                                    | Purpose                                 | Access                                                    |
|--------|-------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------|
| POST   | /api/v1/admin/provider-disputes/{id}/final-attestation      | Complete final financial attestation    | SUPER_ADMIN or ADMIN with providerDisputes.ruling.update  |
| GET    | /api/v1/admin/provider-disputes/{id}/financial-impact       | Fetch provider dispute financial impact | SUPER_ADMIN or ADMIN with providerDisputes.financial.read |
| POST   | /api/v1/admin/provider-disputes/{id}/payout-penalty-linkage | Link payout and penalty adjustments     | SUPER_ADMIN or ADMIN with providerDisputes.financial.link |

## Admin - Provider Management (12 APIs)

| Method | Endpoint                        | Purpose                              | Access                                                                                                                                                                                                          |
|--------|---------------------------------|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GET    | /api/v1/providers               | List providers                       | SUPER_ADMIN or ADMIN with providers.read                                                                                                                                                                        |
| POST   | /api/v1/providers               | Create provider from admin dashboard | SUPER_ADMIN or ADMIN with providers.create                                                                                                                                                                      |
| GET    | /api/v1/providers/export        | List Providers Export                | SUPER_ADMIN or ADMIN with providers.export                                                                                                                                                                      |
| GET    | /api/v1/providers/lookup        | List Providers Lookup                | SUPER_ADMIN or ADMIN with providers.read                                                                                                                                                                        |
| GET    | /api/v1/providers/stats         | List Providers Stats                 | SUPER_ADMIN or ADMIN with providers.read                                                                                                                                                                        |
| GET    | /api/v1/providers/{id}          | Fetch Providers details              | SUPER_ADMIN or ADMIN with providers.read                                                                                                                                                                        |
| PATCH  | /api/v1/providers/{id}          | Update Providers                     | SUPER_ADMIN or ADMIN with providers.update                                                                                                                                                                      |
| DELETE | /api/v1/providers/{id}          | Permanently delete provider          | SUPER_ADMIN                                                                                                                                                                                                     |
| GET    | /api/v1/providers/{id}/activity | Fetch Providers Activity details     | SUPER_ADMIN or ADMIN with providers.read                                                                                                                                                                        |
| GET    | /api/v1/providers/{id}/items    | Fetch Providers Items details        | SUPER_ADMIN or ADMIN with providers.read                                                                                                                                                                        |
| POST   | /api/v1/providers/{id}/message  | Create Providers Message             | SUPER_ADMIN or ADMIN with providers.message                                                                                                                                                                     |
| PATCH  | /api/v1/providers/{id}/status   | Update provider lifecycle status     | SUPER_ADMIN or ADMIN with provider lifecycle permission (APPROVE=>providers.approve, REJECT=>providers.reject, SUSPEND=>providers.suspend, UNSUSPEND=>providers.suspend, UPDATE_STATUS=>providers.updateStatus) |

## Admin - Provider Payouts (11 APIs)

| Method | Endpoint                       | Purpose               | Access                                         |
|--------|--------------------------------|-----------------------|------------------------------------------------|
| GET    | /api/v1/admin/provider-payouts | List provider payouts | SUPER_ADMIN or ADMIN with providerPayouts.read |

| Method | Endpoint                                            | Purpose                                     | Access                                            |
|--------|-----------------------------------------------------|---------------------------------------------|---------------------------------------------------|
| POST   | /api/v1/admin/provider-payouts/bulk-approve         | Bulk approve provider payouts               | SUPER_ADMIN or ADMIN with providerPayouts.approve |
| GET    | /api/v1/admin/provider-payouts/earning-distribution | Fetch earning distribution by provider tier | SUPER_ADMIN or ADMIN with providerPayouts.read    |
| GET    | /api/v1/admin/provider-payouts/export               | Export provider payouts                     | SUPER_ADMIN or ADMIN with providerPayouts.export  |
| GET    | /api/v1/admin/provider-payouts/stats                | Fetch provider payout dashboard stats       | SUPER_ADMIN or ADMIN with providerPayouts.read    |
| GET    | /api/v1/admin/provider-payouts/trends               | Fetch monthly provider payout trend         | SUPER_ADMIN or ADMIN with providerPayouts.read    |
| GET    | /api/v1/admin/provider-payouts/{id}                 | Fetch provider payout details               | SUPER_ADMIN or ADMIN with providerPayouts.read    |
| POST   | /api/v1/admin/provider-payouts/{id}/approve         | Approve provider payout                     | SUPER_ADMIN or ADMIN with providerPayouts.approve |
| GET    | /api/v1/admin/provider-payouts/{id}/breakdown       | Fetch pending payout transaction breakdown  | SUPER_ADMIN or ADMIN with providerPayouts.read    |
| POST   | /api/v1/admin/provider-payouts/{id}/hold            | Hold provider payout                        | SUPER_ADMIN or ADMIN with providerPayouts.hold    |
| POST   | /api/v1/admin/provider-payouts/{id}/reject          | Reject provider payout                      | SUPER_ADMIN or ADMIN with providerPayouts.reject  |

## Admin - Referral Settings (6 APIs)

| Method | Endpoint                             | Purpose                           | Access                                          |
|--------|--------------------------------------|-----------------------------------|-------------------------------------------------|
| GET    | /api/v1/referral-settings            | Fetch referral settings           | SUPER_ADMIN or ADMIN with referralSettings.read |
| PATCH  | /api/v1/referral-settings            | Update referral settings          | SUPER_ADMIN                                     |
| POST   | /api/v1/referral-settings/activate   | Activate referral program         | SUPER_ADMIN                                     |
| GET    | /api/v1/referral-settings/audit-logs | List referral settings audit logs | SUPER_ADMIN                                     |
| POST   | /api/v1/referral-settings/deactivate | Deactivate referral program       | SUPER_ADMIN                                     |
| GET    | /api/v1/referral-settings/stats      | Fetch referral stats              | SUPER_ADMIN or ADMIN with referralSettings.read |

## Admin - Refund Policy Settings (3 APIs)

| Method | Endpoint                                  | Purpose                       | Access                                        |
|--------|-------------------------------------------|-------------------------------|-----------------------------------------------|
| GET    | /api/v1/admin/refund-policy-settings      | Fetch refund policy settings  | SUPER_ADMIN or ADMIN with refundPolicies.read |
| PATCH  | /api/v1/admin/refund-policy-settings      | Update refund policy settings | SUPER_ADMIN                                   |
| GET    | /api/v1/admin/refund-policy-settings/logs | List refund policy audit logs | SUPER_ADMIN                                   |

## Admin - Review Moderation (4 APIs)

| Method | Endpoint                               | Purpose                             | Access                                              |
|--------|----------------------------------------|-------------------------------------|-----------------------------------------------------|
| GET    | /api/v1/admin/reviews/flagged-summary  | List Admin Reviews Flagged Summary  | SUPER_ADMIN or ADMIN with reviews.read              |
| GET    | /api/v1/admin/reviews/moderation-logs  | List Admin Reviews Moderation Logs  | SUPER_ADMIN or ADMIN with reviewModerationLogs.read |
| GET    | /api/v1/admin/reviews/moderation-queue | List Admin Reviews Moderation Queue | SUPER_ADMIN or ADMIN with reviews.moderate          |

| Method | Endpoint                            | Purpose           | Access                                     |
|--------|-------------------------------------|-------------------|--------------------------------------------|
| POST   | /api/v1/admin/reviews/{id}/moderate | Moderate a review | SUPER_ADMIN or ADMIN with reviews.moderate |

## Admin - Review Policies (3 APIs)

| Method | Endpoint                           | Purpose                           | Access                                          |
|--------|------------------------------------|-----------------------------------|-------------------------------------------------|
| GET    | /api/v1/admin/review-policies      | Fetch review moderation policies  | SUPER_ADMIN or ADMIN with reviewPolicies.read   |
| PATCH  | /api/v1/admin/review-policies      | Update review moderation policies | SUPER_ADMIN or ADMIN with reviewPolicies.update |
| POST   | /api/v1/admin/review-policies/test | Test review policy result         | SUPER_ADMIN or ADMIN with reviewPolicies.read   |

## Admin - Reviews Management (5 APIs)

| Method | Endpoint                        | Purpose                                | Access                                   |
|--------|---------------------------------|----------------------------------------|------------------------------------------|
| GET    | /api/v1/admin/reviews           | List reviews for moderation dashboard  | SUPER_ADMIN or ADMIN with reviews.read   |
| GET    | /api/v1/admin/reviews/dashboard | Fetch platform review dashboard        | SUPER_ADMIN or ADMIN with reviews.read   |
| GET    | /api/v1/admin/reviews/export    | Export reviews with moderation filters | SUPER_ADMIN or ADMIN with reviews.export |
| GET    | /api/v1/admin/reviews/stats     | List Admin Reviews Stats               | SUPER_ADMIN or ADMIN with reviews.read   |
| GET    | /api/v1/admin/reviews/{id}      | Fetch review moderation details        | SUPER_ADMIN or ADMIN with reviews.read   |

## Admin - Roles & Permissions (7 APIs)

| Method | Endpoint                             | Purpose                        | Access      |
|--------|--------------------------------------|--------------------------------|-------------|
| GET    | /api/v1/admin-roles                  | List Admin Roles               | SUPER_ADMIN |
| POST   | /api/v1/admin-roles                  | Create Admin Roles             | SUPER_ADMIN |
| GET    | /api/v1/admin-roles/{id}             | Fetch Admin Roles details      | SUPER_ADMIN |
| PATCH  | /api/v1/admin-roles/{id}             | Update Admin Roles             | SUPER_ADMIN |
| DELETE | /api/v1/admin-roles/{id}             | Delete Admin Roles             | SUPER_ADMIN |
| PATCH  | /api/v1/admin-roles/{id}/permissions | Update Admin Roles Permissions | SUPER_ADMIN |
| GET    | /api/v1/permissions/catalog          | List Permissions Catalog       | SUPER_ADMIN |

## Admin - Social Moderation (5 APIs)

| Method | Endpoint                                            | Purpose                                | Access                                              |
|--------|-----------------------------------------------------|----------------------------------------|-----------------------------------------------------|
| GET    | /api/v1/admin/social-moderation/export              | Export social moderation log           | SUPER_ADMIN or ADMIN with socialModeration.export   |
| GET    | /api/v1/admin/social-moderation/reports             | List social moderation reports         | SUPER_ADMIN or ADMIN with socialModeration.read     |
| GET    | /api/v1/admin/social-moderation/reports/{id}        | Fetch social report inspection details | SUPER_ADMIN or ADMIN with socialModeration.read     |
| POST   | /api/v1/admin/social-moderation/reports/{id}/action | Run social moderation action           | SUPER_ADMIN or ADMIN with socialModeration.moderate |
| GET    | /api/v1/admin/social-moderation/stats               | Fetch social moderation stats          | SUPER_ADMIN or ADMIN with socialModeration.read     |



## Admin - Social Reporting Rules (8 APIs)

| Method | Endpoint                                         | Purpose                             | Access                                                |
|--------|--------------------------------------------------|-------------------------------------|-------------------------------------------------------|
| GET    | /api/v1/admin/social-reporting-rules             | List social reporting rules         | SUPER_ADMIN or ADMIN with socialReportingRules.read   |
| POST   | /api/v1/admin/social-reporting-rules             | Create social reporting rule        | SUPER_ADMIN or ADMIN with socialReportingRules.create |
| GET    | /api/v1/admin/social-reporting-rules/export      | Export social reporting rules       | SUPER_ADMIN or ADMIN with socialReportingRules.export |
| GET    | /api/v1/admin/social-reporting-rules/stats       | Fetch social reporting rule stats   | SUPER_ADMIN or ADMIN with socialReportingRules.read   |
| GET    | /api/v1/admin/social-reporting-rules/{id}        | Fetch social reporting rule details | SUPER_ADMIN or ADMIN with socialReportingRules.read   |
| PATCH  | /api/v1/admin/social-reporting-rules/{id}        | Update social reporting rule        | SUPER_ADMIN or ADMIN with socialReportingRules.update |
| DELETE | /api/v1/admin/social-reporting-rules/{id}        | Delete social reporting rule        | SUPER_ADMIN or ADMIN with socialReportingRules.delete |
| PATCH  | /api/v1/admin/social-reporting-rules/{id}/status | Update social reporting rule status | SUPER_ADMIN or ADMIN with socialReportingRules.update |

## Admin - Staff Management (7 APIs)

| Method | Endpoint                          | Purpose                             | Access      |
|--------|-----------------------------------|-------------------------------------|-------------|
| GET    | /api/v1/admins                    | List admin staff users              | SUPER_ADMIN |
| POST   | /api/v1/admins                    | Create admin staff user             | SUPER_ADMIN |
| GET    | /api/v1/admins/{id}               | Fetch Admins details                | SUPER_ADMIN |
| PATCH  | /api/v1/admins/{id}               | Update Admins                       | SUPER_ADMIN |
| DELETE | /api/v1/admins/{id}               | Permanently delete admin staff user | SUPER_ADMIN |
| PATCH  | /api/v1/admins/{id}/active-status | Update Admins Active Status         | SUPER_ADMIN |
| PATCH  | /api/v1/admins/{id}/password      | Update Admins Password              | SUPER_ADMIN |

## Admin - Support Chat (7 APIs)

| Method | Endpoint                                  | Purpose                                     | Access                                         |
|--------|-------------------------------------------|---------------------------------------------|------------------------------------------------|
| GET    | /api/v1/admin/support-chats               | List admin support chats                    | SUPER_ADMIN or ADMIN with supportChats.read    |
| GET    | /api/v1/admin/support-chats/stats         | Fetch support chat stats                    | SUPER_ADMIN or ADMIN with supportChats.read    |
| GET    | /api/v1/admin/support-chats/{id}          | Fetch support chat conversation details     | SUPER_ADMIN or ADMIN with supportChats.read    |
| POST   | /api/v1/admin/support-chats/{id}/messages | Reply to support chat                       | SUPER_ADMIN or ADMIN with supportChats.reply   |
| PATCH  | /api/v1/admin/support-chats/{id}/read     | Mark support chat as read                   | SUPER_ADMIN or ADMIN with supportChats.read    |
| POST   | /api/v1/admin/support-chats/{id}/reopen   | Reopen support chat and notify participant  | SUPER_ADMIN or ADMIN with supportChats.resolve |
| POST   | /api/v1/admin/support-chats/{id}/resolve  | Resolve support chat and notify participant | SUPER_ADMIN or ADMIN with supportChats.resolve |

## Admin - System Logs & Audit Trail (6 APIs)

| Method | Endpoint                        | Purpose                               | Access      |
|--------|---------------------------------|---------------------------------------|-------------|
| GET    | /api/v1/audit-logs              | List audit logs                       | SUPER_ADMIN |
| GET    | /api/v1/audit-logs/action-types | Fetch audit log action types          | SUPER_ADMIN |
| GET    | /api/v1/audit-logs/export       | Export audit logs CSV                 | SUPER_ADMIN |
| GET    | /api/v1/audit-logs/stats        | Fetch audit log stats                 | SUPER_ADMIN |
| GET    | /api/v1/audit-logs/users        | Fetch audit log user selector options | SUPER_ADMIN |
| GET    | /api/v1/audit-logs/{id}         | Fetch audit log detail                | SUPER_ADMIN |

## Admin - System Settings (5 APIs)

| Method | Endpoint                                 | Purpose                          | Access                                          |
|--------|------------------------------------------|----------------------------------|-------------------------------------------------|
| GET    | /api/v1/admin/system-settings            | Fetch system settings            | SUPER_ADMIN or ADMIN with systemSettings.read   |
| PATCH  | /api/v1/admin/system-settings            | Update system settings           | SUPER_ADMIN or ADMIN with systemSettings.update |
| GET    | /api/v1/admin/system-settings/audit-logs | List system settings audit logs  | SUPER_ADMIN or ADMIN with systemSettings.read   |
| POST   | /api/v1/admin/system-settings/logo       | Update system logo URL/reference | SUPER_ADMIN or ADMIN with systemSettings.update |
| POST   | /api/v1/admin/system-settings/smtp/test  | Send SMTP test email             | SUPER_ADMIN or ADMIN with systemSettings.update |

## Admin - Transaction Monitoring (9 APIs)

| Method | Endpoint                                     | Purpose                               | Access                                                  |
|--------|----------------------------------------------|---------------------------------------|---------------------------------------------------------|
| GET    | /api/v1/admin/transactions                   | List admin transactions               | SUPER_ADMIN or ADMIN with transactions.read             |
| GET    | /api/v1/admin/transactions/export            | Export admin transactions             | SUPER_ADMIN or ADMIN with transactions.export           |
| GET    | /api/v1/admin/transactions/stats             | Fetch transaction monitoring stats    | SUPER_ADMIN or ADMIN with transactions.read             |
| GET    | /api/v1/admin/transactions/{id}              | Fetch transaction details             | SUPER_ADMIN or ADMIN with transactions.read             |
| POST   | /api/v1/admin/transactions/{id}/notify-user  | Send transaction notification to user | SUPER_ADMIN or ADMIN with transactions.notifyUser       |
| POST   | /api/v1/admin/transactions/{id}/open-dispute | Open dispute from transaction         | SUPER_ADMIN or ADMIN with transactions.openDispute      |
| GET    | /api/v1/admin/transactions/{id}/receipt      | Download transaction receipt          | SUPER_ADMIN or ADMIN with transactions.receipt.download |
| POST   | /api/v1/admin/transactions/{id}/refund       | Refund transaction                    | SUPER_ADMIN or ADMIN with transactions.refund           |
| GET    | /api/v1/admin/transactions/{id}/timeline     | Fetch transaction timeline            | SUPER_ADMIN or ADMIN with transactions.read             |

## Admin - User Management (11 APIs)

| Method | Endpoint             | Purpose               | Access                                 |
|--------|----------------------|-----------------------|----------------------------------------|
| GET    | /api/v1/users        | List registered users | SUPER_ADMIN or ADMIN with users.read   |
| GET    | /api/v1/users/export | List Users Export     | SUPER_ADMIN or ADMIN with users.export |
| GET    | /api/v1/users/{id}   | Fetch Users details   | SUPER_ADMIN or ADMIN with users.read   |

| Method        | Endpoint                          | Purpose                            | Access                                        |
|---------------|-----------------------------------|------------------------------------|-----------------------------------------------|
| <b>PATCH</b>  | /api/v1/users/{id}                | Update Users                       | SUPER_ADMIN or ADMIN with users.update        |
| <b>DELETE</b> | /api/v1/users/{id}                | Permanently delete registered user | SUPER_ADMIN                                   |
| <b>GET</b>    | /api/v1/users/{id}/activity       | Fetch Users Activity details       | SUPER_ADMIN or ADMIN with users.read          |
| <b>POST</b>   | /api/v1/users/{id}/reset-password | Change registered user password    | SUPER_ADMIN or ADMIN with users.resetPassword |
| <b>GET</b>    | /api/v1/users/{id}/stats          | Fetch Users Stats details          | SUPER_ADMIN or ADMIN with users.read          |
| <b>PATCH</b>  | /api/v1/users/{id}/status         | Update Users Status                | SUPER_ADMIN or ADMIN with users.status.update |
| <b>POST</b>   | /api/v1/users/{id}/suspend        | Create Users Suspend               | SUPER_ADMIN or ADMIN with users.suspend       |
| <b>POST</b>   | /api/v1/users/{id}/unsuspend      | Create Users Unsuspend             | SUPER_ADMIN or ADMIN with users.unsuspend     |

## Admin - User Safety Moderation (4 APIs)

| Method      | Endpoint                                      | Purpose                         | Access        |
|-------------|-----------------------------------------------|---------------------------------|---------------|
| <b>GET</b>  | /api/v1/admin/user-safety/reports             | List user safety reports        | Authenticated |
| <b>GET</b>  | /api/v1/admin/user-safety/reports/export      | Export user safety reports      | Authenticated |
| <b>GET</b>  | /api/v1/admin/user-safety/reports/{id}        | Fetch user safety report detail | Authenticated |
| <b>POST</b> | /api/v1/admin/user-safety/reports/{id}/action | Moderate user safety report     | Authenticated |

## Auth (16 APIs)

| Method        | Endpoint                         | Purpose                         | Access        |
|---------------|----------------------------------|---------------------------------|---------------|
| <b>DELETE</b> | /api/v1/auth/account             | Delete Auth Account             | Authenticated |
| <b>POST</b>   | /api/v1/auth/cancel-deletion     | Create Auth Cancel Deletion     | Authenticated |
| <b>PATCH</b>  | /api/v1/auth/change-password     | Update Auth Change Password     | Authenticated |
| <b>POST</b>   | /api/v1/auth/forgot-password     | Create Auth Forgot Password     | PUBLIC        |
| <b>POST</b>   | /api/v1/auth/login               | Create Auth Login               | PUBLIC        |
| <b>POST</b>   | /api/v1/auth/logout              | Create Auth Logout              | Authenticated |
| <b>GET</b>    | /api/v1/auth/me                  | List Auth Me                    | Authenticated |
| <b>PATCH</b>  | /api/v1/auth/me                  | Update Auth Me                  | Authenticated |
| <b>POST</b>   | /api/v1/auth/refresh             | Create Auth Refresh             | PUBLIC        |
| <b>POST</b>   | /api/v1/auth/resend-otp          | Create Auth Resend Otp          | Authenticated |
| <b>POST</b>   | /api/v1/auth/reset-password      | Create Auth Reset Password      | PUBLIC        |
| <b>GET</b>    | /api/v1/auth/sessions            | List Auth Sessions              | Authenticated |
| <b>POST</b>   | /api/v1/auth/sessions/logout-all | Create Auth Sessions Logout All | Authenticated |
| <b>DELETE</b> | /api/v1/auth/sessions/{id}       | Delete Auth Sessions            | Authenticated |
| <b>POST</b>   | /api/v1/auth/verify-email        | Create Auth Verify Email        | Authenticated |
| <b>POST</b>   | /api/v1/auth/verify-reset-otp    | Create Auth Verify Reset Otp    | PUBLIC        |

## Auth - Login Attempts (3 APIs)

| Method | Endpoint                      | Purpose                    | Access                                         |
|--------|-------------------------------|----------------------------|------------------------------------------------|
| GET    | /api/v1/login-attempts        | List Login Attempts        | SUPER_ADMIN or ADMIN with loginAttempts.read   |
| GET    | /api/v1/login-attempts/export | List Login Attempts Export | SUPER_ADMIN or ADMIN with loginAttempts.export |
| GET    | /api/v1/login-attempts/stats  | List Login Attempts Stats  | SUPER_ADMIN or ADMIN with loginAttempts.read   |

## Broadcast Notifications (10 APIs)

| Method | Endpoint                           | Purpose                             | Access                                           |
|--------|------------------------------------|-------------------------------------|--------------------------------------------------|
| GET    | /api/v1/broadcasts                 | List Broadcasts                     | SUPER_ADMIN or ADMIN with broadcasts.read        |
| POST   | /api/v1/broadcasts                 | Create Broadcasts                   | SUPER_ADMIN or ADMIN with broadcasts.create      |
| POST   | /api/v1/broadcasts/estimate-reach  | Create Broadcasts Estimate Reach    | SUPER_ADMIN or ADMIN with broadcasts.read        |
| GET    | /api/v1/broadcasts/{id}            | Fetch Broadcasts details            | SUPER_ADMIN or ADMIN with broadcasts.read        |
| PATCH  | /api/v1/broadcasts/{id}            | Update Broadcasts                   | SUPER_ADMIN or ADMIN with broadcasts.update      |
| POST   | /api/v1/broadcasts/{id}/cancel     | Create Broadcasts Cancel            | SUPER_ADMIN or ADMIN with broadcasts.cancel      |
| GET    | /api/v1/broadcasts/{id}/recipients | Fetch Broadcasts Recipients details | SUPER_ADMIN or ADMIN with broadcasts.report.read |
| GET    | /api/v1/broadcasts/{id}/report     | Fetch Broadcasts Report details     | SUPER_ADMIN or ADMIN with broadcasts.report.read |
| PATCH  | /api/v1/broadcasts/{id}/schedule   | Update Broadcasts Schedule          | SUPER_ADMIN or ADMIN with broadcasts.schedule    |
| PATCH  | /api/v1/broadcasts/{id}/targeting  | Update Broadcasts Targeting         | SUPER_ADMIN or ADMIN with broadcasts.update      |

## Gifts - Categories (6 APIs)

| Method | Endpoint                      | Purpose                     | Access                                          |
|--------|-------------------------------|-----------------------------|-------------------------------------------------|
| GET    | /api/v1/gift-categories       | List gift categories        | SUPER_ADMIN or ADMIN with giftCategories.read   |
| POST   | /api/v1/gift-categories       | Create gift category        | SUPER_ADMIN or ADMIN with giftCategories.create |
| GET    | /api/v1/gift-categories/stats | Fetch gift category stats   | SUPER_ADMIN or ADMIN with giftCategories.read   |
| GET    | /api/v1/gift-categories/{id}  | Fetch gift category details | SUPER_ADMIN or ADMIN with giftCategories.read   |
| PATCH  | /api/v1/gift-categories/{id}  | Update gift category        | SUPER_ADMIN or ADMIN with giftCategories.update |
| DELETE | /api/v1/gift-categories/{id}  | Delete gift category        | SUPER_ADMIN or ADMIN with giftCategories.delete |

## Gifts - Management (8 APIs)

| Method | Endpoint                  | Purpose                                         | Access                                        |
|--------|---------------------------|-------------------------------------------------|-----------------------------------------------|
| GET    | /api/v1/gifts             | List admin gifts                                | SUPER_ADMIN or ADMIN with gifts.read          |
| POST   | /api/v1/gifts             | Create admin gift with optional nested variants | SUPER_ADMIN or ADMIN with gifts.create        |
| GET    | /api/v1/gifts/export      | Export gift inventory                           | SUPER_ADMIN or ADMIN with gifts.export        |
| GET    | /api/v1/gifts/stats       | Fetch gift inventory stats                      | SUPER_ADMIN or ADMIN with gifts.read          |
| GET    | /api/v1/gifts/{id}        | Fetch admin gift details with variants          | SUPER_ADMIN or ADMIN with gifts.read          |
| PATCH  | /api/v1/gifts/{id}        | Update admin gift and upsert nested variants    | SUPER_ADMIN or ADMIN with gifts.update        |
| DELETE | /api/v1/gifts/{id}        | Delete gift                                     | SUPER_ADMIN or ADMIN with gifts.delete        |
| PATCH  | /api/v1/gifts/{id}/status | Update gift status                              | SUPER_ADMIN or ADMIN with gifts.status.update |

## Gifts - Moderation (4 APIs)

| Method | Endpoint                             | Purpose                                      | Access                                           |
|--------|--------------------------------------|----------------------------------------------|--------------------------------------------------|
| GET    | /api/v1/gift-moderation              | List optional gift moderation queue          | SUPER_ADMIN or ADMIN with giftModeration.read    |
| PATCH  | /api/v1/gift-moderation/{id}/approve | Approve gift in optional moderation workflow | SUPER_ADMIN or ADMIN with giftModeration.approve |
| PATCH  | /api/v1/gift-moderation/{id}/flag    | Flag gift for manual review                  | SUPER_ADMIN or ADMIN with giftModeration.flag    |
| PATCH  | /api/v1/gift-moderation/{id}/reject  | Reject gift in optional moderation workflow  | SUPER_ADMIN or ADMIN with giftModeration.reject  |

## Notifications (9 APIs)

| Method | Endpoint                                 | Purpose                         | Access                                           |
|--------|------------------------------------------|---------------------------------|--------------------------------------------------|
| GET    | /api/v1/notifications                    | List notifications              | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| POST   | /api/v1/notifications/device-tokens      | Save device token               | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| DELETE | /api/v1/notifications/device-tokens/{id} | Disable device token            | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| GET    | /api/v1/notifications/preferences        | Fetch notification preferences  | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| PATCH  | /api/v1/notifications/preferences        | Update notification preferences | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |

| Method       | Endpoint                          | Purpose                            | Access                                                    |
|--------------|-----------------------------------|------------------------------------|-----------------------------------------------------------|
| <b>PATCH</b> | /api/v1/notifications/read-all    | Mark all own notifications as read | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| <b>GET</b>   | /api/v1/notifications/summary     | Fetch notification summary         | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| <b>POST</b>  | /api/v1/notifications/{id}/action | Process notification action        | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| <b>PATCH</b> | /api/v1/notifications/{id}/read   | Mark notification as read          | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |

## Plans & Coupons (21 APIs)

| Method        | Endpoint                                   | Purpose                                       | Access                                                           |
|---------------|--------------------------------------------|-----------------------------------------------|------------------------------------------------------------------|
| <b>GET</b>    | /api/v1/coupons                            | List Coupons                                  | SUPER_ADMIN or ADMIN with<br>coupons.read                        |
| <b>POST</b>   | /api/v1/coupons                            | Create Coupons                                | SUPER_ADMIN or ADMIN with<br>coupons.create                      |
| <b>GET</b>    | /api/v1/coupons/{id}                       | Fetch Coupons details                         | SUPER_ADMIN or ADMIN with<br>coupons.read                        |
| <b>PATCH</b>  | /api/v1/coupons/{id}                       | Update Coupons                                | SUPER_ADMIN or ADMIN with<br>coupons.update                      |
| <b>DELETE</b> | /api/v1/coupons/{id}                       | Delete Coupons                                | SUPER_ADMIN or ADMIN with<br>coupons.delete                      |
| <b>PATCH</b>  | /api/v1/coupons/{id}/status                | Update Coupons Status                         | SUPER_ADMIN or ADMIN with<br>coupons.status.update               |
| <b>GET</b>    | /api/v1/plan-features                      | List Plan Features                            | SUPER_ADMIN or ADMIN with<br>planFeatures.read                   |
| <b>POST</b>   | /api/v1/plan-features                      | Create Plan Features                          | SUPER_ADMIN or ADMIN with<br>planFeatures.create                 |
| <b>GET</b>    | /api/v1/plan-features/catalog              | List Plan Features Catalog                    | SUPER_ADMIN or ADMIN with<br>planFeatures.read                   |
| <b>GET</b>    | /api/v1/plan-features/{id}                 | Fetch Plan Features details                   | SUPER_ADMIN or ADMIN with<br>planFeatures.read                   |
| <b>PATCH</b>  | /api/v1/plan-features/{id}                 | Update Plan Features                          | SUPER_ADMIN or ADMIN with<br>planFeatures.update                 |
| <b>DELETE</b> | /api/v1/plan-features/{id}                 | Delete Plan Features                          | SUPER_ADMIN or ADMIN with<br>planFeatures.delete                 |
| <b>GET</b>    | /api/v1/subscription-plans                 | List Subscription Plans                       | SUPER_ADMIN or ADMIN with<br>subscriptionPlans.read              |
| <b>POST</b>   | /api/v1/subscription-plans                 | Create Subscription Plans                     | SUPER_ADMIN or ADMIN with<br>subscriptionPlans.create            |
| <b>GET</b>    | /api/v1/subscription-plans/stats           | List Subscription Plans Stats                 | SUPER_ADMIN or ADMIN with<br>subscriptionPlans.analytics.read    |
| <b>GET</b>    | /api/v1/subscription-plans/{id}            | Fetch Subscription Plans details              | SUPER_ADMIN or ADMIN with<br>subscriptionPlans.read              |
| <b>PATCH</b>  | /api/v1/subscription-plans/{id}            | Update Subscription Plans                     | SUPER_ADMIN or ADMIN with<br>subscriptionPlans.update            |
| <b>DELETE</b> | /api/v1/subscription-plans/{id}            | Delete Subscription Plans                     | SUPER_ADMIN or ADMIN with<br>subscriptionPlans.delete            |
| <b>GET</b>    | /api/v1/subscription-plans/{id}/analytics  | Fetch Subscription Plans Analytics<br>details | SUPER_ADMIN or ADMIN with<br>subscriptionPlans.analytics.read    |
| <b>PATCH</b>  | /api/v1/subscription-plans/{id}/status     | Update Subscription Plans Status              | SUPER_ADMIN or ADMIN with<br>subscriptionPlans.status.update     |
| <b>PATCH</b>  | /api/v1/subscription-plans/{id}/visibility | Update Subscription Plans Visibility          | SUPER_ADMIN or ADMIN with<br>subscriptionPlans.visibility.update |

## Storage (5 APIs)

| Method | Endpoint                      | Purpose                     | Access                                                    |
|--------|-------------------------------|-----------------------------|-----------------------------------------------------------|
| GET    | /api/v1/uploads               | List uploads                | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/uploads/complete      | Complete upload             | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/uploads/presigned-url | Create presigned upload URL | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| GET    | /api/v1/uploads/{id}          | Fetch upload details        | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| DELETE | /api/v1/uploads/{id}          | Delete upload               | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |

## Registered User APIs

Use REGISTERED\_USER token unless the endpoint is public (for example guest/session or category lookup).

## Auth (18 APIs)

| Method | Endpoint                         | Purpose                         | Access        |
|--------|----------------------------------|---------------------------------|---------------|
| DELETE | /api/v1/auth/account             | Delete Auth Account             | Authenticated |
| POST   | /api/v1/auth/cancel-deletion     | Create Auth Cancel Deletion     | Authenticated |
| PATCH  | /api/v1/auth/change-password     | Update Auth Change Password     | Authenticated |
| POST   | /api/v1/auth/forgot-password     | Create Auth Forgot Password     | PUBLIC        |
| POST   | /api/v1/auth/guest/session       | Create Auth Guest Session       | PUBLIC        |
| POST   | /api/v1/auth/login               | Create Auth Login               | PUBLIC        |
| POST   | /api/v1/auth/logout              | Create Auth Logout              | Authenticated |
| GET    | /api/v1/auth/me                  | List Auth Me                    | Authenticated |
| PATCH  | /api/v1/auth/me                  | Update Auth Me                  | Authenticated |
| POST   | /api/v1/auth/refresh             | Create Auth Refresh             | PUBLIC        |
| POST   | /api/v1/auth/resend-otp          | Create Auth Resend Otp          | Authenticated |
| POST   | /api/v1/auth/reset-password      | Create Auth Reset Password      | PUBLIC        |
| GET    | /api/v1/auth/sessions            | List Auth Sessions              | Authenticated |
| POST   | /api/v1/auth/sessions/logout-all | Create Auth Sessions Logout All | Authenticated |
| DELETE | /api/v1/auth/sessions/{id}       | Delete Auth Sessions            | Authenticated |
| POST   | /api/v1/auth/users/register      | Create Auth Users Register      | PUBLIC        |
| POST   | /api/v1/auth/verify-email        | Create Auth Verify Email        | Authenticated |
| POST   | /api/v1/auth/verify-reset-otp    | Create Auth Verify Reset Otp    | PUBLIC        |

## Customer - Addresses (6 APIs)

| Method | Endpoint                        | Purpose                 | Access          |
|--------|---------------------------------|-------------------------|-----------------|
| GET    | /api/v1/customer/addresses      | List customer addresses | REGISTERED_USER |
| POST   | /api/v1/customer/addresses      | Create customer address | REGISTERED_USER |
| GET    | /api/v1/customer/addresses/{id} | Fetch customer address  | REGISTERED_USER |

| Method | Endpoint                                | Purpose                      | Access          |
|--------|-----------------------------------------|------------------------------|-----------------|
| PATCH  | /api/v1/customer/addresses/{id}         | Update customer address      | REGISTERED_USER |
| DELETE | /api/v1/customer/addresses/{id}         | Delete customer address      | REGISTERED_USER |
| PATCH  | /api/v1/customer/addresses/{id}/default | Set default customer address | REGISTERED_USER |

## Customer - Cart (5 APIs)

| Method | Endpoint                         | Purpose           | Access          |
|--------|----------------------------------|-------------------|-----------------|
| GET    | /api/v1/customer/cart            | Fetch active cart | REGISTERED_USER |
| DELETE | /api/v1/customer/cart            | Clear active cart | REGISTERED_USER |
| POST   | /api/v1/customer/cart/items      | Add item to cart  | REGISTERED_USER |
| PATCH  | /api/v1/customer/cart/items/{id} | Update cart item  | REGISTERED_USER |
| DELETE | /api/v1/customer/cart/items/{id} | Delete cart item  | REGISTERED_USER |

## Customer - Contacts (5 APIs)

| Method | Endpoint                       | Purpose                 | Access          |
|--------|--------------------------------|-------------------------|-----------------|
| GET    | /api/v1/customer/contacts      | List customer contacts  | REGISTERED_USER |
| POST   | /api/v1/customer/contacts      | Create customer contact | REGISTERED_USER |
| GET    | /api/v1/customer/contacts/{id} | Fetch customer contact  | REGISTERED_USER |
| PATCH  | /api/v1/customer/contacts/{id} | Update customer contact | REGISTERED_USER |
| DELETE | /api/v1/customer/contacts/{id} | Delete customer contact | REGISTERED_USER |

## Customer - Events (9 APIs)

| Method | Endpoint                                       | Purpose                        | Access          |
|--------|------------------------------------------------|--------------------------------|-----------------|
| GET    | /api/v1/customer/events                        | List customer events           | REGISTERED_USER |
| POST   | /api/v1/customer/events                        | Create customer event          | REGISTERED_USER |
| GET    | /api/v1/customer/events/calendar               | Fetch monthly calendar events  | REGISTERED_USER |
| GET    | /api/v1/customer/events/upcoming               | Fetch upcoming customer events | REGISTERED_USER |
| GET    | /api/v1/customer/events/{id}                   | Fetch customer event details   | REGISTERED_USER |
| PATCH  | /api/v1/customer/events/{id}                   | Update customer event          | REGISTERED_USER |
| DELETE | /api/v1/customer/events/{id}                   | Delete customer event          | REGISTERED_USER |
| GET    | /api/v1/customer/events/{id}/reminder-settings | Fetch event reminder settings  | REGISTERED_USER |
| PATCH  | /api/v1/customer/events/{id}/reminder-settings | Update event reminder settings | REGISTERED_USER |

## Customer - Orders (3 APIs)

| Method | Endpoint                     | Purpose                       | Access          |
|--------|------------------------------|-------------------------------|-----------------|
| GET    | /api/v1/customer/orders      | List customer orders          | REGISTERED_USER |
| POST   | /api/v1/customer/orders      | Create order from active cart | REGISTERED_USER |
| GET    | /api/v1/customer/orders/{id} | Fetch customer order          | REGISTERED_USER |

## Customer - Payment Methods (9 APIs)

| Method | Endpoint                                    | Purpose                                 | Access          |
|--------|---------------------------------------------|-----------------------------------------|-----------------|
| GET    | /api/v1/customer/bank-accounts              | List own bank accounts                  | REGISTERED_USER |
| POST   | /api/v1/customer/bank-accounts              | Link placeholder bank account           | REGISTERED_USER |
| DELETE | /api/v1/customer/bank-accounts/{id}         | Delete own bank account                 | REGISTERED_USER |
| PATCH  | /api/v1/customer/bank-accounts/{id}/default | Set own default bank account            | REGISTERED_USER |
| GET    | /api/v1/customer/payment-methods            | List supported customer payment methods | REGISTERED_USER |



| Method | Endpoint                                      | Purpose                                   | Access          |
|--------|-----------------------------------------------|-------------------------------------------|-----------------|
| GET    | /api/v1/customer/payment-methods/saved        | List own saved payment methods            | REGISTERED_USER |
| POST   | /api/v1/customer/payment-methods/setup-intent | Create Stripe SetupIntent for saving card | REGISTERED_USER |
| DELETE | /api/v1/customer/payment-methods/{id}         | Delete own saved payment method           | REGISTERED_USER |
| PATCH  | /api/v1/customer/payment-methods/{id}/default | Set own default payment method            | REGISTERED_USER |

## Customer - Provider Chat (7 APIs)

| Method | Endpoint                                   | Purpose                             | Access          |
|--------|--------------------------------------------|-------------------------------------|-----------------|
| GET    | /api/v1/customer/chats                     | List customer provider chats        | REGISTERED_USER |
| GET    | /api/v1/customer/chats/quick-replies       | Fetch provider chat quick replies   | REGISTERED_USER |
| GET    | /api/v1/customer/chats/{threadId}          | Fetch customer chat messages        | REGISTERED_USER |
| POST   | /api/v1/customer/chats/{threadId}/messages | Send message to provider            | REGISTERED_USER |
| PATCH  | /api/v1/customer/chats/{threadId}/read     | Mark provider messages read         | REGISTERED_USER |
| GET    | /api/v1/customer/orders/{id}/chat          | Get or optionally create order chat | REGISTERED_USER |
| POST   | /api/v1/customer/orders/{id}/chat          | Create order chat                   | REGISTERED_USER |

## Customer - Recurring Payments (9 APIs)

| Method | Endpoint                                         | Purpose                                    | Access          |
|--------|--------------------------------------------------|--------------------------------------------|-----------------|
| GET    | /api/v1/customer/recurring-payments              | List own recurring payments                | REGISTERED_USER |
| POST   | /api/v1/customer/recurring-payments              | Create recurring payment                   | REGISTERED_USER |
| GET    | /api/v1/customer/recurring-payments/summary      | Fetch recurring payment summary counts     | REGISTERED_USER |
| GET    | /api/v1/customer/recurring-payments/{id}         | Fetch own recurring payment details        | REGISTERED_USER |
| PATCH  | /api/v1/customer/recurring-payments/{id}         | Update own recurring payment               | REGISTERED_USER |
| POST   | /api/v1/customer/recurring-payments/{id}/cancel  | Cancel own recurring payment               | REGISTERED_USER |
| GET    | /api/v1/customer/recurring-payments/{id}/history | List own recurring payment billing history | REGISTERED_USER |
| POST   | /api/v1/customer/recurring-payments/{id}/pause   | Pause own active recurring payment         | REGISTERED_USER |
| POST   | /api/v1/customer/recurring-payments/{id}/resume  | Resume own paused recurring payment        | REGISTERED_USER |

## Customer - Referrals & Rewards (7 APIs)

| Method | Endpoint                           | Purpose                            | Access          |
|--------|------------------------------------|------------------------------------|-----------------|
| GET    | /api/v1/customer/referrals/history | List own referral history          | REGISTERED_USER |
| GET    | /api/v1/customer/referrals/link    | Fetch own referral link            | REGISTERED_USER |
| POST   | /api/v1/customer/referrals/redeem  | Redeem own available reward credit | REGISTERED_USER |
| GET    | /api/v1/customer/referrals/summary | Fetch own referral reward summary  | REGISTERED_USER |
| GET    | /api/v1/customer/referrals/terms   | Fetch referral terms               | REGISTERED_USER |
| GET    | /api/v1/customer/rewards/balance   | Fetch own reward balance           | REGISTERED_USER |
| GET    | /api/v1/customer/rewards/ledger    | List own reward ledger             | REGISTERED_USER |

## Customer - Reviews (5 APIs)

| Method | Endpoint                             | Purpose                             | Access          |
|--------|--------------------------------------|-------------------------------------|-----------------|
| POST   | /api/v1/customer/orders/{id}/reviews | Submit provider review for an order | REGISTERED_USER |
| GET    | /api/v1/customer/reviews             | List own provider reviews           | REGISTERED_USER |
| GET    | /api/v1/customer/reviews/{id}        | Fetch Customer Reviews details      | REGISTERED_USER |
| PATCH  | /api/v1/customer/reviews/{id}        | Update own review                   | REGISTERED_USER |
| DELETE | /api/v1/customer/reviews/{id}        | Delete own review                   | REGISTERED_USER |

## Customer - Subscriptions (9 APIs)

| Method | Endpoint                                    | Purpose                                | Access          |
|--------|---------------------------------------------|----------------------------------------|-----------------|
| POST   | /api/v1/customer/subscription/apply-coupon  | Preview subscription coupon            | REGISTERED_USER |
| POST   | /api/v1/customer/subscription/cancel        | Cancel own subscription                | REGISTERED_USER |
| POST   | /api/v1/customer/subscription/checkout      | Create Stripe subscription checkout    | REGISTERED_USER |
| POST   | /api/v1/customer/subscription/confirm       | Confirm Stripe subscription activation | REGISTERED_USER |
| GET    | /api/v1/customer/subscription/current       | Fetch own current subscription         | REGISTERED_USER |
| GET    | /api/v1/customer/subscription/invoices      | List own subscription invoices         | REGISTERED_USER |
| GET    | /api/v1/customer/subscription/invoices/{id} | Fetch own subscription invoice details | REGISTERED_USER |
| GET    | /api/v1/customer/subscription/plans         | List public active subscription plans  | REGISTERED_USER |
| POST   | /api/v1/customer/subscription/reactivate    | Reactivate scheduled cancellation      | REGISTERED_USER |

## Customer - Transactions (5 APIs)

| Method | Endpoint                                   | Purpose                          | Access          |
|--------|--------------------------------------------|----------------------------------|-----------------|
| GET    | /api/v1/customer/transactions              | List own customer transactions   | REGISTERED_USER |
| GET    | /api/v1/customer/transactions/export       | Export own transactions          | REGISTERED_USER |
| GET    | /api/v1/customer/transactions/summary      | Fetch own transaction summary    | REGISTERED_USER |
| GET    | /api/v1/customer/transactions/{id}         | Fetch own transaction details    | REGISTERED_USER |
| GET    | /api/v1/customer/transactions/{id}/receipt | Download own transaction receipt | REGISTERED_USER |

## Customer - User Safety (7 APIs)

| Method | Endpoint                                | Purpose                             | Access          |
|--------|-----------------------------------------|-------------------------------------|-----------------|
| GET    | /api/v1/customer/blocked-users          | List blocked users                  | REGISTERED_USER |
| POST   | /api/v1/customer/blocked-users/{userId} | Block another user                  | REGISTERED_USER |
| DELETE | /api/v1/customer/blocked-users/{userId} | Unblock user                        | REGISTERED_USER |
| GET    | /api/v1/customer/user-report-reasons    | Fetch generic user report reasons   | REGISTERED_USER |
| GET    | /api/v1/customer/user-reports           | List own user safety reports        | REGISTERED_USER |
| GET    | /api/v1/customer/user-reports/{id}      | Fetch own user safety report detail | REGISTERED_USER |
| POST   | /api/v1/customer/users/{userId}/reports | Report another user                 | REGISTERED_USER |

## Customer - Wallet (3 APIs)

| Method | Endpoint                          | Purpose                      | Access          |
|--------|-----------------------------------|------------------------------|-----------------|
| GET    | /api/v1/customer/wallet           | Fetch own wallet             | REGISTERED_USER |
| POST   | /api/v1/customer/wallet/add-funds | Create wallet top-up payment | REGISTERED_USER |
| GET    | /api/v1/customer/wallet/history   | List own wallet history      | REGISTERED_USER |

## Customer - Wishlist (3 APIs)

| Method | Endpoint                           | Purpose                   | Access          |
|--------|------------------------------------|---------------------------|-----------------|
| GET    | /api/v1/customer/wishlist          | List wishlist gifts       | REGISTERED_USER |
| POST   | /api/v1/customer/wishlist/{giftId} | Add gift to wishlist      | REGISTERED_USER |
| DELETE | /api/v1/customer/wishlist/{giftId} | Remove gift from wishlist | REGISTERED_USER |

## Customer / Guest - Marketplace (6 APIs)

| Method | Endpoint                    | Purpose                              | Access                        |
|--------|-----------------------------|--------------------------------------|-------------------------------|
| GET    | /api/v1/customer/categories | List customer marketplace categories | REGISTERED_USER or GUEST_USER |

| Method | Endpoint                              | Purpose                               | Access                        |
|--------|---------------------------------------|---------------------------------------|-------------------------------|
| GET    | /api/v1/customer/gifts                | List customer marketplace gifts       | REGISTERED_USER or GUEST_USER |
| GET    | /api/v1/customer/gifts/discounted     | List discounted customer gifts        | REGISTERED_USER or GUEST_USER |
| GET    | /api/v1/customer/gifts/filter-options | Fetch marketplace gift filter options | REGISTERED_USER or GUEST_USER |
| GET    | /api/v1/customer/gifts/{id}           | Fetch customer-safe gift details      | REGISTERED_USER or GUEST_USER |
| GET    | /api/v1/customer/home                 | Fetch customer app home               | REGISTERED_USER or GUEST_USER |

## Gifts - Categories (1 APIs)

| Method | Endpoint                       | Purpose                       | Access |
|--------|--------------------------------|-------------------------------|--------|
| GET    | /api/v1/gift-categories/lookup | Lookup active gift categories | PUBLIC |

## Notifications (9 APIs)

| Method | Endpoint                                 | Purpose                            | Access                                           |
|--------|------------------------------------------|------------------------------------|--------------------------------------------------|
| GET    | /api/v1/notifications                    | List notifications                 | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| POST   | /api/v1/notifications/device-tokens      | Save device token                  | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| DELETE | /api/v1/notifications/device-tokens/{id} | Disable device token               | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| GET    | /api/v1/notifications/preferences        | Fetch notification preferences     | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| PATCH  | /api/v1/notifications/preferences        | Update notification preferences    | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| PATCH  | /api/v1/notifications/read-all           | Mark all own notifications as read | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| GET    | /api/v1/notifications/summary            | Fetch notification summary         | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| POST   | /api/v1/notifications/{id}/action        | Process notification action        | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| PATCH  | /api/v1/notifications/{id}/read          | Mark notification as read          | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |

## Payments (7 APIs)

| Method | Endpoint                                | Purpose                                | Access          |
|--------|-----------------------------------------|----------------------------------------|-----------------|
| GET    | /api/v1/customer/money-gifts            | List own money gifts                   | REGISTERED_USER |
| POST   | /api/v1/customer/money-gifts            | Send payment as gift                   | REGISTERED_USER |
| GET    | /api/v1/customer/money-gifts/{id}       | Fetch own money gift details           | REGISTERED_USER |
| POST   | /api/v1/customer/payments/confirm       | Confirm Stripe payment                 | REGISTERED_USER |
| POST   | /api/v1/customer/payments/create-intent | Create payment intent from active cart | REGISTERED_USER |

| Method | Endpoint                        | Purpose                   | Access          |
|--------|---------------------------------|---------------------------|-----------------|
| GET    | /api/v1/customer/payments/{id}  | Fetch own payment details | REGISTERED_USER |
| POST   | /api/v1/payments/stripe/webhook | Stripe webhook endpoint   | PUBLIC          |

## Storage (5 APIs)

| Method | Endpoint                      | Purpose                     | Access                                                    |
|--------|-------------------------------|-----------------------------|-----------------------------------------------------------|
| GET    | /api/v1/uploads               | List uploads                | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/uploads/complete      | Complete upload             | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/uploads/presigned-url | Create presigned upload URL | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| GET    | /api/v1/uploads/{id}          | Fetch upload details        | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| DELETE | /api/v1/uploads/{id}          | Delete upload               | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |

## Provider APIs

Use PROVIDER token. Provider-facing data is scoped to the authenticated provider account/business.

## Auth (17 APIs)

| Method | Endpoint                         | Purpose                         | Access        |
|--------|----------------------------------|---------------------------------|---------------|
| DELETE | /api/v1/auth/account             | Delete Auth Account             | Authenticated |
| POST   | /api/v1/auth/cancel-deletion     | Create Auth Cancel Deletion     | Authenticated |
| PATCH  | /api/v1/auth/change-password     | Update Auth Change Password     | Authenticated |
| POST   | /api/v1/auth/forgot-password     | Create Auth Forgot Password     | PUBLIC        |
| POST   | /api/v1/auth/login               | Create Auth Login               | PUBLIC        |
| POST   | /api/v1/auth/logout              | Create Auth Logout              | Authenticated |
| GET    | /api/v1/auth/me                  | List Auth Me                    | Authenticated |
| PATCH  | /api/v1/auth/me                  | Update Auth Me                  | Authenticated |
| POST   | /api/v1/auth/providers/register  | Create Auth Providers Register  | PUBLIC        |
| POST   | /api/v1/auth/refresh             | Create Auth Refresh             | PUBLIC        |
| POST   | /api/v1/auth/resend-otp          | Create Auth Resend Otp          | Authenticated |
| POST   | /api/v1/auth/reset-password      | Create Auth Reset Password      | PUBLIC        |
| GET    | /api/v1/auth/sessions            | List Auth Sessions              | Authenticated |
| POST   | /api/v1/auth/sessions/logout-all | Create Auth Sessions Logout All | Authenticated |
| DELETE | /api/v1/auth/sessions/{id}       | Delete Auth Sessions            | Authenticated |
| POST   | /api/v1/auth/verify-email        | Create Auth Verify Email        | Authenticated |
| POST   | /api/v1/auth/verify-reset-otp    | Create Auth Verify Reset Otp    | PUBLIC        |

## Customer - Provider Reports (4 APIs)

| Method | Endpoint                                 | Purpose                       | Access          |
|--------|------------------------------------------|-------------------------------|-----------------|
| GET    | /api/v1/customer/provider-report-reasons | Fetch provider report reasons | REGISTERED_USER |

| Method | Endpoint                                        | Purpose                                 | Access          |
|--------|-------------------------------------------------|-----------------------------------------|-----------------|
| GET    | /api/v1/customer/provider-reports               | List Customer Provider Reports          | REGISTERED_USER |
| GET    | /api/v1/customer/provider-reports/{id}          | Fetch Customer Provider Reports details | REGISTERED_USER |
| POST   | /api/v1/customer/providers/{providerId}/reports | Report provider                         | REGISTERED_USER |

## Notifications (9 APIs)

| Method | Endpoint                                 | Purpose                            | Access                                                    |
|--------|------------------------------------------|------------------------------------|-----------------------------------------------------------|
| GET    | /api/v1/notifications                    | List notifications                 | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/notifications/device-tokens      | Save device token                  | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| DELETE | /api/v1/notifications/device-tokens/{id} | Disable device token               | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| GET    | /api/v1/notifications/preferences        | Fetch notification preferences     | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| PATCH  | /api/v1/notifications/preferences        | Update notification preferences    | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| PATCH  | /api/v1/notifications/read-all           | Mark all own notifications as read | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| GET    | /api/v1/notifications/summary            | Fetch notification summary         | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/notifications/{id}/action        | Process notification action        | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| PATCH  | /api/v1/notifications/{id}/read          | Mark notification as read          | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |

## Provider - Business Info (2 APIs)

| Method | Endpoint                       | Purpose                                  | Access   |
|--------|--------------------------------|------------------------------------------|----------|
| GET    | /api/v1/provider/business-info | Fetch own provider business information  | PROVIDER |
| PATCH  | /api/v1/provider/business-info | Update own provider business information | PROVIDER |

## Provider - Buyer Chat (7 APIs)

| Method | Endpoint                                   | Purpose                                      | Access   |
|--------|--------------------------------------------|----------------------------------------------|----------|
| GET    | /api/v1/provider/chats                     | List provider buyer chats                    | PROVIDER |
| GET    | /api/v1/provider/chats/quick-replies       | Fetch provider buyer chat quick replies      | PROVIDER |
| GET    | /api/v1/provider/chats/{threadId}          | Fetch provider buyer chat messages           | PROVIDER |
| POST   | /api/v1/provider/chats/{threadId}/messages | Send chat message to buyer                   | PROVIDER |
| PATCH  | /api/v1/provider/chats/{threadId}/read     | Mark buyer messages read                     | PROVIDER |
| GET    | /api/v1/provider/orders/{id}/chat          | Get or optionally create provider order chat | PROVIDER |
| POST   | /api/v1/provider/orders/{id}/chat          | Create provider order chat                   | PROVIDER |

## Provider - Dashboard (1 APIs)

| Method | Endpoint                   | Purpose                         | Access        |
|--------|----------------------------|---------------------------------|---------------|
| GET    | /api/v1/provider/dashboard | Fetch mobile provider dashboard | Authenticated |

## Provider - Earnings (3 APIs)

| Method | Endpoint                          | Purpose                             | Access   |
|--------|-----------------------------------|-------------------------------------|----------|
| GET    | /api/v1/provider/earnings/chart   | Fetch own provider earnings chart   | PROVIDER |
| GET    | /api/v1/provider/earnings/ledger  | List own provider earnings ledger   | PROVIDER |
| GET    | /api/v1/provider/earnings/summary | Fetch own provider earnings summary | PROVIDER |

## Provider - Inventory (8 APIs)

| Method | Endpoint                                     | Purpose                                                      | Access   |
|--------|----------------------------------------------|--------------------------------------------------------------|----------|
| GET    | /api/v1/provider/inventory                   | List provider inventory items                                | PROVIDER |
| POST   | /api/v1/provider/inventory                   | Create provider inventory item with optional nested variants | PROVIDER |
| GET    | /api/v1/provider/inventory/lookup            | Lookup active provider inventory items                       | PROVIDER |
| GET    | /api/v1/provider/inventory/stats             | Fetch provider inventory stats                               | PROVIDER |
| GET    | /api/v1/provider/inventory/{id}              | Fetch own provider inventory item details                    | PROVIDER |
| PATCH  | /api/v1/provider/inventory/{id}              | Update own provider inventory item and upsert variants       | PROVIDER |
| DELETE | /api/v1/provider/inventory/{id}              | Delete own inventory item                                    | PROVIDER |
| PATCH  | /api/v1/provider/inventory/{id}/availability | Update own inventory availability                            | PROVIDER |

## Provider - Order Analytics (5 APIs)

| Method | Endpoint                                  | Purpose                              | Access   |
|--------|-------------------------------------------|--------------------------------------|----------|
| GET    | /api/v1/provider/orders/analytics/ratings | Fetch own provider ratings analytics | PROVIDER |
| GET    | /api/v1/provider/orders/analytics/revenue | Fetch own provider revenue analytics | PROVIDER |
| GET    | /api/v1/provider/orders/export            | Export own provider orders as CSV    | PROVIDER |
| GET    | /api/v1/provider/orders/performance       | Fetch own provider order performance | PROVIDER |
| GET    | /api/v1/provider/orders/recent            | List recent own provider orders      | PROVIDER |

## Provider - Orders (13 APIs)

| Method | Endpoint                                   | Purpose                                          | Access   |
|--------|--------------------------------------------|--------------------------------------------------|----------|
| GET    | /api/v1/provider/orders                    | List own assigned provider orders                | PROVIDER |
| GET    | /api/v1/provider/orders/history            | List own provider order history                  | PROVIDER |
| GET    | /api/v1/provider/orders/reject-reasons     | List provider order reject reasons               | PROVIDER |
| GET    | /api/v1/provider/orders/summary            | Fetch own provider order summary                 | PROVIDER |
| GET    | /api/v1/provider/orders/{id}               | Fetch own provider order details                 | PROVIDER |
| POST   | /api/v1/provider/orders/{id}/accept        | Accept own pending provider order                | PROVIDER |
| GET    | /api/v1/provider/orders/{id}/checklist     | Fetch own provider order checklist               | PROVIDER |
| PATCH  | /api/v1/provider/orders/{id}/checklist     | Update own provider order checklist              | PROVIDER |
| POST   | /api/v1/provider/orders/{id}/fulfill       | Fulfill own provider order with dispatch details | PROVIDER |
| POST   | /api/v1/provider/orders/{id}/message-buyer | Message buyer for own provider order             | PROVIDER |
| POST   | /api/v1/provider/orders/{id}/reject        | Reject own pending provider order                | PROVIDER |
| PATCH  | /api/v1/provider/orders/{id}/status        | Update own provider order fulfillment status     | PROVIDER |
| GET    | /api/v1/provider/orders/{id}/timeline      | Fetch own provider order timeline                | PROVIDER |

## Provider - Payout Methods (7 APIs)

| Method | Endpoint                                      | Purpose                                        | Access   |
|--------|-----------------------------------------------|------------------------------------------------|----------|
| GET    | /api/v1/provider/payout-methods               | List own provider payout methods               | PROVIDER |
| POST   | /api/v1/provider/payout-methods/bank-accounts | Add provider bank payout method                | PROVIDER |
| GET    | /api/v1/provider/payout-methods/{id}          | Fetch own provider payout method details       | PROVIDER |
| PATCH  | /api/v1/provider/payout-methods/{id}          | Update provider payout method display metadata | PROVIDER |
| DELETE | /api/v1/provider/payout-methods/{id}          | Delete own provider payout method              | PROVIDER |
| PATCH  | /api/v1/provider/payout-methods/{id}/default  | Set default provider payout method             | PROVIDER |
| POST   | /api/v1/provider/payout-methods/{id}/verify   | Start provider payout method verification      | PROVIDER |

## Provider - Payouts (6 APIs)

| Method | Endpoint                             | Purpose                            | Access   |
|--------|--------------------------------------|------------------------------------|----------|
| GET    | /api/v1/provider/payouts             | List own provider payout history   | PROVIDER |
| GET    | /api/v1/provider/payouts/preview     | Preview provider payout request    | PROVIDER |
| POST   | /api/v1/provider/payouts/request     | Request provider payout            | PROVIDER |
| GET    | /api/v1/provider/payouts/summary     | Fetch own provider payout summary  | PROVIDER |
| GET    | /api/v1/provider/payouts/{id}        | Fetch own provider payout details  | PROVIDER |
| POST   | /api/v1/provider/payouts/{id}/cancel | Cancel own pending provider payout | PROVIDER |

## Provider - Promotional Offers (6 APIs)

| Method | Endpoint                            | Purpose                       | Access   |
|--------|-------------------------------------|-------------------------------|----------|
| GET    | /api/v1/provider/offers             | List Provider Offers          | PROVIDER |
| POST   | /api/v1/provider/offers             | Create Provider Offers        | PROVIDER |
| GET    | /api/v1/provider/offers/{id}        | Fetch Provider Offers details | PROVIDER |
| PATCH  | /api/v1/provider/offers/{id}        | Update Provider Offers        | PROVIDER |
| DELETE | /api/v1/provider/offers/{id}        | Delete Provider Offers        | PROVIDER |
| PATCH  | /api/v1/provider/offers/{id}/status | Update Provider Offers Status | PROVIDER |

## Provider - Refund Requests (6 APIs)

| Method | Endpoint                                        | Purpose                           | Access   |
|--------|-------------------------------------------------|-----------------------------------|----------|
| GET    | /api/v1/provider/refund-requests                | List own provider refund requests | PROVIDER |
| GET    | /api/v1/provider/refund-requests/reject-reasons | List refund rejection reasons     | PROVIDER |
| GET    | /api/v1/provider/refund-requests/summary        | Fetch own refund request summary  | PROVIDER |
| GET    | /api/v1/provider/refund-requests/{id}           | Fetch own refund request details  | PROVIDER |
| POST   | /api/v1/provider/refund-requests/{id}/approve   | Approve own requested refund      | PROVIDER |
| POST   | /api/v1/provider/refund-requests/{id}/reject    | Reject own requested refund       | PROVIDER |

## Provider - Reviews (7 APIs)

| Method | Endpoint                                | Purpose                              | Access   |
|--------|-----------------------------------------|--------------------------------------|----------|
| GET    | /api/v1/provider/reviews                | List provider reviews                | PROVIDER |
| GET    | /api/v1/provider/reviews/filter-options | Fetch provider review filter options | PROVIDER |
| GET    | /api/v1/provider/reviews/summary        | Fetch provider rating summary        | PROVIDER |
| GET    | /api/v1/provider/reviews/{id}           | Fetch Provider Reviews details       | PROVIDER |
| POST   | /api/v1/provider/reviews/{id}/response  | Post public review response          | PROVIDER |
| PATCH  | /api/v1/provider/reviews/{id}/response  | Update public review response        | PROVIDER |

| Method | Endpoint                               | Purpose                       | Access   |
|--------|----------------------------------------|-------------------------------|----------|
| DELETE | /api/v1/provider/reviews/{id}/response | Delete public review response | PROVIDER |

## Storage (5 APIs)

| Method | Endpoint                      | Purpose                     | Access                                                    |
|--------|-------------------------------|-----------------------------|-----------------------------------------------------------|
| GET    | /api/v1/uploads               | List uploads                | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/uploads/complete      | Complete upload             | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/uploads/presigned-url | Create presigned upload URL | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| GET    | /api/v1/uploads/{id}          | Fetch upload details        | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| DELETE | /api/v1/uploads/{id}          | Delete upload               | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |

# WebSocket / Real-Time Guide

## Notifications namespace

- **Socket URL:** {API\_BASE\_URL}/notifications using Socket.IO client.
- **Auth:** pass access token as auth: { token: 'Bearer <accessToken>' } or Authorization: Bearer <accessToken> header.
- **Server rooms:** backend joins the socket to user:<userId> and role:<role> after JWT verification; frontend does not manually join rooms.
- **Listen:** notification.received, notification.read, and admin broadcast events: broadcast.created, broadcast.updated, broadcast.scheduled, broadcast.cancelled, broadcast.processing, broadcast.delivery.progress, broadcast.delivery.completed, broadcast.delivery.failed.
- **notification.received payload:** { id, title, message, type, isRead, metadata, createdAt }. Metadata is sanitized before emission; do not expect Stripe secrets, raw bank data, card numbers, or auth tokens.
- **Emit:** notification.read with { notificationId: string } after marking a notification as read, or receive { all: true } when all notifications are marked read.
- **Frontend handling:** append/upsert the notification into local notification state, increment unread count when isRead=false, and refresh REST list on reconnect to backfill missed messages.
- **Reconnect:** on token refresh, disconnect and reconnect with the new access token; after reconnect call REST GET /api/v1/notifications for sync.

## Dedicated chat namespace

- **Socket URL:** {API\_BASE\_URL}/chat using the Socket.IO client.
- **Auth:** JWT is required. Pass auth: { token: 'Bearer <accessToken>' } or an Authorization: Bearer <accessToken> header. Reconnect with a fresh token after access-token refresh.
- **Connection rooms:** after JWT verification, the backend automatically joins user:<userId> and role:<role>.
- **Thread rooms:** frontend must not join rooms directly. Emit join events; backend validates ownership/permission before joining chat:<threadId>, order:<orderId>, provider-order:<providerOrderId>, or support-chat:<supportChatId>.

## Customer-provider / provider buyer chat events

- **Emit:** chat.join, chat.leave, chat.typing.start, chat.typing.stop, chat.message.send, chat.message.read.
- **Listen:** chat.joined, chat.message.created, chat.message.read, chat.thread.updated, chat.typing.started, chat.typing.stopped, chat.error.
- **Join/read payload:** { threadId: 'thread\_id' }.



- **Send payload:** { threadId: 'thread\_id', messageType: 'TEXT', body: 'Can you confirm delivery time?', attachmentUrls: [] }.
- **Ownership:** REGISTERED\_USER can join/send/read only their own customer-provider chat thread. PROVIDER can join/send/read only their own provider buyer thread.

### Admin support chat events

- **Emit:** support.join, support.leave, support.typing.start, support.typing.stop, support.message.send, support.message.read, support.resolved, support.reopened.
- **Listen:** support.message.created, support.message.read, support.thread.updated, support.typing.started, support.typing.stopped, support.resolved, support.reopened, support.error.
- **Join/read payload:** { supportChatId: 'support\_chat\_id' }.
- **Reply payload:** { supportChatId: 'support\_chat\_id', messageType: 'TEXT', body: 'I am checking this issue now.', attachmentUrls: [] }.
- **Permissions:** SUPER\_ADMIN can join/reply. ADMIN needs supportChats.read to join/read and supportChats.reply to send replies. Assigned-chat scoping remains enforced.

### Reconnect and REST fallback

- On reconnect, re-emit chat.join or support.join for each visible thread after the socket connects.
- Use REST list/detail endpoints to hydrate initial state and backfill missed messages after reconnect.
- Fallback REST endpoints: customer chat GET/POST /api/v1/customer/chats..., provider chat GET/POST /api/v1/provider/chats..., support chat GET/POST/PATCH /api/v1/admin/support-chats....