

Generated from docs/generated/openapi.json
Generated at: 2026-06-07 09:00 UTC
Do not edit manually.
Run: npm run docs:generate

Gift App Backend — Frontend Developer API Guide

Generated from docs/generated/openapi.json (346 paths / 432 operations) on 2026-06-07 09:00 UTC.

How to use this guide: Each section is grouped module-by-module. Purposes are intentionally one line for fast frontend planning. Use Swagger/OpenAPI for request/response schemas and examples.

Frontend Integration Flows

Required app flows covered by this guide:

- **Auth flows:** login/register, token refresh, sessions, profile, password reset, and guest session creation.
- **Guest flows:** use guest session + guest marketplace APIs under 05 Customer / Guest - Marketplace; guest users can browse configured marketplace surfaces only.
- **Registered customer flows:** marketplace, wishlist, addresses, contacts, events, cart, orders, provider chat, reviews, reports, recurring payments, transactions, referrals, subscriptions, wallet, and payment methods.
- **Provider flows:** dashboard, business info, buyer chat, reviews, inventory, promotional offers, orders, payouts, payout methods, refunds, and analytics. Provider inventory visibility does not require gift moderation approval; approved active non-suspended providers remain the visibility gate.
- **Super Admin/Admin flows:** staff, roles, users, providers, moderation, support chat, payments/payouts, disputes/refunds, settings, audit logs, notifications, and storage policy.
- **Storage upload flow:** create/complete uploads using the storage endpoints before attaching media URLs to profile, chat, support, gift, review, or dispute payloads.
- **Payment/order flow:** cart/order checkout, payment methods, payment records, transactions, recurring payments/subscriptions, and order history.
- **Payout flow:** provider payout methods, earnings, payout requests, and admin payout approvals/settings.
- **Dispute/refund flow:** customer disputes, provider disputes, evidence, decisions, financial adjustments, tracking logs, provider refund requests, and refund policy settings.

Superadmin / Admin APIs

Use SUPER_ADMIN token, or ADMIN token with the RBAC permission shown in Swagger access notes.

Admin - Commission & Payout Settings (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/payout-settings	Fetch commission and payout settings	SUPER_ADMIN or ADMIN with payoutSettings.read
PATCH	/api/v1/admin/payout-settings	Update commission and payout settings	SUPER_ADMIN or ADMIN with payoutSettings.update
GET	/api/v1/admin/payout-settings/audit-logs	List payout settings audit logs	SUPER_ADMIN or ADMIN with payoutSettings.read
GET	/api/v1/admin/payout-settings/commission-tiers	List commission tiers	SUPER_ADMIN or ADMIN with payoutSettings.read
POST	/api/v1/admin/payout-settings/commission-tiers	Create commission tier	SUPER_ADMIN or ADMIN with payoutSettings.update
PATCH	/api/v1/admin/payout-settings/commission-tiers/{id}	Update commission tier	SUPER_ADMIN or ADMIN with payoutSettings.update

Method	Endpoint	Purpose	Access
DELETE	/api/v1/admin/payout-settings/commission-tiers/{id}	Delete commission tier	SUPER_ADMIN or ADMIN with payoutSettings.update

Admin - Dashboard Overview (1 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/dashboard	Fetch Super Admin dashboard data	SUPER_ADMIN or ADMIN with dashboard.read

Admin - Dispute Decisions (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/disputes/{id}/confirmation	Fetch decision confirmation	SUPER_ADMIN or ADMIN with disputes.decide
POST	/api/v1/admin/disputes/{id}/decision	Submit final dispute decision	SUPER_ADMIN or ADMIN with disputes.decide plus action-specific permission (approve/reject/escalate)
GET	/api/v1/admin/disputes/{id}/decision-summary	Fetch dispute decision summary	SUPER_ADMIN or ADMIN with disputes.decide

Admin - Dispute Evidence (1 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/disputes/{id}/evidence	Fetch dispute evidence	SUPER_ADMIN or ADMIN with disputes.read

Admin - Dispute Linkage (4 APIs)

Method	Endpoint	Purpose	Access
POST	/api/v1/admin/disputes/{id}/link-transaction	Confirm dispute transaction linkage	SUPER_ADMIN or ADMIN with disputes.linkTransaction
GET	/api/v1/admin/disputes/{id}/linkage	Fetch current dispute transaction linkage state	SUPER_ADMIN or ADMIN with disputes.read
POST	/api/v1/admin/disputes/{id}/refund-preview	Preview dispute refund selection	SUPER_ADMIN or ADMIN with disputes.refund.evaluate
GET	/api/v1/admin/disputes/{id}/transaction-search	Search original transaction for a dispute	SUPER_ADMIN or ADMIN with disputes.read

Admin - Dispute Manager (8 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/disputes	List dispute queue	SUPER_ADMIN or ADMIN with disputes.read
GET	/api/v1/admin/disputes/export	Export dispute cases	SUPER_ADMIN or ADMIN with disputes.export
GET	/api/v1/admin/disputes/stats	Fetch dispute dashboard stats	SUPER_ADMIN or ADMIN with disputes.read
GET	/api/v1/admin/disputes/{id}	Fetch dispute details and evidence review summary	SUPER_ADMIN or ADMIN with disputes.read
GET	/api/v1/admin/disputes/{id}/internal-data	Fetch internal transaction data	SUPER_ADMIN or ADMIN with disputes.read

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/disputes/{id}/notes	Fetch internal dispute notes	SUPER_ADMIN or ADMIN with disputes.read
POST	/api/v1/admin/disputes/{id}/notes	Add internal dispute note	SUPER_ADMIN or ADMIN with disputes.notes.create
GET	/api/v1/admin/disputes/{id}/timeline	Fetch dispute timeline	SUPER_ADMIN or ADMIN with disputes.read

Admin - Dispute Tracking (3 APIs)

Method	Endpoint	Purpose	Access
POST	/api/v1/admin/disputes/{id}/follow-up-notes	Add dispute follow-up note	SUPER_ADMIN or ADMIN with disputes.notes.create
GET	/api/v1/admin/disputes/{id}/tracking-log	Fetch full dispute tracking log	SUPER_ADMIN or ADMIN with disputes.tracking.read
GET	/api/v1/admin/disputes/{id}/tracking-log/export	Export full dispute tracking log	SUPER_ADMIN or ADMIN with disputes.tracking.export

Admin - Guest Access Settings (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/guest-access-settings	Fetch guest access settings	SUPER_ADMIN or ADMIN with guestAccessSettings.read
PATCH	/api/v1/admin/guest-access-settings	Update guest access settings	SUPER_ADMIN or ADMIN with guestAccessSettings.update
GET	/api/v1/admin/guest-access-settings/audit-logs	List guest access settings audit logs	SUPER_ADMIN or ADMIN with guestAccessSettings.read

Admin - In-App Messaging Settings (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/messaging-settings	Fetch in-app messaging settings	SUPER_ADMIN or ADMIN with messagingSettings.read
PATCH	/api/v1/admin/messaging-settings	Update in-app messaging settings	SUPER_ADMIN or ADMIN with messagingSettings.update
GET	/api/v1/admin/messaging-settings/audit-logs	List in-app messaging settings audit logs	SUPER_ADMIN or ADMIN with messagingSettings.read

Admin - Media Upload Policy (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/media-upload-policy	Fetch global media upload policy	SUPER_ADMIN or ADMIN with mediaPolicy.read
PATCH	/api/v1/media-upload-policy	Update global media upload policy	SUPER_ADMIN
GET	/api/v1/media-upload-policy/audit-logs	List media upload policy audit logs	SUPER_ADMIN

Admin - Message Moderation (8 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/message-moderation/audit-logs	Fetch message moderation audit logs	SUPER_ADMIN or ADMIN with messageModeration.auditLogs.read
GET	/api/v1/admin/message-moderation/conversations	List flagged message moderation conversations	SUPER_ADMIN or ADMIN with messageModeration.read

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/message-moderation/conversations/{id}	Fetch message moderation conversation detail	SUPER_ADMIN or ADMIN with messageModeration.read
GET	/api/v1/admin/message-moderation/conversations/{id}/history	Fetch paginated message moderation conversation history	SUPER_ADMIN or ADMIN with messageModeration.read
GET	/api/v1/admin/message-moderation/export	Export message moderation rows	SUPER_ADMIN or ADMIN with messageModeration.export
GET	/api/v1/admin/message-moderation/filter-options	Fetch message moderation filter options	SUPER_ADMIN or ADMIN with messageModeration.read
POST	/api/v1/admin/message-moderation/messages/{messageId}/action	Run message moderation action	SUPER_ADMIN or ADMIN with message moderation action permission (HIDE_MESSAGE/RESTORE_MESSAGE/DISMISS_FLAG=>messageModeration.moderate, WARN_SENDER=>messageModeration.warn, SUSPEND_SENDER=>messageModeration.suspend, ADD_NOTE=>messageModeration.notes.create, REPROCESS=>messageModeration.reprocess, ESCALATE=>messageModeration.escalate)
GET	/api/v1/admin/message-moderation/stats	Fetch message moderation stats	SUPER_ADMIN or ADMIN with messageModeration.read

Message moderation frontend notes:

- Use the conversation list for the moderation queue and conversation detail for the flagged message preview / AI moderation alert.
- Actions: block message, warn user, suspend account, dismiss flag, add internal private note, and reprocess. Use the next list item as the “Next Incident” source after an action.
- Permissions: SUPER_ADMIN can perform all actions. ADMIN needs messageModeration.read for queue/detail, export for export, block/warn/suspend/dismiss for those actions, notes.create for private notes, and moderate for reprocess.
- Redaction: flagged harmful content returns body: `null` by default and always includes `redactedBody`. Do not render raw harmful content unless a future explicit unmask permission is implemented.
- Internal notes are admin-only and must never be rendered in customer/provider chat screens.

Admin - Notification Delivery Monitoring (4 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/notification-delivery/logs	List notification delivery logs	Authenticated
GET	/api/v1/admin/notification-delivery/logs/{id}	Fetch notification delivery log detail	Authenticated
POST	/api/v1/admin/notification-delivery/logs/{id}/retry	Retry notification delivery	Authenticated
GET	/api/v1/admin/notification-delivery/stats	Fetch notification delivery stats	Authenticated

Admin - Platform Analytics (4 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/platform-analytics/filter-options	Fetch platform analytics filter options	SUPER_ADMIN or ADMIN with analytics.read
GET	/api/v1/admin/platform-analytics/report	Generate platform analytics report	SUPER_ADMIN or ADMIN with analytics.export
GET	/api/v1/admin/platform-analytics/revenue-transactions	List recent revenue transactions	SUPER_ADMIN or ADMIN with analytics.read
GET	/api/v1/admin/platform-analytics/summary	Fetch platform analytics summary	SUPER_ADMIN or ADMIN with analytics.read

Admin - Promotional Offers Management (8 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/promotional-offers	List Promotional Offers	SUPER_ADMIN or ADMIN with promotionalOffers.read
POST	/api/v1/promotional-offers	Create Promotional Offers	SUPER_ADMIN or ADMIN with promotionalOffers.create

Method	Endpoint	Purpose	Access
GET	/api/v1/promotional-offers/export	List Promotional Offers Export	SUPER_ADMIN or ADMIN with promotionalOffers.export
GET	/api/v1/promotional-offers/stats	List Promotional Offers Stats	SUPER_ADMIN or ADMIN with promotionalOffers.read
GET	/api/v1/promotional-offers/{id}	Fetch Promotional Offers details	SUPER_ADMIN or ADMIN with promotionalOffers.read
PATCH	/api/v1/promotional-offers/{id}	Update Promotional Offers	SUPER_ADMIN or ADMIN with promotionalOffers.update
DELETE	/api/v1/promotional-offers/{id}	Delete Promotional Offers	SUPER_ADMIN or ADMIN with promotionalOffers.delete
POST	/api/v1/promotional-offers/{id}/action	Run promotional offer admin action	SUPER_ADMIN or ADMIN with promotional offer action permission (APPROVE=>promotionalOffers.approve, REJECT=>promotionalOffers.reject, ACTIVATE/DEACTIVATE=>promotionalOffers.status.update)

Admin - Provider Business Categories (6 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider-business-categories	List provider business categories	PUBLIC
POST	/api/v1/provider-business-categories	Create provider business category	SUPER_ADMIN or ADMIN with providerBusinessCategories.create
GET	/api/v1/provider-business-categories/lookup	Lookup active provider business categories	PUBLIC
GET	/api/v1/provider-business-categories/{id}	Fetch provider business category details	SUPER_ADMIN or ADMIN with providerBusinessCategories.read
PATCH	/api/v1/provider-business-categories/{id}	Update provider business category	SUPER_ADMIN or ADMIN with providerBusinessCategories.update
DELETE	/api/v1/provider-business-categories/{id}	Delete provider business category	SUPER_ADMIN or ADMIN with providerBusinessCategories.delete

Admin - Provider Dispute Evidence (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/provider-disputes/{id}/evidence	Fetch provider dispute evidence exchange	SUPER_ADMIN or ADMIN with providerDisputes.read
POST	/api/v1/admin/provider-disputes/{id}/evidence/mark-reviewed	Mark provider dispute evidence review complete	SUPER_ADMIN or ADMIN with providerDisputes.update
POST	/api/v1/admin/provider-disputes/{id}/evidence/request	Request additional provider dispute evidence	SUPER_ADMIN or ADMIN with providerDisputes.evidence.request

Admin - Provider Dispute Logs (2 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/provider-disputes/{id}/resolution-log	Fetch provider dispute resolution log	SUPER_ADMIN or ADMIN with providerDisputes.logs.read
GET	/api/v1/admin/provider-disputes/{id}/resolution-log/export	Export provider dispute resolution log	SUPER_ADMIN or ADMIN with providerDisputes.logs.export

Admin - Provider Dispute Manager (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/provider-disputes	List provider dispute queue	SUPER_ADMIN or ADMIN with providerDisputes.read
GET	/api/v1/admin/provider-disputes/export	Export provider dispute queue	SUPER_ADMIN or ADMIN with providerDisputes.export
GET	/api/v1/admin/provider-disputes/stats	Fetch provider dispute dashboard stats	SUPER_ADMIN or ADMIN with providerDisputes.read
GET	/api/v1/admin/provider-disputes/{id}	Fetch provider dispute details	SUPER_ADMIN or ADMIN with providerDisputes.read
GET	/api/v1/admin/provider-disputes/{id}/notes	Fetch provider dispute internal notes	SUPER_ADMIN or ADMIN with providerDisputes.read

Method	Endpoint	Purpose	Access
POST	/api/v1/admin/provider-disputes/{id}/notes	Add provider dispute internal note	SUPER_ADMIN or ADMIN with providerDisputes.notes.create
GET	/api/v1/admin/provider-disputes/{id}/timeline	Fetch provider dispute timeline	SUPER_ADMIN or ADMIN with providerDisputes.read

Admin - Provider Dispute Resolution (3 APIs)

Method	Endpoint	Purpose	Access
POST	/api/v1/admin/provider-disputes/{id}/finalize	Finalize provider dispute	SUPER_ADMIN or ADMIN with providerDisputes.resolve
POST	/api/v1/admin/provider-disputes/{id}/notify-again	Resend provider dispute notifications	SUPER_ADMIN or ADMIN with providerDisputes.notify
GET	/api/v1/admin/provider-disputes/{id}/resolution	Fetch provider dispute resolution summary	SUPER_ADMIN or ADMIN with providerDisputes.resolve

Admin - Provider Dispute Rulings (2 APIs)

Method	Endpoint	Purpose	Access
POST	/api/v1/admin/provider-disputes/{id}/ruling	Save provider dispute ruling	SUPER_ADMIN or ADMIN with providerDisputes.ruling.create
GET	/api/v1/admin/provider-disputes/{id}/ruling-summary	Fetch provider dispute ruling summary	SUPER_ADMIN or ADMIN with providerDisputes.ruling.read

Admin - Provider Financial Adjustments (3 APIs)

Method	Endpoint	Purpose	Access
POST	/api/v1/admin/provider-disputes/{id}/final-attestation	Complete final financial attestation	SUPER_ADMIN or ADMIN with providerDisputes.ruling.update
GET	/api/v1/admin/provider-disputes/{id}/financial-impact	Fetch provider dispute financial impact	SUPER_ADMIN or ADMIN with providerDisputes.financial.read
POST	/api/v1/admin/provider-disputes/{id}/payout-penalty-linkage	Link payout and penalty adjustments	SUPER_ADMIN or ADMIN with providerDisputes.financial.link

Admin - Provider Management (12 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/providers	List providers	SUPER_ADMIN or ADMIN with providers.read
POST	/api/v1/providers	Create provider from admin dashboard	SUPER_ADMIN or ADMIN with providers.create
GET	/api/v1/providers/export	List Providers Export	SUPER_ADMIN or ADMIN with providers.export
GET	/api/v1/providers/lookup	List Providers Lookup	SUPER_ADMIN or ADMIN with providers.read
GET	/api/v1/providers/stats	List Providers Stats	SUPER_ADMIN or ADMIN with providers.read
GET	/api/v1/providers/{id}	Fetch Providers details	SUPER_ADMIN or ADMIN with providers.read
PATCH	/api/v1/providers/{id}	Update Providers	SUPER_ADMIN or ADMIN with providers.update
DELETE	/api/v1/providers/{id}	Permanently delete provider	SUPER_ADMIN
GET	/api/v1/providers/{id}/activity	Fetch Providers Activity details	SUPER_ADMIN or ADMIN with providers.read
GET	/api/v1/providers/{id}/items	Fetch Providers Items details	SUPER_ADMIN or ADMIN with providers.read

Method	Endpoint	Purpose	Access
POST	/api/v1/providers/{id}/message	Create Providers Message	SUPER_ADMIN or ADMIN with providers.message
PATCH	/api/v1/providers/{id}/status	Update provider lifecycle status	SUPER_ADMIN or ADMIN with provider lifecycle permission (APPROVE=>providers.approve, REJECT=>providers.reject, SUSPEND=>providers.suspend, UNSUSPEND=>providers.suspend, UPDATE_STATUS=>providers.updateStatus)

Admin - Provider Payouts (9 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/provider-payouts	List provider payouts	SUPER_ADMIN or ADMIN with providerPayouts.read
POST	/api/v1/admin/provider-payouts/bulk-action	Run bulk provider payout action	SUPER_ADMIN or ADMIN with providerPayouts.approve
GET	/api/v1/admin/provider-payouts/earning-distribution	Fetch earning distribution by provider tier	SUPER_ADMIN or ADMIN with providerPayouts.read
GET	/api/v1/admin/provider-payouts/export	Export provider payouts	SUPER_ADMIN or ADMIN with providerPayouts.export
GET	/api/v1/admin/provider-payouts/stats	Fetch provider payout dashboard stats	SUPER_ADMIN or ADMIN with providerPayouts.read
GET	/api/v1/admin/provider-payouts/trends	Fetch monthly provider payout trend	SUPER_ADMIN or ADMIN with providerPayouts.read
GET	/api/v1/admin/provider-payouts/{id}	Fetch provider payout details	SUPER_ADMIN or ADMIN with providerPayouts.read
POST	/api/v1/admin/provider-payouts/{id}/action	Run provider payout action	SUPER_ADMIN or ADMIN with action-specific providerPayouts permission
GET	/api/v1/admin/provider-payouts/{id}/breakdown	Fetch pending payout transaction breakdown	SUPER_ADMIN or ADMIN with providerPayouts.read

Admin - Referral Settings (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/referral-settings	Fetch referral settings	SUPER_ADMIN or ADMIN with referralSettings.read
PATCH	/api/v1/referral-settings	Update referral settings	SUPER_ADMIN
GET	/api/v1/referral-settings/audit-logs	List referral settings audit logs	SUPER_ADMIN
GET	/api/v1/referral-settings/stats	Fetch referral stats	SUPER_ADMIN or ADMIN with referralSettings.read
PATCH	/api/v1/referral-settings/status	Update referral program status	SUPER_ADMIN

Admin - Refund Policy Settings (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/refund-policy-settings	Fetch refund policy settings	SUPER_ADMIN or ADMIN with refundPolicies.read
PATCH	/api/v1/admin/refund-policy-settings	Update refund policy settings	SUPER_ADMIN
GET	/api/v1/admin/refund-policy-settings/logs	List refund policy audit logs	SUPER_ADMIN

Admin - Review Moderation (4 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/reviews/flagged-summary	List Admin Reviews Flagged Summary	SUPER_ADMIN or ADMIN with reviews.read
GET	/api/v1/admin/reviews/moderation-logs	List Admin Reviews Moderation Logs	SUPER_ADMIN or ADMIN with reviewModerationLogs.read
GET	/api/v1/admin/reviews/moderation-queue	List Admin Reviews Moderation Queue	SUPER_ADMIN or ADMIN with reviews.moderate
POST	/api/v1/admin/reviews/{id}/moderate	Moderate a review	SUPER_ADMIN or ADMIN with reviews.moderate

Admin - Review Policies (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/review-policies	Fetch review moderation policies	SUPER_ADMIN or ADMIN with reviewPolicies.read
PATCH	/api/v1/admin/review-policies	Update review moderation policies	SUPER_ADMIN or ADMIN with reviewPolicies.update
POST	/api/v1/admin/review-policies/test	Test review policy result	SUPER_ADMIN or ADMIN with reviewPolicies.read

Admin - Reviews Management (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/reviews	List reviews for moderation dashboard	SUPER_ADMIN or ADMIN with reviews.read
GET	/api/v1/admin/reviews/dashboard	Fetch platform review dashboard	SUPER_ADMIN or ADMIN with reviews.read
GET	/api/v1/admin/reviews/export	Export reviews with moderation filters	SUPER_ADMIN or ADMIN with reviews.export
GET	/api/v1/admin/reviews/stats	List Admin Reviews Stats	SUPER_ADMIN or ADMIN with reviews.read
GET	/api/v1/admin/reviews/{id}	Fetch review moderation details	SUPER_ADMIN or ADMIN with reviews.read

Admin - Roles & Permissions (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin-roles	List Admin Roles	SUPER_ADMIN
POST	/api/v1/admin-roles	Create Admin Roles	SUPER_ADMIN
GET	/api/v1/admin-roles/{id}	Fetch Admin Roles details	SUPER_ADMIN
PATCH	/api/v1/admin-roles/{id}	Update Admin Roles	SUPER_ADMIN
DELETE	/api/v1/admin-roles/{id}	Delete Admin Roles	SUPER_ADMIN
PATCH	/api/v1/admin-roles/{id}/permissions	Update Admin Roles Permissions	SUPER_ADMIN
GET	/api/v1/permissions/catalog	List Permissions Catalog	SUPER_ADMIN

Admin - Social Moderation (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/social-moderation/export	Export social moderation log	SUPER_ADMIN or ADMIN with socialModeration.export

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/social-moderation/reports	List social moderation reports	SUPER_ADMIN or ADMIN with socialModeration.read
GET	/api/v1/admin/social-moderation/reports/{id}	Fetch social report inspection details	SUPER_ADMIN or ADMIN with socialModeration.read
POST	/api/v1/admin/social-moderation/reports/{id}/action	Run social moderation action	SUPER_ADMIN or ADMIN with socialModeration.moderate
GET	/api/v1/admin/social-moderation/stats	Fetch social moderation stats	SUPER_ADMIN or ADMIN with socialModeration.read

Admin - Social Reporting Rules (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/social-reporting-rules	List social reporting rules	SUPER_ADMIN or ADMIN with socialReportingRules.read
POST	/api/v1/admin/social-reporting-rules	Create social reporting rule	SUPER_ADMIN or ADMIN with socialReportingRules.create
GET	/api/v1/admin/social-reporting-rules/export	Export social reporting rules	SUPER_ADMIN or ADMIN with socialReportingRules.export
GET	/api/v1/admin/social-reporting-rules/stats	Fetch social reporting rule stats	SUPER_ADMIN or ADMIN with socialReportingRules.read
GET	/api/v1/admin/social-reporting-rules/{id}	Fetch social reporting rule details	SUPER_ADMIN or ADMIN with socialReportingRules.read
PATCH	/api/v1/admin/social-reporting-rules/{id}	Update social reporting rule	SUPER_ADMIN or ADMIN with socialReportingRules.update
DELETE	/api/v1/admin/social-reporting-rules/{id}	Delete social reporting rule	SUPER_ADMIN or ADMIN with socialReportingRules.delete

Admin - Staff Management (6 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admins	List admin staff users	SUPER_ADMIN
POST	/api/v1/admins	Create admin staff user	SUPER_ADMIN
GET	/api/v1/admins/{id}	Fetch Admins details	SUPER_ADMIN
PATCH	/api/v1/admins/{id}	Update admin staff profile or active status	SUPER_ADMIN
DELETE	/api/v1/admins/{id}	Permanently delete admin staff user	SUPER_ADMIN
PATCH	/api/v1/admins/{id}/password	Update Admins Password	SUPER_ADMIN

Admin - System Logs & Audit Trail (6 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/audit-logs	List audit logs	SUPER_ADMIN
GET	/api/v1/audit-logs/action-types	Fetch audit log action types	SUPER_ADMIN
GET	/api/v1/audit-logs/export	Export audit logs CSV	SUPER_ADMIN
GET	/api/v1/audit-logs/stats	Fetch audit log stats	SUPER_ADMIN
GET	/api/v1/audit-logs/users	Fetch audit log user selector options	SUPER_ADMIN
GET	/api/v1/audit-logs/{id}	Fetch audit log detail	SUPER_ADMIN

Admin - System Settings (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/system-settings	Fetch system settings	SUPER_ADMIN or ADMIN with systemSettings.read
PATCH	/api/v1/admin/system-settings	Update system settings	SUPER_ADMIN or ADMIN with systemSettings.update
GET	/api/v1/admin/system-settings/audit-logs	List system settings audit logs	SUPER_ADMIN or ADMIN with systemSettings.read
POST	/api/v1/admin/system-settings/logo	Update system logo URL/reference	SUPER_ADMIN or ADMIN with systemSettings.update
POST	/api/v1/admin/system-settings/smtp/test	Send SMTP test email	SUPER_ADMIN or ADMIN with systemSettings.update

Admin - Transaction Monitoring (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/transactions	List admin transactions	SUPER_ADMIN or ADMIN with transactions.read
GET	/api/v1/admin/transactions/export	Export admin transactions	SUPER_ADMIN or ADMIN with transactions.export
GET	/api/v1/admin/transactions/stats	Fetch transaction monitoring stats	SUPER_ADMIN or ADMIN with transactions.read
GET	/api/v1/admin/transactions/{id}	Fetch transaction details	SUPER_ADMIN or ADMIN with transactions.read
POST	/api/v1/admin/transactions/{id}/action	Run transaction action	SUPER_ADMIN or ADMIN with transaction action permission (REFUND=>transactions.refund, OPEN_DISPUTE=>transactions.openDispute, NOTIFY_USER=>transactions.notifyUser)
GET	/api/v1/admin/transactions/{id}/receipt	Download transaction receipt	SUPER_ADMIN or ADMIN with transactions.receipt.download
GET	/api/v1/admin/transactions/{id}/timeline	Fetch transaction timeline	SUPER_ADMIN or ADMIN with transactions.read

Admin - User Management (9 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/users	List registered users	SUPER_ADMIN or ADMIN with users.read
GET	/api/v1/users/export	List Users Export	SUPER_ADMIN or ADMIN with users.export
GET	/api/v1/users/{id}	Fetch Users details	SUPER_ADMIN or ADMIN with users.read
PATCH	/api/v1/users/{id}	Update Users	SUPER_ADMIN or ADMIN with users.update
DELETE	/api/v1/users/{id}	Permanently delete registered user	SUPER_ADMIN
GET	/api/v1/users/{id}/activity	Fetch Users Activity details	SUPER_ADMIN or ADMIN with users.read
POST	/api/v1/users/{id}/reset-password	Change registered user password	SUPER_ADMIN or ADMIN with users.resetPassword
GET	/api/v1/users/{id}/stats	Fetch Users Stats details	SUPER_ADMIN or ADMIN with users.read
PATCH	/api/v1/users/{id}/status	Run registered user lifecycle action	SUPER_ADMIN or ADMIN with user lifecycle permission (UPDATE_STATUS/DISABLE/ENABLE=>users.status.update, SUSPEND=>users.suspend, UNSUSPEND=>users.unsuspend)

Admin - User Safety Moderation (4 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/user-safety/reports	List user safety reports	Authenticated
GET	/api/v1/admin/user-safety/reports/export	Export user safety reports	Authenticated
GET	/api/v1/admin/user-safety/reports/{id}	Fetch user safety report detail	Authenticated
POST	/api/v1/admin/user-safety/reports/{id}/action	Moderate user safety report	Authenticated

Admin - Workflow Metadata (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/admin/workflows/app-flow	Fetch whole-system workflow app flow metadata	Authenticated
GET	/api/v1/admin/workflows/state-machines	Fetch declared system state machines	Authenticated
GET	/api/v1/admin/workflows/transition-rules	Fetch workflow transition guardrails and aliases	Authenticated

Auth (17 APIs)

Method	Endpoint	Purpose	Access
DELETE	/api/v1/auth/account	Delete Auth Account	Authenticated
POST	/api/v1/auth/cancel-deletion	Create Auth Cancel Deletion	Authenticated
PATCH	/api/v1/auth/change-password	Update Auth Change Password	Authenticated
POST	/api/v1/auth/forgot-password	Request password reset instructions	PUBLIC
POST	/api/v1/auth/login	Create Auth Login	PUBLIC
POST	/api/v1/auth/logout	Create Auth Logout	Authenticated
GET	/api/v1/auth/me	List Auth Me	Authenticated
PATCH	/api/v1/auth/me	Update Auth Me	Authenticated
POST	/api/v1/auth/refresh	Create Auth Refresh	PUBLIC
POST	/api/v1/auth/resend-otp	Resend authenticated email verification OTP	Authenticated
POST	/api/v1/auth/resend-verification-email	Resend verification email	PUBLIC
POST	/api/v1/auth/reset-password	Reset account password with OTP	PUBLIC
GET	/api/v1/auth/sessions	List Auth Sessions	Authenticated
POST	/api/v1/auth/sessions/logout-all	Create Auth Sessions Logout All	Authenticated
DELETE	/api/v1/auth/sessions/{id}	Delete Auth Sessions	Authenticated
POST	/api/v1/auth/verify-email	Verify authenticated account email	Authenticated
POST	/api/v1/auth/verify-reset-otp	Verify reset or verification OTP	PUBLIC

Auth - Login Attempts (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/login-attempts	List Login Attempts	SUPER_ADMIN or ADMIN with loginAttempts.read
GET	/api/v1/login-attempts/export	List Login Attempts Export	SUPER_ADMIN or ADMIN with loginAttempts.export
GET	/api/v1/login-attempts/stats	List Login Attempts Stats	SUPER_ADMIN or ADMIN with loginAttempts.read

Broadcast Notifications (10 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/broadcasts	List Broadcasts	SUPER_ADMIN or ADMIN with broadcasts.read

Method	Endpoint	Purpose	Access
POST	/api/v1/broadcasts	Create Broadcasts	SUPER_ADMIN or ADMIN with broadcasts.create
POST	/api/v1/broadcasts/estimate-reach	Create Broadcasts Estimate Reach	SUPER_ADMIN or ADMIN with broadcasts.read
GET	/api/v1/broadcasts/{id}	Fetch Broadcasts details	SUPER_ADMIN or ADMIN with broadcasts.read
PATCH	/api/v1/broadcasts/{id}	Update Broadcasts	SUPER_ADMIN or ADMIN with broadcasts.update
POST	/api/v1/broadcasts/{id}/cancel	Create Broadcasts Cancel	SUPER_ADMIN or ADMIN with broadcasts.cancel
GET	/api/v1/broadcasts/{id}/recipients	Fetch Broadcasts Recipients details	SUPER_ADMIN or ADMIN with broadcasts.report.read
GET	/api/v1/broadcasts/{id}/report	Fetch Broadcasts Report details	SUPER_ADMIN or ADMIN with broadcasts.report.read
PATCH	/api/v1/broadcasts/{id}/schedule	Update Broadcasts Schedule	SUPER_ADMIN or ADMIN with broadcasts.schedule
PATCH	/api/v1/broadcasts/{id}/targeting	Update Broadcasts Targeting	SUPER_ADMIN or ADMIN with broadcasts.update

Gifts - Categories (6 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/gift-categories	List gift categories	SUPER_ADMIN or ADMIN with giftCategories.read
POST	/api/v1/gift-categories	Create gift category	SUPER_ADMIN or ADMIN with giftCategories.create
GET	/api/v1/gift-categories/stats	Fetch gift category stats	SUPER_ADMIN or ADMIN with giftCategories.read
GET	/api/v1/gift-categories/{id}	Fetch gift category details	SUPER_ADMIN or ADMIN with giftCategories.read
PATCH	/api/v1/gift-categories/{id}	Update gift category	SUPER_ADMIN or ADMIN with giftCategories.update
DELETE	/api/v1/gift-categories/{id}	Delete gift category	SUPER_ADMIN or ADMIN with giftCategories.delete

Gifts - Management (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/gifts	List admin gifts	SUPER_ADMIN or ADMIN with gifts.read
POST	/api/v1/gifts	Create admin gift with optional nested variants	SUPER_ADMIN or ADMIN with gifts.create
GET	/api/v1/gifts/export	Export gift inventory	SUPER_ADMIN or ADMIN with gifts.export
GET	/api/v1/gifts/stats	Fetch gift inventory stats	SUPER_ADMIN or ADMIN with gifts.read
GET	/api/v1/gifts/{id}	Fetch admin gift details with variants	SUPER_ADMIN or ADMIN with gifts.read
PATCH	/api/v1/gifts/{id}	Update admin gift, nested variants, or operational catalog status	SUPER_ADMIN or ADMIN with gift-specific update permission

Method	Endpoint	Purpose	Access
DELETE	/api/v1/gifts/{id}	Delete gift	SUPER_ADMIN or ADMIN with gifts.delete

Gifts - Moderation (2 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/gift-moderation	List optional gift moderation queue	SUPER_ADMIN or ADMIN with giftModeration.read
POST	/api/v1/gift-moderation/{id}/action	Run gift moderation action	SUPER_ADMIN or ADMIN with gift moderation action permission (APPROVE=>giftModeration.approve, REJECT=>giftModeration.reject, FLAG=>giftModeration.flag)

Notifications (9 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/notifications	List notifications	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/notifications/device-tokens	Save device token	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
DELETE	/api/v1/notifications/device-tokens/{id}	Disable device token	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
GET	/api/v1/notifications/preferences	Fetch notification preferences	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
PATCH	/api/v1/notifications/preferences	Update notification preferences	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
PATCH	/api/v1/notifications/read-all	Mark all own notifications as read	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
GET	/api/v1/notifications/summary	Fetch notification summary	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/notifications/{id}/action	Process notification action	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
PATCH	/api/v1/notifications/{id}/read	Mark notification as read	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER

Plans & Coupons (18 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/coupons	List Coupons	SUPER_ADMIN or ADMIN with coupons.read
POST	/api/v1/coupons	Create Coupons	SUPER_ADMIN or ADMIN with coupons.create
GET	/api/v1/coupons/{id}	Fetch Coupons details	SUPER_ADMIN or ADMIN with coupons.read
PATCH	/api/v1/coupons/{id}	Update coupon details or lifecycle status	SUPER_ADMIN or ADMIN with coupon-specific update permission
DELETE	/api/v1/coupons/{id}	Delete Coupons	SUPER_ADMIN or ADMIN with coupons.delete
GET	/api/v1/plan-features	List Plan Features	SUPER_ADMIN or ADMIN with planFeatures.read
POST	/api/v1/plan-features	Create Plan Features	SUPER_ADMIN or ADMIN with planFeatures.create
GET	/api/v1/plan-features/catalog	List Plan Features Catalog	SUPER_ADMIN or ADMIN with planFeatures.read

Method	Endpoint	Purpose	Access
GET	/api/v1/plan-features/{id}	Fetch Plan Features details	SUPER_ADMIN or ADMIN with planFeatures.read
PATCH	/api/v1/plan-features/{id}	Update Plan Features	SUPER_ADMIN or ADMIN with planFeatures.update
DELETE	/api/v1/plan-features/{id}	Delete Plan Features	SUPER_ADMIN or ADMIN with planFeatures.delete
GET	/api/v1/subscription-plans	List Subscription Plans	SUPER_ADMIN or ADMIN with subscriptionPlans.read
POST	/api/v1/subscription-plans	Create Subscription Plans	SUPER_ADMIN or ADMIN with subscriptionPlans.create
GET	/api/v1/subscription-plans/stats	List Subscription Plans Stats	SUPER_ADMIN or ADMIN with subscriptionPlans.analytics.read
GET	/api/v1/subscription-plans/{id}	Fetch Subscription Plans details	SUPER_ADMIN or ADMIN with subscriptionPlans.read
PATCH	/api/v1/subscription-plans/{id}	Update Subscription Plans	SUPER_ADMIN or ADMIN with subscriptionPlans.update, subscriptionPlans.status.update, or subscriptionPlans.visibility.update depending on changed fields
DELETE	/api/v1/subscription-plans/{id}	Delete Subscription Plans	SUPER_ADMIN or ADMIN with subscriptionPlans.delete
GET	/api/v1/subscription-plans/{id}/analytics	Fetch Subscription Plans Analytics details	SUPER_ADMIN or ADMIN with subscriptionPlans.analytics.read

Storage (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/uploads	List uploads	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/uploads/complete	Complete upload	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/uploads/presigned-url	Create presigned upload URL	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
GET	/api/v1/uploads/{id}	Fetch upload details	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
DELETE	/api/v1/uploads/{id}	Delete upload	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER

Registered User APIs

Use REGISTERED_USER token unless the endpoint is public (for example guest/session or category lookup).

Auth (19 APIs)

Method	Endpoint	Purpose	Access
DELETE	/api/v1/auth/account	Delete Auth Account	Authenticated
POST	/api/v1/auth/cancel-deletion	Create Auth Cancel Deletion	Authenticated
PATCH	/api/v1/auth/change-password	Update Auth Change Password	Authenticated
POST	/api/v1/auth/forgot-password	Request password reset instructions	PUBLIC
POST	/api/v1/auth/guest/session	Create guest browsing session	PUBLIC
POST	/api/v1/auth/login	Create Auth Login	PUBLIC
POST	/api/v1/auth/logout	Create Auth Logout	Authenticated
GET	/api/v1/auth/me	List Auth Me	Authenticated
PATCH	/api/v1/auth/me	Update Auth Me	Authenticated

Method	Endpoint	Purpose	Access
POST	/api/v1/auth/refresh	Create Auth Refresh	PUBLIC
POST	/api/v1/auth/resend-otp	Resend authenticated email verification OTP	Authenticated
POST	/api/v1/auth/resend-verification-email	Resend verification email	PUBLIC
POST	/api/v1/auth/reset-password	Reset account password with OTP	PUBLIC
GET	/api/v1/auth/sessions	List Auth Sessions	Authenticated
POST	/api/v1/auth/sessions/logout-all	Create Auth Sessions Logout All	Authenticated
DELETE	/api/v1/auth/sessions/{id}	Delete Auth Sessions	Authenticated
POST	/api/v1/auth/users/register	Create Auth Users Register	PUBLIC
POST	/api/v1/auth/verify-email	Verify authenticated account email	Authenticated
POST	/api/v1/auth/verify-reset-otp	Verify reset or verification OTP	PUBLIC

Chat - Threads (9 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/chats	List chat threads	REGISTERED_USER, PROVIDER, SUPER_ADMIN, or ADMIN with chat/support permission
GET	/api/v1/chats/quick-replies	Fetch role-aware chat quick replies	REGISTERED_USER, PROVIDER, SUPER_ADMIN, or ADMIN
POST	/api/v1/chats/threads	Create or get a chat thread	REGISTERED_USER, PROVIDER, SUPER_ADMIN, or ADMIN with supportChats.reply/messageModeration permission
GET	/api/v1/chats/threads/{threadId}	Fetch chat thread details	REGISTERED_USER, PROVIDER, SUPER_ADMIN, or ADMIN with chat/support permission
GET	/api/v1/chats/threads/{threadId}/audit-log	Fetch chat thread audit log	SUPER_ADMIN or ADMIN with supportChats.read
GET	/api/v1/chats/threads/{threadId}/messages	Fetch chat thread messages	REGISTERED_USER, PROVIDER, SUPER_ADMIN, or ADMIN with chat/support permission
POST	/api/v1/chats/threads/{threadId}/messages	Send a chat message	REGISTERED_USER, PROVIDER, SUPER_ADMIN, or ADMIN with supportChats.reply
PATCH	/api/v1/chats/threads/{threadId}/read	Mark a chat thread as read	REGISTERED_USER, PROVIDER, SUPER_ADMIN, or ADMIN with supportChats.read
PATCH	/api/v1/chats/threads/{threadId}/status	Update chat thread status	REGISTERED_USER, PROVIDER, SUPER_ADMIN, or ADMIN with status-specific chat permission

Customer - Addresses (6 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/addresses	List customer addresses	REGISTERED_USER
POST	/api/v1/customer/addresses	Create customer address	REGISTERED_USER

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/addresses/{id}	Fetch customer address	REGISTERED_USER
PATCH	/api/v1/customer/addresses/{id}	Update customer address	REGISTERED_USER
DELETE	/api/v1/customer/addresses/{id}	Delete customer address	REGISTERED_USER
PATCH	/api/v1/customer/addresses/{id}/default	Set default customer address	REGISTERED_USER

Customer - Cart (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/cart	Fetch active cart	REGISTERED_USER
DELETE	/api/v1/customer/cart	Clear active cart	REGISTERED_USER
POST	/api/v1/customer/cart/items	Add item to cart	REGISTERED_USER
PATCH	/api/v1/customer/cart/items/{id}	Update cart item	REGISTERED_USER
DELETE	/api/v1/customer/cart/items/{id}	Delete cart item	REGISTERED_USER

Customer - Contacts (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/contacts	List customer contacts	REGISTERED_USER
POST	/api/v1/customer/contacts	Create customer contact	REGISTERED_USER
GET	/api/v1/customer/contacts/{id}	Fetch customer contact	REGISTERED_USER
PATCH	/api/v1/customer/contacts/{id}	Update customer contact	REGISTERED_USER
DELETE	/api/v1/customer/contacts/{id}	Delete customer contact	REGISTERED_USER

Customer - Events (9 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/events	List customer events	REGISTERED_USER
POST	/api/v1/customer/events	Create customer event	REGISTERED_USER
GET	/api/v1/customer/events/calendar	Fetch monthly calendar events	REGISTERED_USER
GET	/api/v1/customer/events/upcoming	Fetch upcoming customer events	REGISTERED_USER
GET	/api/v1/customer/events/{id}	Fetch customer event details	REGISTERED_USER
PATCH	/api/v1/customer/events/{id}	Update customer event	REGISTERED_USER
DELETE	/api/v1/customer/events/{id}	Delete customer event	REGISTERED_USER
GET	/api/v1/customer/events/{id}/reminder-settings	Fetch event reminder settings	REGISTERED_USER
PATCH	/api/v1/customer/events/{id}/reminder-settings	Update event reminder settings	REGISTERED_USER

Customer - Orders (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/orders	List customer orders	REGISTERED_USER
POST	/api/v1/customer/orders	Create order from active cart	REGISTERED_USER
GET	/api/v1/customer/orders/{id}	Fetch customer order	REGISTERED_USER

Customer - Payment Methods (9 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/bank-accounts	List own bank accounts	REGISTERED_USER
POST	/api/v1/customer/bank-accounts	Link placeholder bank account	REGISTERED_USER
DELETE	/api/v1/customer/bank-accounts/{id}	Delete own bank account	REGISTERED_USER
PATCH	/api/v1/customer/bank-accounts/{id}/default	Set own default bank account	REGISTERED_USER

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/payment-methods	List supported customer payment methods	REGISTERED_USER
GET	/api/v1/customer/payment-methods/saved	List own saved payment methods	REGISTERED_USER
POST	/api/v1/customer/payment-methods/setup-intent	Create Stripe SetupIntent for saving card	REGISTERED_USER
DELETE	/api/v1/customer/payment-methods/{id}	Delete own saved payment method	REGISTERED_USER
PATCH	/api/v1/customer/payment-methods/{id}/default	Set own default payment method	REGISTERED_USER

Customer - Recurring Payments (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/recurring-payments	List own recurring payments	REGISTERED_USER
POST	/api/v1/customer/recurring-payments	Create recurring payment	REGISTERED_USER
GET	/api/v1/customer/recurring-payments/summary	Fetch recurring payment summary counts	REGISTERED_USER
GET	/api/v1/customer/recurring-payments/{id}	Fetch own recurring payment details	REGISTERED_USER
PATCH	/api/v1/customer/recurring-payments/{id}	Update own recurring payment	REGISTERED_USER
POST	/api/v1/customer/recurring-payments/{id}/action	Run own recurring payment action	REGISTERED_USER
GET	/api/v1/customer/recurring-payments/{id}/history	List own recurring payment billing history	REGISTERED_USER

Customer - Referrals & Rewards (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/referrals/history	List own referral history	REGISTERED_USER
GET	/api/v1/customer/referrals/link	Fetch own referral link	REGISTERED_USER
POST	/api/v1/customer/referrals/redeem	Redeem own available reward credit	REGISTERED_USER
GET	/api/v1/customer/referrals/summary	Fetch own referral reward summary	REGISTERED_USER
GET	/api/v1/customer/referrals/terms	Fetch referral terms	REGISTERED_USER
GET	/api/v1/customer/rewards/balance	Fetch own reward balance	REGISTERED_USER
GET	/api/v1/customer/rewards/ledger	List own reward ledger	REGISTERED_USER

Customer - Reviews (5 APIs)

Method	Endpoint	Purpose	Access
POST	/api/v1/customer/orders/{id}/reviews	Submit provider review for an order	REGISTERED_USER
GET	/api/v1/customer/reviews	List own provider reviews	REGISTERED_USER
GET	/api/v1/customer/reviews/{id}	Fetch Customer Reviews details	REGISTERED_USER
PATCH	/api/v1/customer/reviews/{id}	Update own review	REGISTERED_USER
DELETE	/api/v1/customer/reviews/{id}	Delete own review	REGISTERED_USER

Customer - Subscriptions (8 APIs)

Method	Endpoint	Purpose	Access
POST	/api/v1/customer/subscription/action	Run own subscription lifecycle action	REGISTERED_USER
POST	/api/v1/customer/subscription/apply-coupon	Preview subscription coupon	REGISTERED_USER
POST	/api/v1/customer/subscription/checkout	Create Stripe subscription checkout	REGISTERED_USER
POST	/api/v1/customer/subscription/confirm	Confirm Stripe subscription activation	REGISTERED_USER
GET	/api/v1/customer/subscription/current	Fetch own current subscription	REGISTERED_USER
GET	/api/v1/customer/subscription/invoices	List own subscription invoices	REGISTERED_USER
GET	/api/v1/customer/subscription/invoices/{id}	Fetch own subscription invoice details	REGISTERED_USER
GET	/api/v1/customer/subscription/plans	List public active subscription plans	REGISTERED_USER

Customer - Transactions (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/transactions	List own customer transactions	REGISTERED_USER
GET	/api/v1/customer/transactions/export	Export own transactions	REGISTERED_USER
GET	/api/v1/customer/transactions/summary	Fetch own transaction summary	REGISTERED_USER
GET	/api/v1/customer/transactions/{id}	Fetch own transaction details	REGISTERED_USER
GET	/api/v1/customer/transactions/{id}/receipt	Download own transaction receipt	REGISTERED_USER

Customer - User Safety (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/blocked-users	List blocked users	REGISTERED_USER
POST	/api/v1/customer/blocked-users/{userId}	Block another user	REGISTERED_USER
DELETE	/api/v1/customer/blocked-users/{userId}	Unblock user	REGISTERED_USER
GET	/api/v1/customer/user-report-reasons	Fetch generic user report reasons	REGISTERED_USER
GET	/api/v1/customer/user-reports	List own user safety reports	REGISTERED_USER
GET	/api/v1/customer/user-reports/{id}	Fetch own user safety report detail	REGISTERED_USER
POST	/api/v1/customer/users/{userId}/reports	Report another user	REGISTERED_USER

Customer - Wallet (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/wallet	Fetch own wallet	REGISTERED_USER
POST	/api/v1/customer/wallet/add-funds	Create wallet top-up payment	REGISTERED_USER
GET	/api/v1/customer/wallet/history	List own wallet history	REGISTERED_USER

Customer - Wishlist (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/wishlist	List wishlist gifts	REGISTERED_USER
POST	/api/v1/customer/wishlist/{giftId}	Add gift to wishlist	REGISTERED_USER
DELETE	/api/v1/customer/wishlist/{giftId}	Remove gift from wishlist	REGISTERED_USER

Customer / Guest - Marketplace (6 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/categories	List customer marketplace categories	REGISTERED_USER or GUEST_USER
GET	/api/v1/customer/gifts	List customer marketplace gifts	REGISTERED_USER or GUEST_USER
GET	/api/v1/customer/gifts/discounted	List discounted customer gifts	REGISTERED_USER or GUEST_USER
GET	/api/v1/customer/gifts/filter-options	Fetch marketplace gift filter options	REGISTERED_USER or GUEST_USER
GET	/api/v1/customer/gifts/{id}	Fetch customer-safe gift details	REGISTERED_USER or GUEST_USER
GET	/api/v1/customer/home	Fetch customer app home	REGISTERED_USER or GUEST_USER

Gifts - Categories (1 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/gift-categories/lookup	Lookup active gift categories	PUBLIC

Notifications (9 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/notifications	List notifications	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/notifications/device-tokens	Save device token	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
DELETE	/api/v1/notifications/device-tokens/{id}	Disable device token	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
GET	/api/v1/notifications/preferences	Fetch notification preferences	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
PATCH	/api/v1/notifications/preferences	Update notification preferences	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
PATCH	/api/v1/notifications/read-all	Mark all own notifications as read	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
GET	/api/v1/notifications/summary	Fetch notification summary	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/notifications/{id}/action	Process notification action	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
PATCH	/api/v1/notifications/{id}/read	Mark notification as read	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER

Payments (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/money-gifts	List own money gifts	REGISTERED_USER
POST	/api/v1/customer/money-gifts	Send payment as gift	REGISTERED_USER
GET	/api/v1/customer/money-gifts/{id}	Fetch own money gift details	REGISTERED_USER
POST	/api/v1/customer/payments/confirm	Confirm Stripe payment	REGISTERED_USER
POST	/api/v1/customer/payments/create-intent	Create payment intent from active cart	REGISTERED_USER
GET	/api/v1/customer/payments/{id}	Fetch own payment details	REGISTERED_USER
POST	/api/v1/payments/stripe/webhook	Stripe webhook endpoint	PUBLIC

Storage (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/uploads	List uploads	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/uploads/complete	Complete upload	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/uploads/presigned-url	Create presigned upload URL	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
GET	/api/v1/uploads/{id}	Fetch upload details	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
DELETE	/api/v1/uploads/{id}	Delete upload	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER

Provider APIs

Use PROVIDER token. Provider-facing data is scoped to the authenticated provider account/business.

Auth (18 APIs)

Method	Endpoint	Purpose	Access
DELETE	/api/v1/auth/account	Delete Auth Account	Authenticated
POST	/api/v1/auth/cancel-deletion	Create Auth Cancel Deletion	Authenticated
PATCH	/api/v1/auth/change-password	Update Auth Change Password	Authenticated
POST	/api/v1/auth/forgot-password	Request password reset instructions	PUBLIC
POST	/api/v1/auth/login	Create Auth Login	PUBLIC
POST	/api/v1/auth/logout	Create Auth Logout	Authenticated
GET	/api/v1/auth/me	List Auth Me	Authenticated
PATCH	/api/v1/auth/me	Update Auth Me	Authenticated
POST	/api/v1/auth/providers/register	Create Auth Providers Register	PUBLIC
POST	/api/v1/auth/refresh	Create Auth Refresh	PUBLIC
POST	/api/v1/auth/resend-otp	Resend authenticated email verification OTP	Authenticated
POST	/api/v1/auth/resend-verification-email	Resend verification email	PUBLIC
POST	/api/v1/auth/reset-password	Reset account password with OTP	PUBLIC
GET	/api/v1/auth/sessions	List Auth Sessions	Authenticated
POST	/api/v1/auth/sessions/logout-all	Create Auth Sessions Logout All	Authenticated
DELETE	/api/v1/auth/sessions/{id}	Delete Auth Sessions	Authenticated
POST	/api/v1/auth/verify-email	Verify authenticated account email	Authenticated
POST	/api/v1/auth/verify-reset-otp	Verify reset or verification OTP	PUBLIC

Customer - Provider Reports (4 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/customer/provider-report-reasons	Fetch provider report reasons	REGISTERED_USER
GET	/api/v1/customer/provider-reports	List Customer Provider Reports	REGISTERED_USER
GET	/api/v1/customer/provider-reports/{id}	Fetch Customer Provider Reports details	REGISTERED_USER
POST	/api/v1/customer/providers/{providerId}/reports	Report provider	REGISTERED_USER

Notifications (9 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/notifications	List notifications	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/notifications/device-tokens	Save device token	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
DELETE	/api/v1/notifications/device-tokens/{id}	Disable device token	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
GET	/api/v1/notifications/preferences	Fetch notification preferences	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
PATCH	/api/v1/notifications/preferences	Update notification preferences	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
PATCH	/api/v1/notifications/read-all	Mark all own notifications as read	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER

Method	Endpoint	Purpose	Access
GET	/api/v1/notifications/summary	Fetch notification summary	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/notifications/{id}/action	Process notification action	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
PATCH	/api/v1/notifications/{id}/read	Mark notification as read	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER

Provider - Business Info (2 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/business-info	Fetch own provider business information	PROVIDER
PATCH	/api/v1/provider/business-info	Update own provider business information	PROVIDER

Provider - Dashboard (1 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/dashboard	Fetch mobile provider dashboard	Authenticated

Provider - Earnings (3 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/earnings/chart	Fetch own provider earnings chart	PROVIDER
GET	/api/v1/provider/earnings/ledger	List own provider earnings ledger	PROVIDER
GET	/api/v1/provider/earnings/summary	Fetch own provider earnings summary	PROVIDER

Provider - Inventory (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/inventory	List provider inventory items	PROVIDER
POST	/api/v1/provider/inventory	Create provider inventory item with optional nested variants	PROVIDER
GET	/api/v1/provider/inventory/lookup	Lookup active provider inventory items	PROVIDER
GET	/api/v1/provider/inventory/stats	Fetch provider inventory stats	PROVIDER
GET	/api/v1/provider/inventory/{id}	Fetch own provider inventory item details	PROVIDER
PATCH	/api/v1/provider/inventory/{id}	Update own provider inventory item and upsert variants	PROVIDER
DELETE	/api/v1/provider/inventory/{id}	Delete own inventory item	PROVIDER

Provider - Order Analytics (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/orders/analytics/ratings	Fetch own provider ratings analytics	PROVIDER
GET	/api/v1/provider/orders/analytics/revenue	Fetch own provider revenue analytics	PROVIDER
GET	/api/v1/provider/orders/export	Export own provider orders as CSV	PROVIDER
GET	/api/v1/provider/orders/performance	Fetch own provider order performance	PROVIDER
GET	/api/v1/provider/orders/recent	List recent own provider orders	PROVIDER

Provider - Orders (9 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/orders	List own assigned provider orders	PROVIDER
GET	/api/v1/provider/orders/history	List own provider order history	PROVIDER

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/orders/reject-reasons	List provider order reject reasons	PROVIDER
GET	/api/v1/provider/orders/summary	Fetch own provider order summary	PROVIDER
GET	/api/v1/provider/orders/{id}	Fetch own provider order details	PROVIDER
POST	/api/v1/provider/orders/{id}/action	Run provider order action	PROVIDER
GET	/api/v1/provider/orders/{id}/checklist	Fetch own provider order checklist	PROVIDER
PATCH	/api/v1/provider/orders/{id}/checklist	Update own provider order checklist	PROVIDER
GET	/api/v1/provider/orders/{id}/timeline	Fetch own provider order timeline	PROVIDER

Provider - Payout Methods (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/payout-methods	List own provider payout methods	PROVIDER
POST	/api/v1/provider/payout-methods/bank-accounts	Add provider bank payout method	PROVIDER
GET	/api/v1/provider/payout-methods/{id}	Fetch own provider payout method details	PROVIDER
PATCH	/api/v1/provider/payout-methods/{id}	Update provider payout method display metadata	PROVIDER
DELETE	/api/v1/provider/payout-methods/{id}	Delete own provider payout method	PROVIDER
PATCH	/api/v1/provider/payout-methods/{id}/default	Set default provider payout method	PROVIDER
POST	/api/v1/provider/payout-methods/{id}/verify	Start provider payout method verification	PROVIDER

Provider - Payouts (6 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/payouts	List own provider payout history	PROVIDER
GET	/api/v1/provider/payouts/preview	Preview provider payout request	PROVIDER
POST	/api/v1/provider/payouts/request	Request provider payout	PROVIDER
GET	/api/v1/provider/payouts/summary	Fetch own provider payout summary	PROVIDER
GET	/api/v1/provider/payouts/{id}	Fetch own provider payout details	PROVIDER
POST	/api/v1/provider/payouts/{id}/cancel	Cancel own pending provider payout	PROVIDER

Provider - Promotional Offers (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/offers	List Provider Offers	PROVIDER
POST	/api/v1/provider/offers	Create Provider Offers	PROVIDER
GET	/api/v1/provider/offers/{id}	Fetch Provider Offers details	PROVIDER
PATCH	/api/v1/provider/offers/{id}	Update own provider promotional offer	PROVIDER
DELETE	/api/v1/provider/offers/{id}	Delete Provider Offers	PROVIDER

Provider - Refund Requests (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/refund-requests	List own provider refund requests	PROVIDER
GET	/api/v1/provider/refund-requests/reject-reasons	List refund rejection reasons	PROVIDER
GET	/api/v1/provider/refund-requests/summary	Fetch own refund request summary	PROVIDER
GET	/api/v1/provider/refund-requests/{id}	Fetch own refund request details	PROVIDER
POST	/api/v1/provider/refund-requests/{id}/action	Run own refund request action	PROVIDER

Provider - Reviews (7 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/provider/reviews	List provider reviews	PROVIDER
GET	/api/v1/provider/reviews/filter-options	Fetch provider review filter options	PROVIDER
GET	/api/v1/provider/reviews/summary	Fetch provider rating summary	PROVIDER
GET	/api/v1/provider/reviews/{id}	Fetch Provider Reviews details	PROVIDER
POST	/api/v1/provider/reviews/{id}/response	Post public review response	PROVIDER
PATCH	/api/v1/provider/reviews/{id}/response	Update public review response	PROVIDER
DELETE	/api/v1/provider/reviews/{id}/response	Delete public review response	PROVIDER

Storage (5 APIs)

Method	Endpoint	Purpose	Access
GET	/api/v1/uploads	List uploads	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/uploads/complete	Complete upload	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
POST	/api/v1/uploads/presigned-url	Create presigned upload URL	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
GET	/api/v1/uploads/{id}	Fetch upload details	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER
DELETE	/api/v1/uploads/{id}	Delete upload	SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER

WebSocket / Real-Time Guide

Notifications namespace

- **Socket URL:** {API_BASE_URL}/notifications using Socket.IO client.
- **Auth:** pass access token as auth: { token: 'Bearer <accessToken>' } or Authorization: Bearer <accessToken> header.
- **Server rooms:** backend joins the socket to user:<userId> and role:<role> after JWT verification; frontend does not manually join rooms.
- **Listen:** notification.received, notification.read, and admin broadcast events: broadcast.created, broadcast.updated, broadcast.scheduled, broadcast.cancelled, broadcast.processing, broadcast.delivery.progress, broadcast.delivery.completed, broadcast.delivery.failed.
- **notification.received payload:** { id, title, message, type, isRead, metadata, createdAt }. Metadata is sanitized before emission; do not expect Stripe secrets, raw bank data, card numbers, or auth tokens.
- **Emit:** notification.read with { notificationId: string } after marking a notification as read, or receive { all: true } when all notifications are marked read.
- **Frontend handling:** append/upsert the notification into local notification state, increment unread count when isRead=false, and refresh REST list on reconnect to backfill missed messages.
- **Reconnect:** on token refresh, disconnect and reconnect with the new access token; after reconnect call REST GET /api/v1/notifications for sync.

Dedicated chat namespace

- **Socket URL:** {API_BASE_URL}/chat using the Socket.IO client.
- **Auth:** JWT is required. Pass auth: { token: 'Bearer <accessToken>' } or an Authorization: Bearer <accessToken> header. Reconnect with a fresh token after access-token refresh.
- **Connection rooms:** after JWT verification, the backend automatically joins user:<userId> and role:<role>.
- **Thread rooms:** frontend must not join rooms directly. Emit join events; backend validates ownership/permission before joining chat:<threadId>, order:<orderId>, provider-order:<providerOrderId>, or support-chat:<supportChatId>.

Customer-provider / provider buyer chat events

- **Emit:** chat.join, chat.leave, chat.typing.start, chat.typing.stop, chat.message.send, chat.message.read.
- **Listen:** chat.joined, chat.message.created, chat.message.read, chat.thread.updated, chat.typing.started, chat.typing.stopped, chat.error.

- **Join/read payload:** { threadId: 'thread_id' }.
- **Send payload:** { threadId: 'thread_id', messageType: 'TEXT', body: 'Can you confirm delivery time?', attachmentUrls: [] }.
- **Ownership:** REGISTERED_USER can join/send/read only their own customer-provider chat thread. PROVIDER can join/send/read only their own provider buyer thread.

Admin support chat events

- **Emit:** support.join, support.leave, support.typing.start, support.typing.stop, support.message.send, support.message.read, support.resolved, support.reopened.
- **Listen:** support.message.created, support.message.read, support.thread.updated, support.typing.started, support.typing.stopped, support.resolved, support.reopened, support.error.
- **Join/read payload:** { supportChatId: 'support_chat_id' }.
- **Reply payload:** { supportChatId: 'support_chat_id', messageType: 'TEXT', body: 'I am checking this issue now.', attachmentUrls: [] }.
- **Permissions:** SUPER_ADMIN can join/reply. ADMIN needs supportChats.read to join/read and supportChats.reply to send replies. Assigned-chat scoping remains enforced.

Reconnect and REST fallback

- On reconnect, re-emit chat.join or support.join for each visible thread after the socket connects.
- Use REST list/detail endpoints to hydrate initial state and backfill missed messages after reconnect.
- Fallback REST endpoints: unified chat GET/POST/PATCH /api/v1/chats...