

# Gift App Backend — Frontend Developer API Guide

Generated from docs/generated/openapi.json (367 paths / 452 operations) on 2026-05-18 05:56 PKT.

**How to use this guide:** Each section is grouped module-by-module. Purposes are intentionally one line for fast frontend planning. Use Swagger/OpenAPI for request/response schemas and examples.

## Superadmin / Admin APIs

Use SUPER\_ADMIN token, or ADMIN token with the RBAC permission shown in Swagger access notes.

### Admin - Commission & Payout Settings (7 APIs)

| Method | Endpoint                                            | Purpose                               | Access                                   |
|--------|-----------------------------------------------------|---------------------------------------|------------------------------------------|
| GET    | /api/v1/admin/payout-settings                       | Fetch commission and payout settings  | SUPER_ADMIN or ADMIN with payoutSettings |
| PATCH  | /api/v1/admin/payout-settings                       | Update commission and payout settings | SUPER_ADMIN or ADMIN with payoutSettings |
| GET    | /api/v1/admin/payout-settings/audit-logs            | List payout settings audit logs       | SUPER_ADMIN or ADMIN with payoutSettings |
| GET    | /api/v1/admin/payout-settings/commission-tiers      | List commission tiers                 | SUPER_ADMIN or ADMIN with payoutSettings |
| POST   | /api/v1/admin/payout-settings/commission-tiers      | Create commission tier                | SUPER_ADMIN or ADMIN with payoutSettings |
| PATCH  | /api/v1/admin/payout-settings/commission-tiers/{id} | Update commission tier                | SUPER_ADMIN or ADMIN with payoutSettings |
| DELETE | /api/v1/admin/payout-settings/commission-tiers/{id} | Delete commission tier                | SUPER_ADMIN or ADMIN with payoutSettings |

### Admin - Dashboard Overview (5 APIs)

| Method | Endpoint                                     | Purpose                                      | Access                              |
|--------|----------------------------------------------|----------------------------------------------|-------------------------------------|
| GET    | /api/v1/admin/dashboard/gift-vs-payment      | Fetch gift vs direct payment distribution    | SUPER_ADMIN or ADMIN with dashboard |
| GET    | /api/v1/admin/dashboard/overview             | Fetch Super Admin dashboard overview metrics | SUPER_ADMIN or ADMIN with dashboard |
| GET    | /api/v1/admin/dashboard/provider-performance | Fetch provider performance table             | SUPER_ADMIN or ADMIN with dashboard |
| GET    | /api/v1/admin/dashboard/recent-disputes      | Fetch recent disputes table                  | SUPER_ADMIN or ADMIN with dashboard |
| GET    | /api/v1/admin/dashboard/revenue-trends       | Fetch monthly revenue trends                 | SUPER_ADMIN or ADMIN with dashboard |

### Admin - Dispute Decisions (3 APIs)

| Method | Endpoint                                 | Purpose                       | Access                             |
|--------|------------------------------------------|-------------------------------|------------------------------------|
| GET    | /api/v1/admin/disputes/{id}/confirmation | Fetch decision confirmation   | SUPER_ADMIN or ADMIN with disputes |
| POST   | /api/v1/admin/disputes/{id}/decision     | Submit final dispute decision | SUPER_ADMIN or ADMIN with disputes |

| Method | Endpoint                                     | Purpose                        | Access                             |
|--------|----------------------------------------------|--------------------------------|------------------------------------|
| GET    | /api/v1/admin/disputes/{id}/decision-summary | Fetch dispute decision summary | SUPER_ADMIN or ADMIN with disputes |

## Admin - Dispute Evidence (1 APIs)

| Method | Endpoint                             | Purpose                | Access                             |
|--------|--------------------------------------|------------------------|------------------------------------|
| GET    | /api/v1/admin/disputes/{id}/evidence | Fetch dispute evidence | SUPER_ADMIN or ADMIN with disputes |

## Admin - Dispute Linkage (4 APIs)

| Method | Endpoint                                       | Purpose                                         | Access                             |
|--------|------------------------------------------------|-------------------------------------------------|------------------------------------|
| POST   | /api/v1/admin/disputes/{id}/link-transaction   | Confirm dispute transaction linkage             | SUPER_ADMIN or ADMIN with disputes |
| GET    | /api/v1/admin/disputes/{id}/linkage            | Fetch current dispute transaction linkage state | SUPER_ADMIN or ADMIN with disputes |
| POST   | /api/v1/admin/disputes/{id}/refund-preview     | Preview dispute refund selection                | SUPER_ADMIN or ADMIN with disputes |
| GET    | /api/v1/admin/disputes/{id}/transaction-search | Search original transaction for a dispute       | SUPER_ADMIN or ADMIN with disputes |

## Admin - Dispute Manager (8 APIs)

| Method | Endpoint                                  | Purpose                                           | Access                             |
|--------|-------------------------------------------|---------------------------------------------------|------------------------------------|
| GET    | /api/v1/admin/disputes                    | List dispute queue                                | SUPER_ADMIN or ADMIN with disputes |
| GET    | /api/v1/admin/disputes/export             | Export dispute cases                              | SUPER_ADMIN or ADMIN with disputes |
| GET    | /api/v1/admin/disputes/stats              | Fetch dispute dashboard stats                     | SUPER_ADMIN or ADMIN with disputes |
| GET    | /api/v1/admin/disputes/{id}               | Fetch dispute details and evidence review summary | SUPER_ADMIN or ADMIN with disputes |
| GET    | /api/v1/admin/disputes/{id}/internal-data | Fetch internal transaction data                   | SUPER_ADMIN or ADMIN with disputes |
| GET    | /api/v1/admin/disputes/{id}/notes         | Fetch internal dispute notes                      | SUPER_ADMIN or ADMIN with disputes |
| POST   | /api/v1/admin/disputes/{id}/notes         | Add internal dispute note                         | SUPER_ADMIN or ADMIN with disputes |
| GET    | /api/v1/admin/disputes/{id}/timeline      | Fetch dispute timeline                            | SUPER_ADMIN or ADMIN with disputes |

## Admin - Dispute Tracking (3 APIs)

| Method | Endpoint                                        | Purpose                          | Access                             |
|--------|-------------------------------------------------|----------------------------------|------------------------------------|
| POST   | /api/v1/admin/disputes/{id}/follow-up-notes     | Add dispute follow-up note       | SUPER_ADMIN or ADMIN with disputes |
| GET    | /api/v1/admin/disputes/{id}/tracking-log        | Fetch full dispute tracking log  | SUPER_ADMIN or ADMIN with disputes |
| GET    | /api/v1/admin/disputes/{id}/tracking-log/export | Export full dispute tracking log | SUPER_ADMIN or ADMIN with disputes |

## Admin - Guest Access Settings (3 APIs)

| Method | Endpoint                                       | Purpose                               | Access                                        |
|--------|------------------------------------------------|---------------------------------------|-----------------------------------------------|
| GET    | /api/v1/admin/guest-access-settings            | Fetch guest access settings           | SUPER_ADMIN or ADMIN with guestAccessSettings |
| PATCH  | /api/v1/admin/guest-access-settings            | Update guest access settings          | SUPER_ADMIN or ADMIN with guestAccessSettings |
| GET    | /api/v1/admin/guest-access-settings/audit-logs | List guest access settings audit logs | SUPER_ADMIN or ADMIN with guestAccessSettings |

## Admin - Media Upload Policy (3 APIs)

| Method | Endpoint                               | Purpose                             | Access                                |
|--------|----------------------------------------|-------------------------------------|---------------------------------------|
| GET    | /api/v1/media-upload-policy            | Fetch global media upload policy    | SUPER_ADMIN or ADMIN with mediaPolicy |
| PATCH  | /api/v1/media-upload-policy            | Update global media upload policy   | SUPER_ADMIN                           |
| GET    | /api/v1/media-upload-policy/audit-logs | List media upload policy audit logs | SUPER_ADMIN                           |

## Admin - Message Moderation (12 APIs)

| Method | Endpoint                                                              | Purpose                                       | Access                                      |
|--------|-----------------------------------------------------------------------|-----------------------------------------------|---------------------------------------------|
| GET    | /api/v1/admin/message-moderation/conversations                        | List flagged message moderation conversations | SUPER_ADMIN or ADMIN with messageModeration |
| GET    | /api/v1/admin/message-moderation/conversations/{id}                   | Fetch message moderation conversation detail  | SUPER_ADMIN or ADMIN with messageModeration |
| GET    | /api/v1/admin/message-moderation/conversations/{id}/history           | Fetch message moderation conversation history | SUPER_ADMIN or ADMIN with messageModeration |
| GET    | /api/v1/admin/message-moderation/export                               | Export message moderation rows                | SUPER_ADMIN or ADMIN with messageModeration |
| GET    | /api/v1/admin/message-moderation/filter-options                       | Fetch message moderation filter options       | SUPER_ADMIN or ADMIN with messageModeration |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/block           | Block a flagged message                       | SUPER_ADMIN or ADMIN with messageModeration |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/dismiss-flag    | Dismiss a moderation flag                     | SUPER_ADMIN or ADMIN with messageModeration |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/note            | Add internal private moderation note          | SUPER_ADMIN or ADMIN with messageModeration |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/reprocess       | Reprocess a message through scanner           | SUPER_ADMIN or ADMIN with messageModeration |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/suspend-account | Suspend the message sender account            | SUPER_ADMIN or ADMIN with messageModeration |
| POST   | /api/v1/admin/message-moderation/messages/{messageId}/warn-user       | Warn the message sender                       | SUPER_ADMIN or ADMIN with messageModeration |
| GET    | /api/v1/admin/message-moderation/stats                                | Fetch message moderation stats                | SUPER_ADMIN or ADMIN with messageModeration |

## Admin - Promotional Offers Management (10 APIs)

| Method | Endpoint                          | Purpose                          | Access                                      |
|--------|-----------------------------------|----------------------------------|---------------------------------------------|
| GET    | /api/v1/promotional-offers        | List Promotional Offers          | SUPER_ADMIN or ADMIN with promotionalOffers |
| POST   | /api/v1/promotional-offers        | Create Promotional Offers        | SUPER_ADMIN or ADMIN with promotionalOffers |
| GET    | /api/v1/promotional-offers/export | List Promotional Offers Export   | SUPER_ADMIN or ADMIN with promotionalOffers |
| GET    | /api/v1/promotional-offers/stats  | List Promotional Offers Stats    | SUPER_ADMIN or ADMIN with promotionalOffers |
| GET    | /api/v1/promotional-offers/{id}   | Fetch Promotional Offers details | SUPER_ADMIN or ADMIN with promotionalOffers |

| Method        | Endpoint                                | Purpose                           | Access                                      |
|---------------|-----------------------------------------|-----------------------------------|---------------------------------------------|
| <b>PATCH</b>  | /api/v1/promotional-offers/{id}         | Update Promotional Offers         | SUPER_ADMIN or ADMIN with promotionalOffers |
| <b>DELETE</b> | /api/v1/promotional-offers/{id}         | Delete Promotional Offers         | SUPER_ADMIN or ADMIN with promotionalOffers |
| <b>PATCH</b>  | /api/v1/promotional-offers/{id}/approve | Update Promotional Offers Approve | SUPER_ADMIN or ADMIN with promotionalOffers |
| <b>PATCH</b>  | /api/v1/promotional-offers/{id}/reject  | Update Promotional Offers Reject  | SUPER_ADMIN or ADMIN with promotionalOffers |
| <b>PATCH</b>  | /api/v1/promotional-offers/{id}/status  | Update Promotional Offers Status  | SUPER_ADMIN or ADMIN with promotionalOffers |

### Admin - Provider Business Categories (5 APIs)

| Method        | Endpoint                                  | Purpose                                  | Access                                               |
|---------------|-------------------------------------------|------------------------------------------|------------------------------------------------------|
| <b>GET</b>    | /api/v1/provider-business-categories      | List provider business categories        | PUBLIC                                               |
| <b>POST</b>   | /api/v1/provider-business-categories      | Create provider business category        | SUPER_ADMIN or ADMIN with providerBusinessCategories |
| <b>GET</b>    | /api/v1/provider-business-categories/{id} | Fetch provider business category details | SUPER_ADMIN or ADMIN with providerBusinessCategories |
| <b>PATCH</b>  | /api/v1/provider-business-categories/{id} | Update provider business category        | SUPER_ADMIN or ADMIN with providerBusinessCategories |
| <b>DELETE</b> | /api/v1/provider-business-categories/{id} | Soft-delete provider business category   | SUPER_ADMIN or ADMIN with providerBusinessCategories |

### Admin - Provider Dispute Evidence (3 APIs)

| Method      | Endpoint                                                    | Purpose                                        | Access                                     |
|-------------|-------------------------------------------------------------|------------------------------------------------|--------------------------------------------|
| <b>GET</b>  | /api/v1/admin/provider-disputes/{id}/evidence               | Fetch provider dispute evidence exchange       | SUPER_ADMIN or ADMIN with providerDisputes |
| <b>POST</b> | /api/v1/admin/provider-disputes/{id}/evidence/mark-reviewed | Mark provider dispute evidence review complete | SUPER_ADMIN or ADMIN with providerDisputes |
| <b>POST</b> | /api/v1/admin/provider-disputes/{id}/evidence/request       | Request additional provider dispute evidence   | SUPER_ADMIN or ADMIN with providerDisputes |

### Admin - Provider Dispute Logs (2 APIs)

| Method     | Endpoint                                                   | Purpose                                | Access                                     |
|------------|------------------------------------------------------------|----------------------------------------|--------------------------------------------|
| <b>GET</b> | /api/v1/admin/provider-disputes/{id}/resolution-log        | Fetch provider dispute resolution log  | SUPER_ADMIN or ADMIN with providerDisputes |
| <b>GET</b> | /api/v1/admin/provider-disputes/{id}/resolution-log/export | Export provider dispute resolution log | SUPER_ADMIN or ADMIN with providerDisputes |

### Admin - Provider Dispute Manager (7 APIs)

| Method     | Endpoint                               | Purpose                       | Access                                     |
|------------|----------------------------------------|-------------------------------|--------------------------------------------|
| <b>GET</b> | /api/v1/admin/provider-disputes        | List provider dispute queue   | SUPER_ADMIN or ADMIN with providerDisputes |
| <b>GET</b> | /api/v1/admin/provider-disputes/export | Export provider dispute queue | SUPER_ADMIN or ADMIN with providerDisputes |

| Method | Endpoint                                      | Purpose                                | Access                                     |
|--------|-----------------------------------------------|----------------------------------------|--------------------------------------------|
| GET    | /api/v1/admin/provider-disputes/stats         | Fetch provider dispute dashboard stats | SUPER_ADMIN or ADMIN with providerDisputes |
| GET    | /api/v1/admin/provider-disputes/{id}          | Fetch provider dispute details         | SUPER_ADMIN or ADMIN with providerDisputes |
| GET    | /api/v1/admin/provider-disputes/{id}/notes    | Fetch provider dispute internal notes  | SUPER_ADMIN or ADMIN with providerDisputes |
| POST   | /api/v1/admin/provider-disputes/{id}/notes    | Add provider dispute internal note     | SUPER_ADMIN or ADMIN with providerDisputes |
| GET    | /api/v1/admin/provider-disputes/{id}/timeline | Fetch provider dispute timeline        | SUPER_ADMIN or ADMIN with providerDisputes |

### Admin - Provider Dispute Resolution (3 APIs)

| Method | Endpoint                                          | Purpose                                   | Access                                     |
|--------|---------------------------------------------------|-------------------------------------------|--------------------------------------------|
| POST   | /api/v1/admin/provider-disputes/{id}/finalize     | Finalize provider dispute                 | SUPER_ADMIN or ADMIN with providerDisputes |
| POST   | /api/v1/admin/provider-disputes/{id}/notify-again | Resend provider dispute notifications     | SUPER_ADMIN or ADMIN with providerDisputes |
| GET    | /api/v1/admin/provider-disputes/{id}/resolution   | Fetch provider dispute resolution summary | SUPER_ADMIN or ADMIN with providerDisputes |

### Admin - Provider Dispute Rulings (2 APIs)

| Method | Endpoint                                            | Purpose                               | Access                                     |
|--------|-----------------------------------------------------|---------------------------------------|--------------------------------------------|
| POST   | /api/v1/admin/provider-disputes/{id}/ruling         | Save provider dispute ruling          | SUPER_ADMIN or ADMIN with providerDisputes |
| GET    | /api/v1/admin/provider-disputes/{id}/ruling-summary | Fetch provider dispute ruling summary | SUPER_ADMIN or ADMIN with providerDisputes |

### Admin - Provider Financial Adjustments (3 APIs)

| Method | Endpoint                                                    | Purpose                                 | Access                                     |
|--------|-------------------------------------------------------------|-----------------------------------------|--------------------------------------------|
| POST   | /api/v1/admin/provider-disputes/{id}/final-attestation      | Complete final financial attestation    | SUPER_ADMIN or ADMIN with providerDisputes |
| GET    | /api/v1/admin/provider-disputes/{id}/financial-impact       | Fetch provider dispute financial impact | SUPER_ADMIN or ADMIN with providerDisputes |
| POST   | /api/v1/admin/provider-disputes/{id}/payout-penalty-linkage | Link payout and penalty adjustments     | SUPER_ADMIN or ADMIN with providerDisputes |

### Admin - Provider Management (12 APIs)

| Method | Endpoint                 | Purpose                              | Access                              |
|--------|--------------------------|--------------------------------------|-------------------------------------|
| GET    | /api/v1/providers        | List providers                       | SUPER_ADMIN or ADMIN with providers |
| POST   | /api/v1/providers        | Create provider from admin dashboard | SUPER_ADMIN or ADMIN with providers |
| GET    | /api/v1/providers/export | List Providers Export                | SUPER_ADMIN or ADMIN with providers |
| GET    | /api/v1/providers/lookup | List Providers Lookup                | SUPER_ADMIN or ADMIN with providers |
| GET    | /api/v1/providers/stats  | List Providers Stats                 | SUPER_ADMIN or ADMIN with providers |

| Method | Endpoint                        | Purpose                          | Access                                                                      |
|--------|---------------------------------|----------------------------------|-----------------------------------------------------------------------------|
| GET    | /api/v1/providers/{id}          | Fetch Providers details          | SUPER_ADMIN or ADMIN with providers                                         |
| PATCH  | /api/v1/providers/{id}          | Update Providers                 | SUPER_ADMIN or ADMIN with providers                                         |
| DELETE | /api/v1/providers/{id}          | Permanently delete provider      | SUPER_ADMIN                                                                 |
| GET    | /api/v1/providers/{id}/activity | Fetch Providers Activity details | SUPER_ADMIN or ADMIN with providers                                         |
| GET    | /api/v1/providers/{id}/items    | Fetch Providers Items details    | SUPER_ADMIN or ADMIN with providers                                         |
| POST   | /api/v1/providers/{id}/message  | Create Providers Message         | SUPER_ADMIN or ADMIN with providers                                         |
| PATCH  | /api/v1/providers/{id}/status   | Update provider lifecycle status | SUPER_ADMIN or ADMIN with provider lifecycle permission (APPROVE=>providers |

## Admin - Provider Payouts (11 APIs)

| Method | Endpoint                                            | Purpose                                     | Access                                    |
|--------|-----------------------------------------------------|---------------------------------------------|-------------------------------------------|
| GET    | /api/v1/admin/provider-payouts                      | List provider payouts                       | SUPER_ADMIN or ADMIN with providerPayouts |
| POST   | /api/v1/admin/provider-payouts/bulk-approve         | Bulk approve provider payouts               | SUPER_ADMIN or ADMIN with providerPayouts |
| GET    | /api/v1/admin/provider-payouts/earning-distribution | Fetch earning distribution by provider tier | SUPER_ADMIN or ADMIN with providerPayouts |
| GET    | /api/v1/admin/provider-payouts/export               | Export provider payouts                     | SUPER_ADMIN or ADMIN with providerPayouts |
| GET    | /api/v1/admin/provider-payouts/stats                | Fetch provider payout dashboard stats       | SUPER_ADMIN or ADMIN with providerPayouts |
| GET    | /api/v1/admin/provider-payouts/trends               | Fetch monthly provider payout trend         | SUPER_ADMIN or ADMIN with providerPayouts |
| GET    | /api/v1/admin/provider-payouts/{id}                 | Fetch provider payout details               | SUPER_ADMIN or ADMIN with providerPayouts |
| POST   | /api/v1/admin/provider-payouts/{id}/approve         | Approve provider payout                     | SUPER_ADMIN or ADMIN with providerPayouts |
| GET    | /api/v1/admin/provider-payouts/{id}/breakdown       | Fetch pending payout transaction breakdown  | SUPER_ADMIN or ADMIN with providerPayouts |
| POST   | /api/v1/admin/provider-payouts/{id}/hold            | Hold provider payout                        | SUPER_ADMIN or ADMIN with providerPayouts |
| POST   | /api/v1/admin/provider-payouts/{id}/reject          | Reject provider payout                      | SUPER_ADMIN or ADMIN with providerPayouts |

## Admin - Referral Settings (6 APIs)

| Method | Endpoint                             | Purpose                           | Access                                     |
|--------|--------------------------------------|-----------------------------------|--------------------------------------------|
| GET    | /api/v1/referral-settings            | Fetch referral settings           | SUPER_ADMIN or ADMIN with referralSettings |
| PATCH  | /api/v1/referral-settings            | Update referral settings          | SUPER_ADMIN                                |
| POST   | /api/v1/referral-settings/activate   | Activate referral program         | SUPER_ADMIN                                |
| GET    | /api/v1/referral-settings/audit-logs | List referral settings audit logs | SUPER_ADMIN                                |
| POST   | /api/v1/referral-settings/deactivate | Deactivate referral program       | SUPER_ADMIN                                |

| Method | Endpoint                        | Purpose              | Access                                     |
|--------|---------------------------------|----------------------|--------------------------------------------|
| GET    | /api/v1/referral-settings/stats | Fetch referral stats | SUPER_ADMIN or ADMIN with referralSettings |

## Admin - Refund Policy Settings (3 APIs)

| Method | Endpoint                                  | Purpose                       | Access                                   |
|--------|-------------------------------------------|-------------------------------|------------------------------------------|
| GET    | /api/v1/admin/refund-policy-settings      | Fetch refund policy settings  | SUPER_ADMIN or ADMIN with refundPolicies |
| PATCH  | /api/v1/admin/refund-policy-settings      | Update refund policy settings | SUPER_ADMIN                              |
| GET    | /api/v1/admin/refund-policy-settings/logs | List refund policy audit logs | SUPER_ADMIN                              |

## Admin - Review Moderation (4 APIs)

| Method | Endpoint                               | Purpose                             | Access        |
|--------|----------------------------------------|-------------------------------------|---------------|
| GET    | /api/v1/admin/reviews/flagged-summary  | List Admin Reviews Flagged Summary  | Authenticated |
| GET    | /api/v1/admin/reviews/moderation-logs  | List Admin Reviews Moderation Logs  | Authenticated |
| GET    | /api/v1/admin/reviews/moderation-queue | List Admin Reviews Moderation Queue | Authenticated |
| POST   | /api/v1/admin/reviews/{id}/moderate    | Moderate a review                   | Authenticated |

## Admin - Review Policies (3 APIs)

| Method | Endpoint                           | Purpose                           | Access        |
|--------|------------------------------------|-----------------------------------|---------------|
| GET    | /api/v1/admin/review-policies      | Fetch review moderation policies  | Authenticated |
| PATCH  | /api/v1/admin/review-policies      | Update review moderation policies | Authenticated |
| POST   | /api/v1/admin/review-policies/test | Test review policy result         | Authenticated |

## Admin - Reviews Management (5 APIs)

| Method | Endpoint                        | Purpose                                | Access        |
|--------|---------------------------------|----------------------------------------|---------------|
| GET    | /api/v1/admin/reviews           | List reviews for moderation dashboard  | Authenticated |
| GET    | /api/v1/admin/reviews/dashboard | Fetch platform review dashboard        | Authenticated |
| GET    | /api/v1/admin/reviews/export    | Export reviews with moderation filters | Authenticated |
| GET    | /api/v1/admin/reviews/stats     | List Admin Reviews Stats               | Authenticated |
| GET    | /api/v1/admin/reviews/{id}      | Fetch review moderation details        | Authenticated |

## Admin - Roles & Permissions (7 APIs)

| Method | Endpoint                             | Purpose                        | Access      |
|--------|--------------------------------------|--------------------------------|-------------|
| GET    | /api/v1/admin-roles                  | List Admin Roles               | SUPER_ADMIN |
| POST   | /api/v1/admin-roles                  | Create Admin Roles             | SUPER_ADMIN |
| GET    | /api/v1/admin-roles/{id}             | Fetch Admin Roles details      | SUPER_ADMIN |
| PATCH  | /api/v1/admin-roles/{id}             | Update Admin Roles             | SUPER_ADMIN |
| DELETE | /api/v1/admin-roles/{id}             | Delete Admin Roles             | SUPER_ADMIN |
| PATCH  | /api/v1/admin-roles/{id}/permissions | Update Admin Roles Permissions | SUPER_ADMIN |
| GET    | /api/v1/permissions/catalog          | List Permissions Catalog       | SUPER_ADMIN |

## Admin - Social Moderation (5 APIs)

| Method | Endpoint                               | Purpose                      | Access                                     |
|--------|----------------------------------------|------------------------------|--------------------------------------------|
| GET    | /api/v1/admin/social-moderation/export | Export social moderation log | SUPER_ADMIN or ADMIN with socialModeration |

| Method | Endpoint                                            | Purpose                                | Access                                     |
|--------|-----------------------------------------------------|----------------------------------------|--------------------------------------------|
| GET    | /api/v1/admin/social-moderation/reports             | List social moderation reports         | SUPER_ADMIN or ADMIN with socialModeration |
| GET    | /api/v1/admin/social-moderation/reports/{id}        | Fetch social report inspection details | SUPER_ADMIN or ADMIN with socialModeration |
| POST   | /api/v1/admin/social-moderation/reports/{id}/action | Run social moderation action           | SUPER_ADMIN or ADMIN with socialModeration |
| GET    | /api/v1/admin/social-moderation/stats               | Fetch social moderation stats          | SUPER_ADMIN or ADMIN with socialModeration |

## Admin - Social Reporting Rules (8 APIs)

| Method | Endpoint                                         | Purpose                             | Access                                         |
|--------|--------------------------------------------------|-------------------------------------|------------------------------------------------|
| GET    | /api/v1/admin/social-reporting-rules             | List social reporting rules         | SUPER_ADMIN or ADMIN with socialReportingRules |
| POST   | /api/v1/admin/social-reporting-rules             | Create social reporting rule        | SUPER_ADMIN or ADMIN with socialReportingRules |
| GET    | /api/v1/admin/social-reporting-rules/export      | Export social reporting rules       | SUPER_ADMIN or ADMIN with socialReportingRules |
| GET    | /api/v1/admin/social-reporting-rules/stats       | Fetch social reporting rule stats   | SUPER_ADMIN or ADMIN with socialReportingRules |
| GET    | /api/v1/admin/social-reporting-rules/{id}        | Fetch social reporting rule details | SUPER_ADMIN or ADMIN with socialReportingRules |
| PATCH  | /api/v1/admin/social-reporting-rules/{id}        | Update social reporting rule        | SUPER_ADMIN or ADMIN with socialReportingRules |
| DELETE | /api/v1/admin/social-reporting-rules/{id}        | Soft-delete social reporting rule   | SUPER_ADMIN or ADMIN with socialReportingRules |
| PATCH  | /api/v1/admin/social-reporting-rules/{id}/status | Update social reporting rule status | SUPER_ADMIN or ADMIN with socialReportingRules |

## Admin - Staff Management (7 APIs)

| Method | Endpoint                          | Purpose                             | Access      |
|--------|-----------------------------------|-------------------------------------|-------------|
| GET    | /api/v1/admins                    | List admin staff users              | SUPER_ADMIN |
| POST   | /api/v1/admins                    | Create admin staff user             | SUPER_ADMIN |
| GET    | /api/v1/admins/{id}               | Fetch Admins details                | SUPER_ADMIN |
| PATCH  | /api/v1/admins/{id}               | Update Admins                       | SUPER_ADMIN |
| DELETE | /api/v1/admins/{id}               | Permanently delete admin staff user | SUPER_ADMIN |
| PATCH  | /api/v1/admins/{id}/active-status | Update Admins Active Status         | SUPER_ADMIN |
| PATCH  | /api/v1/admins/{id}/password      | Update Admins Password              | SUPER_ADMIN |

## Admin - Support Chat (7 APIs)

| Method | Endpoint                          | Purpose                                 | Access                                 |
|--------|-----------------------------------|-----------------------------------------|----------------------------------------|
| GET    | /api/v1/admin/support-chats       | List admin support chats                | SUPER_ADMIN or ADMIN with supportChats |
| GET    | /api/v1/admin/support-chats/stats | Fetch support chat stats                | SUPER_ADMIN or ADMIN with supportChats |
| GET    | /api/v1/admin/support-chats/{id}  | Fetch support chat conversation details | SUPER_ADMIN or ADMIN with supportChats |



| Method | Endpoint                                  | Purpose                                     | Access                                 |
|--------|-------------------------------------------|---------------------------------------------|----------------------------------------|
| POST   | /api/v1/admin/support-chats/{id}/messages | Reply to support chat                       | SUPER_ADMIN or ADMIN with supportChats |
| PATCH  | /api/v1/admin/support-chats/{id}/read     | Mark support chat as read                   | SUPER_ADMIN or ADMIN with supportChats |
| POST   | /api/v1/admin/support-chats/{id}/reopen   | Reopen support chat and notify participant  | SUPER_ADMIN or ADMIN with supportChats |
| POST   | /api/v1/admin/support-chats/{id}/resolve  | Resolve support chat and notify participant | SUPER_ADMIN or ADMIN with supportChats |

## Admin - System Logs & Audit Trail (6 APIs)

| Method | Endpoint                        | Purpose                               | Access      |
|--------|---------------------------------|---------------------------------------|-------------|
| GET    | /api/v1/audit-logs              | List audit logs                       | SUPER_ADMIN |
| GET    | /api/v1/audit-logs/action-types | Fetch audit log action types          | SUPER_ADMIN |
| GET    | /api/v1/audit-logs/export       | Export audit logs CSV                 | SUPER_ADMIN |
| GET    | /api/v1/audit-logs/stats        | Fetch audit log stats                 | SUPER_ADMIN |
| GET    | /api/v1/audit-logs/users        | Fetch audit log user selector options | SUPER_ADMIN |
| GET    | /api/v1/audit-logs/{id}         | Fetch audit log detail                | SUPER_ADMIN |

## Admin - System Settings (5 APIs)

| Method | Endpoint                                 | Purpose                          | Access                                   |
|--------|------------------------------------------|----------------------------------|------------------------------------------|
| GET    | /api/v1/admin/system-settings            | Fetch system settings            | SUPER_ADMIN or ADMIN with systemSettings |
| PATCH  | /api/v1/admin/system-settings            | Update system settings           | SUPER_ADMIN or ADMIN with systemSettings |
| GET    | /api/v1/admin/system-settings/audit-logs | List system settings audit logs  | SUPER_ADMIN or ADMIN with systemSettings |
| POST   | /api/v1/admin/system-settings/logo       | Update system logo URL/reference | SUPER_ADMIN or ADMIN with systemSettings |
| POST   | /api/v1/admin/system-settings/smtp/test  | Send SMTP test email             | SUPER_ADMIN or ADMIN with systemSettings |

## Admin - Transaction Monitoring (9 APIs)

| Method | Endpoint                                     | Purpose                               | Access                                 |
|--------|----------------------------------------------|---------------------------------------|----------------------------------------|
| GET    | /api/v1/admin/transactions                   | List admin transactions               | SUPER_ADMIN or ADMIN with transactions |
| GET    | /api/v1/admin/transactions/export            | Export admin transactions             | SUPER_ADMIN or ADMIN with transactions |
| GET    | /api/v1/admin/transactions/stats             | Fetch transaction monitoring stats    | SUPER_ADMIN or ADMIN with transactions |
| GET    | /api/v1/admin/transactions/{id}              | Fetch transaction details             | SUPER_ADMIN or ADMIN with transactions |
| POST   | /api/v1/admin/transactions/{id}/notify-user  | Send transaction notification to user | SUPER_ADMIN or ADMIN with transactions |
| POST   | /api/v1/admin/transactions/{id}/open-dispute | Open dispute from transaction         | SUPER_ADMIN or ADMIN with transactions |

| Method | Endpoint                                 | Purpose                      | Access                                 |
|--------|------------------------------------------|------------------------------|----------------------------------------|
| GET    | /api/v1/admin/transactions/{id}/receipt  | Download transaction receipt | SUPER_ADMIN or ADMIN with transactions |
| POST   | /api/v1/admin/transactions/{id}/refund   | Refund transaction           | SUPER_ADMIN or ADMIN with transactions |
| GET    | /api/v1/admin/transactions/{id}/timeline | Fetch transaction timeline   | SUPER_ADMIN or ADMIN with transactions |

## Admin - User Management (11 APIs)

| Method | Endpoint                          | Purpose                            | Access                          |
|--------|-----------------------------------|------------------------------------|---------------------------------|
| GET    | /api/v1/users                     | List registered users              | SUPER_ADMIN or ADMIN with users |
| GET    | /api/v1/users/export              | List Users Export                  | SUPER_ADMIN or ADMIN with users |
| GET    | /api/v1/users/{id}                | Fetch Users details                | SUPER_ADMIN or ADMIN with users |
| PATCH  | /api/v1/users/{id}                | Update Users                       | SUPER_ADMIN or ADMIN with users |
| DELETE | /api/v1/users/{id}                | Permanently delete registered user | SUPER_ADMIN                     |
| GET    | /api/v1/users/{id}/activity       | Fetch Users Activity details       | SUPER_ADMIN or ADMIN with users |
| POST   | /api/v1/users/{id}/reset-password | Change registered user password    | SUPER_ADMIN or ADMIN with users |
| GET    | /api/v1/users/{id}/stats          | Fetch Users Stats details          | SUPER_ADMIN or ADMIN with users |
| PATCH  | /api/v1/users/{id}/status         | Update Users Status                | SUPER_ADMIN or ADMIN with users |
| POST   | /api/v1/users/{id}/suspend        | Create Users Suspend               | SUPER_ADMIN or ADMIN with users |
| POST   | /api/v1/users/{id}/unsuspend      | Create Users Unsuspend             | SUPER_ADMIN or ADMIN with users |

## Auth (16 APIs)

| Method | Endpoint                         | Purpose                         | Access        |
|--------|----------------------------------|---------------------------------|---------------|
| DELETE | /api/v1/auth/account             | Delete Auth Account             | Authenticated |
| POST   | /api/v1/auth/cancel-deletion     | Create Auth Cancel Deletion     | Authenticated |
| PATCH  | /api/v1/auth/change-password     | Update Auth Change Password     | Authenticated |
| POST   | /api/v1/auth/forgot-password     | Create Auth Forgot Password     | PUBLIC        |
| POST   | /api/v1/auth/login               | Create Auth Login               | PUBLIC        |
| POST   | /api/v1/auth/logout              | Create Auth Logout              | Authenticated |
| GET    | /api/v1/auth/me                  | List Auth Me                    | Authenticated |
| PATCH  | /api/v1/auth/me                  | Update Auth Me                  | Authenticated |
| POST   | /api/v1/auth/refresh             | Create Auth Refresh             | PUBLIC        |
| POST   | /api/v1/auth/resend-otp          | Create Auth Resend Otp          | Authenticated |
| POST   | /api/v1/auth/reset-password      | Create Auth Reset Password      | PUBLIC        |
| GET    | /api/v1/auth/sessions            | List Auth Sessions              | Authenticated |
| POST   | /api/v1/auth/sessions/logout-all | Create Auth Sessions Logout All | Authenticated |
| DELETE | /api/v1/auth/sessions/{id}       | Delete Auth Sessions            | Authenticated |
| POST   | /api/v1/auth/verify-email        | Create Auth Verify Email        | Authenticated |
| POST   | /api/v1/auth/verify-reset-otp    | Create Auth Verify Reset Otp    | PUBLIC        |

## Auth - Login Attempts (3 APIs)

| Method | Endpoint                      | Purpose                    | Access                                  |
|--------|-------------------------------|----------------------------|-----------------------------------------|
| GET    | /api/v1/login-attempts        | List Login Attempts        | SUPER_ADMIN or ADMIN with loginAttempts |
| GET    | /api/v1/login-attempts/export | List Login Attempts Export | SUPER_ADMIN or ADMIN with loginAttempts |
| GET    | /api/v1/login-attempts/stats  | List Login Attempts Stats  | SUPER_ADMIN or ADMIN with loginAttempts |

## Broadcast Notifications (10 APIs)

| Method | Endpoint                           | Purpose                             | Access                               |
|--------|------------------------------------|-------------------------------------|--------------------------------------|
| GET    | /api/v1/broadcasts                 | List Broadcasts                     | SUPER_ADMIN or ADMIN with broadcasts |
| POST   | /api/v1/broadcasts                 | Create Broadcasts                   | SUPER_ADMIN or ADMIN with broadcasts |
| POST   | /api/v1/broadcasts/estimate-reach  | Create Broadcasts Estimate Reach    | SUPER_ADMIN or ADMIN with broadcasts |
| GET    | /api/v1/broadcasts/{id}            | Fetch Broadcasts details            | SUPER_ADMIN or ADMIN with broadcasts |
| PATCH  | /api/v1/broadcasts/{id}            | Update Broadcasts                   | SUPER_ADMIN or ADMIN with broadcasts |
| POST   | /api/v1/broadcasts/{id}/cancel     | Create Broadcasts Cancel            | SUPER_ADMIN or ADMIN with broadcasts |
| GET    | /api/v1/broadcasts/{id}/recipients | Fetch Broadcasts Recipients details | SUPER_ADMIN or ADMIN with broadcasts |
| GET    | /api/v1/broadcasts/{id}/report     | Fetch Broadcasts Report details     | SUPER_ADMIN or ADMIN with broadcasts |
| PATCH  | /api/v1/broadcasts/{id}/schedule   | Update Broadcasts Schedule          | SUPER_ADMIN or ADMIN with broadcasts |
| PATCH  | /api/v1/broadcasts/{id}/targeting  | Update Broadcasts Targeting         | SUPER_ADMIN or ADMIN with broadcasts |

## Gifts - Categories (6 APIs)

| Method | Endpoint                      | Purpose                     | Access                                   |
|--------|-------------------------------|-----------------------------|------------------------------------------|
| GET    | /api/v1/gift-categories       | List gift categories        | SUPER_ADMIN or ADMIN with giftCategories |
| POST   | /api/v1/gift-categories       | Create gift category        | SUPER_ADMIN or ADMIN with giftCategories |
| GET    | /api/v1/gift-categories/stats | Fetch gift category stats   | SUPER_ADMIN or ADMIN with giftCategories |
| GET    | /api/v1/gift-categories/{id}  | Fetch gift category details | SUPER_ADMIN or ADMIN with giftCategories |
| PATCH  | /api/v1/gift-categories/{id}  | Update gift category        | SUPER_ADMIN or ADMIN with giftCategories |
| DELETE | /api/v1/gift-categories/{id}  | Soft-delete gift category   | SUPER_ADMIN or ADMIN with giftCategories |

## Gifts - Management (8 APIs)

| Method | Endpoint                  | Purpose                                         | Access                          |
|--------|---------------------------|-------------------------------------------------|---------------------------------|
| GET    | /api/v1/gifts             | List admin gifts                                | SUPER_ADMIN or ADMIN with gifts |
| POST   | /api/v1/gifts             | Create admin gift with optional nested variants | SUPER_ADMIN or ADMIN with gifts |
| GET    | /api/v1/gifts/export      | Export gift inventory                           | SUPER_ADMIN or ADMIN with gifts |
| GET    | /api/v1/gifts/stats       | Fetch gift inventory stats                      | SUPER_ADMIN or ADMIN with gifts |
| GET    | /api/v1/gifts/{id}        | Fetch admin gift details with variants          | SUPER_ADMIN or ADMIN with gifts |
| PATCH  | /api/v1/gifts/{id}        | Update admin gift and upsert nested variants    | SUPER_ADMIN or ADMIN with gifts |
| DELETE | /api/v1/gifts/{id}        | Soft-delete gift                                | SUPER_ADMIN or ADMIN with gifts |
| PATCH  | /api/v1/gifts/{id}/status | Update gift status                              | SUPER_ADMIN or ADMIN with gifts |

## Gifts - Moderation (4 APIs)

| Method | Endpoint                             | Purpose                                      | Access                                   |
|--------|--------------------------------------|----------------------------------------------|------------------------------------------|
| GET    | /api/v1/gift-moderation              | List optional gift moderation queue          | SUPER_ADMIN or ADMIN with giftModeration |
| PATCH  | /api/v1/gift-moderation/{id}/approve | Approve gift in optional moderation workflow | SUPER_ADMIN or ADMIN with giftModeration |
| PATCH  | /api/v1/gift-moderation/{id}/flag    | Update Gift Moderation Flag                  | SUPER_ADMIN or ADMIN with giftModeration |
| PATCH  | /api/v1/gift-moderation/{id}/reject  | Update Gift Moderation Reject                | SUPER_ADMIN or ADMIN with giftModeration |

## Notifications (9 APIs)

| Method | Endpoint                                 | Purpose                            | Access                                           |
|--------|------------------------------------------|------------------------------------|--------------------------------------------------|
| GET    | /api/v1/notifications                    | List notifications                 | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| POST   | /api/v1/notifications/device-tokens      | Save device token                  | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| DELETE | /api/v1/notifications/device-tokens/{id} | Disable device token               | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| GET    | /api/v1/notifications/preferences        | Fetch notification preferences     | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| PATCH  | /api/v1/notifications/preferences        | Update notification preferences    | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| PATCH  | /api/v1/notifications/read-all           | Mark all own notifications as read | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| GET    | /api/v1/notifications/summary            | Fetch notification summary         | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |

| Method       | Endpoint                          | Purpose                     | Access                                                    |
|--------------|-----------------------------------|-----------------------------|-----------------------------------------------------------|
| <b>POST</b>  | /api/v1/notifications/{id}/action | Process notification action | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| <b>PATCH</b> | /api/v1/notifications/{id}/read   | Mark notification as read   | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |

## Plans & Coupons (21 APIs)

| Method        | Endpoint                                  | Purpose                                    | Access                                            |
|---------------|-------------------------------------------|--------------------------------------------|---------------------------------------------------|
| <b>GET</b>    | /api/v1/coupons                           | List Coupons                               | SUPER_ADMIN or<br>ADMIN with coupons              |
| <b>POST</b>   | /api/v1/coupons                           | Create Coupons                             | SUPER_ADMIN or<br>ADMIN with coupons              |
| <b>GET</b>    | /api/v1/coupons/{id}                      | Fetch Coupons details                      | SUPER_ADMIN or<br>ADMIN with coupons              |
| <b>PATCH</b>  | /api/v1/coupons/{id}                      | Update Coupons                             | SUPER_ADMIN or<br>ADMIN with coupons              |
| <b>DELETE</b> | /api/v1/coupons/{id}                      | Delete Coupons                             | SUPER_ADMIN or<br>ADMIN with coupons              |
| <b>PATCH</b>  | /api/v1/coupons/{id}/status               | Update Coupons Status                      | SUPER_ADMIN or<br>ADMIN with coupons              |
| <b>GET</b>    | /api/v1/plan-features                     | List Plan Features                         | SUPER_ADMIN or<br>ADMIN with<br>planFeatures      |
| <b>POST</b>   | /api/v1/plan-features                     | Create Plan Features                       | SUPER_ADMIN or<br>ADMIN with<br>planFeatures      |
| <b>GET</b>    | /api/v1/plan-features/catalog             | List Plan Features Catalog                 | SUPER_ADMIN or<br>ADMIN with<br>planFeatures      |
| <b>GET</b>    | /api/v1/plan-features/{id}                | Fetch Plan Features details                | SUPER_ADMIN or<br>ADMIN with<br>planFeatures      |
| <b>PATCH</b>  | /api/v1/plan-features/{id}                | Update Plan Features                       | SUPER_ADMIN or<br>ADMIN with<br>planFeatures      |
| <b>DELETE</b> | /api/v1/plan-features/{id}                | Delete Plan Features                       | SUPER_ADMIN or<br>ADMIN with<br>planFeatures      |
| <b>GET</b>    | /api/v1/subscription-plans                | List Subscription Plans                    | SUPER_ADMIN or<br>ADMIN with<br>subscriptionPlans |
| <b>POST</b>   | /api/v1/subscription-plans                | Create Subscription Plans                  | SUPER_ADMIN or<br>ADMIN with<br>subscriptionPlans |
| <b>GET</b>    | /api/v1/subscription-plans/stats          | List Subscription Plans Stats              | SUPER_ADMIN or<br>ADMIN with<br>subscriptionPlans |
| <b>GET</b>    | /api/v1/subscription-plans/{id}           | Fetch Subscription Plans details           | SUPER_ADMIN or<br>ADMIN with<br>subscriptionPlans |
| <b>PATCH</b>  | /api/v1/subscription-plans/{id}           | Update Subscription Plans                  | SUPER_ADMIN or<br>ADMIN with<br>subscriptionPlans |
| <b>DELETE</b> | /api/v1/subscription-plans/{id}           | Delete Subscription Plans                  | SUPER_ADMIN or<br>ADMIN with<br>subscriptionPlans |
| <b>GET</b>    | /api/v1/subscription-plans/{id}/analytics | Fetch Subscription Plans Analytics details | SUPER_ADMIN or<br>ADMIN with<br>subscriptionPlans |
| <b>PATCH</b>  | /api/v1/subscription-plans/{id}/status    | Update Subscription Plans Status           | SUPER_ADMIN or<br>ADMIN with<br>subscriptionPlans |

| Method       | Endpoint                                   | Purpose                              | Access                                      |
|--------------|--------------------------------------------|--------------------------------------|---------------------------------------------|
| <b>PATCH</b> | /api/v1/subscription-plans/{id}/visibility | Update Subscription Plans Visibility | SUPER_ADMIN or ADMIN with subscriptionPlans |

## Storage (5 APIs)

| Method        | Endpoint                      | Purpose                     | Access                                           |
|---------------|-------------------------------|-----------------------------|--------------------------------------------------|
| <b>GET</b>    | /api/v1/uploads               | List uploads                | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| <b>POST</b>   | /api/v1/uploads/complete      | Complete upload             | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| <b>POST</b>   | /api/v1/uploads/presigned-url | Create presigned upload URL | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| <b>GET</b>    | /api/v1/uploads/{id}          | Fetch upload details        | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| <b>DELETE</b> | /api/v1/uploads/{id}          | Delete upload               | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |

## Registered User APIs

Use REGISTERED\_USER token unless the endpoint is public (for example guest/session or category lookup).

## Auth (18 APIs)

| Method        | Endpoint                         | Purpose                         | Access        |
|---------------|----------------------------------|---------------------------------|---------------|
| <b>DELETE</b> | /api/v1/auth/account             | Delete Auth Account             | Authenticated |
| <b>POST</b>   | /api/v1/auth/cancel-deletion     | Create Auth Cancel Deletion     | Authenticated |
| <b>PATCH</b>  | /api/v1/auth/change-password     | Update Auth Change Password     | Authenticated |
| <b>POST</b>   | /api/v1/auth/forgot-password     | Create Auth Forgot Password     | PUBLIC        |
| <b>POST</b>   | /api/v1/auth/guest/session       | Create Auth Guest Session       | PUBLIC        |
| <b>POST</b>   | /api/v1/auth/login               | Create Auth Login               | PUBLIC        |
| <b>POST</b>   | /api/v1/auth/logout              | Create Auth Logout              | Authenticated |
| <b>GET</b>    | /api/v1/auth/me                  | List Auth Me                    | Authenticated |
| <b>PATCH</b>  | /api/v1/auth/me                  | Update Auth Me                  | Authenticated |
| <b>POST</b>   | /api/v1/auth/refresh             | Create Auth Refresh             | PUBLIC        |
| <b>POST</b>   | /api/v1/auth/resend-otp          | Create Auth Resend Otp          | Authenticated |
| <b>POST</b>   | /api/v1/auth/reset-password      | Create Auth Reset Password      | PUBLIC        |
| <b>GET</b>    | /api/v1/auth/sessions            | List Auth Sessions              | Authenticated |
| <b>POST</b>   | /api/v1/auth/sessions/logout-all | Create Auth Sessions Logout All | Authenticated |
| <b>DELETE</b> | /api/v1/auth/sessions/{id}       | Delete Auth Sessions            | Authenticated |
| <b>POST</b>   | /api/v1/auth/users/register      | Create Auth Users Register      | PUBLIC        |
| <b>POST</b>   | /api/v1/auth/verify-email        | Create Auth Verify Email        | Authenticated |
| <b>POST</b>   | /api/v1/auth/verify-reset-otp    | Create Auth Verify Reset Otp    | PUBLIC        |

## Customer - Addresses (6 APIs)

| Method | Endpoint                                | Purpose                      | Access          |
|--------|-----------------------------------------|------------------------------|-----------------|
| GET    | /api/v1/customer/addresses              | List customer addresses      | REGISTERED_USER |
| POST   | /api/v1/customer/addresses              | Create customer address      | REGISTERED_USER |
| GET    | /api/v1/customer/addresses/{id}         | Fetch customer address       | REGISTERED_USER |
| PATCH  | /api/v1/customer/addresses/{id}         | Update customer address      | REGISTERED_USER |
| DELETE | /api/v1/customer/addresses/{id}         | Delete customer address      | REGISTERED_USER |
| PATCH  | /api/v1/customer/addresses/{id}/default | Set default customer address | REGISTERED_USER |

## Customer - Cart (5 APIs)

| Method | Endpoint                         | Purpose           | Access          |
|--------|----------------------------------|-------------------|-----------------|
| GET    | /api/v1/customer/cart            | Fetch active cart | REGISTERED_USER |
| DELETE | /api/v1/customer/cart            | Clear active cart | REGISTERED_USER |
| POST   | /api/v1/customer/cart/items      | Add item to cart  | REGISTERED_USER |
| PATCH  | /api/v1/customer/cart/items/{id} | Update cart item  | REGISTERED_USER |
| DELETE | /api/v1/customer/cart/items/{id} | Delete cart item  | REGISTERED_USER |

## Customer - Contacts (5 APIs)

| Method | Endpoint                       | Purpose                      | Access          |
|--------|--------------------------------|------------------------------|-----------------|
| GET    | /api/v1/customer/contacts      | List customer contacts       | REGISTERED_USER |
| POST   | /api/v1/customer/contacts      | Create customer contact      | REGISTERED_USER |
| GET    | /api/v1/customer/contacts/{id} | Fetch customer contact       | REGISTERED_USER |
| PATCH  | /api/v1/customer/contacts/{id} | Update customer contact      | REGISTERED_USER |
| DELETE | /api/v1/customer/contacts/{id} | Soft-delete customer contact | REGISTERED_USER |

## Customer - Events (9 APIs)

| Method | Endpoint                                       | Purpose                        | Access          |
|--------|------------------------------------------------|--------------------------------|-----------------|
| GET    | /api/v1/customer/events                        | List customer events           | REGISTERED_USER |
| POST   | /api/v1/customer/events                        | Create customer event          | REGISTERED_USER |
| GET    | /api/v1/customer/events/calendar               | Fetch monthly calendar events  | REGISTERED_USER |
| GET    | /api/v1/customer/events/upcoming               | Fetch upcoming customer events | REGISTERED_USER |
| GET    | /api/v1/customer/events/{id}                   | Fetch customer event details   | REGISTERED_USER |
| PATCH  | /api/v1/customer/events/{id}                   | Update customer event          | REGISTERED_USER |
| DELETE | /api/v1/customer/events/{id}                   | Soft-delete customer event     | REGISTERED_USER |
| GET    | /api/v1/customer/events/{id}/reminder-settings | Fetch event reminder settings  | REGISTERED_USER |
| PATCH  | /api/v1/customer/events/{id}/reminder-settings | Update event reminder settings | REGISTERED_USER |

## Customer - Orders (3 APIs)

| Method | Endpoint                     | Purpose                       | Access          |
|--------|------------------------------|-------------------------------|-----------------|
| GET    | /api/v1/customer/orders      | List customer orders          | REGISTERED_USER |
| POST   | /api/v1/customer/orders      | Create order from active cart | REGISTERED_USER |
| GET    | /api/v1/customer/orders/{id} | Fetch customer order          | REGISTERED_USER |

## Customer - Payment Methods (9 APIs)

| Method | Endpoint                       | Purpose                | Access          |
|--------|--------------------------------|------------------------|-----------------|
| GET    | /api/v1/customer/bank-accounts | List own bank accounts | REGISTERED_USER |

| Method | Endpoint                                      | Purpose                                   | Access          |
|--------|-----------------------------------------------|-------------------------------------------|-----------------|
| POST   | /api/v1/customer/bank-accounts                | Link placeholder bank account             | REGISTERED_USER |
| DELETE | /api/v1/customer/bank-accounts/{id}           | Delete own bank account                   | REGISTERED_USER |
| PATCH  | /api/v1/customer/bank-accounts/{id}/default   | Set own default bank account              | REGISTERED_USER |
| GET    | /api/v1/customer/payment-methods              | List supported customer payment methods   | REGISTERED_USER |
| GET    | /api/v1/customer/payment-methods/saved        | List own saved payment methods            | REGISTERED_USER |
| POST   | /api/v1/customer/payment-methods/setup-intent | Create Stripe SetupIntent for saving card | REGISTERED_USER |
| DELETE | /api/v1/customer/payment-methods/{id}         | Delete own saved payment method           | REGISTERED_USER |
| PATCH  | /api/v1/customer/payment-methods/{id}/default | Set own default payment method            | REGISTERED_USER |

## Customer - Provider Chat (7 APIs)

| Method | Endpoint                                   | Purpose                             | Access          |
|--------|--------------------------------------------|-------------------------------------|-----------------|
| GET    | /api/v1/customer/chats                     | List customer provider chats        | REGISTERED_USER |
| GET    | /api/v1/customer/chats/quick-replies       | Fetch provider chat quick replies   | REGISTERED_USER |
| GET    | /api/v1/customer/chats/{threadId}          | Fetch customer chat messages        | REGISTERED_USER |
| POST   | /api/v1/customer/chats/{threadId}/messages | Send message to provider            | REGISTERED_USER |
| PATCH  | /api/v1/customer/chats/{threadId}/read     | Mark provider messages read         | REGISTERED_USER |
| GET    | /api/v1/customer/orders/{id}/chat          | Get or optionally create order chat | REGISTERED_USER |
| POST   | /api/v1/customer/orders/{id}/chat          | Create order chat                   | REGISTERED_USER |

## Customer - Recurring Payments (9 APIs)

| Method | Endpoint                                         | Purpose                                    | Access          |
|--------|--------------------------------------------------|--------------------------------------------|-----------------|
| GET    | /api/v1/customer/recurring-payments              | List own recurring payments                | REGISTERED_USER |
| POST   | /api/v1/customer/recurring-payments              | Create recurring payment                   | REGISTERED_USER |
| GET    | /api/v1/customer/recurring-payments/summary      | Fetch recurring payment summary counts     | REGISTERED_USER |
| GET    | /api/v1/customer/recurring-payments/{id}         | Fetch own recurring payment details        | REGISTERED_USER |
| PATCH  | /api/v1/customer/recurring-payments/{id}         | Update own recurring payment               | REGISTERED_USER |
| POST   | /api/v1/customer/recurring-payments/{id}/cancel  | Cancel own recurring payment               | REGISTERED_USER |
| GET    | /api/v1/customer/recurring-payments/{id}/history | List own recurring payment billing history | REGISTERED_USER |
| POST   | /api/v1/customer/recurring-payments/{id}/pause   | Pause own active recurring payment         | REGISTERED_USER |
| POST   | /api/v1/customer/recurring-payments/{id}/resume  | Resume own paused recurring payment        | REGISTERED_USER |

## Customer - Referrals & Rewards (7 APIs)

| Method | Endpoint                           | Purpose                            | Access          |
|--------|------------------------------------|------------------------------------|-----------------|
| GET    | /api/v1/customer/referrals/history | List own referral history          | REGISTERED_USER |
| GET    | /api/v1/customer/referrals/link    | Fetch own referral link            | REGISTERED_USER |
| POST   | /api/v1/customer/referrals/redeem  | Redeem own available reward credit | REGISTERED_USER |
| GET    | /api/v1/customer/referrals/summary | Fetch own referral reward summary  | REGISTERED_USER |
| GET    | /api/v1/customer/referrals/terms   | Fetch referral terms               | REGISTERED_USER |
| GET    | /api/v1/customer/rewards/balance   | Fetch own reward balance           | REGISTERED_USER |
| GET    | /api/v1/customer/rewards/ledger    | List own reward ledger             | REGISTERED_USER |

## Customer - Reviews (5 APIs)

| Method | Endpoint                             | Purpose                             | Access          |
|--------|--------------------------------------|-------------------------------------|-----------------|
| POST   | /api/v1/customer/orders/{id}/reviews | Submit provider review for an order | REGISTERED_USER |
| GET    | /api/v1/customer/reviews             | List own provider reviews           | REGISTERED_USER |



| Method | Endpoint                      | Purpose                        | Access          |
|--------|-------------------------------|--------------------------------|-----------------|
| GET    | /api/v1/customer/reviews/{id} | Fetch Customer Reviews details | REGISTERED_USER |
| PATCH  | /api/v1/customer/reviews/{id} | Update own review              | REGISTERED_USER |
| DELETE | /api/v1/customer/reviews/{id} | Soft-delete own review         | REGISTERED_USER |

## Customer - Subscriptions (9 APIs)

| Method | Endpoint                                    | Purpose                                | Access          |
|--------|---------------------------------------------|----------------------------------------|-----------------|
| POST   | /api/v1/customer/subscription/apply-coupon  | Preview subscription coupon            | REGISTERED_USER |
| POST   | /api/v1/customer/subscription/cancel        | Cancel own subscription                | REGISTERED_USER |
| POST   | /api/v1/customer/subscription/checkout      | Create Stripe subscription checkout    | REGISTERED_USER |
| POST   | /api/v1/customer/subscription/confirm       | Confirm Stripe subscription activation | REGISTERED_USER |
| GET    | /api/v1/customer/subscription/current       | Fetch own current subscription         | REGISTERED_USER |
| GET    | /api/v1/customer/subscription/invoices      | List own subscription invoices         | REGISTERED_USER |
| GET    | /api/v1/customer/subscription/invoices/{id} | Fetch own subscription invoice details | REGISTERED_USER |
| GET    | /api/v1/customer/subscription/plans         | List public active subscription plans  | REGISTERED_USER |
| POST   | /api/v1/customer/subscription/reactivate    | Reactivate scheduled cancellation      | REGISTERED_USER |

## Customer - Transactions (5 APIs)

| Method | Endpoint                                   | Purpose                          | Access          |
|--------|--------------------------------------------|----------------------------------|-----------------|
| GET    | /api/v1/customer/transactions              | List own customer transactions   | REGISTERED_USER |
| GET    | /api/v1/customer/transactions/export       | Export own transactions          | REGISTERED_USER |
| GET    | /api/v1/customer/transactions/summary      | Fetch own transaction summary    | REGISTERED_USER |
| GET    | /api/v1/customer/transactions/{id}         | Fetch own transaction details    | REGISTERED_USER |
| GET    | /api/v1/customer/transactions/{id}/receipt | Download own transaction receipt | REGISTERED_USER |

## Customer - Wallet (3 APIs)

| Method | Endpoint                          | Purpose                      | Access          |
|--------|-----------------------------------|------------------------------|-----------------|
| GET    | /api/v1/customer/wallet           | Fetch own wallet             | REGISTERED_USER |
| POST   | /api/v1/customer/wallet/add-funds | Create wallet top-up payment | REGISTERED_USER |
| GET    | /api/v1/customer/wallet/history   | List own wallet history      | REGISTERED_USER |

## Customer - Wishlist (3 APIs)

| Method | Endpoint                           | Purpose                   | Access          |
|--------|------------------------------------|---------------------------|-----------------|
| GET    | /api/v1/customer/wishlist          | List wishlist gifts       | REGISTERED_USER |
| POST   | /api/v1/customer/wishlist/{giftId} | Add gift to wishlist      | REGISTERED_USER |
| DELETE | /api/v1/customer/wishlist/{giftId} | Remove gift from wishlist | REGISTERED_USER |

## Customer / Guest - Marketplace (6 APIs)

| Method | Endpoint                              | Purpose                               | Access                        |
|--------|---------------------------------------|---------------------------------------|-------------------------------|
| GET    | /api/v1/customer/categories           | List customer marketplace categories  | REGISTERED_USER or GUEST_USER |
| GET    | /api/v1/customer/gifts                | List customer marketplace gifts       | REGISTERED_USER or GUEST_USER |
| GET    | /api/v1/customer/gifts/discounted     | List discounted customer gifts        | REGISTERED_USER or GUEST_USER |
| GET    | /api/v1/customer/gifts/filter-options | Fetch marketplace gift filter options | REGISTERED_USER or GUEST_USER |
| GET    | /api/v1/customer/gifts/{id}           | Fetch customer-safe gift details      | REGISTERED_USER or GUEST_USER |

| Method | Endpoint              | Purpose                 | Access                        |
|--------|-----------------------|-------------------------|-------------------------------|
| GET    | /api/v1/customer/home | Fetch customer app home | REGISTERED_USER or GUEST_USER |

## Gifts - Categories (1 APIs)

| Method | Endpoint                       | Purpose                       | Access |
|--------|--------------------------------|-------------------------------|--------|
| GET    | /api/v1/gift-categories/lookup | Lookup active gift categories | PUBLIC |

## Notifications (9 APIs)

| Method | Endpoint                                 | Purpose                            | Access                                           |
|--------|------------------------------------------|------------------------------------|--------------------------------------------------|
| GET    | /api/v1/notifications                    | List notifications                 | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| POST   | /api/v1/notifications/device-tokens      | Save device token                  | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| DELETE | /api/v1/notifications/device-tokens/{id} | Disable device token               | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| GET    | /api/v1/notifications/preferences        | Fetch notification preferences     | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| PATCH  | /api/v1/notifications/preferences        | Update notification preferences    | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| PATCH  | /api/v1/notifications/read-all           | Mark all own notifications as read | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| GET    | /api/v1/notifications/summary            | Fetch notification summary         | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| POST   | /api/v1/notifications/{id}/action        | Process notification action        | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |
| PATCH  | /api/v1/notifications/{id}/read          | Mark notification as read          | SUPER_ADMIN, ADMIN, PROVIDER, or REGISTERED_USER |

## Payments (7 APIs)

| Method | Endpoint                                | Purpose                                | Access          |
|--------|-----------------------------------------|----------------------------------------|-----------------|
| GET    | /api/v1/customer/money-gifts            | List own money gifts                   | REGISTERED_USER |
| POST   | /api/v1/customer/money-gifts            | Send payment as gift                   | REGISTERED_USER |
| GET    | /api/v1/customer/money-gifts/{id}       | Fetch own money gift details           | REGISTERED_USER |
| POST   | /api/v1/customer/payments/confirm       | Confirm Stripe payment                 | REGISTERED_USER |
| POST   | /api/v1/customer/payments/create-intent | Create payment intent from active cart | REGISTERED_USER |
| GET    | /api/v1/customer/payments/{id}          | Fetch own payment details              | REGISTERED_USER |
| POST   | /api/v1/payments/stripe/webhook         | Stripe webhook endpoint                | PUBLIC          |

## Storage (5 APIs)

| Method | Endpoint                      | Purpose                     | Access                                                    |
|--------|-------------------------------|-----------------------------|-----------------------------------------------------------|
| GET    | /api/v1/uploads               | List uploads                | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/uploads/complete      | Complete upload             | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/uploads/presigned-url | Create presigned upload URL | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| GET    | /api/v1/uploads/{id}          | Fetch upload details        | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| DELETE | /api/v1/uploads/{id}          | Delete upload               | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |

## Provider APIs

Use PROVIDER token. Provider-facing data is scoped to the authenticated provider account/business.

## Auth (17 APIs)

| Method | Endpoint                         | Purpose                         | Access        |
|--------|----------------------------------|---------------------------------|---------------|
| DELETE | /api/v1/auth/account             | Delete Auth Account             | Authenticated |
| POST   | /api/v1/auth/cancel-deletion     | Create Auth Cancel Deletion     | Authenticated |
| PATCH  | /api/v1/auth/change-password     | Update Auth Change Password     | Authenticated |
| POST   | /api/v1/auth/forgot-password     | Create Auth Forgot Password     | PUBLIC        |
| POST   | /api/v1/auth/login               | Create Auth Login               | PUBLIC        |
| POST   | /api/v1/auth/logout              | Create Auth Logout              | Authenticated |
| GET    | /api/v1/auth/me                  | List Auth Me                    | Authenticated |
| PATCH  | /api/v1/auth/me                  | Update Auth Me                  | Authenticated |
| POST   | /api/v1/auth/providers/register  | Create Auth Providers Register  | PUBLIC        |
| POST   | /api/v1/auth/refresh             | Create Auth Refresh             | PUBLIC        |
| POST   | /api/v1/auth/resend-otp          | Create Auth Resend Otp          | Authenticated |
| POST   | /api/v1/auth/reset-password      | Create Auth Reset Password      | PUBLIC        |
| GET    | /api/v1/auth/sessions            | List Auth Sessions              | Authenticated |
| POST   | /api/v1/auth/sessions/logout-all | Create Auth Sessions Logout All | Authenticated |
| DELETE | /api/v1/auth/sessions/{id}       | Delete Auth Sessions            | Authenticated |
| POST   | /api/v1/auth/verify-email        | Create Auth Verify Email        | Authenticated |
| POST   | /api/v1/auth/verify-reset-otp    | Create Auth Verify Reset Otp    | PUBLIC        |

## Customer - Provider Reports (4 APIs)

| Method | Endpoint                                        | Purpose                                 | Access          |
|--------|-------------------------------------------------|-----------------------------------------|-----------------|
| GET    | /api/v1/customer/provider-report-reasons        | Fetch provider report reasons           | REGISTERED_USER |
| GET    | /api/v1/customer/provider-reports               | List Customer Provider Reports          | REGISTERED_USER |
| GET    | /api/v1/customer/provider-reports/{id}          | Fetch Customer Provider Reports details | REGISTERED_USER |
| POST   | /api/v1/customer/providers/{providerId}/reports | Report provider                         | REGISTERED_USER |

## Notifications (9 APIs)

| Method | Endpoint                                 | Purpose                            | Access                                                    |
|--------|------------------------------------------|------------------------------------|-----------------------------------------------------------|
| GET    | /api/v1/notifications                    | List notifications                 | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/notifications/device-tokens      | Save device token                  | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| DELETE | /api/v1/notifications/device-tokens/{id} | Disable device token               | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| GET    | /api/v1/notifications/preferences        | Fetch notification preferences     | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| PATCH  | /api/v1/notifications/preferences        | Update notification preferences    | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| PATCH  | /api/v1/notifications/read-all           | Mark all own notifications as read | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| GET    | /api/v1/notifications/summary            | Fetch notification summary         | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/notifications/{id}/action        | Process notification action        | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| PATCH  | /api/v1/notifications/{id}/read          | Mark notification as read          | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |

## Provider - Business Info (2 APIs)

| Method | Endpoint                       | Purpose                                  | Access   |
|--------|--------------------------------|------------------------------------------|----------|
| GET    | /api/v1/provider/business-info | Fetch own provider business information  | PROVIDER |
| PATCH  | /api/v1/provider/business-info | Update own provider business information | PROVIDER |

## Provider - Buyer Chat (7 APIs)

| Method | Endpoint                                   | Purpose                                      | Access   |
|--------|--------------------------------------------|----------------------------------------------|----------|
| GET    | /api/v1/provider/chats                     | List provider buyer chats                    | PROVIDER |
| GET    | /api/v1/provider/chats/quick-replies       | Fetch provider buyer chat quick replies      | PROVIDER |
| GET    | /api/v1/provider/chats/{threadId}          | Fetch provider buyer chat messages           | PROVIDER |
| POST   | /api/v1/provider/chats/{threadId}/messages | Send chat message to buyer                   | PROVIDER |
| PATCH  | /api/v1/provider/chats/{threadId}/read     | Mark buyer messages read                     | PROVIDER |
| GET    | /api/v1/provider/orders/{id}/chat          | Get or optionally create provider order chat | PROVIDER |
| POST   | /api/v1/provider/orders/{id}/chat          | Create provider order chat                   | PROVIDER |

## Provider - Dashboard (1 APIs)

| Method | Endpoint                   | Purpose                         | Access        |
|--------|----------------------------|---------------------------------|---------------|
| GET    | /api/v1/provider/dashboard | Fetch mobile provider dashboard | Authenticated |

## Provider - Earnings (3 APIs)

| Method | Endpoint                          | Purpose                             | Access   |
|--------|-----------------------------------|-------------------------------------|----------|
| GET    | /api/v1/provider/earnings/chart   | Fetch own provider earnings chart   | PROVIDER |
| GET    | /api/v1/provider/earnings/ledger  | List own provider earnings ledger   | PROVIDER |
| GET    | /api/v1/provider/earnings/summary | Fetch own provider earnings summary | PROVIDER |

## Provider - Inventory (8 APIs)

| Method | Endpoint                                     | Purpose                                                      | Access   |
|--------|----------------------------------------------|--------------------------------------------------------------|----------|
| GET    | /api/v1/provider/inventory                   | List provider inventory items                                | PROVIDER |
| POST   | /api/v1/provider/inventory                   | Create provider inventory item with optional nested variants | PROVIDER |
| GET    | /api/v1/provider/inventory/lookup            | Lookup active provider inventory items                       | PROVIDER |
| GET    | /api/v1/provider/inventory/stats             | Fetch provider inventory stats                               | PROVIDER |
| GET    | /api/v1/provider/inventory/{id}              | Fetch own provider inventory item details                    | PROVIDER |
| PATCH  | /api/v1/provider/inventory/{id}              | Update own provider inventory item and upsert variants       | PROVIDER |
| DELETE | /api/v1/provider/inventory/{id}              | Soft-delete own inventory item                               | PROVIDER |
| PATCH  | /api/v1/provider/inventory/{id}/availability | Update own inventory availability                            | PROVIDER |

## Provider - Order Analytics (5 APIs)

| Method | Endpoint                                  | Purpose                              | Access   |
|--------|-------------------------------------------|--------------------------------------|----------|
| GET    | /api/v1/provider/orders/analytics/ratings | Fetch own provider ratings analytics | PROVIDER |
| GET    | /api/v1/provider/orders/analytics/revenue | Fetch own provider revenue analytics | PROVIDER |
| GET    | /api/v1/provider/orders/export            | Export own provider orders as CSV    | PROVIDER |
| GET    | /api/v1/provider/orders/performance       | Fetch own provider order performance | PROVIDER |
| GET    | /api/v1/provider/orders/recent            | List recent own provider orders      | PROVIDER |

## Provider - Orders (13 APIs)

| Method | Endpoint                                   | Purpose                                          | Access   |
|--------|--------------------------------------------|--------------------------------------------------|----------|
| GET    | /api/v1/provider/orders                    | List own assigned provider orders                | PROVIDER |
| GET    | /api/v1/provider/orders/history            | List own provider order history                  | PROVIDER |
| GET    | /api/v1/provider/orders/reject-reasons     | List provider order reject reasons               | PROVIDER |
| GET    | /api/v1/provider/orders/summary            | Fetch own provider order summary                 | PROVIDER |
| GET    | /api/v1/provider/orders/{id}               | Fetch own provider order details                 | PROVIDER |
| POST   | /api/v1/provider/orders/{id}/accept        | Accept own pending provider order                | PROVIDER |
| GET    | /api/v1/provider/orders/{id}/checklist     | Fetch own provider order checklist               | PROVIDER |
| PATCH  | /api/v1/provider/orders/{id}/checklist     | Update own provider order checklist              | PROVIDER |
| POST   | /api/v1/provider/orders/{id}/fulfill       | Fulfill own provider order with dispatch details | PROVIDER |
| POST   | /api/v1/provider/orders/{id}/message-buyer | Message buyer for own provider order             | PROVIDER |
| POST   | /api/v1/provider/orders/{id}/reject        | Reject own pending provider order                | PROVIDER |
| PATCH  | /api/v1/provider/orders/{id}/status        | Update own provider order fulfillment status     | PROVIDER |
| GET    | /api/v1/provider/orders/{id}/timeline      | Fetch own provider order timeline                | PROVIDER |

## Provider - Payout Methods (7 APIs)

| Method | Endpoint                        | Purpose                          | Access   |
|--------|---------------------------------|----------------------------------|----------|
| GET    | /api/v1/provider/payout-methods | List own provider payout methods | PROVIDER |

| Method | Endpoint                                      | Purpose                                        | Access   |
|--------|-----------------------------------------------|------------------------------------------------|----------|
| POST   | /api/v1/provider/payout-methods/bank-accounts | Add provider bank payout method                | PROVIDER |
| GET    | /api/v1/provider/payout-methods/{id}          | Fetch own provider payout method details       | PROVIDER |
| PATCH  | /api/v1/provider/payout-methods/{id}          | Update provider payout method display metadata | PROVIDER |
| DELETE | /api/v1/provider/payout-methods/{id}          | Soft delete own provider payout method         | PROVIDER |
| PATCH  | /api/v1/provider/payout-methods/{id}/default  | Set default provider payout method             | PROVIDER |
| POST   | /api/v1/provider/payout-methods/{id}/verify   | Start provider payout method verification      | PROVIDER |

## Provider - Payouts (6 APIs)

| Method | Endpoint                             | Purpose                            | Access   |
|--------|--------------------------------------|------------------------------------|----------|
| GET    | /api/v1/provider/payouts             | List own provider payout history   | PROVIDER |
| GET    | /api/v1/provider/payouts/preview     | Preview provider payout request    | PROVIDER |
| POST   | /api/v1/provider/payouts/request     | Request provider payout            | PROVIDER |
| GET    | /api/v1/provider/payouts/summary     | Fetch own provider payout summary  | PROVIDER |
| GET    | /api/v1/provider/payouts/{id}        | Fetch own provider payout details  | PROVIDER |
| POST   | /api/v1/provider/payouts/{id}/cancel | Cancel own pending provider payout | PROVIDER |

## Provider - Promotional Offers (6 APIs)

| Method | Endpoint                            | Purpose                       | Access   |
|--------|-------------------------------------|-------------------------------|----------|
| GET    | /api/v1/provider/offers             | List Provider Offers          | PROVIDER |
| POST   | /api/v1/provider/offers             | Create Provider Offers        | PROVIDER |
| GET    | /api/v1/provider/offers/{id}        | Fetch Provider Offers details | PROVIDER |
| PATCH  | /api/v1/provider/offers/{id}        | Update Provider Offers        | PROVIDER |
| DELETE | /api/v1/provider/offers/{id}        | Delete Provider Offers        | PROVIDER |
| PATCH  | /api/v1/provider/offers/{id}/status | Update Provider Offers Status | PROVIDER |

## Provider - Refund Requests (6 APIs)

| Method | Endpoint                                        | Purpose                           | Access   |
|--------|-------------------------------------------------|-----------------------------------|----------|
| GET    | /api/v1/provider/refund-requests                | List own provider refund requests | PROVIDER |
| GET    | /api/v1/provider/refund-requests/reject-reasons | List refund rejection reasons     | PROVIDER |
| GET    | /api/v1/provider/refund-requests/summary        | Fetch own refund request summary  | PROVIDER |
| GET    | /api/v1/provider/refund-requests/{id}           | Fetch own refund request details  | PROVIDER |
| POST   | /api/v1/provider/refund-requests/{id}/approve   | Approve own requested refund      | PROVIDER |
| POST   | /api/v1/provider/refund-requests/{id}/reject    | Reject own requested refund       | PROVIDER |

## Provider - Reviews (7 APIs)

| Method | Endpoint                                | Purpose                              | Access   |
|--------|-----------------------------------------|--------------------------------------|----------|
| GET    | /api/v1/provider/reviews                | List provider reviews                | PROVIDER |
| GET    | /api/v1/provider/reviews/filter-options | Fetch provider review filter options | PROVIDER |
| GET    | /api/v1/provider/reviews/summary        | Fetch provider rating summary        | PROVIDER |
| GET    | /api/v1/provider/reviews/{id}           | Fetch Provider Reviews details       | PROVIDER |
| POST   | /api/v1/provider/reviews/{id}/response  | Post public review response          | PROVIDER |
| PATCH  | /api/v1/provider/reviews/{id}/response  | Update public review response        | PROVIDER |
| DELETE | /api/v1/provider/reviews/{id}/response  | Delete public review response        | PROVIDER |

## Storage (5 APIs)

| Method | Endpoint                      | Purpose                     | Access                                                    |
|--------|-------------------------------|-----------------------------|-----------------------------------------------------------|
| GET    | /api/v1/uploads               | List uploads                | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/uploads/complete      | Complete upload             | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| POST   | /api/v1/uploads/presigned-url | Create presigned upload URL | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| GET    | /api/v1/uploads/{id}          | Fetch upload details        | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |
| DELETE | /api/v1/uploads/{id}          | Delete upload               | SUPER_ADMIN,<br>ADMIN, PROVIDER,<br>or<br>REGISTERED_USER |

## WebSocket / Real-Time Guide

### Notifications namespace

- **Socket URL:** `{API_BASE_URL}/notifications` using Socket.IO client.
- **Auth:** pass access token as `auth: { token: 'Bearer <accessToken>' }` or `Authorization: Bearer <accessToken>` header.
- **Server rooms:** backend joins the socket to `user:<userId>` and `role:<role>` after JWT verification; frontend does not manually join rooms.
- **Listen:** `notification.received`, `notification.read`, and **admin broadcast events:** `broadcast.created`, `broadcast.updated`, `broadcast.scheduled`, `broadcast.cancelled`, `broadcast.processing`, `broadcast.delivery.progress`, `broadcast.delivery.completed`, `broadcast.delivery.failed`.
- **notification.received payload:** `{ id, title, message, type, isRead, metadata, createdAt }`. Metadata is sanitized before emission; do not expect Stripe secrets, raw bank data, card numbers, or auth tokens.
- **Emit:** `notification.read` with `{ notificationId: string }` after marking a notification as read, or `receive { all: true }` when all notifications are marked read.
- **Frontend handling:** append/upsert the notification into local notification state, increment unread count when `isRead=false`, and refresh REST list on reconnect to backfill missed messages.
- **Reconnect:** on token refresh, disconnect and reconnect with the new access token; after reconnect call REST GET `/api/v1/notifications` for sync.

### Dedicated chat namespace

- **Socket URL:** `{API_BASE_URL}/chat` using the Socket.IO client.
- **Auth:** JWT is required. Pass `auth: { token: 'Bearer <accessToken>' }` or an `Authorization: Bearer <accessToken>` header. Reconnect with a fresh token after access-token refresh.
- **Connection rooms:** after JWT verification, the backend automatically joins `user:<userId>` and `role:<role>`.
- **Thread rooms:** frontend must not join rooms directly. Emit join events; backend validates ownership/permission before joining `chat:<threadId>`, `order:<orderId>`, `provider-order:<providerOrderId>`, or `support-chat:<supportChatId>`.

### Customer-provider / provider buyer chat events

- **Emit:** `chat.join`, `chat.leave`, `chat.typing.start`, `chat.typing.stop`, `chat.message.send`, `chat.message.read`.
- **Listen:** `chat.joined`, `chat.message.created`, `chat.message.read`, `chat.thread.updated`, `chat.typing.started`, `chat.typing.stopped`, `chat.error`.
- **Join/read payload:** `{ threadId: 'thread_id' }`.
- **Send payload:** `{ threadId: 'thread_id', messageType: 'TEXT', body: 'Can you confirm delivery time?', attachmentUrls: [] }`.
- **Ownership:** REGISTERED\_USER can join/send/read only their own customer-provider chat thread. PROVIDER can join/send/read only their own provider buyer thread.

## Admin support chat events

- **Emit:** `support.join`, `support.leave`, `support.typing.start`, `support.typing.stop`, `support.message.send`, `support.message.read`, `support.resolved`, `support.reopened`.
- **Listen:** `support.message.created`, `support.message.read`, `support.thread.updated`, `support.typing.started`, `support.typing.stopped`, `support.resolved`, `support.reopened`, `support.error`.
- **Join/read payload:** `{ supportChatId: 'support_chat_id' }`.
- **Reply payload:** `{ supportChatId: 'support_chat_id', messageType: 'TEXT', body: 'I am checking this issue now.', attachmentUrls: [] }`.
- **Permissions:** `SUPER_ADMIN` can join/reply. `ADMIN` needs `supportChats.read` to join/read and `supportChats.reply` to send replies. Assigned-chat scoping remains enforced.

## Reconnect and REST fallback

- On reconnect, re-emit `chat.join` or `support.join` for each visible thread after the socket connects.
- Use REST list/detail endpoints to hydrate initial state and backfill missed messages after reconnect.
- Fallback REST endpoints: customer chat `GET/POST /api/v1/customer/chats...`, provider chat `GET/POST /api/v1/provider/chats...`, support chat `GET/POST/PATCH /api/v1/admin/support-chats...`