


<https://github.com/Dcole19/Final-Project.git>

```
1 • create database if not exists kayak_sales;
2
3 • use kayak_sales;
4
5 • drop table if exists orders;
6 • drop table if exists customers;
7 • drop table if exists kayaks;
8
9
10 • CREATE TABLE customers (
11     id int(11) not null auto_increment,
12     firstname varchar(20) not null,
13     lastname varchar(20) not null,
14     email varchar(40) not null,
15     phone varchar(15) not null,
16     primary key (id)
17 );
18
19 • CREATE TABLE kayaks (
20     id int (11) not null auto_increment,
21     brand varchar(30) not null,
22     kayakname varchar(30) not null,
23     price decimal(6, 2) not null,
24     width int (3) not null,
25     primary key (id)
26 );
27 • CREATE TABLE orders (
28     id int(11) not null auto_increment,
29     customerid int(11) not null,
30     kayakid int(11) not null,
31     quantity int unsigned not null,
32     ordertotal decimal(6, 2),
33     primary key (id),
34     foreign key (customerid) references customers(id),
35     foreign key (kayakid) references kayaks(id)
36 );
```

```

39 • INSERT INTO customers (firstname, lastname, email, phonenumber) values ('Buzz', 'Lightyear', 'blightyear@yahoo.com', '5055557654');
40 • INSERT INTO customers (firstname, lastname, email, phonenumber) values ('Egwene', 'Alvere', 'ealvere@yahoo.com', '5055557651');
41 • INSERT INTO customers (firstname, lastname, email, phonenumber) values ('Bo', 'Peep', 'bpeep@yahoo.com', '5055557652');
42 • INSERT INTO customers (firstname, lastname, email, phonenumber) values ('Indiana', 'Jones', 'ijones@yahoo.com', '5055557653');
43 • INSERT INTO customers (firstname, lastname, email, phonenumber) values ('John', 'Cougar', 'jcougar@yahoo.com', '5055557655');
44 • INSERT INTO customers (firstname, lastname, email, phonenumber) values ('John', 'McClane', 'jmcclane@yahoo.com', '5055557656');
45 • INSERT INTO customers (firstname, lastname, email, phonenumber) values ('Steve', 'Erkle', 'serkle@yahoo.com', '5055557657');
46 • INSERT INTO customers (firstname, lastname, email, phonenumber) values ('Elaine', 'Trakand', 'etrakand@yahoo.com', '5055557658');
47 • INSERT INTO customers (firstname, lastname, email, phonenumber) values ('Rand', 'Althor', 'ralthor@yahoo.com', '5055557659');
48 • INSERT INTO customers (firstname, lastname, email, phonenumber) values ('Perrin', 'Aybara', 'paybara@yahoo.com', '5055557650');
49
50 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Pelican', 'Maxim 100X', '399.99', '28');
51 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Pelican', 'Prime 100', '394.10', '28');
52 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Pelican', 'Sentinel 100X', '329.99', '30');
53 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Pelican', 'Premium Argo 136XP', '874.95', '32');
54 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Pelican', 'The Catch 120', '749.99', '34');
55 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Pelican', 'The Catch 120 Hydryve', '829.99', '34');
56 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Old Town', 'Topwater 120 PDL', '2499.99', '34');
57 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Old Town', 'Sportsman I06', '999.99', '35');
58 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Old Town', 'Sportsman I20', '1299.99', '35');
59 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Old Town', 'Sportsman BigWater I32', '1699.99', '33');
60 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Old Town', 'Sportsman AutoPilot I36', '4499.99', '32');
61 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Old Town', 'Looksha T', '2499.99', '30');
62 • INSERT INTO kayaks (brand, kayakname, price, width) values ('Old Town', 'Loon I06', '1049.99', '31');
63 • INSERT INTO kayaks (brand, kayak_name, price, width) values ('Dagger', 'Katana', '1479.99', '28');
64 • INSERT INTO kayaks (brand, kayak_name, price, width) values ('Dagger', 'Axis', '1059.99', '29');
65 • INSERT INTO kayaks (brand, kayak_name, price, width) values ('Dagger', 'Kaos', '959', '27');
66 • INSERT INTO kayaks (brand, kayak_name, price, width) values ('Dagger', 'The Green Boat', '1289.99', '25');
67 • INSERT INTO kayaks (brand, kayak_name, price, width) values ('Dagger', 'Torrent', '819.99', '31');
68 • INSERT INTO kayaks (brand, kayak_name, price, width) values ('Dagger', 'Rewind', '1499.99', '26');
69 • INSERT INTO kayaks (brand, kayak_name, price, width) values ('Dagger', 'Jitsu', '1369.99', '26');
70

```



I have spent the last three weeks working on this project and have coded it two times now as well as several mentor appointments. I have yet to be able to figure out why I am not able to get it to load. I am about to move to another state and don't have the time to continue this at the moment. Above are screen shots of my ERD info and the link to the programs in github.