Axel Wallau

# Bootstrap4 (Alpha)

Entwicklertag 25.09.2015

WAS ?

Bootstrap v4.0.0-alpha

#### WOHER ?

http://v4-alpha.getbootstrap.com/

https://github.com/twbs/bootstrap/tree/v4-dev

CDN: https://cdn.rawgit.com/twbs/bootstrap/v4dev/dist/css/bootstrap.css

### WAS IST NEU ?

```
SASS
+1 grid tier
<del>px</del>
<del>IE8</del> (IE9)
Cards
JS (ES6)
```

WIE ?

SASS

"one for all"

(autoprefixer)

WIE ?

CSS

Table / Flex

### UPDATE VON V3

Einfach!

(thumbnails, wells, panels)


### SASS-CONFIG

```
$enable-flex: true;
$container-max-widths: (
    xs: 0,
    sm:34rem,
    md:48rem,
    lg:62rem,
    xl:75rem
);
```

ROOT:

font-size: 16px x < 34em

### GRID



#### REM-SCALING

### CARDS

### Eierlegende Wollmilchsau

Ersetzen:

Thumbnails Wells Panels

FLEXBOX

CSS3

IE10+

FF38+, GC31+ ANDROID 4.1+ (GC 44+) IOS 7.1+

#### FLEXBOX

```
<div id="flex demo container">
 <div id="flex header" class="flex">
     <h2>Header</h2>
     <div id="flex icons">
       <% %w(alarm bulb home settings trash).each do | ico| %>
         <%= image tag "icon #{ico}.png" %>
       <% end %>
     </div>
  </div>
 <div id="flex body">
    <div id="flex main" class="flex">Main</div>
      <div id="flex nav" class="flex">
        <l
          <\% (1..7).each do | idx| %>
            <\ii ><\%= idx \%></\ii>
          <% end %>
        </div>
     <div id="flex sidebar" class="flex">Sidebar</div>
  </div>
 <div id="flex footer" class="flex">Footer</div>
</div>
```

```
#flex demo container {
  flex-flow: column;
  height: 100vh;
#flex header {
  align-items: center;
  justify-content: space-between;
#flex_body, #flex_main {
  flex-grow: 1;
#flex nav, #flex sidebar {
  min-width: 200px;
#flex nav {
  order: -1;
  ul {
    display: flex;
    justify-content: space-between;
```

```
@media (max-width: 768px) {
    #flex_header, #flex_body {
       flex-flow: column;
    }
    #flex_nav {
       background-color: orange;
    }
}
```