



INSTITUTO POLITÉCNICO NACIONAL

**UNIDAD PROFESIONAL
INTERDISCIPLINARIA EN INGENIERÍA Y
TECNOLOGÍAS AVANZADA**

Multimedia

Profesor: Sierra Romero Noe

**Alumno:
Díaz Álvarez Diego
2TV5**

Ingeniería Telemática

PRIMER AUDIO:

```
from mutagen.mp3 import MP3
from mutagen.id3 import ID3, TIT2, TPE1, TALB, TCON, TYER, TRCK, CO
import os


path_mp3 = "/content/content/Love.mp3"
path_imagen = "/content/content/Img1.jpeg" # Imagen nueva

if os.path.exists(path_mp3):
    try:
        audio = ID3(path_mp3)
    except:
        audio = ID3()


    # Aplicar imagen
    if os.path.exists(path_imagen):
        with open(path_imagen, 'rb') as img_file:
            audio.delall('APIC') # Borrar anteriores
            audio.add(APIC(
                encoding=3,
                mime='image/jpeg',
                type=3,
                desc='Cover',
                data=img_file.read()
            ))
        print("Imagen añadida correctamente.")

    audio.save(path_mp3)
    print("Metadatos actualizados con éxito!")
else:
    print("No encontré el archivo MP3 en la carpeta 'mp3/'.")

*** Metadatos actualizados con éxito!
```



SEGUNDO AUDIO:



The screenshot shows a code editor with a file explorer on the left and a main code area. The file explorer lists files like 'segundoMP3.mp3' and 'album_art.jpg'. The main code area contains two Python scripts. The first script, 'get-album-art-mp3.py', imports 'MP3' from 'mutagen.mp3' and 'ID3, APIC' from 'mutagen.id3'. It defines a file path, loads the MP3 file, iterates through tags to find an APIC tag, and writes the image data to a file named 'album_art.jpg'. The second script, 'read-mp3-metadata.py', imports 'MP3', 'ID3', 'TIT2', 'TPE1', and 'TALB' from 'mutagen.mp3' and 'ID3' from 'mutagen.id3'. It defines the same file path and loads the MP3 file. Both scripts have a status bar at the bottom indicating '36.40 GB disponibles'.

```
TSRC: US8818723629
TXXX:ITUNESADVISORY: 0
TXXX:BARCODE: 682537596379
TPE1: FRANK SINATRA DIGITAL REPRISE
TCOP: 0 2008 Frank Sinatra Enterprises, LLC
TXXX:ARTISTS: Frank Sinatra, Count Basie And His Orchestra
APIC:cover: APIC(encoding=encoding.UTF16: 1), mime="image/jpeg", type=PictureType.COVER_FRONT: 3, desc="cover", data
TDRC: 2008-05-13

get-album-art-mp3.py

[40] 0s
from mutagen.mp3 import MP3
from mutagen.id3 import ID3, APIC

# Path to your MP3 file
file_path = "/content/content/SegundoMP3.mp3"

# Load the MP3 file
audio = MP3(file_path, ID3=ID3)

# Find and extract the album art (APIC frame)
for tag in audio.tags.values():
    if isinstance(tag, APIC):
        # Write the image data to a file
        with open("album_art.jpg", "wb") as img_file:
            img_file.write(tag.data)
        print("Album art extracted successfully!")
        break

--- Album art extracted successfully!

read-mp3-metadata.py

[40] 4s
!pip install mutagen

from mutagen.mp3 import MP3
from mutagen.id3 import ID3, TIT2, TPE1, TALB

# Path to your MP3 file
file_path = "/content/content/SegundoMP3.mp3"

# Load the MP3 file
```

```

from mutagen.mp3 import MP3
from mutagen.id3 import ID3, TIT2, TPE1, TALB, TCON, TYER, TRCK, COMM, APIC
import os

path_mp3 = "/content/content/SegundoMP3.mp3"
path_imagen = "/content/content/Img2.jpeg" # Imagen nueva

if os.path.exists(path_mp3):
    try:
        audio = ID3(path_mp3)
    except:
        audio = ID3()

    # Aplicar imagen
    if os.path.exists(path_imagen):
        with open(path_imagen, 'rb') as img_file:
            audio.delall('APIC') # Borrar anteriores
            audio.add(APIC(
                encoding=3,
                mime='image/jpeg',
                type=3,
                desc='Cover',
                data=img_file.read()
            ))
        print("Imagen añadida correctamente.")

    audio.save(path_mp3)
    print("Metadatos actualizados con éxito!")
else:
    print("No encontré el archivo MP3 en la carpeta 'mp3/'.")

Metadatos actualizados con éxito!

```

CODIGO:

```

!pip install mutagen

cambio de la data:

from mutagen.id3 import ID3, TIT2, TPE1, TALB
from mutagen.mp3 import MP3

# Path to your MP3 file
file_path = "/content/content/SegundoMP3.mp3"

# Load the MP3 file
audio = MP3(file_path, ID3=ID3)

# Modify metadata (e.g., Title, Artist, Album)
audio.tags.add(TIT2(encoding=3, text="Vaije a la luna")) # Title
audio.tags.add(TPE1(encoding=3, text="Juanito alimaña")) # Artist
audio.tags.add(TALB(encoding=3, text="Las poderosas")) # Album

# Save changes
audio.save()

print("Metadata updated successfully!")

obtener metadata:
from mutagen.mp3 import MP3
from mutagen.id3 import ID3

# Path to your MP3 file
file_path = "/content/content/SegundoMP3.mp3"

# Load the MP3 file
audio = MP3(file_path, ID3=ID3)

# Loop through all tags and print them
for tag in audio.tags:
    print(f"{tag}: {audio.tags[tag]}")

obtener caratula:
from mutagen.mp3 import MP3
from mutagen.id3 import ID3, APIC

# Path to your MP3 file
file_path = "/content/content/SegundoMP3.mp3"

# Load the MP3 file
audio = MP3(file_path, ID3=ID3)

# Find and extract the album art (APIC frame)
for tag in audio.tags.values():
    if isinstance(tag, APIC):
        # Write the image data to a file
        with open("album_art.jpg", "wb") as img_file:
            img_file.write(tag.data)
        print("Album art extracted successfully!")
        break

lectura metadata:

!pip install mutagen

from mutagen.mp3 import MP3

```

```

from mutagen.id3 import ID3, TIT2, TPE1, TALB

# Path to your MP3 file
file_path = "/content/content/SegundoMP3.mp3"

# Load the MP3 file
audio = MP3(file_path, ID3=ID3)

# Extract duration (in seconds)
duration = audio.info.length

# Extract ID3 tags (metadata)
tags = audio.tags

# Extract metadata if available
title = tags.get('TIT2', 'Unknown Title').text[0] # Song title
artist = tags.get('TPE1', 'Unknown Artist').text[0] # Artist name
album = tags.get('TALB', 'Unknown Album').text[0] # Album name

# Print metadata
print(f"Title: {title}")
print(f"Artist: {artist}")
print(f"Album: {album}")
print(f"Duration: {duration:.2f} seconds")

cambio de caratula:

from mutagen.mp3 import MP3
from mutagen.id3 import ID3, TIT2, TPE1, TALB, TCON, TYER, TRCK, COMM, APIC
import os

path_mp3 = "/content/content/SegundoMP3.mp3"
path_imagen = "/content/content/Img2.jpeg" # Imagen nueva

if os.path.exists(path_mp3):
    try:
        audio = ID3(path_mp3)
    except:
        audio = ID3()

    # Aplicar imagen
    if os.path.exists(path_imagen):
        with open(path_imagen, 'rb') as img_file:
            audio.delall('APIC') # Borrar anteriores
            audio.add(APIC(
                encoding=3,
                mime='image/jpeg',
                type=3,
                desc='Cover',
                data=img_file.read()
            ))
        print("Imagen añadida correctamente.")

    audio.save(path_mp3)
    print("Metadatos actualizados con éxito!")
else:
    print("No encontré el archivo MP3 en la carpeta 'mp3/'.")

```