



WHITEBOARD MAGNETIC PANEL

Feiteng Composites (Europe) B.V.

Specialize in Producing Metal Coating Panel and
Composite Panel for 30 Years



FEITENG WHITEBOARD MAGNETIC PANEL

Product description

Feiteng WHITEBOARD magnetic panel consist of enamelled and galvanised steel cover plates on both sides and a polyethylene core inside. The plates are laminated on both sides with PE protection foil. Steel composite panel can be considered for a lot of application on account of its ferromagnetic properties in combination with an extremely high stiffness and surface hardness as well as very low thermal expansion.



Product characteristics and advangates



For internal and external applications



Excellent resistance to bending



Very high degree of surface hardness



Absolutely level surface



100% recyclable




Outstanding dimensional stiffness



Extremely low thermal expansion



Ferromagnetic



Areas of Application

- Interior panels & Decoration
- POS
- Dig UV Printing
- Whiteboard for offices
- Lettering with magnetic film
- Displays
- Labelling systems
- Shop fitting
- Meeting room
- Classroom

Technical Data

Item	units	Performance Index 3mm×0.30 Steel composite panel
180° peel strength	N/MM	≥7.0
Weight	kg/m ²	7.67
Flexural strength	MPa	≥140
Flexural Modulus	104MPa	≥3.5
Penetration resistance	KN	≥20
Shear strength	MPa	≥71
Thermal expansion coefficient	/ C	≤1.8×10 ⁻⁵
Thermal deformation temperature	C	≥105
Boiling water resistance		No change
Resistance to change of temperature		No change
Stiffness equivalent to the thickness of steel veneer	mm	2.4
Flame retardant (flame retardant)		In accordance with GB8624 level B Degree Standard

Specifications

Thickness	Steel Thickness	Recommended Width	Colours
3mm	0.3mm	1220*2440mm 1220*3050mm	Matt white/ Matt white

Feiteng Composites (Europe) B.V.

Address: Industriestraat 4 5804 CK Venray, The Netherlands

Tel: +31 85 016 1962 E-mail: sales@@feitengacp.eu www.feitengacp.com

