```
LinksPlatform's Platform Numbers Class Library
    ./Platform.Numbers/Arithmetic.cs
   using System.Runtime.CompilerServices;
2
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
3
   namespace Platform. Numbers
5
6
        public static class Arithmetic
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
9
            public static T Add\langle T \rangle (T x, T y)^- => Arithmetic \langle T \rangle .Add(x, y);
10
11
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
12
            public static T Subtract<T>(T x, T y) => Arithmetic<T>.Subtract(x, y);
13
14
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
15
            public static T Increment<T>(T x) => Arithmetic<T>.Increment(x);
16
17
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T Increment<T>(ref T x) => x = Arithmetic<T>.Increment(x);
19
20
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
21
            public static T Decrement<T>(T x) => Arithmetic<T>.Decrement(x);
22
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
24
            public static T Decrement<T>(ref T x) => x = Arithmetic<T>.Decrement(x);
25
        }
26
   }
27
1.2
    ./Platform.Numbers/ArithmeticExtensions.cs
   using System.Runtime.CompilerServices;
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform.Numbers
        public static class ArithmeticExtensions
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
9
            public static T Decrement<T>(this ref T x) where T : struct => x =
10
             → Arithmetic<T>.Decrement(x);
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
12
            public static T Increment<T>(this ref T x) where T : struct => x =
13

→ Arithmetic<T>.Increment(x);
        }
14
   }
15
1.3
    ./Platform.Numbers/Arithmetic[T].cs
   using System;
   using System.Runtime.CompilerServices;
using Platform.Exceptions;
3
   using Platform.Reflection;
   // ReSharper disable StaticFieldInGenericType
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform.Numbers
9
   {
10
11
        public static class Arithmetic<T>
12
            public static readonly Func<T, T, T> Add = CompileAddDelegate();
13
            public static readonly Func<T, T, T> Subtract = CompileSubtractDelegate();
            public static readonly Func<T, T> Increment = CompileIncrementDelegate();
public static readonly Func<T, T> Decrement = CompileDecrementDelegate();
15
16
17
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
18
            private static Func<T, T, T> CompileAddDelegate()
19
20
                 return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
21
22
                     Ensure.Always.IsNumeric<T>();
23
                     emiter.LoadArguments(0, 1);
24
                     emiter.Add();
25
                     emiter.Return();
                 });
27
            }
28
```

```
private static Func<T, T, T> CompileSubtractDelegate()
32
                 return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
33
                     Ensure.Always.IsNumeric<T>();
35
                     emiter.LoadArguments(0, 1);
36
                     emiter.Subtract();
37
                     emiter.Return();
                 });
39
            }
40
41
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
42
43
            private static Func<T, T> CompileIncrementDelegate()
                 return DelegateHelpers.Compile<Func<T, T>>(emiter =>
45
46
                     Ensure.Always.IsNumeric<T>();
47
                     emiter.LoadArgument(0);
48
                     emiter.Increment<T>();
49
                     emiter.Return();
50
                 });
51
            }
52
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
54
            private static Func<T, T> CompileDecrementDelegate()
55
56
                 return DelegateHelpers.Compile<Func<T, T>>(emiter =>
57
58
                     Ensure.Always.IsNumeric<T>();
59
                     emiter.LoadArgument(0);
61
                     emiter.Decrement<T>();
                     emiter.Return();
62
63
                 });
            }
64
        }
65
66
1.4
     ./Platform.Numbers/Bit.cs
   using System.Runtime.CompilerServices;
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
3
   namespace Platform. Numbers
5
        public static class Bit
7
8
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
9
            public static long Count(long x)
10
11
                long n = 0;
12
                 while (x != 0)
13
14
                     n++;
15
                     x &= x - 1;
16
17
                return n;
18
            }
19
20
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
21
            public static int GetLowestPosition(ulong value)
22
23
                 if (value == 0)
24
                 {
25
                     return -1;
27
                 var position = 0;
28
                while ((value & 1UL) == 0)
29
30
                     value >>= 1;
                     ++position;
32
33
                 return position;
34
            }
35
36
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
37
            public static T Not<T>(T x) => Bit<T>.Not(x);
39
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

[MethodImpl(MethodImplOptions.AggressiveInlining)]

```
public static T Or<T>(T x, T y) => Bit<T>.Or(x, y);
41
42
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
43
            public static T And<T>(T x, T y) => Bit<T>.And(x, y);
45
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
46
            public static T ShiftLeft<T>(T x, int y) => Bit<T>.ShiftLeft(x, y);
47
48
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T ShiftRight<T>(T x, int y) => Bit<T>.ShiftRight(x, y);
50
51
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
52
            public static T PartialWrite<T>(T target, T source, int shift, int limit) =>
53
             → Bit<T>.PartialWrite(target, source, shift, limit);
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
55
            public static T PartialRead<T>(T target, int shift, int limit) =>
56
                Bit<T>.PartialRead(target, shift, limit);
        }
57
58
     ./Platform.Numbers/BitExtensions.cs
1.5
   using System.Runtime.CompilerServices;
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
   namespace Platform.Numbers
5
   {
        public static class BitwiseExtensions
8
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T Not<T>(this ref T target) where T : struct => target = Bit.Not(target);
10
11
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
12
            public static T PartialWrite<T>(this ref T target, T source, int shift, int limit) where
13
             T: struct => target = Bit<T>.PartialWrite(target, source, shift, limit);
14
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
15
            public static T PartialRead<T>(this T target, int shift, int limit) =>
16
             → Bit<T>.PartialRead(target, shift, limit);
        }
17
   }
    ./Platform.Numbers/Bit[T].cs
1.6
   using System;
   using System.Runtime.CompilerServices; using Platform.Exceptions;
   using Platform.Reflection;
   // ReSharper disable StaticFieldInGenericType
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
   namespace Platform.Numbers
   {
10
        public static class Bit<T>
11
12
            public static readonly Func<T, T> Not = CompileNotDelegate();
13
            public static readonly Func<T, T, T> Or = CompileOrDelegate()
            public static readonly Func<T, T, T> And = CompileAndDelegate();
15
            public static readonly Func<T, int, T> ShiftLeft = CompileShiftLeftDelegate();
public static readonly Func<T, int, T> ShiftRight = CompileShiftRightDelegate();
public static readonly Func<T, T, int, int, T> PartialWrite =
16
17
18
                CompilePartialWriteDelegate();
            public static readonly Func<T, int, int, T> PartialRead = CompilePartialReadDelegate();
19
20
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
21
            private static Func<T, T> CompileNotDelegate()
23
                 return DelegateHelpers.Compile<Func<T, T>>(emiter =>
24
25
                     Ensure.Always.IsNumeric<T>();
26
                     emiter.LoadArguments(0);
27
                     emiter.Not();
2.8
                     emiter.Return();
                 });
30
31
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
33
            private static Func<T, T, T> CompileOrDelegate()
```

```
{
    return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.Or();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T, T> CompileAndDelegate()
    return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.And();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, int, T> CompileShiftLeftDelegate()
    return DelegateHelpers.Compile<Func<T, int, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.ShiftLeft();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, int, T> CompileShiftRightDelegate()
    return DelegateHelpers.Compile<Func<T, int, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.ShiftRight();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T, int, int, T> CompilePartialWriteDelegate()
    return DelegateHelpers.Compile<Func<T, T, int, int, T>>(emiter =>
        Ensure.Always.IsNumeric<T>()
        var constants = GetConstants();
        var bitsNumber = constants.Item1;
        var numberFilledWithOnes = constants.Item2;
        ushort shiftArgument = 2
        ushort limitArgument = 3;
        var checkLimit = emiter.DefineLabel();
        var calculateSourceMask = emiter.DefineLabel();
        // Check shift
        emiter.LoadArgument(shiftArgument);
        emiter.LoadConstant(0)
        emiter.BranchIfGreaterOrEqual(checkLimit); // Skip fix
        // Fix shift
        emiter.LoadConstant(bitsNumber);
        emiter.LoadArgument(shiftArgument)
        emiter.Add()
        emiter.StoreArgument(shiftArgument);
        emiter.MarkLabel(checkLimit);
        // Check limit
        emiter.LoadArgument(limitArgument);
        emiter.LoadConstant(0);
        emiter.BranchIfGreaterOrEqual(calculateSourceMask); // Skip fix
        // Fix limit
        emiter.LoadConstant(bitsNumber)
        emiter.LoadArgument(limitArgument);
        emiter.Add()
        emiter.StoreArgument(limitArgument);
```

37

38

40

41

42

44

45

47

48 49

50

5.1

54

55 56

57

5.9

60 61

63

64

66

67 68

69

70 71

72 73

75

76

77

78

79

81

82 83

85

86

88

89

90

91

92

94

95 96

97

98

99

101

102

103

104

105

106

108

109

110

111

```
emiter.MarkLabel(calculateSourceMask);
        var sourceMask = emiter.DeclareLocal<T>();
        var targetMask = emiter.DeclareLocal<T>();
        emiter.LoadConstant(typeof(T), numberFilledWithOnes);
        emiter.LoadArgument(limitArgument);
        emiter.ShiftLeft();
        emiter.Not();
        emiter.LoadConstant(typeof(T), numberFilledWithOnes);
        emiter.And();
        emiter.StoreLocal(sourceMask);
        emiter.LoadLocal(sourceMask);
        emiter.LoadArgument(shiftArgument);
        emiter.ShiftLeft();
        emiter.Not();
        emiter.StoreLocal(targetMask);
        emiter.LoadArgument(0); // target
        emiter.LoadLocal(targetMask);
        emiter.And();
        emiter.LoadArgument(1); // source
        emiter.LoadLocal(sourceMask);
        emiter.And();
        emiter.LoadArgument(shiftArgument);
        emiter.ShiftLeft();
        emiter.Or();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, int, int, T> CompilePartialReadDelegate()
    return DelegateHelpers.Compile<Func<T, int, int, T>>(emiter =>
        Ensure.Always.IsNumeric<T>()
        var constants = GetConstants()
        var bitsNumber = constants.Item1;
        var numberFilledWithOnes = constants.Item2;
        ushort shiftArgument =
        ushort limitArgument = 2;
        var checkLimit = emiter.DefineLabel();
        var calculateSourceMask = emiter.DefineLabel();
        // Check shift
        emiter.LoadArgument(shiftArgument);
        emiter.LoadConstant(0);
        emiter.BranchIfGreaterOrEqual(checkLimit); // Skip fix
        // Fix shift
        emiter.LoadConstant(bitsNumber);
        emiter.LoadArgument(shiftArgument);
        emiter.Add();
        emiter.StoreArgument(shiftArgument);
        emiter.MarkLabel(checkLimit);
          Check limit
        emiter.LoadArgument(limitArgument);
        emiter.LoadConstant(0);
        emiter.BranchIfGreaterOrEqual(calculateSourceMask); // Skip fix
        // Fix limit
        emiter.LoadConstant(bitsNumber);
        emiter.LoadArgument(limitArgument);
        emiter.Add()
        emiter.StoreArgument(limitArgument);
        emiter.MarkLabel(calculateSourceMask);
        var sourceMask = emiter.DeclareLocal<T>();
        var targetMask = emiter.DeclareLocal<T>();
        emiter.LoadConstant(typeof(T), numberFilledWithOnes);
        emiter.LoadArgument(limitArgument); // limit
        emiter.ShiftLeft();
        emiter.Not();
        emiter.LoadConstant(typeof(T), numberFilledWithOnes);
        emiter.And();
        emiter.StoreLocal(sourceMask);
        emiter.LoadLocal(sourceMask);
        emiter.LoadArgument(shiftArgument);
        emiter.ShiftLeft();
        emiter.StoreLocal(targetMask);
        emiter.LoadArgument(0); // target
        emiter.LoadLocal(targetMask);
        emiter.And();
        emiter.LoadArgument(shiftArgument);
```

115

116

118

119

120

122

123

125

 $\frac{126}{127}$ 

128

129

130

131

132

133

134

136

137

139 140

141

142 143

145

146

147

148

150

151

152

153

155

156

158

159

160

161

162

163 164

165

166

167

169

170

171

172

173

175

176 177

179

180

181 182

183 184

186

187

188

189

```
emiter.ShiftRight();
191
                       emiter.Return();
                  });
193
              }
194
195
              [MethodImpl(MethodImplOptions.AggressiveInlining)]
196
              private static Tuple<int, T> GetConstants()
197
198
                  var type = typeof(T);
199
                  if (type == typeof(ulong))
200
201
                       return new Tuple<int, T>(64, (T)(object)ulong.MaxValue);
202
                  }
203
                  if (type == typeof(uint))
204
                  {
205
                       return new Tuple<int, T>(32, (T)(object)uint.MaxValue);
206
207
                     (type == typeof(ushort))
208
209
                       return new Tuple<int, T>(16, (T)(object)ushort.MaxValue);
210
211
                  if
                     (type == typeof(byte))
212
213
                       return new Tuple<int, T>(8, (T)(object)byte.MaxValue);
214
                  throw new NotSupportedException();
216
             }
217
         }
218
    }
219
1.7
      ./Platform.Numbers/Math.cs
    using System.Runtime.CompilerServices;
 2
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
 4
    namespace Platform. Numbers
 5
 6
         /// <remarks>
         /// Resizable array (FileMappedMemory) for values cache may be used. or cached oeis.org
         /// </remarks>
 9
         public static class Math
10
11
              /// <remarks>
12
              /// <para>Source: https://oeis.org/A000142/list </para>
13
              /// <para>Источник: https://oeis.org/A000142/list </para>
              /// </remarks>
15
             private static readonly double[] _factorials =
16
17
                  1D, 1D, 2D, 6D, 24D, 120D, 720D, 5040D, 40320D, 362880D, 3628800D, 39916800D, 479001600, 6227020800, 87178291200, 1307674368000D, 20922789888000D, 355687428096000D, 6402373705728000D, 121645100408832000D, 2432902008176640000
18
19
                                                            121645100408832000D, 2432902008176640000D,
20
                  51090942171709440000D, 1124000727777607680000D
21
              };
22
23
              /// <remarks>
24
              /// <para>Source: https://oeis.org/A000108/list </para>
25
              /// <para>Источник: https://oeis.org/A000108/list </para>
26
              /// </remarks>
27
             private static readonly double[] _catalans =
28
29
                              2D, 5D, 14D, 42D, 132D, 429D, 1430D,
                  1D,
                                                                                4862D,
                                                                                        16796D, 58786D,
                       1D
30
                       208012D
                                          9694845D,
                                                       35357670D,
                  742900D.
                              2674440D
                                                                     129644790D
                                                                                   477638700D
                                                                                                   1767263190D,
                  6564120420D,
                                 24466267020D, 91482563640D,
                                                                    343059613650D, 1289904147324D,
                       4861946401452D
                  18367353072152D,
                                      69533550916004D, 263747951750360D, 1002242216651368D,
33
                   → 3814986502092304D
              };
             public static double Factorial(double n)
37
                  if (n <= 1)
38
                  {
39
                       return 1;
40
                     (n < _factorials.Length)</pre>
42
                  {
43
                       return _factorials[(int)n];
44
                  }
45
```

```
return n * Factorial(n - 1);
46
            }
48
            public static double Catalan(double n)
50
                 if (n <= 1)
51
                 {
52
                     return 1;
53
54
                   (n < _catalans.Length)
55
                 {
56
                     return _catalans[(int)n];
57
58
                 return Factorial(2 * n) / (Factorial(n + 1) * Factorial(n));
60
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
62
            public static bool IsPowerOfTwo(ulong x) => (x & x - 1) == 0;
63
64
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
65
            public static T Abs<T>(T x) => Math<T>.Abs(x);
66
67
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
68
            public static T Negate<T>(T x) => Math<T>.Negate(x);
        }
70
   }
71
     ./Platform.Numbers/MathExtensions.cs
1.8
   using System.Runtime.CompilerServices;
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform. Numbers
5
6
        public static class MathExtensions
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T Abs<T>(this ref T x) where T : struct => x = Math<T>.Abs(x);
10
11
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T Negate<T>(this ref T x) where T : struct => x = Math<T>.Negate(x);
13
14
   }
15
1.9
    ./Platform.Numbers/Math[T].cs
   using System;
   using System.Runtime.CompilerServices;
   using Platform. Exceptions;
   using Platform.Reflection;
4
   // ReSharper disable StaticFieldInGenericType
6
   \#pragma warning disable CS1591 // Missing X\overline{M}L comment for publicly visible type or member
   namespace Platform. Numbers
9
   {
10
        public static class Math<T>
11
            public static readonly Func<T, T> Abs = CompileAbsDelegate();
public static readonly Func<T, T> Negate = CompileNegateDelegate();
13
14
15
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
16
            private static Func<T, T> CompileAbsDelegate()
17
                 return DelegateHelpers.Compile<Func<T, T>>(emiter =>
19
20
                     Ensure.Always.IsNumeric<T>();
21
                     emiter.LoadArgument(0);
22
                     if (NumericType<T>.IsSigned)
2.3
                     {
                         emiter.Call(typeof(System.Math).GetMethod("Abs", Types<T>.Array));
25
26
                     emiter.Return();
27
                 });
            }
29
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
31
            private static Func<T, T> CompileNegateDelegate()
32
33
                 return DelegateHelpers.Compile<Func<T, T>>(emiter =>
```

```
35
                     emiter.LoadArgument(0);
36
37
                     emiter.Negate();
                     emiter.Return();
38
                });
            }
40
        }
41
   }
42
1.10
      ./Platform.Numbers.Tests/ArithmeticExtensionsTests.cs
   using Xunit;
   namespace Platform.Numbers.Tests
        public static class ArithmeticExtensionsTests
5
            [Fact]
            public static void IncrementTest()
                var number = OUL;
1.0
                var returnValue = number.Increment();
11
                Assert.Equal(1UL, returnValue);
12
                Assert.Equal(1UL, number);
13
14
            [Fact]
16
            public static void DecrementTest()
17
                var number = 1UL;
19
                var returnValue = number.Decrement();
                Assert.Equal(OUL, returnValue);
21
                Assert.Equal(OUL, number);
22
23
        }
^{24}
   }
25
      ./Platform.Numbers.Tests/ArithmeticTests.cs
1.11
   using System;
   using Xunit;
   namespace Platform.Numbers.Tests
        public static class ArithmeticTests
6
            [Fact]
            public static void CompiledOperationsTest()
9
10
                Assert.True(Arithmetic < short > . Add(1, 2) == 3);
11
                Assert.True(Arithmetic < short > .Subtract(2, 1) == 1);
12
                Assert.True(Arithmetic<byte>.Increment(1) == 2);
13
                Assert.True(Arithmetic<ulong>.Decrement(2) == 1);
                Assert.Throws<NotSupportedException>(() => Arithmetic<string>.Subtract("1", "2"));
15
            }
16
        }
17
   }
18
     ./Platform.Numbers.Tests/BitTests.cs
1.12
   using System;
   using Xunit;
   namespace Platform. Numbers. Tests
4
5
        public static class BitTests
6
            [Theory]
            [InlineData(00, -1)] // 0000 0000 (none, -1)
9
            [InlineData(01, 00)] // 0000 0001 (first, 0)
10
            [InlineData(08, 03)] // 0000 1000 (forth, 3)
            [InlineData(88, 03)] // 0101 1000 (forth, 3)
12
            public static void GetLowestBitPositionTest(ulong value, int expectedPosition)
13
                Assert.True(Bit.GetLowestPosition(value) == expectedPosition);
15
            }
16
17
            [Fact]
18
            public static void ByteBitwiseOperationsTest()
19
                Assert.True(Bit<byte>.Not(2) == unchecked((byte)~2));
```

```
Assert.True(Bit<byte>.Or(1, 2) == (1 | 2));
    Assert.True(Bit\langle byte \rangle.And(1, 2) == (1 & 2));
    Assert.True(Bit<byte>.ShiftLeft(1, 2) == (1 << 2));
    Assert.True(Bit<byte>.ShiftRight(1, 2) == (1 >> 2));
[Fact]
public static void UInt16BitwiseOperationsTest()
    Assert.True(Bit<ushort>.Not(2) == unchecked((ushort)~2));
    Assert.True(Bit\langle ushort \rangle.Or(1, 2) == (1 | 2));
    Assert.True(Bit<ushort>.And(1, 2) == (1 & 2));
Assert.True(Bit<ushort>.ShiftLeft(1, 2) == (1 << 2));
Assert.True(Bit<ushort>.ShiftRight(1, 2) == (1 >> 2));
}
[Fact]
public static void UInt32BitwiseOperationsTest()
    Assert.True(Bit<uint>.Not(2) == unchecked((uint)~2));
    Assert.True(Bit<uint>.Or(1, 2) == (1 \mid 2));
    Assert.True(Bit\langle uint \rangle.And(1, 2) == (1 & 2));
    Assert.True(Bit<uint>.ShiftLeft(1, 2) == (1 << 2));
    Assert.True(Bit<uint>.ShiftRight(1, 2) == (1 >> 2));
}
[Fact]
public static void UInt64BitwiseOperationsTest()
    Assert.True(Bit<ulong>.Not(2) == unchecked((ulong)~2));
    Assert.True(Bit<ulong>.Or(1, 2) == (1 | 2));
    Assert.True(Bit\langle ulong \rangle.And(1, 2) == (1 & 2));
    Assert.True(Bit<ulong>.ShiftLeft(1, 2) == (1 << 2));
    Assert.True(Bit\langle ulong \rangle.ShiftRight(1, 2) == (1 >> 2));
[Fact]
public static void PartialReadWriteTest()
    {
         uint firstValue = 1;
        uint secondValue = 1543;
         // Pack (join) two values at the same time
        uint value = secondValue << 1 | firstValue;</pre>
         uint unpackagedFirstValue = value & 1;
         uint unpackagedSecondValue = (value & 0xFFFFFFE) >> 1;
        Assert.True(firstValue == unpackagedFirstValue)
        Assert.True(secondValue == unpackagedSecondValue);
         // Using universal functions:
         Assert.True(PartialRead(value, 0, 1) == firstValue);
         Assert.True(PartialRead(value, 1, -1) == secondValue);
        firstValue = 0:
        secondValue = 6892;
         value = PartialWrite(value, firstValue, 0, 1);
         value = PartialWrite(value, secondValue, 1, -1);
         Assert.True(PartialRead(value, 0, 1) == firstValue);
         Assert.True(PartialRead(value, 1, -1) == secondValue);
    }
    {
        uint firstValue = 1;
        uint secondValue = 1543;
         // Pack (join) two values at the same time
        uint value = secondValue << 1 | firstValue;</pre>
         uint unpackagedFirstValue = value & 1;
        uint unpackagedSecondValue = (value & 0xFFFFFFFE) >> 1;
         Assert.True(firstValue == unpackagedFirstValue);
         Assert.True(secondValue == unpackagedSecondValue);
         // Using universal functions:
```

24

25 26 27

28

29 30

31

34 35

37

39 40

41

42

43

44

46 47

48

49 50

52

53

54

55 56

58

59

61

62

63 64

65

66 67

68

69 70

71

72 73

74

75

76 77

78

79 80

81

83

84

86 87

88

90 91

92

93 94

96

```
Assert.True(Bit.PartialRead(value, 0, 1) == firstValue);
        Assert.True(Bit.PartialRead(value, 1, -1) == secondValue);
        firstValue = 0:
        secondValue = 6892;
        value = Bit.PartialWrite(value, firstValue, 0, 1);
        value = Bit.PartialWrite(value, secondValue, 1, -1);
        Assert.True(Bit.PartialRead(value, 0, 1) == firstValue)
        Assert.True(Bit.PartialRead(value, 1, -1) == secondValue);
        uint firstValue = 1;
        uint secondValue = 1543;
        // Pack (join) two values at the same time
        uint value = secondValue << 1 | firstValue;</pre>
        uint unpackagedFirstValue = value & 1;
        uint unpackagedSecondValue = (value & OxFFFFFFE) >> 1;
        Assert.True(firstValue == unpackagedFirstValue);
        Assert.True(secondValue == unpackagedSecondValue);
        // Using universal functions:
        var readMasksAndShiftForOAnd1 = GetReadMaskAndShift(0, 1);
        var readMasksAndShiftFor1AndMinus1 = GetReadMaskAndShift(1,
        var writeMasksAndShiftForOAnd1 = GetWriteMasksAndShift(0, 1);
        var writeMasksAndShiftFor1AndMinus1 = GetWriteMasksAndShift(1, -1);
        Assert.True(PartialRead(value, readMasksAndShiftForOAnd1) == firstValue);
        Assert.True(PartialRead(value, readMasksAndShiftFor1AndMinus1) == secondValue);
        firstValue = 0
        secondValue = 6892;
        value = PartialWrite(value, firstValue, writeMasksAndShiftForOAnd1);
        value = PartialWrite(value, secondValue, writeMasksAndShiftFor1AndMinus1);
        Assert.True(PartialRead(value, readMasksAndShiftForOAnd1) == firstValue);
        Assert.True(PartialRead(value, readMasksAndShiftFor1AndMinus1) == secondValue);
    }
}
// TODO: Can be optimized using precalculation of TargetMask and SourceMask
private static uint PartialWrite(uint target, uint source, int shift, int limit)
    if (shift < 0)</pre>
    {
        shift = 32 + shift;
      (limit < 0)
    {
        limit = 32 + limit;
    }
    var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
    var targetMask = ~(sourceMask << shift);</pre>
    return target & targetMask | (source & sourceMask) << shift;</pre>
}
private static uint PartialRead(uint target, int shift, int limit)
    if (shift < 0)</pre>
        shift = 32 + shift;
    if (limit < 0)</pre>
    {
        limit = 32 + limit;
    var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
    var targetMask = sourceMask << shift;</pre>
    return (target & targetMask) >> shift;
private static Tuple<uint, uint, int> GetWriteMasksAndShift(int shift, int limit)
    if (shift < 0)</pre>
```

104

105

106 107

108

110

111

112 113 114

116

117 118

119 120

121

122

123

125

126 127

128

129

130

131

132 133

134 135

136

138 139

140

 $141 \\ 142$ 

143

145

146 147

148

149 150

151

152

153 154

155

156

157

159

160

161

162 163

165

166

168

170

171

172 173

174

175

176 177 178

179

```
182
                      shift = 32 + shift;
183
                 }
184
                 if (limit < 0)</pre>
                 {
186
                      limit = 32 + limit;
187
                 }
                 var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
189
                 var targetMask = ~(sourceMask << shift);</pre>
190
                 return new Tuple<uint, uint, int>(targetMask, sourceMask, shift);
192
193
             private static Tuple<uint, int> GetReadMaskAndShift(int shift, int limit)
194
195
                 if (shift < 0)</pre>
196
                 {
                      shift = 32 + shift;
198
199
                 if (limit < 0)</pre>
200
                 {
201
                      limit = 32 + limit;
202
                 }
203
                 var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
204
                 var targetMask = sourceMask << shift;</pre>
205
                 return new Tuple<uint, int>(targetMask, shift);
206
             }
207
208
             private static uint PartialWrite(uint target, uint targetMask, uint source, uint
209

→ sourceMask, int shift) => target & targetMask | (source & sourceMask) << shift;
</p>
210
             private static uint PartialWrite(uint target, uint source, Tuple<uint, uint, int>
211
                 masksAndShift) => PartialWrite(target, masksAndShift.Item1, source,
                 masksAndShift.Item2, masksAndShift.Item3);
212
             private static uint PartialRead(uint target, uint targetMask, int shift) => (target &
213

    targetMask) >> shift;

             private static uint PartialRead(uint target, Tuple<uint, int> masksAndShift) =>
215
              \  \, \rightarrow \  \, \text{PartialRead(target, masksAndShift.Item1, masksAndShift.Item2);}
             [Fact]
217
             public static void BugWithLoadingConstantOf8Test()
218
219
                 Bit<byte>.PartialWrite(0, 1, 5, -5);
220
             }
221
        }
222
1.13 ./Platform.Numbers.Tests/MathExtensionsTests.cs
    using Xunit;
    namespace Platform.Numbers.Tests
 3
 4
         public static class MathExtensionsTests
 6
             [Fact]
             public static void AbsTest()
                 var number = -1L;
10
                 var returnValue = number.Abs();
                 Assert.Equal(1L, returnValue);
12
                 Assert.Equal(1L, number);
13
             }
14
15
             [Fact]
16
             public static void NegateTest()
18
                 var number = 2L;
19
                 var returnValue = number.Negate();
20
                 Assert.Equal(-2L, returnValue);
21
                 Assert.Equal(-2L, number);
22
             }
24
             [Fact]
             public static void UnsignedNegateTest()
26
27
                 var number = 2UL;
                 var returnValue = number.Negate();
29
                 Assert.Equal(18446744073709551614, returnValue);
```

```
Assert.Equal(18446744073709551614, number);
            }
        }
33
   }
34
1.14
     ./Platform.Numbers.Tests/MathTests.cs
   using Xunit;
   namespace Platform. Numbers. Tests
3
4
        public static class MathTests
5
             [Fact]
            public static void CompiledOperationsTest()
9
10
                 Assert.True(Math.Abs(Arithmetic < double > .Subtract(3D, 2D) - 1D) < 0.01);
            }
11
        }
12
   }
13
      ./Platform.Numbers.Tests/SystemTests.cs
1.15
   using Xunit;
   namespace Platform.Numbers.Tests
3
4
        public static class SystemTests
5
             |Fact|
            public static void PossiblePackTwoValuesIntoOneTest()
9
                 uint value = 0;
10
                 // Set one to first bit
12
                 value |= 1;
13
14
                 Assert.True(value == 1);
15
                 // Set zero to first bit
17
18
                 value &= OxFFFFFFE;
19
                 // Get first bit
20
                 uint read = value & 1;
21
22
                 Assert.True(read == 0);
23
                 uint firstValue = 1;
25
                 uint secondValue = 1543;
26
                 // Pack (join) two values at the same time
28
                 value = (secondValue << 1) | firstValue;</pre>
29
30
                 uint unpackagedFirstValue = value & 1;
31
                 uint unpackagedSecondValue = (value & OxFFFFFFFE) >> 1;
33
34
                 Assert.True(firstValue == unpackagedFirstValue)
                 Assert.True(secondValue == unpackagedSecondValue);
35
36
                 // Using universal functions:
38
                 Assert.True(PartialRead(value, 0, 1) == firstValue);
Assert.True(PartialRead(value, 1, -1) == secondValue);
39
40
41
                 firstValue = 0:
42
                 secondValue = 6892;
43
44
45
                 value = PartialWrite(value, firstValue, 0, 1);
                 value = PartialWrite(value, secondValue, 1, -1);
46
47
                 Assert.True(PartialRead(value, 0, 1) == firstValue);
48
                 Assert.True(PartialRead(value, 1, -1) == secondValue);
49
50
5.1
            private static uint PartialWrite(uint target, uint source, int shift, int limit)
52
                 if (shift < 0)</pre>
54
                 {
55
                     shift = 32 + shift;
57
                    (limit < 0)
58
```

```
limit = 32 + limit;
60
                    }
61
                   var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;
var targetMask = ~(sourceMask << shift);</pre>
62
63
                    return (target & targetMask) | ((source & sourceMask) << shift);
              }
65
66
              private static uint PartialRead(uint target, int shift, int limit)
67
68
                    if (shift < 0)</pre>
69
                    {
70
                         shift = 32 + shift;
71
72
                    if (limit < 0)</pre>
73
                    {
74
                         limit = 32 + limit;
75
                    }
76
                   var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;
var targetMask = sourceMask << shift;</pre>
77
78
                   return (target & targetMask) >> shift;
79
              }
80
         }
81
82 }
```

## Index

```
./Platform.Numbers.Tests/ArithmeticExtensionsTests.cs, 8
./Platform.Numbers.Tests/ArithmeticTests.cs, 8
./Platform.Numbers.Tests/BitTests.cs, 8
./Platform.Numbers.Tests/MathExtensionsTests.cs, 11
./Platform.Numbers.Tests/MathTests.cs, 12
./Platform.Numbers.Tests/SystemTests.cs, 12
./Platform.Numbers/Arithmetic.cs, 1
./Platform.Numbers/ArithmeticExtensions.cs, 1
./Platform.Numbers/Arithmetic[T].cs, 1
./Platform.Numbers/Bit.cs, 2
./Platform.Numbers/BitExtensions.cs, 3
./Platform.Numbers/Bit[T].cs, 3
./Platform.Numbers/Math.cs, 6
./Platform.Numbers/MathExtensions.cs, 7
```

./Platform.Numbers/Math[T].cs, 7