

LinksPlatform's Platform.Numbers Class Library

1.1 ./csharp/Platform.Numbers/Arithmetic.cs

```
1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Numbers
6 {
7     public static class Arithmetic
8     {
9         [MethodImpl(MethodImplOptions.AggressiveInlining)]
10        public static T Add<T>(T x, T y) => Arithmetic<T>.Add(x, y);
11
12        [MethodImpl(MethodImplOptions.AggressiveInlining)]
13        public static T Subtract<T>(T x, T y) => Arithmetic<T>.Subtract(x, y);
14
15        [MethodImpl(MethodImplOptions.AggressiveInlining)]
16        public static T Multiply<T>(T x, T y) => Arithmetic<T>.Multiply(x, y);
17
18        [MethodImpl(MethodImplOptions.AggressiveInlining)]
19        public static T Divide<T>(T x, T y) => Arithmetic<T>.Divide(x, y);
20
21        [MethodImpl(MethodImplOptions.AggressiveInlining)]
22        public static T Increment<T>(T x) => Arithmetic<T>.Increment(x);
23
24        [MethodImpl(MethodImplOptions.AggressiveInlining)]
25        public static T Increment<T>(ref T x) => x = Arithmetic<T>.Increment(x);
26
27        [MethodImpl(MethodImplOptions.AggressiveInlining)]
28        public static T Decrement<T>(T x) => Arithmetic<T>.Decrement(x);
29
30        [MethodImpl(MethodImplOptions.AggressiveInlining)]
31        public static T Decrement<T>(ref T x) => x = Arithmetic<T>.Decrement(x);
32    }
33 }
```

1.2 ./csharp/Platform.Numbers/ArithmeticExtensions.cs

```
1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Numbers
6 {
7     public static class ArithmeticExtensions
8     {
9         [MethodImpl(MethodImplOptions.AggressiveInlining)]
10        public static T Decrement<T>(this ref T x) where T : struct => x =
11            ↪ Arithmetic<T>.Decrement(x);
12
13        [MethodImpl(MethodImplOptions.AggressiveInlining)]
14        public static T Increment<T>(this ref T x) where T : struct => x =
15            ↪ Arithmetic<T>.Increment(x);
16    }
17 }
```

1.3 ./csharp/Platform.Numbers/Arithmetic[T].cs

```
1 using System;
2 using System.Reflection.Emit;
3 using System.Runtime.CompilerServices;
4 using Platform.Exceptions;
5 using Platform.Reflection;
6
7 // ReSharper disable StaticFieldInGenericType
8 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Numbers
11 {
12     public static class Arithmetic<T>
13     {
14         public static readonly Func<T, T, T> Add = CompileAddDelegate();
15         public static readonly Func<T, T, T> Subtract = CompileSubtractDelegate();
16         public static readonly Func<T, T, T> Multiply = CompileMultiplyDelegate();
17         public static readonly Func<T, T, T> Divide = CompileDivideDelegate();
18         public static readonly Func<T, T> Increment = CompileIncrementDelegate();
19         public static readonly Func<T, T> Decrement = CompileDecrementDelegate();
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         private static Func<T, T, T> CompileAddDelegate()
23         {
```

```

24     return DelegateHelpers.Compile<Func<T, T, T>>(emitter =>
25     {
26         Ensure.Always.IsNumeric<T>();
27         emitter.LoadArguments(0, 1);
28         emitter.Add();
29         emitter.Return();
30     });
31 }
32
33 [MethodImpl(MethodImplOptions.AggressiveInlining)]
34 private static Func<T, T, T> CompileSubtractDelegate()
35 {
36     return DelegateHelpers.Compile<Func<T, T, T>>(emitter =>
37     {
38         Ensure.Always.IsNumeric<T>();
39         emitter.LoadArguments(0, 1);
40         emitter.Subtract();
41         emitter.Return();
42     });
43 }
44
45 [MethodImpl(MethodImplOptions.AggressiveInlining)]
46 private static Func<T, T, T> CompileMultiplyDelegate()
47 {
48     return DelegateHelpers.Compile<Func<T, T, T>>(emitter =>
49     {
50         Ensure.Always.IsNumeric<T>();
51         emitter.LoadArguments(0, 1);
52         emitter.Emit(OpCodes.Mul);
53         emitter.Return();
54     });
55 }
56
57 [MethodImpl(MethodImplOptions.AggressiveInlining)]
58 private static Func<T, T, T> CompileDivideDelegate()
59 {
60     return DelegateHelpers.Compile<Func<T, T, T>>(emitter =>
61     {
62         Ensure.Always.IsNumeric<T>();
63         emitter.LoadArguments(0, 1);
64         if(NumericType<T>.IsSigned)
65         {
66             emitter.Emit(OpCodes.Div);
67         }
68         else
69         {
70             emitter.Emit(OpCodes.Div_Un);
71         }
72         emitter.Return();
73     });
74 }
75
76 [MethodImpl(MethodImplOptions.AggressiveInlining)]
77 private static Func<T, T> CompileIncrementDelegate()
78 {
79     return DelegateHelpers.Compile<Func<T, T>>(emitter =>
80     {
81         Ensure.Always.IsNumeric<T>();
82         emitter.LoadArgument(0);
83         emitter.Increment<T>();
84         emitter.Return();
85     });
86 }
87
88 [MethodImpl(MethodImplOptions.AggressiveInlining)]
89 private static Func<T, T> CompileDecrementDelegate()
90 {
91     return DelegateHelpers.Compile<Func<T, T>>(emitter =>
92     {
93         Ensure.Always.IsNumeric<T>();
94         emitter.LoadArgument(0);
95         emitter.Decrement<T>();
96         emitter.Return();
97     });
98 }
99 }
100 }

```

1.4 ./csharp/Platform.Numbers/Bit.cs

```
1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Numbers
6 {
7     public static class Bit
8     {
9         [MethodImpl(MethodImplOptions.AggressiveInlining)]
10        public static long Count(long x)
11        {
12            long n = 0;
13            while (x != 0)
14            {
15                n++;
16                x &= x - 1;
17            }
18            return n;
19        }
20
21        [MethodImpl(MethodImplOptions.AggressiveInlining)]
22        public static int GetLowestPosition(ulong value)
23        {
24            if (value == 0)
25            {
26                return -1;
27            }
28            var position = 0;
29            while ((value & 1UL) == 0)
30            {
31                value >>= 1;
32                ++position;
33            }
34            return position;
35        }
36
37        [MethodImpl(MethodImplOptions.AggressiveInlining)]
38        public static T Not<T>(T x) => Bit<T>.Not(x);
39
40        [MethodImpl(MethodImplOptions.AggressiveInlining)]
41        public static T Or<T>(T x, T y) => Bit<T>.Or(x, y);
42
43        [MethodImpl(MethodImplOptions.AggressiveInlining)]
44        public static T And<T>(T x, T y) => Bit<T>.And(x, y);
45
46        [MethodImpl(MethodImplOptions.AggressiveInlining)]
47        public static T ShiftLeft<T>(T x, int y) => Bit<T>.ShiftLeft(x, y);
48
49        [MethodImpl(MethodImplOptions.AggressiveInlining)]
50        public static T ShiftRight<T>(T x, int y) => Bit<T>.ShiftRight(x, y);
51
52        [MethodImpl(MethodImplOptions.AggressiveInlining)]
53        public static T PartialWrite<T>(T target, T source, int shift, int limit) =>
54            ↪ Bit<T>.PartialWrite(target, source, shift, limit);
55
56        [MethodImpl(MethodImplOptions.AggressiveInlining)]
57        public static T PartialRead<T>(T target, int shift, int limit) =>
58            ↪ Bit<T>.PartialRead(target, shift, limit);
59    }
60 }
```

1.5 ./csharp/Platform.Numbers/BitExtensions.cs

```
1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Numbers
6 {
7     public static class BitwiseExtensions
8     {
9         [MethodImpl(MethodImplOptions.AggressiveInlining)]
10        public static T Not<T>(this ref T target) where T : struct => target = Bit.Not(target);
11
12        [MethodImpl(MethodImplOptions.AggressiveInlining)]
13        public static T PartialWrite<T>(this ref T target, T source, int shift, int limit) where
14            ↪ T : struct => target = Bit<T>.PartialWrite(target, source, shift, limit);
15
16        [MethodImpl(MethodImplOptions.AggressiveInlining)]
17    }
```

```

16         public static T PartialRead<T>(this T target, int shift, int limit) =>
17             ↪ Bit<T>.PartialRead(target, shift, limit);
18     }
19 }

```

1.6 ./csharp/Platform.Numbers/Bit[T].cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3  using Platform.Exceptions;
4  using Platform.Reflection;
5
6  // ReSharper disable StaticFieldInGenericType
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Numbers
10 {
11     public static class Bit<T>
12     {
13         public static readonly Func<T, T> Not = CompileNotDelegate();
14         public static readonly Func<T, T, T> Or = CompileOrDelegate();
15         public static readonly Func<T, T, T> And = CompileAndDelegate();
16         public static readonly Func<T, int, T> ShiftLeft = CompileShiftLeftDelegate();
17         public static readonly Func<T, int, T> ShiftRight = CompileShiftRightDelegate();
18         public static readonly Func<T, T, int, int, T> PartialWrite =
19             ↪ CompilePartialWriteDelegate();
20         public static readonly Func<T, int, int, T> PartialRead = CompilePartialReadDelegate();
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         private static Func<T, T> CompileNotDelegate()
24         {
25             return DelegateHelpers.Compile<Func<T, T>>(emitter =>
26             {
27                 Ensure.Always.IsNumeric<T>();
28                 emitter.LoadArguments(0);
29                 emitter.Not();
30                 emitter.Return();
31             });
32         }
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         private static Func<T, T, T> CompileOrDelegate()
36         {
37             return DelegateHelpers.Compile<Func<T, T, T>>(emitter =>
38             {
39                 Ensure.Always.IsNumeric<T>();
40                 emitter.LoadArguments(0, 1);
41                 emitter.Or();
42                 emitter.Return();
43             });
44         }
45
46         [MethodImpl(MethodImplOptions.AggressiveInlining)]
47         private static Func<T, T, T> CompileAndDelegate()
48         {
49             return DelegateHelpers.Compile<Func<T, T, T>>(emitter =>
50             {
51                 Ensure.Always.IsNumeric<T>();
52                 emitter.LoadArguments(0, 1);
53                 emitter.And();
54                 emitter.Return();
55             });
56         }
57
58         [MethodImpl(MethodImplOptions.AggressiveInlining)]
59         private static Func<T, int, T> CompileShiftLeftDelegate()
60         {
61             return DelegateHelpers.Compile<Func<T, int, T>>(emitter =>
62             {
63                 Ensure.Always.IsNumeric<T>();
64                 emitter.LoadArguments(0, 1);
65                 emitter.ShiftLeft();
66                 emitter.Return();
67             });
68         }
69
70         [MethodImpl(MethodImplOptions.AggressiveInlining)]
71         private static Func<T, int, T> CompileShiftRightDelegate()
72         {
73             return DelegateHelpers.Compile<Func<T, int, T>>(emitter =>

```

```

73     {
74         Ensure.Always.IsNumeric<T>();
75         emitter.LoadArguments(0, 1);
76         emitter.ShiftRight();
77         emitter.Return();
78     });
79 }
80
81 [MethodImpl(MethodImplOptions.AggressiveInlining)]
82 private static Func<T, T, int, int, T> CompilePartialWriteDelegate()
83 {
84     return DelegateHelpers.Compile<Func<T, T, int, int, T>>(emitter =>
85     {
86         Ensure.Always.IsNumeric<T>();
87         var constants = GetConstants();
88         var bitsNumber = constants.Item1;
89         var numberFilledWithOnes = constants.Item2;
90         ushort shiftArgument = 2;
91         ushort limitArgument = 3;
92         var checkLimit = emitter.DefineLabel();
93         var calculateSourceMask = emitter.DefineLabel();
94         // Check shift
95         emitter.LoadArgument(shiftArgument);
96         emitter.LoadConstant(0);
97         emitter.BranchIfGreaterOrEqual(checkLimit); // Skip fix
98         // Fix shift
99         emitter.LoadConstant(bitsNumber);
100        emitter.LoadArgument(shiftArgument);
101        emitter.Add();
102        emitter.StoreArgument(shiftArgument);
103        emitter.MarkLabel(checkLimit);
104        // Check limit
105        emitter.LoadArgument(limitArgument);
106        emitter.LoadConstant(0);
107        emitter.BranchIfGreaterOrEqual(calculateSourceMask); // Skip fix
108        // Fix limit
109        emitter.LoadConstant(bitsNumber);
110        emitter.LoadArgument(limitArgument);
111        emitter.Add();
112        emitter.StoreArgument(limitArgument);
113        emitter.MarkLabel(calculateSourceMask);
114        var sourceMask = emitter.DeclareLocal<T>();
115        var targetMask = emitter.DeclareLocal<T>();
116        emitter.LoadConstant(typeof(T), numberFilledWithOnes);
117        emitter.LoadArgument(limitArgument);
118        emitter.ShiftLeft();
119        emitter.Not();
120        emitter.LoadConstant(typeof(T), numberFilledWithOnes);
121        emitter.And();
122        emitter.StoreLocal(sourceMask);
123        emitter.LoadLocal(sourceMask);
124        emitter.LoadArgument(shiftArgument);
125        emitter.ShiftLeft();
126        emitter.Not();
127        emitter.StoreLocal(targetMask);
128        emitter.LoadArgument(0); // target
129        emitter.LoadLocal(targetMask);
130        emitter.And();
131        emitter.LoadArgument(1); // source
132        emitter.LoadLocal(sourceMask);
133        emitter.And();
134        emitter.LoadArgument(shiftArgument);
135        emitter.ShiftLeft();
136        emitter.Or();
137        emitter.Return();
138    });
139 }
140
141 [MethodImpl(MethodImplOptions.AggressiveInlining)]
142 private static Func<T, int, int, T> CompilePartialReadDelegate()
143 {
144     return DelegateHelpers.Compile<Func<T, int, int, T>>(emitter =>
145     {
146         Ensure.Always.IsNumeric<T>();
147         var constants = GetConstants();
148         var bitsNumber = constants.Item1;
149         var numberFilledWithOnes = constants.Item2;
150         ushort shiftArgument = 1;

```

```

151     ushort limitArgument = 2;
152     var checkLimit = emitter.DefineLabel();
153     var calculateSourceMask = emitter.DefineLabel();
154     // Check shift
155     emitter.LoadArgument(shiftArgument);
156     emitter.LoadConstant(0);
157     emitter.BranchIfGreaterOrEqual(checkLimit); // Skip fix
158     // Fix shift
159     emitter.LoadConstant(bitsNumber);
160     emitter.LoadArgument(shiftArgument);
161     emitter.Add();
162     emitter.StoreArgument(shiftArgument);
163     emitter.MarkLabel(checkLimit);
164     // Check limit
165     emitter.LoadArgument(limitArgument);
166     emitter.LoadConstant(0);
167     emitter.BranchIfGreaterOrEqual(calculateSourceMask); // Skip fix
168     // Fix limit
169     emitter.LoadConstant(bitsNumber);
170     emitter.LoadArgument(limitArgument);
171     emitter.Add();
172     emitter.StoreArgument(limitArgument);
173     emitter.MarkLabel(calculateSourceMask);
174     var sourceMask = emitter.DeclareLocal<T>();
175     var targetMask = emitter.DeclareLocal<T>();
176     emitter.LoadConstant(typeof(T), numberFilledWithOnes);
177     emitter.LoadArgument(limitArgument); // limit
178     emitter.ShiftLeft();
179     emitter.Not();
180     emitter.LoadConstant(typeof(T), numberFilledWithOnes);
181     emitter.And();
182     emitter.StoreLocal(sourceMask);
183     emitter.LoadLocal(sourceMask);
184     emitter.LoadArgument(shiftArgument);
185     emitter.ShiftLeft();
186     emitter.StoreLocal(targetMask);
187     emitter.LoadArgument(0); // target
188     emitter.LoadLocal(targetMask);
189     emitter.And();
190     emitter.LoadArgument(shiftArgument);
191     emitter.ShiftRight();
192     emitter.Return();
193     });
194 }
195
196 [MethodImpl(MethodImplOptions.AggressiveInlining)]
197 private static Tuple<int, T> GetConstants()
198 {
199     var type = typeof(T);
200     if (type == typeof(ulong))
201     {
202         return new Tuple<int, T>(64, (T)(object)ulong.MaxValue);
203     }
204     if (type == typeof(uint))
205     {
206         return new Tuple<int, T>(32, (T)(object)uint.MaxValue);
207     }
208     if (type == typeof(ushort))
209     {
210         return new Tuple<int, T>(16, (T)(object)ushort.MaxValue);
211     }
212     if (type == typeof(byte))
213     {
214         return new Tuple<int, T>(8, (T)(object)byte.MaxValue);
215     }
216     throw new NotSupportedException();
217 }
218 }
219 }

```

1.7 ./csharp/Platform.Numbers/Math.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Numbers
6 {
7     /// <remarks>

```

```

8  /// Resizable array (FileMappedMemory) for values cache may be used. or cached oeis.org
9  /// </remarks>
10 public static class Math
11 {
12     /// <remarks>
13     /// <para>Source: https://oeis.org/A000142/list </para>
14     /// <para>Источник: https://oeis.org/A000142/list </para>
15     /// </remarks>
16     private static readonly double[] _factorials =
17     {
18         1D, 1D, 2D, 6D, 24D, 120D, 720D, 5040D, 40320D, 362880D, 3628800D, 39916800D,
19         479001600, 6227020800, 87178291200, 1307674368000D, 20922789888000D,
20         355687428096000D, 6402373705728000D, 121645100408832000D, 2432902008176640000D,
21         51090942171709440000D, 1124000727777607680000D
22     };
23
24     /// <remarks>
25     /// <para>Source: https://oeis.org/A000108/list </para>
26     /// <para>Источник: https://oeis.org/A000108/list </para>
27     /// </remarks>
28     private static readonly double[] _catalans =
29     {
30         1D, 1D, 2D, 5D, 14D, 42D, 132D, 429D, 1430D, 4862D, 16796D, 58786D,
31         ↪ 208012D,
32         742900D, 2674440D, 9694845D, 35357670D, 129644790D, 477638700D, 1767263190D,
33         6564120420D, 24466267020D, 91482563640D, 343059613650D, 1289904147324D,
34         ↪ 4861946401452D,
35         18367353072152D, 69533550916004D, 263747951750360D, 1002242216651368D,
36         ↪ 3814986502092304D
37     };
38
39     public static double Factorial(double n)
40     {
41         if (n <= 1)
42         {
43             return 1;
44         }
45         if (n < _factorials.Length)
46         {
47             return _factorials[(int)n];
48         }
49         return n * Factorial(n - 1);
50     }
51
52     public static double Catalan(double n)
53     {
54         if (n <= 1)
55         {
56             return 1;
57         }
58         if (n < _catalans.Length)
59         {
60             return _catalans[(int)n];
61         }
62         return Factorial(2 * n) / (Factorial(n + 1) * Factorial(n));
63     }
64
65     [MethodImpl(MethodImplOptions.AggressiveInlining)]
66     public static bool IsPowerOfTwo(ulong x) => (x & x - 1) == 0;
67
68     [MethodImpl(MethodImplOptions.AggressiveInlining)]
69     public static T Abs<T>(T x) => Math<T>.Abs(x);
70
71     [MethodImpl(MethodImplOptions.AggressiveInlining)]
72     public static T Negate<T>(T x) => Math<T>.Negate(x);
73 }

```

1.8 ./csharp/Platform.Numbers/MathExtensions.cs

```

1  using System.Runtime.CompilerServices;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Numbers
6  {
7      public static class MathExtensions
8      {
9          [MethodImpl(MethodImplOptions.AggressiveInlining)]
10         public static T Abs<T>(this ref T x) where T : struct => x = Math<T>.Abs(x);
11

```

```

12     [MethodImpl(MethodImplOptions.AggressiveInlining)]
13     public static T Negate<T>(this ref T x) where T : struct => x = Math<T>.Negate(x);
14 }
15 }

```

1.9 ./csharp/Platform.Numbers/Math[T].cs

```

1 using System;
2 using System.Runtime.CompilerServices;
3 using Platform.Exceptions;
4 using Platform.Reflection;
5
6 // ReSharper disable StaticFieldInGenericType
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Numbers
10 {
11     public static class Math<T>
12     {
13         public static readonly Func<T, T> Abs = CompileAbsDelegate();
14         public static readonly Func<T, T> Negate = CompileNegateDelegate();
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         private static Func<T, T> CompileAbsDelegate()
18         {
19             return DelegateHelpers.Compile<Func<T, T>>(emitter =>
20             {
21                 Ensure.Always.IsNumeric<T>();
22                 emitter.LoadArgument(0);
23                 if (NumericType<T>.IsSigned)
24                 {
25                     emitter.Call(typeof(System.Math).GetMethod("Abs", Types<T>.Array));
26                 }
27                 emitter.Return();
28             });
29         }
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         private static Func<T, T> CompileNegateDelegate()
33         {
34             return DelegateHelpers.Compile<Func<T, T>>(emitter =>
35             {
36                 emitter.LoadArgument(0);
37                 emitter.Negate();
38                 emitter.Return();
39             });
40         }
41     }
42 }

```

1.10 ./csharp/Platform.Numbers.Tests/ArithmeticExtensionsTests.cs

```

1 using Xunit;
2
3 namespace Platform.Numbers.Tests
4 {
5     public static class ArithmeticExtensionsTests
6     {
7         [Fact]
8         public static void IncrementTest()
9         {
10             var number = 0UL;
11             var returnValue = number.Increment();
12             Assert.Equal(1UL, returnValue);
13             Assert.Equal(1UL, number);
14         }
15
16         [Fact]
17         public static void DecrementTest()
18         {
19             var number = 1UL;
20             var returnValue = number.Decrement();
21             Assert.Equal(0UL, returnValue);
22             Assert.Equal(0UL, number);
23         }
24     }
25 }

```

1.11 ./csharp/Platform.Numbers.Tests/ArithmeticTests.cs

```

1 using System;
2 using Xunit;

```



```

3
4 namespace Platform.Numbers.Tests
5 {
6     public static class ArithmeticTests
7     {
8         [Fact]
9         public static void CompiledOperationsTest()
10        {
11            Assert.Equal(3, Arithmetic.Add(1, 2));
12            Assert.Equal(1, Arithmetic.Subtract(2, 1));
13            Assert.Equal(8, Arithmetic.Multiply(2, 4));
14            Assert.Equal(4, Arithmetic.Divide(8, 2));
15            Assert.Equal(2, Arithmetic.Increment(1));
16            Assert.Equal(1UL, Arithmetic.Decrement(2UL));
17            Assert.Throws<NotSupportedException>(() => Arithmetic<string>.Subtract("1", "2"));
18        }
19    }
20 }

```

1.12 ./csharp/Platform.Numbers.Tests/BitTests.cs

```

1 using System;
2 using Xunit;
3
4 namespace Platform.Numbers.Tests
5 {
6     public static class BitTests
7     {
8         [Theory]
9         [InlineData(00, -1)] // 0000 0000 (none, -1)
10        [InlineData(01, 00)] // 0000 0001 (first, 0)
11        [InlineData(08, 03)] // 0000 1000 (forth, 3)
12        [InlineData(88, 03)] // 0101 1000 (forth, 3)
13        public static void GetLowestBitPositionTest(ulong value, int expectedPosition)
14        {
15            Assert.True(Bit.GetLowestPosition(value) == expectedPosition);
16        }
17
18        [Fact]
19        public static void ByteBitwiseOperationsTest()
20        {
21            Assert.True(Bit<byte>.Not(2) == unchecked((byte)~2));
22            Assert.True(Bit<byte>.Or(1, 2) == (1 | 2));
23            Assert.True(Bit<byte>.And(1, 2) == (1 & 2));
24            Assert.True(Bit<byte>.ShiftLeft(1, 2) == (1 << 2));
25            Assert.True(Bit<byte>.ShiftRight(1, 2) == (1 >> 2));
26        }
27
28        [Fact]
29        public static void UInt16BitwiseOperationsTest()
30        {
31            Assert.True(Bit<ushort>.Not(2) == unchecked((ushort)~2));
32            Assert.True(Bit<ushort>.Or(1, 2) == (1 | 2));
33            Assert.True(Bit<ushort>.And(1, 2) == (1 & 2));
34            Assert.True(Bit<ushort>.ShiftLeft(1, 2) == (1 << 2));
35            Assert.True(Bit<ushort>.ShiftRight(1, 2) == (1 >> 2));
36        }
37
38        [Fact]
39        public static void UInt32BitwiseOperationsTest()
40        {
41            Assert.True(Bit<uint>.Not(2) == unchecked((uint)~2));
42            Assert.True(Bit<uint>.Or(1, 2) == (1 | 2));
43            Assert.True(Bit<uint>.And(1, 2) == (1 & 2));
44            Assert.True(Bit<uint>.ShiftLeft(1, 2) == (1 << 2));
45            Assert.True(Bit<uint>.ShiftRight(1, 2) == (1 >> 2));
46        }
47
48        [Fact]
49        public static void UInt64BitwiseOperationsTest()
50        {
51            Assert.True(Bit<ulong>.Not(2) == unchecked((ulong)~2));
52            Assert.True(Bit<ulong>.Or(1, 2) == (1 | 2));
53            Assert.True(Bit<ulong>.And(1, 2) == (1 & 2));
54            Assert.True(Bit<ulong>.ShiftLeft(1, 2) == (1 << 2));
55            Assert.True(Bit<ulong>.ShiftRight(1, 2) == (1 >> 2));
56        }
57
58        [Fact]
59        public static void PartialReadWriteTest()

```

```

60 {
61     {
62         uint firstValue = 1;
63         uint secondValue = 1543;
64
65         // Pack (join) two values at the same time
66         uint value = secondValue << 1 | firstValue;
67
68         uint unpackagedFirstValue = value & 1;
69         uint unpackagedSecondValue = (value & 0xFFFFFFF0) >> 1;
70
71         Assert.True(firstValue == unpackagedFirstValue);
72         Assert.True(secondValue == unpackagedSecondValue);
73
74         // Using universal functions:
75         Assert.True(PartialRead(value, 0, 1) == firstValue);
76         Assert.True(PartialRead(value, 1, -1) == secondValue);
77
78         firstValue = 0;
79         secondValue = 6892;
80
81         value = PartialWrite(value, firstValue, 0, 1);
82         value = PartialWrite(value, secondValue, 1, -1);
83
84         Assert.True(PartialRead(value, 0, 1) == firstValue);
85         Assert.True(PartialRead(value, 1, -1) == secondValue);
86     }
87
88     {
89         uint firstValue = 1;
90         uint secondValue = 1543;
91
92         // Pack (join) two values at the same time
93         uint value = secondValue << 1 | firstValue;
94
95         uint unpackagedFirstValue = value & 1;
96         uint unpackagedSecondValue = (value & 0xFFFFFFF0) >> 1;
97
98         Assert.True(firstValue == unpackagedFirstValue);
99         Assert.True(secondValue == unpackagedSecondValue);
100
101         // Using universal functions:
102         Assert.True(Bit.PartialRead(value, 0, 1) == firstValue);
103         Assert.True(Bit.PartialRead(value, 1, -1) == secondValue);
104
105         firstValue = 0;
106         secondValue = 6892;
107
108         value = Bit.PartialWrite(value, firstValue, 0, 1);
109         value = Bit.PartialWrite(value, secondValue, 1, -1);
110
111         Assert.True(Bit.PartialRead(value, 0, 1) == firstValue);
112         Assert.True(Bit.PartialRead(value, 1, -1) == secondValue);
113     }
114
115     {
116         uint firstValue = 1;
117         uint secondValue = 1543;
118
119         // Pack (join) two values at the same time
120         uint value = secondValue << 1 | firstValue;
121
122         uint unpackagedFirstValue = value & 1;
123         uint unpackagedSecondValue = (value & 0xFFFFFFF0) >> 1;
124
125         Assert.True(firstValue == unpackagedFirstValue);
126         Assert.True(secondValue == unpackagedSecondValue);
127
128         // Using universal functions:
129         var readMasksAndShiftFor0And1 = GetReadMaskAndShift(0, 1);
130         var readMasksAndShiftFor1AndMinus1 = GetReadMaskAndShift(1, -1);
131         var writeMasksAndShiftFor0And1 = GetWriteMasksAndShift(0, 1);
132         var writeMasksAndShiftFor1AndMinus1 = GetWriteMasksAndShift(1, -1);
133
134         Assert.True(PartialRead(value, readMasksAndShiftFor0And1) == firstValue);
135         Assert.True(PartialRead(value, readMasksAndShiftFor1AndMinus1) == secondValue);
136
137         firstValue = 0;
138         secondValue = 6892;
139
140         value = PartialWrite(value, firstValue, writeMasksAndShiftFor0And1);

```

```

141         value = PartialWrite(value, secondValue, writeMasksAndShiftFor1AndMinus1);
142
143         Assert.True(PartialRead(value, readMasksAndShiftFor0And1) == firstValue);
144         Assert.True(PartialRead(value, readMasksAndShiftFor1AndMinus1) == secondValue);
145     }
146 }
147
148 // TODO: Can be optimized using precalculation of TargetMask and SourceMask
149 private static uint PartialWrite(uint target, uint source, int shift, int limit)
150 {
151     if (shift < 0)
152     {
153         shift = 32 + shift;
154     }
155     if (limit < 0)
156     {
157         limit = 32 + limit;
158     }
159     var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;
160     var targetMask = ~(sourceMask << shift);
161     return target & targetMask | (source & sourceMask) << shift;
162 }
163
164 private static uint PartialRead(uint target, int shift, int limit)
165 {
166     if (shift < 0)
167     {
168         shift = 32 + shift;
169     }
170     if (limit < 0)
171     {
172         limit = 32 + limit;
173     }
174     var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;
175     var targetMask = sourceMask << shift;
176     return (target & targetMask) >> shift;
177 }
178
179 private static Tuple<uint, uint, int> GetWriteMasksAndShift(int shift, int limit)
180 {
181     if (shift < 0)
182     {
183         shift = 32 + shift;
184     }
185     if (limit < 0)
186     {
187         limit = 32 + limit;
188     }
189     var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;
190     var targetMask = ~(sourceMask << shift);
191     return new Tuple<uint, uint, int>(targetMask, sourceMask, shift);
192 }
193
194 private static Tuple<uint, int> GetReadMaskAndShift(int shift, int limit)
195 {
196     if (shift < 0)
197     {
198         shift = 32 + shift;
199     }
200     if (limit < 0)
201     {
202         limit = 32 + limit;
203     }
204     var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;
205     var targetMask = sourceMask << shift;
206     return new Tuple<uint, int>(targetMask, shift);
207 }
208
209 private static uint PartialWrite(uint target, uint targetMask, uint source, uint
    ↪ sourceMask, int shift) => target & targetMask | (source & sourceMask) << shift;
210
211 private static uint PartialWrite(uint target, uint source, Tuple<uint, uint, int>
    ↪ masksAndShift) => PartialWrite(target, masksAndShift.Item1, source,
    ↪ masksAndShift.Item2, masksAndShift.Item3);
212
213 private static uint PartialRead(uint target, uint targetMask, int shift) => (target &
    ↪ targetMask) >> shift;
214

```

```

215         private static uint PartialRead(uint target, Tuple<uint, int> masksAndShift) =>
216             ↪ PartialRead(target, masksAndShift.Item1, masksAndShift.Item2);
217
218         [Fact]
219         public static void BugWithLoadingConstantOf8Test()
220         {
221             Bit<byte>.PartialWrite(0, 1, 5, -5);
222         }
223     }

```

1.13 ./csharp/Platform.Numbers.Tests/MathExtensionsTests.cs

```

1  using Xunit;
2
3  namespace Platform.Numbers.Tests
4  {
5      public static class MathExtensionsTests
6      {
7          [Fact]
8          public static void AbsTest()
9          {
10             var number = -1L;
11             var returnValue = number.Abs();
12             Assert.Equal(1L, returnValue);
13             Assert.Equal(1L, number);
14         }
15
16         [Fact]
17         public static void NegateTest()
18         {
19             var number = 2L;
20             var returnValue = number.Negate();
21             Assert.Equal(-2L, returnValue);
22             Assert.Equal(-2L, number);
23         }
24
25         [Fact]
26         public static void UnsignedNegateTest()
27         {
28             var number = 2UL;
29             var returnValue = number.Negate();
30             Assert.Equal(18446744073709551614, returnValue);
31             Assert.Equal(18446744073709551614, number);
32         }
33     }
34 }

```

1.14 ./csharp/Platform.Numbers.Tests/MathTests.cs

```

1  using Xunit;
2
3  namespace Platform.Numbers.Tests
4  {
5      public static class MathTests
6      {
7          [Fact]
8          public static void CompiledOperationsTest()
9          {
10             Assert.True(Math.Abs(Arithmetic<double>.Subtract(3D, 2D) - 1D) < 0.01);
11         }
12     }
13 }

```

1.15 ./csharp/Platform.Numbers.Tests/SystemTests.cs

```

1  using Xunit;
2
3  namespace Platform.Numbers.Tests
4  {
5      public static class SystemTests
6      {
7          [Fact]
8          public static void PossiblePackTwoValuesIntoOneTest()
9          {
10             uint value = 0;
11
12             // Set one to first bit
13             value |= 1;
14
15             Assert.True(value == 1);
16         }
17     }

```

```

17 // Set zero to first bit
18 value &= 0xFFFFFFFF;
19
20 // Get first bit
21 uint read = value & 1;
22
23 Assert.True(read == 0);
24
25 uint firstValue = 1;
26 uint secondValue = 1543;
27
28 // Pack (join) two values at the same time
29 value = (secondValue << 1) | firstValue;
30
31 uint unpackagedFirstValue = value & 1;
32 uint unpackagedSecondValue = (value & 0xFFFFFFFF) >> 1;
33
34 Assert.True(firstValue == unpackagedFirstValue);
35 Assert.True(secondValue == unpackagedSecondValue);
36
37 // Using universal functions:
38
39 Assert.True(PartialRead(value, 0, 1) == firstValue);
40 Assert.True(PartialRead(value, 1, -1) == secondValue);
41
42 firstValue = 0;
43 secondValue = 6892;
44
45 value = PartialWrite(value, firstValue, 0, 1);
46 value = PartialWrite(value, secondValue, 1, -1);
47
48 Assert.True(PartialRead(value, 0, 1) == firstValue);
49 Assert.True(PartialRead(value, 1, -1) == secondValue);
50 }
51
52 private static uint PartialWrite(uint target, uint source, int shift, int limit)
53 {
54     if (shift < 0)
55     {
56         shift = 32 + shift;
57     }
58     if (limit < 0)
59     {
60         limit = 32 + limit;
61     }
62     var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;
63     var targetMask = ~(sourceMask << shift);
64     return (target & targetMask) | ((source & sourceMask) << shift);
65 }
66
67 private static uint PartialRead(uint target, int shift, int limit)
68 {
69     if (shift < 0)
70     {
71         shift = 32 + shift;
72     }
73     if (limit < 0)
74     {
75         limit = 32 + limit;
76     }
77     var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;
78     var targetMask = sourceMask << shift;
79     return (target & targetMask) >> shift;
80 }
81 }
82 }

```

Index

- ./csharp/Platform.Numbers.Tests/ArithmeticExtensionsTests.cs, 8
- ./csharp/Platform.Numbers.Tests/ArithmeticTests.cs, 8
- ./csharp/Platform.Numbers.Tests/BitTests.cs, 9
- ./csharp/Platform.Numbers.Tests/MathExtensionsTests.cs, 12
- ./csharp/Platform.Numbers.Tests/MathTests.cs, 12
- ./csharp/Platform.Numbers.Tests/SystemTests.cs, 12
- ./csharp/Platform.Numbers/Arithmetic.cs, 1
- ./csharp/Platform.Numbers/ArithmeticExtensions.cs, 1
- ./csharp/Platform.Numbers/Arithmetic[T].cs, 1
- ./csharp/Platform.Numbers/Bit.cs, 2
- ./csharp/Platform.Numbers/BitExtensions.cs, 3
- ./csharp/Platform.Numbers/Bit[T].cs, 4
- ./csharp/Platform.Numbers/Math.cs, 6
- ./csharp/Platform.Numbers/MathExtensions.cs, 7
- ./csharp/Platform.Numbers/Math[T].cs, 8