
Taller Datalake DE 2026-2

Presentado por: Johan Daniel Duque Hernández
Repositorio de GitHub: https://github.com/Dduquejh/Taller-DataLake-DE-20262

Primeramente se decide realizar la implementación de todo en local, con el fin de mantener encendido las instancias y elemenos de cloud por el menor tiempo posible. Todo se realiza guardando en un repositorio de git con el fin de después clonar y hacer una ejecución más rápida en nube. Cuando se tenga todo funcional se monta un EC2 donde se va a correr el docker compose de Airflow para posteriormente hacer las demostraciones desde ese entorno. Se eliminará los datos de silver y gold pero se van a mantener los datos de bronze que se trajeron en las pruebas en local.


Creación del entorno y pruebas de los RSS en local

Se crea el requirements.txt, el setup.sh y se colocan las fuentes de los 3 RSS con los que se van a trabajar en config/sources.yaml y se crea scripts/check_feeds.py para probar la conexión con los RSS.



Crear las políticas IAM con terraform

Se hace creando un grupo con las políticas y asignando al usuario al grupo



Capa bronce

Guarda el contenido original de los RSS, tal como lo entrega cada fuente, sin ninguna transformación. Cada ejecución queda identificada por un run_id y registra un manifiesto con la fuente, la URL, la fecha de captura, el estado HTTP y el hash del archivo. Esta capa no se modifica: es la fuente de verdad que permite reprocesar cualquier lote sin volver a consultar los RSS.

Creación del bucket S3 usando terraform

```
➜ 1m39s ⚙ terraform fmt -recursive                                                                    □ terraform/s3|◌◦| py 𝌆 3.14.6via ▯ default 06:53

➜ 0s ⚙ terraform validate                                                                             □ terraform/s3|◌◦| py 𝌆 3.14.6via ▯ default 06:53
Success! The configuration is valid.


➜ 2s ⚙ terraform plan                                                                                 □ terraform/s3|◌◦| py 𝌆 3.14.6via ▯ default 06:53
data.aws_caller_identity.current: Reading...
data.aws_caller_identity.current: Read complete after 0s [id=573992724610]

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:
  + create

Terraform will perform the following actions:

  # aws_s3_bucket.data_lake will be created
  + resource "aws_s3_bucket" "data_lake" {
      + acceleration_status         = (known after apply)
      + acl                         = (known after apply)
      + arn                         = (known after apply)
      + bucket                      = "noticias-data-lake-573992724610"
      + bucket_domain_name          = (known after apply)
      + bucket_namespace            = (known after apply)
      + bucket_prefix               = (known after apply)
      + bucket_region               = (known after apply)
      + bucket_regional_domain_name = (known after apply)
      + force_destroy               = false
      + hosted_zone_id              = (known after apply)
      + id                          = (known after apply)
      + object_lock_enabled         = (known after apply)
      + policy                      = (known after apply)
      + region                      = "us-east-2"
      + request_payer               = (known after apply)
      + tags                        = {
          + "Environment" = "dev"
          + "ManagedBy"   = "Terraform"
          + "Project"     = "noticias-data-lake"
        }
      + tags_all                    = {
          + "Environment" = "dev"
          + "ManagedBy"   = "Terraform"
          + "Project"     = "noticias-data-lake"
        }
      + website_domain              = (known after apply)
```

```
➜ 3s ⚙ terraform apply                                                                                □ terraform/s3|◌◦| py 𝌆 3.14.6via ▯ default 06:55
data.aws_caller_identity.current: Reading...
data.aws_caller_identity.current: Read complete after 1s [id=573992724610]

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:
  + create

Terraform will perform the following actions:

  # aws_s3_bucket.data_lake will be created
  + resource "aws_s3_bucket" "data_lake" {
      + acceleration_status         = (known after apply)
      + acl                         = (known after apply)
      + arn                         = (known after apply)
      + bucket                      = "noticias-data-lake-573992724610"
      + bucket_domain_name          = (known after apply)
      + bucket_namespace            = (known after apply)
      + bucket_prefix               = (known after apply)
      + bucket_region               = (known after apply)
      + bucket_regional_domain_name = (known after apply)
      + force_destroy               = false
      + hosted_zone_id              = (known after apply)
      + id                          = (known after apply)
      + object_lock_enabled         = (known after apply)
      + policy                      = (known after apply)
      + region                      = "us-east-2"
      + request_payer               = (known after apply)
      + tags                        = {
          + "Environment" = "dev"
          + "ManagedBy"   = "Terraform"
          + "Project"     = "noticias-data-lake"
        }
      + tags_all                    = {
          + "Environment" = "dev"
          + "ManagedBy"   = "Terraform"
          + "Project"     = "noticias-data-lake"
        }
      + website_domain              = (known after apply)
      + website_endpoint            = (known after apply)

      + cors_rule (known after apply)

      + grant (known after apply)
```

```
Do you want to perform these actions?
  Terraform will perform the actions described above.
  Only 'yes' will be accepted to approve.

  Enter a value: yes

aws_s3_bucket.data_lake: Creating...
aws_s3_bucket.data_lake: Creation complete after 3s [id=noticias-data-lake-573992724610]
aws_s3_bucket_public_access_block.data_lake: Creating...
aws_s3_bucket_server_side_encryption_configuration.data_lake: Creating...
aws_s3_bucket_ownership_controls.data_lake: Creating...
aws_s3_bucket_versioning.data_lake: Creating...
aws_s3_bucket_public_access_block.data_lake: Creation complete after 1s [id=noticias-data-lake-573992724610]
aws_s3_bucket_server_side_encryption_configuration.data_lake: Creation complete after 1s [id=noticias-data-lake-573992724610]
aws_s3_bucket_ownership_controls.data_lake: Creation complete after 1s [id=noticias-data-lake-573992724610]
aws_s3_bucket_versioning.data_lake: Creation complete after 2s [id=noticias-data-lake-573992724610]

Apply complete! Resources: 5 added, 0 changed, 0 destroyed.

Outputs:

aws_region = "us-east-2"
bucket_arn = "arn:aws:s3:::noticias-data-lake-573992724610"
bucket_name = "noticias-data-lake-573992724610"

➜ 38s ⚙ |                                                                □ terraform/s3|⬡×| py 11 3.14.6via ⍁ default 06:56
```

```
➜ 0s ⚙ aws s3 ls                                                        □ terraform/s3|⬡×| py 11 3.14.6via ⍁ default 06:57
2026-09-17 07:29:26 jddh-0717-de
2026-10-22 06:56:16 noticias-data-lake-573992724610

➜ 1s ⚙ |                                                                □ terraform/s3|⬡×| py 11 3.14.6via ⍁ default 06:57
```

Creación de la ingesta de los RSS y guardarlos en el S3

Se ejecuta el código de src/pipeline/ingestion.py y debe de guardar los xml en el bucket de S3

```
➜ 0s ⚙ python src/pipeline/ingestion.py extract                         □ Taller-DataLake-DE-20262 △|⬡×| py 11 3.14.6 07:23
SUCCESS | eltiempo_medellin | HTTP 200 | 10 noticias
SUCCESS | eltiempo_tecnosfera | HTTP 200 | 10 noticias
SUCCESS | eltiempo_deportes | HTTP 200 | 10 noticias

RUN_ID=20261022T122351Z-06ae087a
MANIFEST_KEY=bronze/manifests/ingestion_date=2026-10-22/run_id=20261022T122351Z-06ae087a/manifest.json
Resultado: 3 correctas, 0 fallidas

➜ 2s ⚙ python src/pipeline/ingestion.py reproccess --run-id 20261022T122351Z-06ae087a   □ Taller-DataLake-DE-20262 △|⬡×| py 11 3.14.6 07:23
usage: ingestion.py [-h] {extract,reprocess} ...
ingestion.py: error: argument command: invalid choice: 'reproccess' (choose from 'extract', 'reprocess')

➜ 0s ○ python src/pipeline/ingestion.py reprocess --run-id 20261022T122351Z-06ae087a   □ Taller-DataLake-DE-20262 △|⬡×| py 11 3.14.6 07:24
Reprocesando lote existente: 20261022T122351Z-06ae087a
Manifiesto: s3://noticias-data-lake-573992724610/bronze/manifests/ingestion_date=2026-10-22/run_id=20261022T122351Z-06ae087a/manifest.json
OK | eltiempo_medellin | SHA-256 verificado | 10 noticias | bronze/source=eltiempo_medellin/ingestion_date=2026-10-22/run_id=20261022T122351Z-06ae087a/response.xml
OK | eltiempo_tecnosfera | SHA-256 verificado | 10 noticias | bronze/source=eltiempo_tecnosfera/ingestion_date=2026-10-22/run_id=20261022T122351Z-06ae087a/response.xml
OK | eltiempo_deportes | SHA-256 verificado | 10 noticias | bronze/source=eltiempo_deportes/ingestion_date=2026-10-22/run_id=20261022T122351Z-06ae087a/response.xml

Reprocesamiento verificado: 3 archivo(s). No se consultaron los feeds ni se escribieron objetos.


➜ 1s ⚙ aws s3 ls s3://noticias-data-lake-573992724610/bronze/ --recursive   □ Taller-DataLake-DE-20262 △|⬡×| py 11 3.14.6 07:24
2026-10-22 07:23:54       2097 bronze/manifests/ingestion_date=2026-10-22/run_id=20261022T122351Z-06ae087a/manifest.json
2026-10-22 07:23:54      12115 bronze/source=eltiempo_deportes/ingestion_date=2026-10-22/run_id=20261022T122351Z-06ae087a/response.xml
2026-10-22 07:23:53      13271 bronze/source=eltiempo_medellin/ingestion_date=2026-10-22/run_id=20261022T122351Z-06ae087a/response.xml
2026-10-22 07:23:53      12711 bronze/source=eltiempo_tecnosfera/ingestion_date=2026-10-22/run_id=20261022T122351Z-06ae087a/response.xml


➜ 1s ⚙ |                                                                □ Taller-DataLake-DE-20262 △|⬡×| py 11 3.14.6 07:25
```

Configuración de Docker para usar Airflow

Se ejecuta docker compose build para construir la imagen. Posteriormente se comprueba la inicialización de la base de datos ejecutando docker compose up airflow-init. Si todo sale bien, se levantan en segundo plano los servicios con docker compose up -d

```
 ---> Using cache
 ---> c947d36833d5
Step 9/10 : ENV PYTHONUNBUFFERED=1
 ---> Using cache
[+] build 1/12026d
 ✓ Image noticias-airflow:local Built                                                
```







Capa silver

convierte esos archivos en datos estructurados y confiables. Aquí se limpia el HTML, se normalizan las fechas a UTC, se validan los campos obligatorios y se eliminan las noticias duplicadas. Los registros inválidos se separan en una zona de cuarentena con su motivo. En esta capa también se enriquecen las noticias con Amazon Comprehend, que extrae personas, organizaciones, lugares y frases clave. El resultado es el conjunto vigente de noticias, guardado en Parquet y particionado por fecha de publicación.

```
◄ 0s ◎ aws s3 ls s3://noticias-data-lake-573992724610/silver/ --recursive
2026-10-26 22:14:51        662 silver/_batches/ingestion_date=2026-10-27/run_id=manual
__2026-10-27T01:58:37.069841+00:00/summary.json
2026-10-26 22:15:06        682 silver/_batches/ingestion_date=2026-10-27/run_id=manual
__2026-10-27T03:14:55.827734+00:00/summary.json
2026-10-27 06:15:35        674 silver/_batches/ingestion_date=2026-10-27/run_id=schedu
led__2026-10-27T09:00:00+00:00/summary.json
2026-10-27 07:00:09        674 silver/_batches/ingestion_date=2026-10-27/run_id=schedu
led__2026-10-27T12:00:00+00:00/summary.json
2026-11-01 00:36:06        693 silver/_batches/ingestion_date=2026-11-01/run_id=manual
__2026-11-01T05:35:13.797156+00:00/summary.json
2026-11-01 00:36:36        675 silver/_batches/ingestion_date=2026-11-01/run_id=prueba
-parcial-20261101T053627Z/summary.json
2026-11-01 00:31:16        777 silver/_batches/ingestion_date=2026-11-01/run_id=schedu
led__2026-11-01T03:00:00+00:00/summary.json
2026-10-26 22:14:30       9570 silver/news/published_date=2026-10-22/news.parquet
2026-10-26 22:14:30      10287 silver/news/published_date=2026-10-23/news.parquet
2026-10-26 22:14:30      11178 silver/news/published_date=2026-10-24/news.parquet
2026-10-26 22:14:31      11727 silver/news/published_date=2026-10-25/news.parquet
2026-10-26 22:14:31      17972 silver/news/published_date=2026-10-26/news.parquet
2026-11-01 00:31:14      16101 silver/news/published_date=2026-10-27/news.parquet
2026-11-01 00:31:15       9933 silver/news/published_date=2026-10-28/news.parquet
2026-11-01 00:31:15      10680 silver/news/published_date=2026-10-30/news.parquet
2026-11-01 00:31:15      16668 silver/news/published_date=2026-10-31/news.parquet
2026-11-01 00:31:15      12572 silver/news/published_date=2026-11-01/news.parquet
▲3 ▽2
◄ 1s ◎ |      (base) □ Taller-DataLake-DE-20262 △ silver-laye…|●◦◌◦| py ]l 3.14.6 00:48
```

DAGs de Airflow






AWS Comprehend con terraform

Al volver a ejecutar el terraform de IAM para el S3 se dan los permisos necesarios para poder consumir el API de terraform.

Para cada texto se hacen tres análisis. Primero se detecta el idioma y solo se analizan los textos en español o inglés. Después se extraen las entidades, de las que se conservan únicamente las de tipo persona (PERSON), organización (ORGANIZATION) y lugar (LOCATION). Por último se extraen las frases clave. Se usan las llamadas por lotes de Comprehend, que procesan hasta 25 textos por solicitud. Como el texto viaja dentro de la propia solicitud, Comprehend no necesita acceso al bucket de S3.

El enriquecimiento es una tarea propia del DAG (enrich_with_comprehend), entre la limpieza de los datos (prepare_silver_news) y la publicación de Silver (publish_silver_news). Para no repetir llamadas, se guarda el hash del texto analizado y se compara con el hash del texto vigente de cada noticia. Solo se envían a Comprehend las noticias nuevas o aquellas cuyo título o descripción cambió. Los resultados se guardan en una zona temporal del bucket (silver/_staging/), de modo que si la tarea falla y se reintenta, no se vuelven a analizar los textos que ya se procesaron.









Capa Gold

Contiene los datos listos para el análisis. A partir de Silver se calculan agregados por día que responden directamente las preguntas del proyecto: cuántas noticias se publican por medio y sección, qué entidades aparecen en más noticias, qué frases clave son más frecuentes por sección y cómo cambia la presencia de una entidad entre fechas. Estas tablas son las que se consultan con Amazon Athena.





Creación de Glue usando terraform

Se ejecuta nuevamente el IAM para asignar los permisos para Athena y Glue

```
Plan: 5 to add, 0 to change, 2 to destroy.

Do you want to perform these actions?
  Terraform will perform the actions described above.
  Only 'yes' will be accepted to approve.

  Enter a value: yes

aws_iam_user_policy_attachment.pipeline_comprehend: Destroying... [id=user_cli/arn:aws
:iam::573992724610:policy/noticias-data-lake-comprehend]
aws_iam_user_policy_attachment.pipeline_s3: Destroying... [id=user_cli/arn:aws:iam::57
3992724610:policy/noticias-data-lake-s3]
aws_iam_group.pipeline: Creating...
aws_iam_user_policy_attachment.pipeline_s3: Destruction complete after 0s
aws_iam_user_policy_attachment.pipeline_comprehend: Destruction complete after 0s
aws_iam_group.pipeline: Creation complete after 0s [id=noticias-data-lake-pipeline]
aws_iam_group_policy_attachment.pipeline_comprehend: Creating...
aws_iam_user_group_membership.pipeline: Creating...
aws_iam_group_policy_attachment.pipeline_athena: Creating...
aws_iam_group_policy_attachment.pipeline_s3: Creating...
aws_iam_user_group_membership.pipeline: Creation complete after 1s [id=terraform-BpvuN
EH5nOmgwt0uwBvUR7ugzv]
aws_iam_group_policy_attachment.pipeline_athena: Creation complete after 1s [id=notici
as-data-lake-pipeline-20261102043838428100000001]
aws_iam_group_policy_attachment.pipeline_comprehend: Creation complete after 1s [id=no
ticias-data-lake-pipeline-20261102043838442500000002]
aws_iam_group_policy_attachment.pipeline_s3: Creation complete after 1s [id=noticias-d
ata-lake-pipeline-20261102043838514100000003]

Apply complete! Resources: 5 added, 0 changed, 2 destroyed.

Outputs:

athena_policy_arn = "arn:aws:iam::573992724610:policy/noticias-data-lake-athena"
comprehend_policy_arn = "arn:aws:iam::573992724610:policy/noticias-data-lake-comprehen
d"
s3_policy_arn = "arn:aws:iam::573992724610:policy/noticias-data-lake-s3"
                                                                          ▲59▼4
◄ 8s ◎ □              (base) □ terraform/iam silver-laye…|●◦○◦|via ⍁  default  23:38
```

```
Plan: 1 to add, 0 to change, 0 to destroy.

Do you want to perform these actions?
  Terraform will perform the actions described above.
  Only 'yes' will be accepted to approve.

  Enter a value: yes


aws_s3_bucket_lifecycle_configuration.data_lake: Creating...
aws_s3_bucket_lifecycle_configuration.data_lake: Still creating... [00m10s elapsed]
aws_s3_bucket_lifecycle_configuration.data_lake: Still creating... [00m20s elapsed]
aws_s3_bucket_lifecycle_configuration.data_lake: Still creating... [00m30s elapsed]
aws_s3_bucket_lifecycle_configuration.data_lake: Still creating... [00m40s elapsed]
aws_s3_bucket_lifecycle_configuration.data_lake: Still creating... [00m50s elapsed]
aws_s3_bucket_lifecycle_configuration.data_lake: Creation complete after 57s [id=noticias-data-lake-573992724610]

Apply complete! Resources: 1 added, 0 changed, 0 destroyed.

Outputs:

aws_region = "us-east-2"
bucket_arn = "arn:aws:s3:::noticias-data-lake-573992724610"
bucket_name = "noticias-data-lake-573992724610"
```

```
  Enter a value: yes

aws_glue_catalog_database.data_lake: Creating...
aws_athena_workgroup.data_lake: Creating...
aws_athena_workgroup.data_lake: Creation complete after 0s [id=noticias-data-lake]
aws_glue_catalog_database.data_lake: Creation complete after 1s [id=573992724610:noticias_data_lake]
aws_glue_catalog_table.tables["entity_daily"]: Creating...
aws_glue_catalog_table.tables["news_entities"]: Creating...
aws_glue_catalog_table.tables["news_daily"]: Creating...
aws_glue_catalog_table.tables["key_phrase_daily"]: Creating...
aws_glue_catalog_table.tables["news_key_phrases"]: Creating...
aws_glue_catalog_table.tables["news"]: Creating...
aws_glue_catalog_table.tables["news_entities"]: Creation complete after 0s [id=573992724610:noticias_data_lake:news_entities]
aws_glue_catalog_table.tables["news_daily"]: Creation complete after 0s [id=573992724610:noticias_data_lake:news_daily]
aws_glue_catalog_table.tables["entity_daily"]: Creation complete after 0s [id=573992724610:noticias_data_lake:entity_daily]
aws_glue_catalog_table.tables["news"]: Creation complete after 0s [id=573992724610:noticias_data_lake:news]
aws_glue_catalog_table.tables["news_key_phrases"]: Creation complete after 0s [id=573992724610:noticias_data_lake:news_key_phrases]
aws_glue_catalog_table.tables["key_phrase_daily"]: Creation complete after 0s [id=573992724610:noticias_data_lake:key_phrase_daily]

Apply complete! Resources: 8 added, 0 changed, 0 destroyed.

Outputs:

athena_results_location = "s3://noticias-data-lake-573992724610/athena-results/"
athena_workgroup = "noticias-data-lake"
glue_database = "noticias_data_lake"
glue_tables = tolist([
  "entity_daily",
  "key_phrase_daily",
  "news",
  "news_daily",
  "news_entities",
  "news_key_phrases",
])
```

Despliegue de EC2 y demostración

Eliminación de datos del S3 de silver y gold

```
▲219▼1
◄ 8s ◎ scripts/reset_demo.sh --profile admin --yes
Bucket: s3://noticias-data-lake-573992724610
  silver/: 71 objetos
  gold/: 49 objetos
  quarantine/: 1 objetos
  bronze/ (lotes escenario-*): 7 objetos

Listo. La próxima ingesta construye Silver y Gold desde cero.
▲219▼1
◄ 17s ◎ [ ]    (base) □ Taller-DataLake-DE-20262 △ silver-laye…|●◦○◦| py ll 3.14.6 00:54
```


Despliegue de EC2 usando terrraform

Copia directamente la rama y sube el docker con airflow


```
Apply complete! Resources: 9 added, 0 changed, 0 destroyed.


Outputs:

airflow_password_command = "cd /opt/noticias-data-lake && sudo docker compose exec air
flow-apiserver cat /opt/airflow/simple_auth_manager_passwords.json.generated"
airflow_url = "http://localhost:8080 (con el túnel de ssm_port_forward_command)"
attached_policies = tolist([
  "noticias-data-lake-athena",
  "noticias-data-lake-comprehend",
  "noticias-data-lake-s3",
])
bootstrap_log_command = "sudo tail -f /var/log/cloud-init-output.log"
instance_id = "i-0449aed1f949948af"
public_ip = "18.216.216.223"
role_name = "noticias-data-lake-airflow-ec2"
ssm_port_forward_command = "aws ssm start-session --target i-0449aed1f949948af --regio
n us-east-2 --profile admin --document-name AWS-StartPortForwardingSession --parameter
s '{\"portNumber\":[\"8080\"],\"localPortNumber\":[\"8080\"]}'"
ssm_session_command = "aws ssm start-session --target i-0449aed1f949948af --region us-
east-2 --profile admin"
```





Abrir Airflow desde el EC2







Correr los dags desde el EC2







Repetir el mismo bloque (idempotencia)



Clear Dag Run: scheduled__2026-11-02T06:00:00+00:00
Clear existing tasks
Clear only failed tasks
Queue up new tasks
Affected Tasks: 8
Task ID
State
Map Index
Run ID
build_gold_tables
Success
-1
scheduled__2026-11-02T06:00:00+00:00
record_run_status
Success
-1
scheduled__2026-11-02T06:00:00+00:00
publish_silver_news
Success
-1
scheduled__2026-11-02T06:00:00+00:00
prepare_silver_news
Success
-1
scheduled__2026-11-02T06:00:00+00:00
preflight_checks
Success
-1
scheduled__2026-11-02T06:00:00+00:00
validate_with_athena
Success
-1
scheduled__2026-11-02T06:00:00+00:00
enrich_with_comprehend
Success
-1
scheduled__2026-11-02T06:00:00+00:00
extract_rss_to_bronze
Success
-1
scheduled__2026-11-02T06:00:00+00:00
Note
Confirm


extract_rss_to_bronze
Success
Operator
PythonOperator
Try Number
2
Start Date
2026-11-02 01:14:42
End Date
2026-11-02 01:14:43
Duration
00:00:01.212
Dag Version
v1
Add a note...
Logs
Rendered Templates
Storage
Asset Events
Audit Log
Code
Details
Task Tries
1
2
All Log Levels
All Sources
Search logs...
Log message source details
Pre Execute
11 [2026-11-02 01:14:43] INFO - Lote existente completo: scheduled__2026-11-02T06:00:00+00:00
12 [2026-11-02 01:14:43] INFO - Done. Returned value was: scheduled__2026-11-02T06:00:00+00:00
Post Execute



publish_silver_news
Success
Operator
PythonOperator
Try Number
2
Start Date
2026-11-02 01:14:51
End Date
2026-11-02 01:14:54
Duration
00:00:02.477
Dag Version
v1
Add a note...
Logs
Rendered Templates
Storage
Asset Events
Audit Log
Code
Details
Task Tries
1
2
All Log Levels
All Sources
Search logs...
:00 | nuevas=0 actualizadas=0 repetidas=30 antiguas=0 analisis={} particiones=[]
duled__2026-11-02T06:00:00+00:00', 'ingestion_date': '2026-11-02', 'manifest_key': 'bronze/



enrich_with_comprehend
Success
Operator
PythonOperator
Try Number
2
Start Date
2026-11-02 01:14:46
End Date
2026-11-02 01:14:50
Duration
00:00:04.175
Dag Version
v1
Add a note...
Logs
Rendered Templates
Storage
Asset Events
Audit Log
Code
Details
Task Tries
1
2
All Log Levels
All Sources
Search logs...
.1-02T06:00:00+00:00 | pendientes=0 enviados=0 reutilizados=0 llamadas={} estados={}
:xts_pending': 0, 'texts_reused_from_retry': 0, 'texts_sent': 0, 'api_calls': {}, 'api_calls

Nueva corrida





Reproceso desde Bronze


Dag
noticias_bronze_reprocess
Dag Run
manual__2026-11-02T06:20:23.390280+00:00
Search Dags Ctrl+K
Trigger
manual__2026-11-02T06:20:23.390280+00:00 Success
Logical Date
2026-11-02 01:20:09
Run Type
Manual
Start Date
2026-11-02 01:20:23
End Date
2026-11-02 01:20:47
Duration
00:00:23.748
Triggering User
admin
Dag Version(s)
v1
Add a note...
Task Instances
Asset Events
Audit Log
Code
Details
Filter
8 Task Instances
Task ID
Map Index
State
Start Date
Try Number
Operator
record_run_status Success 2026-11-02 01:20:45 1 PythonOperator
validate_with_athena Success 2026-11-02 01:20:38 1 PythonOperator
build_gold_tables Success 2026-11-02 01:20:36 1 PythonOperator
publish_silver_news Success 2026-11-02 01:20:32 1 PythonOperator
enrich_with_comprehend Success 2026-11-02 01:20:29 1 PythonOperator
prepare_silver_news Success 2026-11-02 01:20:28 1 PythonOperator
verify_existing_batch Success 2026-11-02 01:20:26 1 PythonOperator
preflight_checks Success 2026-11-02 01:20:23 1 PythonOperator
React Flow



verify_existing_batch Success
Operator
PythonOperator
Start Date
2026-11-02 01:20:26
End Date
2026-11-02 01:20:27
Duration
00:00:01.344
Dag Version
v1
Add a note...
Logs
Rendered Templates
Storage
Asset Events
Audit Log
Code
Details
All Log Levels
All Sources
Search logs...
Log message source details
Pre Execute
11 [2026-11-02 01:20:27] INFO - Reprocesando lote existente: scheduled__2026-11-02T06:00:00+00:00 (complete)
12 [2026-11-02 01:20:27] INFO - Manifiesto: s3://noticias-data-lake-573992724610/bronze/manifests/ingestion_date=2
13 [2026-11-02 01:20:27] INFO - OK | eltiempo_medellin | SHA-256 verificado | 10 noticias | bronze/source=eltiempo
14 [2026-11-02 01:20:27] INFO - OK | eltiempo_tecnosfera | SHA-256 verificado | 10 noticias | bronze/source=eltiem
15 [2026-11-02 01:20:27] INFO - OK | eltiempo_deportes | SHA-256 verificado | 10 noticias | bronze/source=eltiempo
16 [2026-11-02 01:20:27] INFO - Done. Returned value was: {'run_id': 'scheduled__2026-11-02T06:00:00+00:00', 'ing
17 [2026-11-02 01:20:27] INFO -
18 [2026-11-02 01:20:27] INFO - Reprocesamiento verificado: 3 archivo(s). No se consultaron los feeds ni se escrib
Post Execute

Fallo controlado y reejecución






Se elimina la variable y a los 5 minutos debería de continuar el flujo



Consultas SQL con los datos del pipeline del EC2

¿Cuántas noticias se publicaron por fecha, medio y sección?



#	published_date	medium	section	news_count
1	2026-10-24	El Tiempo	Tecnología	1
2	2026-10-25	El Tiempo	Tecnología	2
3	2026-10-26	El Tiempo	Tecnología	2
4	2026-10-27	El Tiempo	Tecnología	1
5	2026-10-28	El Tiempo	Tecnología	1
6	2026-10-31	El Tiempo	Medellín	8
7	2026-11-01	El Tiempo	Deportes	4
8	2026-11-01	El Tiempo	Medellín	2
9	2026-11-01	El Tiempo	Tecnología	2
10	2026-11-02	El Tiempo	Deportes	6
11	2026-11-02	El Tiempo	Tecnología	1

¿Cuáles son las 10 organizaciones mencionadas en más noticias?

Query results | Query stats

Completed — Time in queue: 59 ms — Run time: 886 ms — Data scanned: 5.76 KB

Results (10)

Copy | Download results CSV

Search rows

#	entidad_normalizada	entidad	noticias	menciones	dias_con_menciones	confianza_maxima
1	apple	Apple	2	2	2	0.977
2	lg	LG	2	2	2	0.991
3	medellín	Medellín	2	2	1	0.993
4	once caldas	Once Caldas	2	2	1	0.981
5	alianza	Alianza	1	1	1	0.957
6	amva	AMVA	1	1	1	0.978
7	américa	América	1	1	1	0.928
8	atlético nacional	Atlético Nacional	1	1	1	0.994
9	blanco	Blanco	1	1	1	0.731
10	bucaramanga	Bucaramanga	1	1	1	0.995

¿Cómo evoluciona la presencia de una entidad entre días?

Query results | Query stats

Completed — Time in queue: 108 ms — Run time: 1.077 sec — Data scanned: 1.45 KB


Results (8)

Copy | Download results CSV

Search rows

#	published_date	noticias	menciones	noticias_del_dia	pct_noticias_del_dia
1	2026-10-24	0	0	1	0.0
2	2026-10-25	0	0	2	0.0
3	2026-10-26	0	0	2	0.0
4	2026-10-27	0	0	1	0.0
5	2026-10-28	0	0	1	0.0
6	2026-10-31	0	0	8	0.0
7	2026-11-01	0	0	8	0.0
8	2026-11-02	1	1	7	14.3

¿Cuáles son las frases clave más frecuentes por sección?



Completed | Time in queue: 62 ms | Run time: 620 ms | Data scanned: 11.78 KB


Results (15)

Copy | Download results CSV

Search rows

#	section	puesto	frase	noticias
1	Deportes	1	Fórmula	3
2	Deportes	2	campeón	2
3	Deportes	3	Copa BetPlay	2
4	Deportes	4	gol	2
5	Deportes	5	historia	2
6	Medellín	1	Antioquia	3
7	Medellín	2	captura	2
8	Medellín	3	caso	2
9	Medellín	4	Gobernador de Antioquia	2
10	Medellín	5	Medellín	2
11	Tecnología	1	IA	3
12	Tecnología	2	Análisis del Editor Multimedia	2
13	Tecnología	3	Apple	2
14	Tecnología	4	casa	2
15	Tecnología	5	compañía	2

Conciliación Gold contra Silver



SQL Ln 25, Col 18

Run again | Explain | Cancel | Clear | Create

Reuse query results up to 60 minutes ago

Query results | Query stats

Completed | Time in queue: 84 ms | Run time: 815 ms | Data scanned: 3.63 KB

Results (0)

Copy | Download results CSV

Search rows

#	published_date	medium	section	silver_count	gold_count

No results

Run a query to view results

Validaciones de calidad sobre Silver y Gold

Query results | Query stats

Completed — Time in queue: 91 ms — Run time: 4.007 sec — Data scanned: 51.62 KB

Results (9)

Copy | Download results CSV

Search rows

#	check_name	failures
1	campos obligatorios vacíos (news_id, title, link, published_at)	0
2	enlace que no es http(s)	0
3	fecha de publicación distinta de la partición	0
4	fecha de publicación en el futuro (más de 1 día)	0
5	news_key_phrases sin noticia en silver.news	0
6	news_id duplicado en silver.news	0
7	entidad duplicada en una noticia	0
8	news_entities sin noticia en silver.news	0
9	diferencias entre gold.news_daily y silver.news	0

Bytes escaneados

Query 2 | Query 3

```
SELECT count(*) AS noticias, max(length(description)) AS descripcion_mas_larga
FROM news;
```

SQL Ln 4, Col 1

Run again | Explain | Cancel | Clear | Create

Reuse query results up to 60 minutes ago

Query results | Query stats


Completed — Time in queue: 59 ms — Run time: 626 ms — Data scanned: 6.08 KB

Results (1)


Copy | Download results CSV


Search rows


#	noticias	descripcion_mas_larga
1	30	149




Escenarios controlados




us-east-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=us-east-2&connType=standard&instan
Search
[Alt+S]
United States (Ohio)
Dduquejh7 (573992724610)
Dduquejh7
[ec2-user@ip-172-31-36-33 noticias-data-lake]$ sudo docker compose exec airflow-apiserver python scripts/scenarios.py modificada --trigger
ESCENARIO | modificada | run_id=escenario-modificada-20261102T063859Z | estado=complete
Manifiesto: s3://noticias-data-lake-573992724610/bronze/manifests/ingestion_date=2026-11-02/run_id=escenario-modificada-20261102T063859Z/manifest.json
{
"guid": "https://www.eltiempo.com/colombia/medellin/tragedia-en-santo-domingo-antioquia-un-muerto-y-dos-heridos-al-caer-un-arbol-en-el-parque-principal-3597829",
"link": "https://www.eltiempo.com/colombia/medellin/tragedia-en-santo-domingo-antioquia-un-muerto-y-dos-heridos-al-caer-un-arbol-en-el-parque-principal-3597829",
"original_title": "Tragedia en Santo Domingo, Antioquia: un muerto y dos heridos al caer un árbol en el parque principal",
"new_title": "Tragedia en Santo Domingo, Antioquia: un muerto y dos heridos al caer un árbol en el parque principal (actualizado)",
"base_capture": "bronze/source=eltiempo_medellin/ingestion_date=2026-11-02/run_id=manual__2026-11-02T06:23:39.910659+00:00/response.xml"
}
2026-11-02T06:39:03.843162Z [info] creating dag run [airflow.serialization.definitions.dag] loc=dag.py:615 logical_date=None partition_key=None run_after=datetime.datetime(2026, 11, 2, 6, 39, 3, 831453, tzinfo=Timezone('UTC')) run_id=manual__2026-11-02T06:39:03.831453+00:00
conf | dag_id | dag_run_id | data_interval_start | data_interval_end | end_date | last_scheduling_decision | logical_date | run_type | start_date | state | triggering_user_name
('run_id': 'escenario-modificada-20261102T063859Z') | noticias_bronze_repro cess | manual__2026-11-02T06:39:03.831453+00:00 | None | None | None | None | None | manual | None | queued | airflow
[ec2-user@ip-172-31-36-33 noticias-data-lake]$
i-0449aed1f949948af (noticias-data-lake-airflow)
PublicIPs: 18.216.216.223 PrivateIPs: 172.31.36.33
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


[ec2-user@ip-172-31-36-33 noticias-data-lake]$ sudo docker compose exec airflow-apiserver python scripts/scenarios.py parcial --trigger
ESCENARIO | parcial | run_id=escenario-parcial-20261102T063933Z | estado=partial
Manifiesto: s3://noticias-data-lake-573992724610/bronze/manifests/ingestion_date=2026-11-02/run_id=escenario-parcial-20261102T063933Z/manifest.json
{
"failed_source": "eltiempo_deportes"
}
2026-11-02T06:39:36.571140Z [info] creating dag run [airflow.serialization.definitions.dag] loc=dag.py:615 logical_date=None partition_key=None run_after=datetime.datetime(2026, 11, 2, 6, 39, 36, 559335, tzinfo=Timezone('UTC')) run_id=manual__2026-11-02T06:39:36.559335+00:00
conf | dag_id | dag_run_id | data_interval_start | data_interval_end | end_date | last_scheduling_decision | logical_date | run_type | start_date | state | triggering_user_name
('run_id': 'escenario-parcial-20261102T063933Z') | noticias_bronze_repro cess | manual__2026-11-02T06:39:36.559335+00:00 | None | None | None | None | None | manual | None | queued | airflow
[ec2-user@ip-172-31-36-33 noticias-data-lake]$



Eliminación de la infraestructura

