

INDIA.RUNS

Build what next India runs on

Team Name : **InnoCoders**

Team Leader Name : **Devansh Wadhwani**

Problem Statement : **Candidate ranking for a Senior AI/ML Engineer role**

Solution Overview

Scores every candidate on five recruiter dimensions — reading career evidence, not keywords.

100K
candidates scored

31s
end-to-end · 1 CPU core

0
external dependencies

Five-dimension scoring

Honeypot defense

Fully explainable

JD Understanding & Candidate Evaluation

Role — retrieval, ranking & recommendation systems.

SIGNALS THAT MATTER

Career evidence

Title trajectory

Production proof

Tenure & stability

Availability

DISQUALIFIERS

non-technical · consulting-only · research-only · ghost profiles

Ranking Methodology

28%
Technical

25%
Title

20%
Career

17%
Experience

10%
Availability

Skills are cross-validated against career text before they can lift a score.

score × location × disqualifier penalties · deterministic tie-break

Explainability & Data Validation

Every rank is justified from profile facts
only — **zero hallucinated skills.**

HONEYPOT SELF-CONSISTENCY CHECKS

date arithmetic

expert-zero

YOE vs span

tech anachronism

141

impossible profiles caught

0

in the submitted top 100

End-to-End Workflow



single pass · ~31s on one CPU core · deterministic, byte-identical reruns

System Architecture

INPUT

100K JSONL profiles + JD-derived rules

SCORING ENGINE

five standard-library modules

Title

Technical

Career

Experience

Availability

VALIDATION

keyword cross-check + honeypot self-consistency

OUTPUT

validated top-100 CSV + per-candidate reasoning

Results & Performance

100,000

candidates scored

~31s

one CPU core

0

dependencies

141

honeypots caught

0%

in the top 100

<1GB

peak memory

Technologies Used

Python standard library only

no GPU · no network · no model downloads

Reproducible

Portable

Auditable

Submission Assets

```
$ python rank.py --candidates ./candidates.jsonl --out ./InnoCoders.csv
```

[GitHub repo](#)[InnoCoders.csv](#)[Approach deck](#)[Metadata](#)[Validator](#)

Reproducible in one command · validator-clean top-100 · stdlib-only source



INDIA.RUNS

Build what next India runs on

THANK YOU