

Transcript of Templating & Topology Plan

Created on August 28, 2026 by [Summary AI](#)

Speaker A (00:00)

Configuration is established, or the way that the template is written, that it makes sense and that it will be fine when it's written?

Speaker B (00:10)

Yes.

Speaker A (00:13)

Okay. This is what you mean, right? Configuration references are validated.

Speaker B (00:25)

These configurations are validated. Configuration objects are validated to ensure requirement dependency and reference resources exist.

Speaker B (00:39)

Yeah, yeah, is that? Yeah.

Speaker A (00:42)

This is what you're talking about, right?

Speaker B (00:44)

Yeah.

Speaker A (00:45)

So for now I think for us it's fine.

Speaker B (00:47)

Yeah, but I think we need to also explain that there can be a mechanism of lookup, ID lookups, because the links on the templates are based on name and in reality the links can be...

Speaker A (01:09)

But we can... I'm just thinking like... Maybe we can do that in the tech design, which we start next week hopefully.

Speaker B (01:17)

Okay, okay. No problem.

Speaker A (01:18)

But for now we know that we need to make sure that this is done, right? There's a requirement.

Speaker A (01:23)

Okay, no problem.

Speaker B (01:24)

Okay.

Speaker A (01:25)

Because I need to... we need to get this signed off by Manish by Milan. Yeah, okay, okay.

Speaker A (01:30)

And then we go into tech design phase with the guys and you, and then I think this is where we start being more descriptive about the solution. And even more details, because we are quite... we have already a lot of details, right?

Speaker A (01:44)

I think we're quite far... Yeah, yeah. ... in SPR-FAQ, also on the tech design.

Speaker B (01:50)

Okay.

Speaker A (01:51)

Okay.

Speaker B (01:54)

What do you mean by a multiple configuration artifact is generated?

Speaker A (02:01)

So after we have the... where is it? Yeah, okay.

Speaker A (02:08)

So after we do the... the plan, then out of... out of the plan there is a... an artifact that is generated. That is the configuration file.

Speaker B (02:21)

Okay. Okay.

Speaker A (02:23)

And then that gets applied.

Speaker B (02:26)

Okay.

Speaker A (02:28)

But it cannot... it cannot be changed.

Speaker B (02:35)

This... that means that the... the templating system are the... the source of truth. That... that's your meaning.

Speaker B (02:43)

Is that?

Speaker A (02:46)

Yes. Okay. Does that make sense?

Speaker B (02:51)

Yes. Yes, yes. For...

Speaker A (02:55)

And I actually think instead of scoped to one target pool...

Speaker B (03:01)

What... what... what about... what about... this... we are... we are dealing... the apply... is dealing with update and create and not delete. You are okay?

Speaker B (03:17)

This... the action that can be done in the... stage one... the version one is... create and apply.

Speaker A (03:27)

Create...

Speaker B (03:27)

Create and update. Create and update.

Speaker B (03:29)

Create and update or do nothing if the... if the artifacts already exist in the same... the same way... in the template. Okay.

Speaker B (03:39)

This...

Speaker A (03:39)

Yeah, exactly. I mean it can be... it can be re-updated, right?

Speaker A (03:43)

And then it doesn't matter if it overwrites it because it's the same.

Speaker B (03:46)

Yeah. Or not... do nothing... this... because it takes time to... to update. When you are updating...

Speaker A (03:52)

Do nothing. Do nothing.

Speaker C (03:53)

Yeah.

Speaker B (03:54)

Yeah. I prefer do nothing. Because... uh... you lose time... because... doing app... API requests... um... you need to check that your action occurred.

Speaker B (04:06)

This... I prefer to do nothing, you know. To... to not losing time.

Speaker A (04:14)

Okay. So, if there is an existing config...

Speaker B (04:17)

With the same...

Speaker A (04:19)

Object...

Speaker B (04:20)

With... with the same... With the same... With the same... ... parameter... we... and... we do nothing... this... we... nothing is performed. This... we... nothing... This... we have three... three... three... three possible... uh... action.

Speaker B (04:33)

Create. Update. And... Knowp.

Speaker B (04:36)

Nothing... Nothing...

Speaker A (04:38)

Knowp. Is that a term?

Speaker B (04:40)

Yeah. I... I... I... I... I... I... I use it in my tools. Knowp.

Speaker B (04:44)

N-O-O-P.

Speaker A (04:47)

Cool. Okay. Knowp.

Speaker B (04:53)

Knowp.

Speaker A (04:55)

Know operation. Know operation... okay.

Speaker A (04:57)

Knowp.

Speaker B (04:57)

Yeah. Knowp. Snoopy.

Speaker A (05:02)

Snoopy.

Speaker B (05:03)

Sf.

Speaker A (05:04)

Snoopy. cool cool cool oh we have this so here we did the did he talk to you about this

Speaker B (05:22)

the performance contract the performance contract okay

Speaker A (05:27)

so when we were looking at that we you know i think currently we just keep the baseline so it's understood that one configuration object takes two three seconds to do to do

Speaker B (05:45)

per object three seconds per object it's quite quite huge yeah but that's how it works today yeah because you i i have i have the same it can go maybe it

Speaker A (06:04)

can go faster when we test it out in the you know with the new flow you you know what the the problem

Speaker B (06:14)

the problem with the the latencies is when you do an api uh update an api post to the the system you need to check because it's um it's asynchronous uh action this is synchronous yeah it's like asynchronous you you need to ask the api to do an action and then you your your cli need to check

Speaker B (06:42)

afterwards if if the action occur and the status of the action and it can take one of two seconds to to have it in detail but you can imagine that you can do an api update bulk without and and to to to to to get the feedback link together and to check uh after after the the the

Speaker B (07:14)

the all the update are are performed and you can slow down the the latency you know you know what i mean you can imagine that you can push all post action together without checking the feedback of the the the system and afterwards after 10 100 uh api posts you can check for the you you for the all

Speaker B (07:44)

list one by one by one and you you you you will have a two two two seconds to check all one by one but it's it it's it's two seconds per per on android per 10 or whatever we decide you you you we need to do by bulk the action is by book and and collect for each

Speaker B (08:07)

action we we perform api post we collect the link the state the the check status link and afterwards we will recheck all status linked together and to get to have the status and you have only two or three seconds or five seconds for for checking the book and and for the all the world the world onwards operation

Speaker B (08:35)

we have we can do it in five seconds of ten seconds you know

Speaker A (08:40)

what i mean yeah so hopefully it will be faster yes and i will put i will put right now what we have here based on what the system does yes and then when we have the design and we x and we test it you know yeah then we can update it based on the existing uh based on

Speaker A (09:01)

the new design and see what is actually true yeah okay no problem so what we were wondering as well is um here you have different templates right so you have different sizing we have the base layer and then we have an extra layer a second layer a third layer fourth layer fifth layer and you have like a

Speaker A (09:24)

really large template hierarchy of more than a thousand but of course this is not going to happen no it was just to just to you know just to to to do some different scenarios maybe we should i mean you talk about four layers and we should have base base layer one

Speaker B (09:46)

and layer one to four here yes yes it would be rather more than ten maximum

Speaker A (09:54)

you know it's complicated plus one and then yeah one plus ten yeah and then it is it's already but it's just to just for the system just for the the planning right now yeah okay okay no problem um but it would be cool to know to see a little bit more what does this mean like the the

Speaker A (10:24)

the templating right like concretely so that's the next step for us and you're working

Speaker B (10:34)

on that right making the template yes i i would like to have a demo next week about the templating with the uh with the use yes yes yes that's cool yeah this uh but i i need to to think about it i i i check my tools i made six months ago uh this i checked this morning

Speaker B (11:00)

this uh i will try to have a better um realistic templates and then i will i can do a demo next week i don't nice from from wednesday to

Speaker A (11:13)

thursday next week i i can do a demo normally okay cool um and then that will be useful for when we talk to uh 8com and scoutel the week afterwards so uh yeah yeah yeah because of them what i would like us to do together is to design help them design their template so that one when they

Speaker A (11:38)

so that when we like release the tool they start using it immediately yes and that would be that would be amazing like if we achieve that it would be so good yes i will i will do i will do for it come a

Speaker B (11:53)

proposal uh a light proposal but realistic proposal to to to to to ever to to make a demo to a it come what are what are the the the the the added value or templating and yeah and ask them to help us to to build the the the the the the definitive

Speaker A (12:19)

templating they need from us you know so we can do like uh you can make the the guard six like base template right like it it can be like something not too crazy and v1 and we will improve it over time and then when we meet them in two weeks we will be like that is the the

Speaker A (12:40)

base template and then like let's talk about what your template would be like or or what you need to set up for your different profiles right because we talk about layering and then we could do like a small design exercise with them to come up with

Speaker B (12:59)

hopefully they come up with some ideas i i remember that we have had a meeting with edcom and daily mark was okay your template your plan plating system is good for new mssp but we are not new and

Speaker A (13:26)

do you have do do you have a way yeah for us but we need to we and and that's okay we we know that okay we need to just because they will have new customers right so we'll just like work with them on if you have a new customer you know you can start there and then we

Speaker A (13:46)

will work with them on finding a way to migrate but if the existing you know we're not going to start with migration first we need to first see how it works with something fresh and new and then once the system works let's migrate their existing cost customer base to the templating mechanism and then they will see also

Speaker A (14:06)

diff and configuration drift and all that stuff i i'm agree with you but i think i we have to we have to discuss like we have to work together and hopefully they can be reasonable right may i say you something

Speaker B (14:27)

i'm nearly convinced i'm nearly convinced i'm nearly convinced that they will ask us to provide them a tools to to do the reverse way of creating templates check the existing configuration and do a templating system for them you know what i mean yeah yeah i know but we're not going to do that in the first no no

Speaker B (14:54)

no i i i but i'm nearly sure that they they will ask this really yeah and we

Speaker A (15:03)

need to reply them something yeah we can tell them like we know that you want this but we're not going to start with that okay no problem so uh because it's more work right and we need to just start

Speaker B (15:18)

with something more simple i i will i would not say it's more work because if we can have the actual way of configuring we can create our template from what they have what they have put in place you know what i mean that it can help i think it's a bit i think it's i think we shouldn't

Speaker B (15:47)

like the reason why i

Speaker A (15:48)

don't want us to go like that is because it's proprietary for them yeah i i know i know so i think we need we need something lightweight that we can push as ourselves being like existing i don't know based on our know-how based on detections from the day one package um okay that's our kind of initial

Speaker A (16:12)

initial standpoint that is independent of the proprietary know-how from our partners i think it's more like we need to be at that that's where we need to be a bit careful because we don't want like i think they don't also don't want their setup to leak towards other partners let's see let's see you you know what

Speaker A (16:35)

onboarding logs

Speaker B (16:38)

uh is uh is not property is uh use uh or normalization package no or yeah perhaps routing policy uh routing policy can be uh different from customer to customer and we can help customer that immature customer to to provide a way to route to do routing to do um repository yeah repo aggregation that that that are all

Speaker B (17:14)

value added value to proposed customer so kind of repo and routing but normalization policy is the same for all customers it depends not for customer it depends from the source you know what i mean just yeah this week for some uh configuration artifact is not property uh no you know what i mean yeah but i suggest we

Speaker B (17:46)

like what i

Speaker A (17:46)

had when i discussed it with manish when you are not here so otherwise you would have been in the calls uh but the idea was to maybe focus on the day one detection pack let me see um

Speaker B (18:01)

okay i have a list actually he sent it to me this if you can provide me the list i i know what what template should be about you know because yeah yeah exactly yeah

Speaker A (18:16)

let me see where it is detection it should be last week we met and talked about this we've managed okay click kick this list i can i can have the same base yeah here i will add you in the chat okay don't see your screen i don't know i'm not just adding you in the chat now did

Speaker A (19:29)

you hear then he shared this day one detection list okay what is it that's more on analytics side then we also have the tiering policy okay essentially the idea would be to um to have a baseline template that can enable day one detection package what do you think i have a problem with this i see uh you

Speaker B (20:51)

you use cloud um sources yeah and yesterday we decide to to have a legacy way of configuring a log collection this with uh and not log sources way because log sources way will be complicated on the beginning and i i see some source with a log source way which we we need to okay we just focus on

Speaker B (21:26)

devices for now that's fine this legacy way of onboarding logs and then next stage will be a log sources i can i can have a template demo for legacy way and then we can try to to do it yeah for loxus in the second stage yeah and legacy legacy um configuration element are repo routing policy normalization policy

Speaker B (22:03)

enrichment policy processing policy processing policy devices we decide also to to let alert because alert is complicated also from the beginning this regarding templating them we we will focus on repo repo routing policy normalization policy enrichment policy processing policy and device and fetcher the okay okay so no analytics no no no alerts in the beginning no

Speaker B (22:42)

dashboards no reports yes to to in first stage we we we didn't say that it will version one we not but in first stage of uh dealing with uh dealing with templating and and and use case and demo on we will focus on simple simple configuration element first and then we will see how can we handle

Speaker B (23:10)

log sources because i'm i really think that we need to manage log sources somehow but i didn't start it yet and alerting dashboarding and reporting next stage also yeah do you agree of this first this that's fine

Speaker A (23:36)

for me i'm always happy to split it up and keep it simple to start so uh it sounds good and what about access and system config after that afterward okay also so just these two right now all right yes yeah good for me

Speaker B (23:55)

and start small and you know take it step by step yeah and this i will try to have a realistic for some well-known well-known sources for for customers except and uh cloud sources which are manageable by log sources okay this it will be windows sources uh firewall sources uh i will i will check

Speaker A (24:30)

with uh actually like let's try to look at our tier one list because that's also where we're focusing in our business on integration side what do you mean tier one tier one customers no tier one logs tier one uh sources that we are managing and maintaining integrations for let me see where the list is okay there is

Speaker A (25:00)

here tier card six integration because i think we need to tie you know all these things together so that wait i check they also it also makes sense because you have the the integrations that we maintain tied to the specific sources and that's where we invest our money and our energy and also we make commitments to that

Speaker A (25:30)

and then we have day one detections we should map them against our integrations as i assume that all our tier one integrations to support our day one or at least a majority of it and then we have the template which can be used to set it up like as a whole from end to end okay

Speaker B (25:49)

this is the tier one i don't see the source list

Speaker A (26:04)

let me see i think that's just the the policy i'm just going there integration steering maybe it's there i don't see any links let me ask me that

Speaker B (26:36)

quickly yeah yeah because it will be nice to have the this list and to say to the customer we are focused on tier one first yeah and if in tier one you are we have a cloud sources which need to be managed by lock sources and not legacy it will be next step if you if you want

Speaker B (27:19)

i can

Speaker A (27:19)

ask my ex-college wait wait wait integration classification overview yeah you look at the second

Speaker B (27:35)

link okay okay okay okay i see this okay okay okay i have the list okay i think it's the the green ones right first yeah for for me the premium integration yes um i it's the the source list i i see always with customers just yes really yeah there are some lock sources there are some that um

Speaker B (29:04)

enrichment enrichment enrichment but uh yes i i will i will try to i will try to there is a lot of sources that can be handled by lock sources this um yeah i will check i will check what what what can we done

Speaker A (29:30)

really okay i will check it okay i forgot my i forgot my glasses today huh it's complicated it's complicated for you no it's like a little bit not like an edge but it's

Speaker B (29:54)

better when i have classes okay this from this from this list i will be busy on creating uh templating

Speaker A (30:06)

okay okay it's manageable right yes yes and then i guess from for like repo storage time and requirements do you reference a specific uh regulation or what's how do you want to approach that for the uh source aggregation to repo uh so uh so if you need to configure the the storage time how long you want to

Speaker A (30:41)

keep something yes

Speaker B (30:43)

normally uh you need to to handle regulation yes yes but you know you are you are not imposed if you your log sources you are stored raw logs somewhere else than your sim it's it's legal to store not all the logs on the sim you know what i mean yeah this but if you use the sim as

Speaker B (31:15)

uh legal storage you need to to as extension you need at least one year for some sources yes one year storage yes let's look i will i cannot work on all the lists but i i will i will form the demo i will try to have some some sources okay and yeah and to have a templating to

Speaker B (32:03)

implement those sources well known for my experience from my experience from my experience i i i will i will uh i will select the most used i have seen from my 12 year experience in integration first and then we we need to focus for all the sources but uh it will i i have no time and i

Speaker B (32:33)

i need also uh to work together with other guys to to to define all the templates you know but for what i know as most use it i can do templating for next week yeah like i mean it's just supposed to be

Speaker A (32:53)

something that i have to work with just to have something to to show you know to be concrete to be concrete also right yeah and also it's like the missing puzzle and it's the most important one so

Speaker B (33:05)

yeah yeah this i will i will try to focus on what is very important very used by the majority of customers i know okay this i will cross-check with benjamin because benjamin i have also some experience and benjamin can ask his colleagues because i i don't want to to have a meeting with all everyone together but

Speaker B (33:34)

i i will ask benjamin to help me to to find the demo list okay and from this i can build templates and build a realistic template that can be demo to our engineering first and then customer what do you mean what do you think about this yeah it's good

Speaker A (34:07)

i think we need to keep an eye on the time because we have the the meeting scheduled with scalpel and it come in two weeks in two weeks yes i saw and if we need more time i can schedule it also a week later but i don't want to push it out too much just for us to

Speaker A (34:24)

start you know the dialogue with them

Speaker B (34:28)

this week i will use my tools that i built as park this the customer need to know that it's a park but the definitive product will be based on this book but what we can do also it doesn't have to be

Speaker A (34:44)

used to to be executed right so the first thing what we can focus with them is really more about like if the template that you show is in the repo guard six repo and then they use that what is their next step that's what we want to understand with them okay walk through walk through of the templates

Speaker A (35:08)

and the rationale and the thinking from our side and then ask them like okay if you receive this as a base what do you do next and how do you set it up so that you can scale with it okay okay we don't need to we don't need to have the the the plan and apply we just

Speaker A (35:29)

need the template right we just need the the configuration file okay this is how we are looking at it and then maybe have a layer as well so that we can see show like look this would be a layer but that's it like that's really the scope we don't need to show the the plan and apply that's

Speaker A (35:48)

that will come down the line when we have the the the tooling so maybe it's easier for you also just focusing on on the template but defining what is in it how do you structure it well um why is it structured the way it is okay but there's some training some thinking around like if we would have

Speaker A (36:11)

to put like some training around it what would we do right so it's like first testing training for templatization and then because once we have it then we go live in q1 we will also have enablement material for that and then we will have some you know short training session to talk about templates how does it work

Speaker A (36:31)

updated documentation

Speaker B (36:32)

as well so that's that's where we are right now okay but i will use my proc tools to to test to test because i need to test and to be realistic and to check if i do manually on on fleets and if i if i try to do with um i will i will really uh check that

Speaker B (37:02)

i have the same payload both way you know what i mean this i need my proc tools to be used to validate my template i will not show it to the customer but i will use it and when the my talk is finished i can give the the the park to ash as a starting point

Speaker A (37:33)

you know what i mean yeah yeah yeah it will be really useful and when we also start the tech design with

Speaker B (37:40)

them yeah okay this that's that's why uh this now i have the scoped uh yeah i see the scope this i we will use a tier one i in tier one i will really use some sources i cannot do a templating for right now but to do it we we need to involve or on engineering and also

Speaker B (38:11)

our customer basic base engineer this customer success search engineer to help us to finish the templating you know what i mean for v1 okay for demo i can do it by myself for next week normally a subset so it will be a subset yeah

Speaker A (38:43)

it will just like something like this is how we think it's gonna look it's not the finished one but

Speaker B (38:48)

it's it's i don't know 50 whatever and i can build also a documentation or or it's built what's next that can be the this documentation can be sent to our sales engineer and customer success engineer yeah to help us to yeah to to part of the training the the template you know what i mean that can be

Speaker B (39:17)

i can do also documentation about this awesome okay okay that sounds really good to me um all right i need time oh yeah this afternoon uh to work on it and monday and and tuesday and wednesday and normally thursday i will have something to to demo i think one thing we don't have in the in

Speaker A (39:48)

the keck right now is the request to enable topology awareness which we also need right the topology

Speaker B (39:58)

yeah yeah you know that is my my baby yeah and i so we need we also need that like we actually need

Speaker A (40:08)

those two things together at the same time so either we have to make a requirement in keck to say like okay if it needs to be have topology awareness and then you know part of the design they need to think about that or we have to create a separate prfq but that means that we would have to

Speaker B (40:27)

do it like now i i think we can the cac needs a topology so we can do the topology definition in the the perfect on cac really because so we can add a requirement there also right i mean it doesn't

Speaker A (40:47)

have to be big no but and it doesn't have to be solution oriented right now it's just about high level requirements so not like talking about babels and so on for now just like we need okay

Speaker B (41:04)

right it's like i need to to describe the what and not the hope exactly exactly just the what as they say to me in my um in my um assessments we we did the assessment and he said you are you you need to to be a what describer and not the hope describer you you used to it's

Speaker B (41:34)

complicated for me

Speaker A (41:38)

to shove to the oh you know yeah but but i think also it's good to not be too pedantic about these differences so it's a superpower you have also so this i can help the engineering like i can

Speaker B (41:56)

help the engineering to to know to to help them to find oh um i can build a puck and puck will be as

Speaker A (42:10)

an input an input an input an input yes but you can also write a better what if you know the how i think yes really so i i think it's very valuable um okay all right that's something new uh but then i would need to i would need to like maybe we could just define it right now

Speaker A (42:40)

so we can add it in the crfq and because i really want to send it to milad and to eric and seren today you remember my documentation about topology definition yeah but maybe we can have like just one i don't know something very lightweight somewhere that says like uh look at the docs do do you remember that

Speaker A (43:13)

uh when we are uh when we are i remember how i remember how you showed it and we should maybe write

Speaker B (43:20)

it in a for the back for the back that we we have uh had some workshop with that team yeah you remember that yeah and nothing happened since uh we talked about it you remember that uh i'm sorry but i don't remember the the first name on the guy but the the babesh babesh babesh did ask um

Speaker B (43:56)

to add some new fields i know and i don't think it's a good idea to to do it in the sim i prefer to whoever on the configuration a cac is a configuration manager okay it will be the configuration manager and i prefer to to deal on the system which okay but now we're talking about the how

Speaker B (44:24)

you just think

Speaker A (44:25)

about like that no but sorry sorry sorry sorry sorry i want to send it out today to them and i just i think we need to add one line and maybe add a little bit across the document a statement that says in version one we also include topology definition topology yes exactly right and then and then

Speaker A (44:51)

i have like have like some lightweight description and that's it for now yeah but it's the topology of

Speaker B (44:59)

the the pools uh how do you how do you name the i mean it will it should be that as you know as a user

Speaker A (45:15)

of keck i need to be able to have and i want to know what the topology is of my target pool so i want to be able to know what each of the nodes are in the pool and what their role is and then that's that's all for

Speaker B (45:36)

now i think we need to say exactly yeah and then we will keep it short yeah yeah no problem so then we

Speaker A (45:53)

can um they will be like oh what are the apologies and then we need to maybe explain the different roles roles okay what are the roles so let's let's talk about it now so we have either standalone

Speaker B (46:13)

this uh distributed theme with so standalone i prefer to to name it all in one okay all in one backends so chats yeah sorry all in one distributed and distributed can a distributed system can be a short chat on a back end a back end and we can have multiple device multiple back end and multiple uh clustered

Speaker B (47:00)

maybe it's not cluster but how can we name it this

Speaker A (47:08)

so we have something here already right in the in the product taxonomy yes we have this the search

Speaker B (47:17)

search master search head we have the the the data nodes that the backend is not exactly yeah it's backend is my my my taxonomy this it's definitely yeah then we have the lock collector but the lock collector you cannot configure by himself the lock collector the correct the collector need to be configured by the data nodes this

Speaker B (47:47)

if you we imagine to configure a lock collector you need to configure the lock collector via the data nodes and the the lock collector is part of the data nodes you you cannot push the config directly on lock collectors okay so we will have

Speaker A (48:09)

the configurable objects yes target objects so that's the search head that's the data node and that's it okay that's okay for now right and then i think in the template it must be clear that you have to go how you how you configure the lock collector and the syslog forwarder yes you you create

Speaker B (48:39)

um syslog forwarder is i don't know how can we can configure syslog forwarding task i think we we do it on the data mode for this yeah yeah yeah yeah these two so so then how would

Speaker A (49:05)

you how how how does that work like the data node acts as a proxy you need to define the connectivity

Speaker B (49:22)

between the data node and log log collector and from that you can you can say that when you create a device a device and a fetchers and a fetchers you say on which log collector uh the collect or cure you are dealing with uh collectors configuration when you are doing you are creating devices devices and devices for

Speaker B (50:01)

the fetchers devices you say from which collector you are

Speaker A (50:09)

collecting from it's clear for you so if you if you i mean i'm just like in the topology when we explain how to do this we need to distinguish between the targets and then under that there is when it's a a collector or or a forwarder is it like an additional um yeah i need to see that

Speaker A (50:43)

i'm not sure like if we think about the topology how do we distinguish it because we can target should we also have these terms even if they're not the objects we target but they still need to be included in the topology

Speaker B (51:01)

i miss in my templating to my topology to to handle the log collector because i we are we configure the code log collector from the data nodes but we need to have somehow the definition of the the log collector to be used when we we push the configuration this i need to

Speaker A (51:32)

to review my topology okay so maybe we should start with uh with the search and the data node only or with the the all-in-one let's start with all-in-one model all-in-one search head and

Speaker B (51:48)

data nodes this all-in-one and distributed with only data node and and then next step will be include collector log collectors but i i will try to do it next week to see how can we integrate log collectors

Speaker A (52:09)

okay so in in essence like the requirement is that as as a user of cac i want to be able to target according to role in the topology yes so that the right configuration can be pushed to the right

Speaker B (52:31)

target target yes do do you want also to explain that uh some some targets can be clustered you can push it you can send the same configuration for the when when you are scaling the collecting you need to have multiple data nodes receiving the same the same sources through the same repo and this the same configuration should

Speaker B (53:03)

be pushed on multiple the data nodes and the goal the goal but i guess yes yeah but that doesn't

Speaker A (53:16)

that's that's that's not something that i think we should in version one this needs to be owned by the person that executes the job so not to make make the topology not too intelligent you just list it or you know make it as let's say you have multiple data nodes and then as you are the one that

Speaker A (53:44)

that performs the apply you know that you can apply the same configuration file to the same to to x data nodes

Speaker B (53:52)

i'm not agree about that because when you are dlp the search net need to be no need to know on which data node you need to search for detection if you split the collecting to multiple data nodes you need you need the search net configuration when you are dealing with alerting you need to d to say on

Speaker B (54:20)

which data nodes on which repo on which data nodes we need to to search and if we not on the first stage um explicitly have the topology on which data nodes the search is for

Speaker A (54:40)

yes so maybe it's like the search head should understand like the search head should have in should have the relationships to the data nodes also and when a configuration that's a conflict that's a configuration for data for a search head right yeah but i don't wait maybe we need a separate prfaq for this okay so we we

Speaker A (55:17)

need to like write out how do you define topology and how do you codify it across the system so that it can be used okay what do you think to me it doesn't sound like a small

Speaker B (55:34)

thing anymore it's not a small thing yeah no from the discussion we have had no no it's not um

Speaker A (55:45)

maybe we can do like a small thing like if it was just all in one it's a different story but the distributed concept is a little bit more complicated and all in one we don't need to do too much because it's already just you have one single id that's all yes but i think we need to prioritize

Speaker A (56:15)

this like let's wrap up the the cake and then let's work on that next and just in in uh in parallel this if i could understand today

Speaker B (56:36)

version one is only for all in one targets no i have it also but you know it's like

Speaker A (56:44)

it's not perfect but it could be you could still identify like you still do distribute it as long as you know what the roles are but you don't have the system who tells you the need to own you need to store that knowledge somewhere else because what we're trying to do is to make the system aware so

Speaker A (57:15)

that the the user doesn't have to can can can basically use it in their process instead of they have to

Speaker B (57:24)

know it yes that's their head right that's why i but i prefer

Speaker A (57:32)

today yeah i agree like one percent right it will make it so much better yes but we need to do this right so let's uh let's let's do this now like this and then let's do this apology straight afterwards and it can be you know like we can start maybe next week or the week after with the

Speaker A (58:00)

definitions for topology yeah okay this because it will be used not just by us it will be also used by deck right and we can think about we can introduce it in the in the ui as well right so it could be surfacable in the ui so we we we introduce the uh the approach and then we

Speaker A (58:31)

need to identify where it gets introduced in which flow so it's not just

Speaker B (58:38)

for cac it's also we use it across the product exactly okay this is a new perfect cue for

Speaker A (58:52)

yeah sim topology sim topology okay okay and that's the deployment model right and that's all maybe that's the perfect cue you can do first you wanted to now do the collector one could you repeat please you know we have been talking about the first pair of eq you write

Speaker B (59:19)

maybe this could be the first one instead of the the collector one uh bingo i prefer i prefer because i i know very well the the the problematic about the the topology and that or product that doesn't maintain the topology and what what problem it give for customer yeah this i know very well why the topology is

Speaker B (59:51)

really needed in you know product this perfect you topology yes i can describe

Speaker A (59:58)

it yes so what we could do is like we will finish this one and it will go into planning for q4 which is coming in you know less than a month and then for during q4 we can you will design the prfq for topology awareness so it will be yours yes and then we can work together to

Speaker A (1:00:20)

identify also where in fleet we can introduce it on you know in what workflows and also for cac and for deck we will need to uh utilize it and that we could do in q4 so we have the whole quarter to work on it instead of trying to rush it now

Speaker B (1:00:37)

okay yeah this if i could understand if it's for q4 today we we've cac we only the we only will manage all-in-ones configuration now today i have in the in the

Speaker A (1:01:05)

dock and distribute it i've also distributed so how does the how does the how does we could use the same workaround that deck has well they have identified the workaround so that they can like show the different machines in the pool it's just that you still need to and it's only a quarter right it will be like

Speaker A (1:01:35)

maybe half a year difference so that's okay okay now okay so they have a workaround we could use the same workaround and then once we have something solid we need to embed it in deck and in keg and across the product it will we will have like in the ui it will state this machine is a data

Speaker A (1:01:58)

node this machine is a search head and the cluster definition

Speaker B (1:02:04)

also okay yes everything okay let's let's do it so this cool first worker i will name it workaround for topology that dac asked and we will use this workaround first i mean they're they already have it

Speaker A (1:02:31)

because they can already you know they already do distributed deployments with dac yes yes so they identify so so we use what they have yes we can like yeah okay you don't need to do anything new there but then hopefully in six months we replace it with the topology the right way yeah exactly okay

Speaker B (1:02:56)

okay let's let's do it this um next week or week after i don't know we can start discussing about the new perfect you and i will own it i i guess yes okay we just need to agree with uh with eric yeah that

Speaker A (1:03:20)

this is going to be a focus i'm sure he's going to be fine with it yeah because i don't know eric asked

Speaker B (1:03:27)

you asked me to do some work about the deployment and for me it's it's really um a constraints today that customer have to deploy they don't they don't have a way to define the topology you know yes and this i know it will be it it will be easier afterwards to deploy with the topology awareness system

Speaker B (1:03:56)

yeah okay there's no problem i'm okay with this it's good it's good i'm happy this is a good outcome of this meeting thank you thank you yes no thank you yeah you help me also you you know uh i i know that you help me to to do the the right job you know as as eric help

Speaker B (1:04:21)

me also

Speaker A (1:04:23)

yeah networking with him it's useful teamwork right okay cool um i will see i will see if i can send it at this i need to make some updates oh yeah i will have some updates to make otherwise we're we're good and send it today and then hopefully we can start the tech design

Speaker B (1:04:56)

and the planning yes just first that need to be validated by eric and milad is the i mean eric already

Speaker A (1:05:04)

read it and he says it's good and then milad and sorry needs to read it okay but i already used the the full lens review tool that we have so um it's pretty i think it's pretty far so i don't expect to have a lot of pushback uh maybe if there is something that pops up let's see

Speaker A (1:05:29)

but i've had like a big review i've had a lot of discussions already with engineering and um and i think some of these things are already quite far in the engineering track so we will you know be revisiting them during tech design um so i feel like we're already past

Speaker B (1:05:47)

the stage of approval but yeah and the pm for the duck we we who is this the pm for the duck it was uh

Speaker A (1:06:00)

uh it was um milad who asked to do this towards the sr team and uh yeah okay but i really know that some

Speaker B (1:06:20)

engineering engineering to be task are the will are the same on the duck and the cac

Speaker A (1:06:33)

really yeah there will be a lot of overlap exactly and i think maybe some of it that we're doing with kak is maybe a little bit more detailed and refined so they might improve their approach okay let's see hopefully all right cool i'm gonna get some food yeah okay me too thank you thank you thank you bye

Speaker A (1:06:58)

bye so uh by when when should we be for the template i need

Speaker B (1:07:03)

this afternoon to to check it something and begin monday tuesday and wednesday i will work on template and i can do some demo uh thursday next thursday okay cool okay i will invite you

Speaker A (1:07:22)

and ayesh um to that okay thank you awesome thank you yeah bye bye bye bye