



ULTRACHEM

INFRA SOLUTIONS PVT. LTD.

High-Performance
CONSTRUCTION
CHEMICAL SOLUTIONS

*Strength You See.
Consistency You Trust.*

ULTRAMIX PC

PCE Based Admixture for Wide Range of High Grade Concrete

Features

- ✓ Very high water reduction capability
- ✓ High quality concrete with improved quality
- ✓ Enables production high performance concrete
- ✓ Chloride free & low alkali superplasticizer

Area of Application

- ✓ For high-performance, self-compacting & pumped concrete
- ✓ Ideal for precast, highway & bridge deck works



ULTRACURE RB 7

Resin Based Curing Compound for Concrete

Features

- ✓ Forms a thin resin-based curing membrane.
- ✓ Minimizes water evaporation from concrete.
- ✓ Ensures proper cement hydration.
- ✓ Complies with ASTM C309 curing standards.

Area of Application

- ✓ Infrastructure projects
- ✓ Exposed concrete surfaces
- ✓ All grades of concrete & mass concrete works



ULTRACURE WB 7


Paraffin Based White Pigmented Curing Compound

Features

- ✓ Forms a continuous impermeable curing film.
- ✓ Reduces evaporation of mixing water.
- ✓ Ensures proper cement hydration.
- ✓ Improves compressive strength.
- ✓ Enhances abrasion resistance.

Area of Application

- ✓ Highways & rigid pavements
- ✓ Concrete slabs, columns & beams
- ✓ Retaining walls, foundations & footings
- ✓ Roof decks, canal linings, runways & taxiways



ULTRADECK SEAL


APP modified bituminous membrane for bridge decks & heavy-load intersections

Features

- ✓ Dual fiberglass & polyester reinforced
- ✓ Fiberglass-polyester reinforced for heat stability
- ✓ Heat-stable dual fiber reinforcement
- ✓ Dual-fiber reinforcement for high temperatures

Area of Application

- ✓ Suitable for heavy-duty applications
- ✓ Ideal for bridges, highways, ramps & intersections
- ✓ Allows direct asphalting, no additional layer required



ULTRA PRIME

Single Component Primer For Ultra Seal Ps

Features

- ✓ Excellent adhesion to concrete and metal surfaces
- ✓ High performance: works to tensile or shear strength, or both
- ✓ Low viscosity and very easy to apply

Area of Application

- ✓ Primer for polysulphide-based joint sealants subjected to both stresses and movements or cyclical condition.
- ✓ Treatment for porous surface, such as concrete groove, bricks, etc, of joints to reduce surface porosity and avoid pin holing and bubbling in polysulphide-based joint sealant system



ULTRAHEAL 2106

Crystalline Waterproofing Admixture

Features

- ✓ Crystalline technology forms insoluble crystals to seals pores and
- ✓ self healing of micro-cracks up to 0.5 mm.
- ✓ Reacts with free lime and moisture inside concrete.
- ✓ Provides permanent & integral Protection.
- ✓ Improves resistance to chlorides, sulfates & aggressive chemicals.
- ✓ Enhances durability, Impermeability and long-term service life.

Area of Application

- ✓ Highways, expressways & infrastructure
- ✓ Underground and basement structures
- ✓ Industrial & chemical exposure areas
- ✓ Marine & coastal structures
- ✓ Water-immersed and saturated structures



ULTRASHIELD 0702

Traversing Type Corrosion Inhibitor (Powder)

Features

- ✓ Protects reinforcement from chloride and carbonation Corrosion.
- ✓ Traversing molecules penetrate concrete to reach rebars.
- ✓ Forms an invisible monomolecular protective layer on steel.
- ✓ Compatible with OPC, PPC and slag cement.

Area of Application

- ✓ Ready-mix, high-strength & self-compacting concrete
- ✓ Mass concreting & durable infrastructure

Area of Application

- ✓ Coastal & marine structures
- ✓ Highways & expressways
- ✓ Chloride-prone infrastructure
- ✓ Residential & commercial buildings



ULTRAGUARD ST


Corrosion Inhibiting Admixture(liquid)

Features

- ✓ Easy to add into the ready-mix or precast concrete.
- ✓ Dual action results in considerable delays in initiation of corrosion and reduces the overall corrosion activity
- ✓ Extended service life of concrete structures
- ✓ Reduced maintenance costs.
- ✓ Effective protection from chloride induced corrosion even at varying chloride concentrations
- ✓ Protects even when high concentrations of deicing or marine salts are available.

Area of Application

- ✓ Structures in Marine Environment.
- ✓ Structural and plain concrete
- ✓ Exposed balconies and parking garage decks
- ✓ Exterior steel reinforced concrete.



ULTRA LIQUID +

Polyurethane Liquid Waterproofing Membrane

Features

- ✓ Thixotropic – ideal for vertical and complex surfaces.
- ✓ Excellent adhesion on most construction substrates
- ✓ Flexible membrane resistant to thermal movement.
- ✓ High tensile strength and abrasion resistance.
- ✓ Resistant to water, alkalies and fungal growth.
- Fast and easy application.

Area of Application

- ✓ Roofs, terraces & waterproofing systems.
- ✓ Basements, foundations & high humidity areas.
- ✓ Water reservoirs & swimming pools.

Area of Application

- ✓ Chemical plants, refineries & marine environments.
- ✓ Concrete, masonry, metal roofs & old waterproofing repairs.



ULTRA SEAL PS

Two Component Rapid Curing Cold Applied Polysulphide Sealant

Features

- ✓ Excellent adhesion with long-lasting flexibility
- ✓ Resistant to fuels, oils, chemicals, UV & weather
- ✓ Accommodates joint movement with non-sag performance

Area of Application

- ✓ Expansion joints in buildings, pavements & industrial floors
- ✓ Infrastructure works - airports, runways, roads & bridges



ULTRASEAL PU

Features

- ✓ Excellent Elasticity & Flexibility.
- ✓ Strong Adhesion & Long Service Life.
- ✓ Single-Component & Easy Application
- ✓ Chemical & Abrasion Resistance, Weather & UV Resistance.

Area of Application

- ✓ Construction joints in slabs, foundations, and retaining walls.
- ✓ Expansion joints in buildings, pavements, highways, and bridges.
- ✓ Marine structures and coastal constructions
- ✓ Sea walls and jetties, Docks and port facilities



Products comply with Specifications and requirements of ASTM, IS, IRC, BS, MoRTH etc.



Registered Address:
E-5/14, Vyankatesh Nagar,
Nagpur, Maharashtra.
Pin : 440009

Corporate address :
Plot No.07, Floor No.01
Arvind Society Narendra Nagar
Nagpur Maharashtra
Pin : 440015

info@ultracheminfra.com | www.ultracheminfra.com | Customer Care No: +91-7030006994

