



Install & Safety Checklist

Garage Shelf Installation

Pre-install checklist for wall type, locating wiring/pipes, anchor selection, load ratings, level mounting, before/after photos, and clean scope boundaries.

BUYER	CATEGORY	FIRST SALE	DIFFICULTY
Homeowners, renters, landlords, and property managers	Local Service	1-7 days	Medium

BEFORE SENDING

Replace placeholders, verify facts, keep approvals in writing, and avoid guaranteed revenue, ranking, retention, booking, or ad-performance claims.

Install & Safety Checklist

Client worksheet: use this page while turning the asset into a buyer-ready deliverable.

Area	Decision	Owner	Done?
Buyer context	Specific business, segment, and visible pain	You	
Source proof	Screenshots, URLs, reviews, data, or examples saved	You	
Approval risk	Claims, prices, hours, legal-sensitive facts checked	Client	
Delivery	Working file, final export, and next step included	You	
Follow-up	Renewal angle or paid next step identified	You	

Rule: if a buyer could misunderstand the recommendation, rewrite it as a clear operational next step.

Handoff: summarize what changed, what needs approval, and what you recommend doing next.

Side Hustle Stephen

Install & Safety Checklist

Garage Shelf Installation

Pre-install checklist for wall type, locating wiring/pipes, anchor selection, load ratings, level mounting, before/after

Inside this document

- 01 Pack Snapshot
- 02 Asset objective
- 03 Core checklist
- 04 Quality bar
- 05 Delivery note
- 06 Go/no-go decision gate
- 07 Locate services before drilling
- 08 Wall type + anchor selection
- 09 Layout + level
- 10 Install + cleanup
- 11 Delivery standards (shared)

Pack Snapshot

- Buyer: Homeowners, renters, landlords, and property managers
- Category: Local Service
- Startup cost: \$101-\$500
- Time to first sale: 1-7 days
- Difficulty: Medium
- Positioning hook: Turn a cluttered garage into an organised wall of storage in one afternoon.

Asset objective

- Almost every garage is cluttered, the fix is highly visible, and a few hundred dollars of tools lets you deliver a result owners happily pay for and neighbours instantly want.
- Keep the promise concrete: You install manufactured shelving and racks, not structural or load-bearing modifications. Locate wiring and pipes before drilling and respect product weight ratings.
- Use this asset to create a buyer-ready deliverable, not as a generic brainstorming note.

Core checklist

- Confirm garage size, wall material, ceiling height, what's being stored, and who supplies the shelving before accepting paid work.
- Scan every drill line for studs, electrical cables, and water/gas pipes; mark studs and no-drill zones before drilling.

- Match each fixing to the wall type (studs, masonry anchors, or rated toggles) and keep the load within the product's weight rating.
- Dry-lay the layout: walkways clear, heavy items low, daily items at reach, seasonal high, and overhead racks clear of the car and door.
- Take before/after photos from fixed angles, give the owner weight-limit guidance, and refer structural or load-bearing work to a qualified trade.

Quality bar

- The asset should be specific enough that a buyer can approve it without a meeting.
- Every recommendation must be visible, actionable, and easy to explain.
- Remove anything that sounds impressive but does not change buyer behavior.

Delivery note

- Send the finished asset with a short summary of what changed.
- Include the next recommended step, the owner input needed, and the review deadline.
- Keep a copy of before/after evidence for renewals and follow-ups.

Go/no-go decision gate

- Do not start if wall material, fixings, wiring/pipe locations, load needs, ceiling structure, or safe work area are unclear.
- Do not attempt structural changes, load-bearing modifications, or heavy ceiling-mounted racks unless qualified; refer those to a licensed builder or engineer.
- Do not drill before checking for electrical cables, water, and gas lines on both sides of the wall; use a detector and check near switches, outlets, and wet areas.
- Stop if you hit a service, the wall is unsuitable or damaged, or the load exceeds the product or fixing rating.

Locate services before drilling

- Scan each drill line with a stud + live-wire + metal/pipe detector and mark studs and no-drill zones.
- Assume cables run vertically and horizontally from outlets, switches, and the consumer board; avoid those paths.
- Check the opposite side of the wall for plumbing, gas, vents, or fixtures.
- When in doubt, move the fixing point or pause and ask the owner before drilling.

Wall type + anchor selection

- Plasterboard/drywall: fix into studs where possible; otherwise use rated toggle or heavy-duty anchors.
- Brick/block/concrete: use masonry anchors and a masonry bit; fix into the solid, not the mortar joints, where appropriate.
- Timber stud/sheet: drive into studs/noggins; pre-drill to avoid splitting.

- Match every fixing and the shelf/rack to the manufacturer weight rating; never exceed it.

Layout + level

- Dry-lay the plan: walkways clear, heavy items low, frequently used items at reach height, seasonal up high.
- Mark a level reference line; check level and spacing before final fixing.
- Leave clearance for the car, doors, the opener track, and any vents or panels.
- Confirm overhead racks clear vehicles and garage-door travel.

Install + cleanup

- Take wide before photos of each wall from the client-facing angle.
- Mount brackets/uprights into marked fixings, fit shelves/racks, then load test gently within rating.
- Tidy the work area, vacuum debris, and remove or haul away packaging as agreed.
- Take after photos from the same angles plus one close-up proof shot, and confirm weight-limit guidance with the owner.

Delivery standards (shared)

- This asset is for homeowners, renters, landlords, and property managers; replace bracketed fields with their specifics before sending.
- Full delivery standards - inputs to collect, evidence capture, pricing and scope guardrails, and the pre-send QA list - live once in this pack's AI Prompt Pack.
- Verify every fact, price, date, hour, link, and claim against a source, and keep approvals in writing.
- Never imply guaranteed revenue, rankings, bookings, retention, or ad performance.