

PromptMeGood — Definitive Code-Level Optimization Handoff

This document provides exact, file-by-file, line-by-line instructions to fix the layout bugs, broken UI states, and mobile navigation issues currently live on PromptMeGood.

To the Replit Developer: Do not guess the implementation. Follow these exact CSS and JS modifications. They are written against the live source code (`pmg-chassis-v2.js` , `pmg-chassis-v2.css` , `pmg-visual-studio.js` , `pmg-visual-studio.css`).

1. Fix the Mobile Dock & Visual Tab Routing

The Bug: When a user taps "Visual" on the mobile dock, the tab highlights, but the screen still shows the Workstation content (Your Fixed Prompt, Copy Prompt, etc.). The Visual Studio does not mount inline as intended.

The Cause: In `pmg-chassis-v2.css` (lines 384-391), the mobile tab switching logic relies on `data-pmgv2-mobile-tab` on the `html` element to toggle `display: flex` on the three columns (`.pmgv2-rail` , `.pmgv2-main` , `.pmgv2-tools`). However, the Visual Studio modal is injected at the end of `<body>` , *outside* of `.pmgv2-tools` . Therefore, showing `.pmgv2-tools` does not show the Visual Studio.

The Fix (JavaScript)

In `pmg-chassis-v2.js` , locate the `wireMobileDock` function (around line 500+). Update the click handler for the dock buttons to explicitly open the Visual Studio when the "suite" (Visual) tab is tapped, and close it when other tabs are tapped.

JavaScript

```
// In pmg-chassis-v2.js -> wireMobileDock()
btn.addEventListener('click', function () {
  var tab = btn.getAttribute('data-pmgv2-tab');

  // Existing logic to update HTML attribute and aria-pressed states
  document.documentElement.setAttribute('data-pmgv2-mobile-tab', tab);
  localStorage.setItem('pmgChassisV2:mobileTab', tab);
  for (var j = 0; j < dockBtns.length; j++) {
    dockBtns[j].setAttribute('aria-pressed', dockBtns[j] === btn ? 'true' : 'fa
  }

  // NEW LOGIC: Explicitly handle the Visual Studio modal
  if (tab === 'suite') {
    // Open Visual Studio in inline mode
```

```

    if (typeof window.openVisualStudio === 'function') {
      window.openVisualStudio({ mode: 'image' });
      // Force inline styling for mobile
      var modal = document.getElementById('pmg-visual-studio-modal');
      if (modal) modal.classList.add('pmg-vs-inline');
    }
  } else {
    // Close Visual Studio if moving to Vault or Workstation
    var modal = document.getElementById('pmg-visual-studio-modal');
    if (modal && !modal.hasAttribute('hidden')) {
      if (typeof window.closeVisualStudio === 'function') {
        window.closeVisualStudio();
      }
    }
  }
});

```

The Fix (CSS)

In `pmg-visual-studio.css` (lines 230-268), the `.pmg-vs-inline` class is defined, but it needs to ensure it sits above the dock and below the top bar when active.

CSS

```

/* In pmg-visual-studio.css, update the .pmg-vs-inline block */
.pmg-modal-overlay#pmg-visual-studio-modal.pmg-vs-inline {
  position: fixed !important;
  top: 56px !important; /* Below top bar */
  bottom: 56px !important; /* Above mobile dock */
  left: 0 !important;
  right: 0 !important;
  background: var(--g2-teal-1, #0a2420) !important;
  padding: 0 !important;
  width: 100%;
  height: auto;
  z-index: 8000 !important; /* Below dock (9000) but above main content */
  display: block;
  overflow-y: auto !important;
}

```

2. Fix the Intrusive Mobile Composer (The "Pill" Pattern)

The Bug: The composer takes up too much vertical space on mobile, even when the user is just reading results or browsing the vault.

The Cause: The collapsible composer logic in `pmg-chassis-v2.js` (`initCollapsibleComposer`, lines 157-371) is overly complex and fights with the CSS `position: fixed` rules.

The Fix (CSS)

In `pmg-chassis-v2.css`, locate the mobile composer rules (lines 864-873) and the collapsed state rules. Replace them with this exact block to create a true "expand on demand" pill.

CSS

```
/* In pmg-chassis-v2.css */
@media (max-width: 900px) {
  /* The wrapper is fixed above the dock */
  html.pmg-chassis-v2 .pmgv2-composer-wrap {
    position: fixed !important;
    left: 0 !important;
    right: 0 !important;
    bottom: 56px !important;
    padding: 10px 14px !important;
    z-index: 60 !important;
    background: rgba(10, 36, 32, 0.98) !important;
    border-top: 1px solid rgba(95, 230, 176, 0.18) !important;
    transition: transform 0.3s cubic-bezier(0.16, 1, 0.3, 1);
  }

  /* When collapsed, hide the actual form and show the pill */
  html.pmg-chassis-v2.pmg-composer-collapsed .pmgv2-composer-wrap #prompt-form
    display: none !important;
}

/* The Pill styling */
html.pmg-chassis-v2 .pmgv2-composer-tab {
  display: flex !important;
  width: 100%;
  align-items: center;
  justify-content: space-between;
  padding: 12px 16px;
  background: rgba(62, 224, 160, 0.1);
  border: 1px solid rgba(62, 224, 160, 0.3);
  border-radius: 999px;
  color: #e8f5f0;
  font-size: 14px;
  font-weight: 500;
}

/* Hide the pill when expanded */
html.pmg-chassis-v2:not(.pmg-composer-collapsed) .pmgv2-composer-tab {
```

```
display: none !important;
}
}
```

3. Fix the Missing Mobile Footer

The Bug: The footer (containing Privacy, Terms, Contact) is completely invisible on mobile.

The Cause: In `pmg-chassis-v2.css` (line 401), there is a rule: `html.pmg-chassis-v2 .pmgv2-statusbar { display: none !important; }`. This hides the entire status bar, which contains the footer links.

The Fix (CSS)

Remove line 401. Instead, hide only the left/right status elements on mobile, but keep the links visible and move them above the dock.

CSS

```
/* In pmg-chassis-v2.css, REPLACE lines 395-401 with: */
html.pmg-chassis-v2 .pmgv2-statusbar {
  padding-bottom: 70px !important; /* Clear the dock */
  justify-content: center !important;
  border-top: none !important;
}
html.pmg-chassis-v2 .pmgv2-statusbar-l,
html.pmg-chassis-v2 .pmgv2-statusbar-r > span,
html.pmg-chassis-v2 .pmgv2-statusbar-r > button {
  display: none !important; /* Hide everything except the links */
}
html.pmg-chassis-v2 .pmgv2-foot-links {
  display: flex !important;
  justify-content: center;
  width: 100%;
  margin: 0 !important;
}
```

4. Fix the "Generate Image" Output Bug

The Bug: When a user generates an image in the Visual Studio, it sometimes doesn't render, or the "Save" button doesn't work.

The Cause: In `pmg-visual-studio.js` (lines 442-458), the `showImageResult` function tries to set the `href` of the save button to the DALL-E URL. However, DALL-E URLs expire and often fail CORS checks when downloaded directly via an `<a>` tag.

The Fix (JavaScript)

Update `showImageResult` to handle the image display robustly.

JavaScript

```
// In pmg-visual-studio.js -> showImageResult()
function showImageResult(url) {
  var ph = $('pmg-vs-media-placeholder');
  var img = $('pmg-vs-generated-image');
  var vid = $('pmg-vs-generated-video');
  var act = $('pmg-vs-post-gen-actions');

  if (vid) vid.hidden = true;
  if (img) {
    img.src = url;
    img.hidden = false;
    // Force a reflow to ensure it renders
    void img.offsetWidth;
  }
  if (ph) ph.hidden = true;
  if (act) act.hidden = false;

  var save = $('pmg-vs-save-media');
  if (save) {
    // Open in new tab instead of forcing download, which bypasses CORS issues
    save.href = url;
    save.target = '_blank';
    save.removeAttribute('download');
  }

  var dna = $('pmg-vs-download-dna');
  if (dna) dna.hidden = false;
}
```

5. Implement the Sora Video "Coming Soon" / Gated State

The Requirement: The Video tab in Visual Studio should be visible but gated.

The Fix (JavaScript)

In `pmg-visual-studio.js`, update the `generateVideo` function (lines 416-440) to immediately show the upgrade prompt for free users, rather than making an API call that will fail.

JavaScript

```
// In pmg-visual-studio.js -> generateVideo()
async function generateVideo(prompt) {
  // Check user tier locally first if possible, or assume free for now
  // to drive the Founding Member urgency.
  var isPro = (window.PMG_AUTH && window.PMG_AUTH.tier === 'pro') || false;

  if (!isPro) {
    showUpgrade('Video generation is a Founding Member feature. Lock in lifetime');
    return;
  }

  // If Pro, proceed with Sora API call
  var resSel = modal().querySelector('[data-vs-sora="resolution"]');
  var durSel = modal().querySelector('[data-vs-sora="duration"]');
  var resolution = resSel ? resSel.value : '1080p';
  var nSeconds = durSel ? Number(durSel.value) : 5;

  try {
    var res = await fetch('/api/video', {
      method: 'POST',
      headers: authHeaders(),
      body: JSON.stringify({ prompt: prompt, resolution: resolution, n_seconds:
    });
    var data = await res.json().catch(function () { return {}; });

    if (!res.ok || !data.url) {
      showError(data.error || 'Video generation failed.');
```

6. Fix the Homepage Empty Gap

The Bug: There is a ~380px empty space below the hero section on the homepage (/).

The Cause: The homepage HTML (in `index.html` or the landing page template) has a hero section with `min-height: 100vh` or a large `padding-bottom` that was designed for a full-page

layout but is now inside the chassis shell.

The Fix (CSS)

In `pmg-chassis-v2.css`, add this rule to constrain the hero height:

CSS

```
/* In pmg-chassis-v2.css */
html.pmg-chassis-v2 .pmgv2-hero {
  min-height: 0 !important;
  height: auto !important;
}

/* Also find and remove or override any legacy rule like: */
/* .hero-section { min-height: 100vh; } */
/* This should be set to: min-height: auto; in the landing page CSS */
```

7. Fix the Contact Page 404

The Bug: Navigating to `/contact` or `/contact.html` returns a 404 error.

The Fix

In your Replit project, check if `contact.html` exists. If not, create it. At minimum, it should contain a simple page with a mailto link:

HTML

```
<!-- /contact.html -->
<a href="mailto:support@promptmegood.com">support@promptmegood.com</a>
```

Also update the footer link in `pmg-chassis-v2.js` (line 129) from:

JavaScript

```
'<a href="mailto:support@promptmegood.com">Contact</a>',
```

to:

JavaScript

```
'<a href="/contact.html">Contact</a>',
```

8. User Flow Optimization — The Three Signature Features

The following three features are already partially scaffolded in the codebase. They need to be wired up correctly so users can actually discover and use them.

8A. The Reverse Engine (Image → Prompt)

Current State: The  Reverse Engineer an Image button exists in `pmg-visual-studio.js` (line 66) and the `handleReverseImage` function is fully implemented (lines 485-519). The `/api/vision-analyze` endpoint is already wired. **This feature is built. It just needs to be visible.**

The Fix: The Visual Studio must be the first thing users see when they tap the "Visual" tab on mobile (Fix #1 above). Once that is done, the Reverse Engineer button will be visible automatically. No additional code is needed for this feature — just confirm Fix #1 is working.

Also add a tooltip to the button so users understand what it does:

JavaScript

```
// In pmg-visual-studio.js, line 66, update the button HTML:  
'<button type="button" id="pmg-vs-reverse-engineer-btn" class="pmg-vs-btn pmg-v
```

8B. Prompt DNA Card

Current State: The DNA card is fully implemented in `pmg-visual-studio.js` (lines 562-667). The  DNA Card button (line 116) and  Share button (line 117) are in the DOM. **This feature is built. It just needs to be visible.**

The Fix: The DNA card buttons only appear after a successful image generation (`showImageResult`, line 455). Once Fix #4 (image rendering) is resolved, these buttons will appear automatically. No additional code is needed.

One improvement: Add a brief label above the post-gen actions row so users know what the DNA card is:

JavaScript

```
// In pmg-visual-studio.js -> showImageResult(), after act.hidden = false:  
var actLabel = document.createElement('p');  
actLabel.style.cssText = 'font-size:0.75rem;opacity:0.6;margin:8px 0 4px;text-a  
actLabel.textContent = 'Save your image or share the prompt that created it';  
act.parentNode.insertBefore(actLabel, act);
```


8C. Prompt Storyboard

Current State: The Storyboard Studio is fully implemented in `pmg-storyboard.js` (377 lines). The  Storyboard button is injected into the launcher row. The `sendToVideoStudio` function (lines 241-259) correctly hands off to the Visual Studio video tab. **This feature is built.**

The Fix: The launcher row (`#pmg-vs-launch-composer-row`) is hidden on mobile via `pmg-visual-studio.css` line 275: `#pmg-vs-launch-composer-row { display: none !important; }` . This means mobile users cannot see the Storyboard button at all.

Remove this rule entirely. Instead, allow the launcher row to display on mobile but make it scroll horizontally:

CSS

```
/* In pmg-visual-studio.css, REPLACE line 274-276 with: */
@media (max-width: 900px) {
  #pmg-vs-launch-composer-row.pmg-vs-launch-row {
    display: flex !important;
    flex-wrap: nowrap !important;
    overflow-x: auto !important;
    -webkit-overflow-scrolling: touch;
    padding: 0 14px 8px !important;
    gap: 8px !important;
    scrollbar-width: none; /* Firefox */
  }
  #pmg-vs-launch-composer-row.pmg-vs-launch-row::-webkit-scrollbar {
    display: none; /* Chrome/Safari */
  }
  .pmg-vs-launch-row .pmg-vs-launch-pill {
    flex: 0 0 auto !important; /* Prevent pills from shrinking */
    white-space: nowrap;
  }
}
```

9. The Complete User Flow — What It Should Feel Like

This is the intended user journey. Replit should test this exact sequence before marking any task complete.

Desktop (1024px+)

1. User lands on `/app` . They see the three-column layout: Vault (left), Workstation (center), Visual Asset Engine (right).

2. The composer is visible at the bottom of the center column with the `#goal` textarea ready to type.
3. The launcher row shows three pills:  Image Studio ,  Sora Video ,  Storyboard .
4. User types a prompt, clicks `Fix My Prompt` , and sees their refined prompt in the thread above.
5. User clicks  Image Studio — the Visual Studio modal opens as a centered overlay (1100px wide, 90vh tall).
6. Left column: Describe Your Image textarea, Photography Suite tuning panel, Build My Image Prompt button.
7. Right column: placeholder "Your creation will appear here."
8. User types description, optionally tunes the Photography Suite, clicks `Build My Image Prompt` .
9. The refined prompt appears in the editable textarea below.
10. User clicks  Generate — spinner appears in the right column, then the image renders.
11. Below the image:  Save ,  DNA Card ,  Share ,  Regenerate buttons.
12. User clicks  DNA Card — a 1080x1350 PNG downloads with the image and prompt text.

Mobile (375px–768px)

1. User lands on `/app` . They see the Workstation tab active in the bottom dock.
2. The composer is collapsed to the  What do you want to build? pill.
3. User taps the pill — it expands to the full composer. User types their goal.
4. User taps `Fix My Prompt` — result appears in the thread. Composer auto-collapses.
5. User taps `Visual` in the bottom dock — the Visual Studio mounts inline, filling the screen between the top bar and the dock.
6. The Image/Video toggle is at the top. Image is active.
7. User sees: `Describe Your Image` textarea,  Reverse Engineer an Image button, Photography Suite tuning panel (collapsed by default), `Build My Image Prompt` button.
8. User types description, taps `Build My Image Prompt` .
9. Refined prompt appears. User taps  Generate .
10. The screen transitions to the result view (Step 2). The generated image fills the screen.
11. Below the image:  Save ,  DNA Card ,  Share ,  Regenerate .
12. User taps `← Edit Prompt` to go back to the builder.

10. Summary of All Files to Modify

File	Lines to Change	What to Fix
<code>pmg-chassis-v2.js</code>	<code>wireMobileDock()</code> function	Wire Visual tab to open Visual Studio inline on mobile
<code>pmg-chassis-v2.js</code>	<code>initCollapsibleComposer()</code> function	Ensure pill collapse/expand is reliable
<code>pmg-chassis-v2.css</code>	Lines 395-401	Remove <code>display: none</code> on statusbar; show footer links on mobile
<code>pmg-chassis-v2.css</code>	Lines 864-873	Ensure composer is fixed above dock on mobile
<code>pmg-visual-studio.js</code>	<code>showImageResult()</code> function	Fix image rendering and save button CORS issue
<code>pmg-visual-studio.js</code>	<code>generateVideo()</code> function	Add tier check before API call; show upgrade CTA for free users
<code>pmg-visual-studio.css</code>	Lines 230-268	Update <code>.pmg-vs-inline</code> to fill screen between top bar and dock
<code>pmg-visual-studio.css</code>	Lines 274-276	Remove <code>display: none</code> on launcher row; make it horizontally scrollable on mobile
<code>index.html</code> / landing CSS	Hero section	Remove <code>min-height: 100vh</code> causing the empty gap
<code>contact.html</code>	New file	Create contact page to fix 404

11. Testing Checklist

Before marking any task complete, Replit must confirm all of the following pass:

- ☐ On mobile, tapping "Visual" in the dock shows the Visual Studio (not the Workstation content)

- ☐ On mobile, the composer collapses to a pill when not in use
- ☐ On mobile, the composer pill expands when tapped
- ☐ On mobile, the footer links (Privacy, Terms, Contact) are visible
- ☐ On desktop, the homepage has no empty gap below the hero
- ☐ Typing a description and clicking "Build My Image Prompt" produces a refined prompt
- ☐ Clicking "Generate" produces a visible image in the right column (desktop) or Step 2 screen (mobile)
- ☐ The "Save" button opens the image in a new tab
- ☐ The "DNA Card" button downloads a PNG with the image and prompt
- ☐ The "Storyboard" pill is visible and tappable on mobile
- ☐ Clicking "Storyboard" opens the Storyboard Studio modal
- ☐ Clicking "Send to Video Studio" inside Storyboard opens the Visual Studio on the Video tab
- ☐ The Video tab shows the Sora tuning panel and a "Founding Member" upgrade CTA for free users
- ☐ `/contact.html` loads without a 404

Document prepared by Manus AI — based on direct source code analysis of the live deployed files at promptmegood.com. All line numbers reference the deployed versions: `pmg-chassis-v2.js?v=cv2-29` , `pmg-visual-studio.js?v=vs-2` , `pmg-storyboard.js?v=sb-1` , `pmg-chassis-v2.css?v=cv2-29` , `pmg-visual-studio.css?v=vs-2` .