

PMG Phase 6 Spec — Framework Science

Copy + Entry Row Button Fix

Project: PromptMeGood (PMG)

Target: July 1, 2026 Launch

Files touched: `app.html` , `guide.html` , `manual.html` , `index.html` , `pricing.html`

⚠ Pre-Execution Audit Checklist

Before writing any code, Replit MUST verify the following. **Do not break any existing functionality.**

- ☐ Confirm `#tour-banner` HTML is around line 4638 in `app.html` .
 - ☐ Confirm `pmg-launch-swap.js` exists and handles `[data-pmg-beta-only]` / `[data-pmg-post-launch]` attributes.
 - ☐ Confirm the Feature Entry Row (`#pmg-feature-entry-row` or equivalent) is in `app.html` above the `#generateBtn` / Build My Prompt button.
 - ☐ Confirm the entry row buttons currently use `btn btn-secondary` or equivalent full-height class.
 - ☐ Confirm `.feature-grid` is in `index.html` around line 723.
 - ☐ Confirm `guide.html` TOC is around line 141 and `#text` section is around line 174.
 - ☐ Confirm `manual.html` Section 3.3 is around line 157.
 - ☐ Confirm `pricing.html` Free tier `.tier-features` list is around line 304.
-

FIX 0 — Entry Row Button Visual Demotion (PRIORITY — do this first)

Problem: Growth Mode and Expert Center buttons are the same height and visual weight as Build My Prompt. They compete with the primary action instead of supporting it.

Goal: Demote the two entry row buttons to quiet, secondary controls so Build My Prompt dominates the visual hierarchy.

CSS — add this scoped rule in `app.html` (inside the `<style>` block, near the existing `.btn-ghost` rule around line 3802):

CSS

```
/* entry-row-demote-1: Growth Mode + Expert Center are secondary access
   points, not primary actions. Keep them visually subordinate to
   #generateBtn / Build My Prompt at all times. */
.pmg-feature-entry-btn {
  min-height: 36px !important;
  padding: 0 14px !important;
  font-size: 13px !important;
  font-weight: 600 !important;
  border-radius: var(--radius-md) !important;
  background: transparent !important;
  border: 1px solid color-mix(in srgb, var(--color-text) 18%, transparent) !imp
  color: var(--color-text-muted) !important;
  box-shadow: none !important;
  letter-spacing: 0;
}
.pmg-feature-entry-btn:hover {
  background: color-mix(in srgb, var(--color-primary) 7%, transparent) !importa
  border-color: color-mix(in srgb, var(--color-primary) 40%, transparent) !impo
  color: var(--color-text) !important;
  transform: none !important;
}
[data-theme="dark"] .pmg-feature-entry-btn {
  border-color: color-mix(in srgb, var(--color-text) 22%, transparent) !importa
  color: color-mix(in srgb, var(--color-text) 65%, transparent) !important;
}
[data-theme="dark"] .pmg-feature-entry-btn:hover {
  color: var(--color-text) !important;
}
/* On mobile, keep them side-by-side and compact */
@media (max-width: 640px) {
  .pmg-feature-entry-row {
    display: flex;
    gap: 8px;
    flex-wrap: nowrap;
  }
  .pmg-feature-entry-btn {
    flex: 1 1 0;
    min-width: 0;
    justify-content: center;
  }
}
```

HTML — update the entry row buttons:

Find the Feature Entry Row in `app.html` . Change both button class attributes from `btn btn-secondary` (or whatever they currently are) to `btn pmg-feature-entry-btn` . Do NOT change the button IDs, text, glyphs, or click handlers — only the class.

Before (example):

HTML

```
<button class="btn btn-secondary" type="button" id="pmg-growth-mode-entry">🛒 G
<button class="btn btn-secondary" type="button" id="pmg-expert-center-entry">✦
```

After:

HTML

```
<button class="btn pmg-feature-entry-btn" type="button" id="pmg-growth-mode-ent
<button class="btn pmg-feature-entry-btn" type="button" id="pmg-expert-center-e
```

Visual result after fix:

Plain Text

```
[ 🛒 Growth Mode ] [ ✦ Expert Center ] ← small, quiet, outlined, muted
[ ✨ Build My Prompt ] ← large, bright green, dominant
```

Verification: After applying, the Growth Mode and Expert Center buttons must be visibly smaller and quieter than Build My Prompt. If they appear the same size, the class change did not apply — check for specificity conflicts with existing `.btn` rules.

1. Tour Banner Swap (`app.html`)

Goal: Wire the tour banner to the existing `pmg-launch-swap.js` mechanism.

Find the `.tour-card-body` inside `#tour-banner` (around line 4642). Replace the single `<h2>` and `<p>` with two sibling blocks:

HTML

```
<div class="tour-card-body">
  <!-- Beta / Paid Variant: visible by default, hidden post-launch for fr
  <div data-pmg-beta-only>
    <h2 class="tour-card-title">Welcome Back</h2>
    <p class="tour-card-sub">Your full toolkit is unlocked — open 🛒 Grow
  </div>
  <!-- Free Variant: hidden by default, revealed post-launch for free use
```

```
<div data-pmg-post-launch hidden>
  <h2 class="tour-card-title">Welcome To PromptMeGood</h2>
  <p class="tour-card-sub">Type what you want in the box below and we'll
</div>
</div>
```

No changes to `pmg-launch-swap.js` needed. The script already queries `[data-pmg-beta-only]` and `[data-pmg-post-launch]` anywhere in the DOM.

2. Framework Dropdown Benefit Lines

Where the Framework `<select>` or custom dropdown is defined, add benefit lines as `<small>` or `<span class="option-sub">` below each option label:

- **Auto:** PMG picks the best structure for your goal.
- **RISE:** Role + Input + Steps + Execution. Built for tasks that need a process.
- **CARE:** Context + Action + Result + Example. Built for writing that needs to land.
- **Step-by-Step:** Forces the AI to show its work. Best for logic, math, and decisions.

3. Framework Tooltip Strings

Wire these into the `?` tooltip for the Framework chip (same pattern as existing chip `title` attributes):

- **RISE:** Borrowed from systems thinking — gives the AI a role, your raw material, a sequence of steps, and a defined deliverable. Reduces vague answers on complex tasks.
- **CARE:** From instructional design — grounds the AI in your situation, gives it a clear action, defines what success looks like, and anchors it with an example. One concrete example reduces AI hallucination more than any other single addition.
- **Step-by-Step:** Chain-of-thought prompting. Forces the AI to surface its reasoning before landing on an answer. Measurably improves accuracy on anything involving logic or decisions.

4. Guide Section (`guide.html`)

Step 1 — TOC (~line 145): Insert `<a href="#tuning">Tuning & Frameworks</a>` between `#text` and `#photo` .

Step 2 — Body (~line 185): Insert this section between the "Text Prompts in 30 seconds" section and the "Photography" section:

HTML

```
<h2 id="tuning">Tuning & Frameworks</h2>
<p>Below your idea field is the <strong>Tune Your Prompt</strong> panel. It opens a
<ul>
  <li><strong>Target Model:</strong> Tell PMG where you plan to run the prompt.
  <li><strong>Quick Modes:</strong> Three chips at the top of the tuning panel
  <li><strong>Interview Mode:</strong> Turn this toggle on and instead of generating
</ul>

<h3 id="frameworks">Prompt Frameworks</h3>
<p>A framework is the skeleton your prompt is built on. For anything complex, a
<dl>
  <dt><strong>Auto</strong></dt>
  <dd>PMG reads your goal and picks the best structure automatically. Good default

  <dt><strong>RISE</strong> – Role, Input, Steps, Execution</dt>
  <dd>Borrowed from systems thinking and project management. RISE is designed for

  <dt><strong>CARE</strong> – Context, Action, Result, Example</dt>
  <dd>From instructional design and professional communication research. CARE is

  <dt><strong>Step-by-Step</strong></dt>
  <dd>The simplest and most universally effective prompting pattern. Asking the
</dl>
<p class="meta-line">All tuning features and frameworks are <strong>free forever</strong>
```

5. Manual Section (manual.html)

Find Section 3.3 (~line 157). Replace the single paragraph with:

HTML

```
<h3>3.3 Tune Your Prompt</h3>
<p>Below the idea field, the <strong>🔧 Tune Your Prompt</strong> section holds
<ul>
  <li><strong>Target Model:</strong> Select Universal, Claude, ChatGPT, Gemini,
  <li><strong>Framework:</strong> Choose Auto, RISE (Role, Input, Steps, Execution
  <li><strong>Quick Modes:</strong> Three chips (Growth Mode, Human Voice, Clarify
  <li><strong>Interview Mode:</strong> A toggle that prompts the AI to ask you
</ul>
<p><em>All tuning features in this panel are free forever on all tiers.</em></p>
```

6. Feature Card (index.html)

Find the `.feature-grid` (~line 723). Insert this new `<article>` after the Vault & Templates card (~line 736):

HTML

```
<article class="feature-card">
  <h3><span class="ic" aria-hidden="true">🧩</span> Prompt Frameworks</h3>
  <p>RISE, CARE, and Step-by-Step – three proven structures used by pro</p>
</article>
```

7. Pricing Free Tier (`pricing.html`)

Find the Free tier `.tier-features` list (~line 304). Insert this `<li>` before the "Run With AI" line:

HTML

```
<li>Prompt Frameworks (RISE, CARE, Step-by-Step – proven structures
```

8. Auto-Tune Inline Note (`app.html`)

When Auto-Tune selects a framework, inject a dismissible `<p class="autotune-note">` below the Framework chip. Show only the FIRST time per session (`sessionStorage.pmg_framework_note_shown = '1'`). Auto-dismiss after 8 seconds.

- **RISE:** "We picked RISE for this — your goal looks like a multi-step task. Change it anytime."
- **CARE:** "We picked CARE for this — your goal looks like a writing task. Change it anytime."
- **Step-by-Step:** "We picked Step-by-Step for this — your goal involves a decision or logic problem. Change it anytime."

✅ Post-Execution Verification Checklist

- ☐ Growth Mode and Expert Center buttons are visibly smaller and quieter than Build My Prompt on both desktop and mobile.
- ☐ Build My Prompt remains the dominant visual element in the button area.
- ☐ Tour banner shows "Welcome Back" copy by default; Free variant is present in DOM but hidden.
- ☐ Framework dropdown shows benefit lines under each option.

- ☐ `guide.html` has new `#tuning` TOC entry and section between Text and Photography.
- ☐ `manual.html` Section 3.3 has the expanded 4-item list.
- ☐ `index.html` feature grid has the new Prompt Frameworks card.
- ☐ `pricing.html` Free tier list includes the Frameworks line.
- ☐ No existing functionality is broken — Growth Mode drawer, Expert Center, Build My Prompt, chip toggles, and tour banner dismiss all work as before.