

PromptMeGood — Tune It Drawer: Replit Implementation Command

Paste this entire block into Replit AI.

What We Are Building

We are redesigning the prompt input flow on the mobile workstation. The goal is to give users two clear paths when they have an idea:

1. ⚡ **Quick** — Type an idea and generate a prompt immediately with no tuning.
2. 🛠️ **Tune** — Type an idea, open a full-height tuning drawer to shape the prompt, then generate.

Do NOT change any generation logic, API calls, localStorage keys, or any backend functionality. This is a UI/UX change only.

Step 1 — Redesign the Composer Bar

The existing composer bar at the bottom of the screen ("What do you want to build?") must be updated to include two action buttons to the right of the text input:

HTML

```
<!-- Replace the existing composer bar with this structure -->
<div class="pmg-composer-bar">
  <textarea
    id="guided-q-goal"
    class="pmg-composer-input"
    placeholder="What do you want to build?"
    rows="1"
  ></textarea>
  <div class="pmg-composer-actions">
    <button id="pmg-quick-generate" class="pmg-btn-quick" title="Quick Generate
      ⚡
    ></button>
    <button id="pmg-open-tune" class="pmg-btn-tune" title="Tune Your Prompt">
      🛠️
    </button>
  </div>
</div>
```

CSS

```
.pmg-composer-bar {
  position: fixed;
  bottom: 56px; /* sits above the bottom tab bar */
  left: 0;
  right: 0;
  z-index: 100;
  display: flex;
  align-items: center;
  gap: 8px;
  padding: 10px 14px;
  background: var(--pmg-panel-bg);
  border-top: 1px solid var(--pmg-border);
  box-shadow: 0 -4px 20px rgba(0,0,0,0.3);
}

.pmg-composer-input {
  flex: 1;
  background: var(--pmg-input-bg);
  border: 1px solid var(--pmg-border);
  border-radius: 12px;
  padding: 10px 14px;
  font-size: 16px; /* prevents iOS auto-zoom */
  color: var(--pmg-text);
  resize: none;
  line-height: 1.4;
  max-height: 120px;
  overflow-y: auto;
}

.pmg-composer-actions {
  display: flex;
  flex-direction: column;
  gap: 6px;
}

.pmg-btn-quick,
.pmg-btn-tune {
  width: 44px;
  height: 44px;
  border-radius: 12px;
  border: 1px solid var(--pmg-border);
  background: var(--pmg-input-bg);
  font-size: 20px;
  cursor: pointer;
  display: flex;
  align-items: center;
  justify-content: center;
}
```

```

    transition: background 0.15s ease;
  }

.pmg-btn-tune {
  background: var(--pmg-accent);
  border-color: var(--pmg-accent);
}

.pmg-btn-quick:hover { background: var(--pmg-border); }
.pmg-btn-tune:hover { opacity: 0.85; }

```

Step 2 — Build the Tune It Drawer

Add this drawer to the DOM. It sits above the composer bar and slides up when the user taps 🎛️.

HTML

```

<!-- Add this just above the composer bar in the HTML -->
<div id="pmg-tune-drawer" class="pmg-tune-drawer">

  <!-- Drawer Handle -->
  <div class="pmg-drawer-handle"></div>
  <div class="pmg-drawer-header">
    <span class="pmg-drawer-title">🎛️ Tune Your Prompt</span>
    <button id="pmg-close-tune" class="pmg-drawer-close">X</button>
  </div>

  <!-- Scrollable content area -->
  <div class="pmg-drawer-body">

    <!-- SECTION 1: Quick Picks (expanded by default) -->
    <div class="pmg-drawer-section open">
      <button class="pmg-section-toggle">
        <span>⚡ Quick Picks</span>
        <span class="pmg-chevron">▼</span>
      </button>
      <div class="pmg-section-content">
        <!-- Move existing Tone, Platform/Category, and Goal pills here -->
        <!-- These are the most commonly used settings -->
        <div class="pmg-tune-row">
          <label class="pmg-tune-label">Tone</label>
          <div class="pill-group" id="tune-tone-pills">
            <!-- Existing tone pills go here – do not recreate, move them -->
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

    <div class="pmg-tune-row">
      <label class="pmg-tune-label">Platform / Category</label>
      <div class="pill-group" id="tune-category-pills">
        <!-- Existing category pills go here -->
      </div>
    </div>
    <div class="pmg-tune-row">
      <label class="pmg-tune-label">Goal</label>
      <div class="pill-group" id="tune-goal-pills">
        <!-- Existing goal/purpose pills go here -->
      </div>
    </div>
  </div>
</div>

<!-- SECTION 2: Prompt Tuning (collapsed by default) -->
<div class="pmg-drawer-section">
  <button class="pmg-section-toggle">
    <span>👉 Prompt Tuning</span>
    <span class="pmg-chevron">▼</span>
  </button>
  <div class="pmg-section-content">
    <!-- Move ALL existing prompt tuning controls here -->
    <!-- Format, Length, Language, Personality, Experience Level, etc. -->
    <!-- Do not recreate – move the existing DOM nodes -->
  </div>
</div>

<!-- SECTION 3: Photography Suite (collapsed by default) -->
<div class="pmg-drawer-section">
  <button class="pmg-section-toggle">
    <span>📷 Photography Suite</span>
    <span class="pmg-chevron">▼</span>
  </button>
  <div class="pmg-section-content">
    <!-- Move ALL existing Photography Suite controls here -->
    <!-- Style, Camera, Lighting, Aperture, ISO, Film Stock, etc. -->
    <!-- Do not recreate – move the existing DOM nodes -->
  </div>
</div>

</div><!-- end .pmg-drawer-body -->

<!-- Generate Prompt button – always pinned to the bottom -->
<div class="pmg-drawer-footer">
  <button id="pmg-tune-generate" class="pmg-btn-generate-full">
    ✨ Generate Prompt
  </button>

```

```
</div>

</div><!-- end #pmg-tune-drawer -->
```

CSS

```
/* The Drawer */
.pmg-tune-drawer {
  position: fixed;
  bottom: 56px; /* above the tab bar */
  left: 0;
  right: 0;
  height: 72vh;
  background: var(--pmg-panel-bg);
  border-radius: 20px 20px 0 0;
  border-top: 2px solid var(--pmg-accent);
  box-shadow: 0 -8px 40px rgba(0,0,0,0.5);
  display: flex;
  flex-direction: column;
  z-index: 250;
  transform: translateY(100%);
  transition: transform 0.35s cubic-bezier(0.4, 0, 0.2, 1);
}

.pmg-tune-drawer.is-open {
  transform: translateY(0);
}

/* Drag handle */
.pmg-drawer-handle {
  width: 40px;
  height: 4px;
  background: var(--pmg-border);
  border-radius: 2px;
  margin: 10px auto 0;
  flex-shrink: 0;
}

/* Header */
.pmg-drawer-header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 12px 20px;
  flex-shrink: 0;
  border-bottom: 1px solid var(--pmg-border);
}
```

```
.pmg-drawer-title {
  font-size: 16px;
  font-weight: 600;
  color: var(--pmg-text);
}

.pmg-drawer-close {
  background: none;
  border: none;
  color: var(--pmg-text-muted);
  font-size: 18px;
  cursor: pointer;
  padding: 4px 8px;
}

/* Scrollable body */
.pmg-drawer-body {
  flex: 1;
  overflow-y: auto;
  padding: 12px 16px;
  display: flex;
  flex-direction: column;
  gap: 8px;
}

/* Accordion sections */
.pmg-drawer-section {
  border: 1px solid var(--pmg-border);
  border-radius: 12px;
  overflow: hidden;
}

.pmg-section-toggle {
  width: 100%;
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 14px 16px;
  background: var(--pmg-input-bg);
  border: none;
  color: var(--pmg-text);
  font-size: 14px;
  font-weight: 600;
  cursor: pointer;
  text-align: left;
}
```

```
.pmg-section-content {
  display: none;
  padding: 12px 16px;
  display: flex;
  flex-direction: column;
  gap: 14px;
}

.pmg-drawer-section:not(.open) .pmg-section-content {
  display: none;
}

.pmg-drawer-section.open .pmg-section-content {
  display: flex;
}

.pmg-chevron {
  transition: transform 0.2s ease;
}

.pmg-drawer-section.open .pmg-chevron {
  transform: rotate(180deg);
}

/* Tune row label */
.pmg-tune-label {
  font-size: 12px;
  font-weight: 600;
  color: var(--pmg-text-muted);
  text-transform: uppercase;
  letter-spacing: 0.05em;
  margin-bottom: 6px;
  display: block;
}

.pmg-tune-row {
  display: flex;
  flex-direction: column;
}

/* Pinned footer */
.pmg-drawer-footer {
  padding: 12px 16px;
  border-top: 1px solid var(--pmg-border);
  flex-shrink: 0;
}

.pmg-btn-generate-full {
```

```

width: 100%;
padding: 16px;
background: var(--pmg-accent);
color: #fff;
border: none;
border-radius: 14px;
font-size: 16px;
font-weight: 700;
cursor: pointer;
letter-spacing: 0.02em;
transition: opacity 0.15s ease;
}

.pmg-btn-generate-full:hover {
  opacity: 0.9;
}

```

Step 3 — The JavaScript Logic

JavaScript

```

const tuneDrawer = document.getElementById('pmg-tune-drawer');
const openTuneBtn = document.getElementById('pmg-open-tune');
const closeTuneBtn = document.getElementById('pmg-close-tune');
const quickGenerateBtn = document.getElementById('pmg-quick-generate');
const tuneGenerateBtn = document.getElementById('pmg-tune-generate');

// Open the Tune It Drawer
openTuneBtn.addEventListener('click', () => {
  tuneDrawer.classList.add('is-open');
});

// Close the Tune It Drawer
closeTuneBtn.addEventListener('click', () => {
  tuneDrawer.classList.remove('is-open');
});

// ⚡ Quick Generate – skip tuning, fire existing generate function directly
quickGenerateBtn.addEventListener('click', () => {
  // Call the existing prompt generation function directly
  // Replace 'generatePrompt()' with whatever your current generate function is
  generatePrompt();
});

// 🎛️ Tune → Generate – close drawer then fire generate
tuneGenerateBtn.addEventListener('click', () => {

```



```

tuneDrawer.classList.remove('is-open');
// Small delay to let drawer close before generating
setTimeout(() => {
  generatePrompt(); // Replace with your actual generate function name
}, 350);
});

// Accordion toggle logic
document.querySelectorAll('.pmg-section-toggle').forEach(toggle => {
  toggle.addEventListener('click', () => {
    const section = toggle.closest('.pmg-drawer-section');
    section.classList.toggle('open');
  });
});

// Close drawer when tapping the backdrop (outside the drawer)
document.addEventListener('click', (e) => {
  if (tuneDrawer.classList.contains('is-open') &&
    !tuneDrawer.contains(e.target) &&
    e.target !== openTuneBtn) {
    tuneDrawer.classList.remove('is-open');
  }
});

```

Step 4 — What to Move (Not Recreate)

Do NOT rebuild any tuning controls from scratch. Simply move the existing DOM elements into the correct drawer sections:

Existing Controls	Move Into
Tone pills	Quick Picks section — <code>#tune-tone-pills</code>
Category / Platform pills	Quick Picks section — <code>#tune-category-pills</code>
Goal / Purpose pills	Quick Picks section — <code>#tune-goal-pills</code>
Format, Length, Language, Personality, Experience Level	Prompt Tuning section
All Photography Suite controls (Style, Camera, Lighting, Aperture, ISO, Film Stock, etc.)	Photography Suite section

Acceptance Criteria

1. Tapping ⚡ generates a prompt immediately without opening the drawer.
2. Tapping 🗨️ slides the Tune It Drawer up smoothly.
3. The drawer shows Quick Picks expanded and Prompt Tuning + Photography Suite collapsed by default.
4. Each section expands and collapses independently when tapped.
5. The "Generate Prompt" button is always visible at the bottom of the drawer regardless of scroll position.
6. Tapping "Generate Prompt" closes the drawer and fires the existing generate function.
7. The output prompt card appears above the composer bar as it does today.
8. All existing tuning functionality works exactly as before — nothing is removed, only reorganized.
9. No horizontal scrolling on 390px viewport.
10. No existing generation logic, API calls, or localStorage keys are modified.

Developer Note for Replit:

"This is a UI reorganization only. Move existing DOM nodes into the new drawer sections. Do not rewrite any generation logic. Test on iPhone 14 Pro (390px) and desktop (1280px) to confirm the drawer only appears on mobile and the desktop layout is unaffected."