

Replit Fix Brief: Video Suite "Epic" Upgrade (With User-Friendly Descriptions)

Replit, we are upgrading the Video Suite to incorporate the most advanced AI video prompting techniques of 2025-2026 (optimized for tools like Sora, Veo 3, Kling, and Runway). We need to enforce the proven "6-part prompt structure" and give users precise control over camera movement, pacing, and audio cues.

Crucially, we need to add **plain-English descriptions** for every feature so non-technical users instantly understand what each option does and why they would use it.

Please implement the following features into the Video Suite (`pmg-visual-studio.js` , `pmg-visual-studio.css` , and the main HTML layout).

1. The "Camera Operator" (Movement Control)

AI video generators fail when given complex camera instructions. We need to force users to pick *one* clear camera movement.

HTML Structure (Add to the Video Tuning Section):

HTML

```
<div class="pmgv3-camera-movement">
  <label class="pmgv3-section-label">Camera Movement</label>
  <select id="pmgv3-camera-select" class="pmgv3-select">
    <option value="static">Static / Locked Off (Best for high realism)</option>
    <option value="slow_push">Slow Push In (Builds tension or intimacy)</option>
    <option value="slow_pull">Slow Pull Out (Reveals scale or isolation)</option>
    <option value="orbit">Orbit / Circular (Great for products or dramatic reveal)</option>
    <option value="handheld">Handheld Follow (Adds energy and documentary feel)</option>
    <option value="fpv">FPV Drone (High speed, flying through spaces)</option>
  </select>
  <p class="pmgv3-style-hint">AI video works best with ONE clear camera movement</p>
</div>
```

Logic (In `pmg-visual-studio.js` during prompt generation):

- Append the selected movement to the prompt (e.g., `Camera Movement: Slow push in on the subject.`).

2. The "Audio Cue" Injector

Most users ignore audio in video prompts, but modern models (like Veo 3 and Sora) use audio cues to enhance the visual realism and generate sound effects.

HTML Structure (Add to the Video Tuning Section):

HTML

```
<div class="pmgv3-audio-injector">
  <label class="pmgv3-section-label">Sound & Atmosphere</label>
  <input type="text" id="pmgv3-audio-cues" class="pmgv3-input" placeholder="e.g
  <p class="pmgv3-style-hint">Modern AI video tools use sound descriptions to m
</div>
```

Logic:

- If filled, append: Audio Cues: [User Input]. Ensure the visual pacing and environment match these sounds.

3. The "Anti-Jitter" Negative Prompt Vault

AI video is notorious for morphing, jittering, and floating limbs. We need a hardcoded negative prompt vault specifically for video.

Logic (In pmg-visual-studio.js during prompt generation):

- Automatically append this negative prompt block to every video output:
--no morphing, jittering, warping, floating limbs, sudden physics changes, text artifacts, blurry edges, unnatural physics

4. Expert Guidance Panel: The 10,000 Generation Rule

Add a dedicated tips panel to guide users on the realities of AI video generation (volume over perfection).

HTML Structure (Place below the main input area or inside a "Pro Tips" accordion):

HTML

```
<div class="pmgv3-expert-tips-panel">
  <div class="tips-header">
    <span class="tips-icon">🎬</span>
    <strong>Pro Tip: How to actually win at AI Video</strong>
  </div>
  <div class="tips-content">
    <ul>
      <li><strong>Volume Beats Perfection:</strong> Stop trying to get the perf
      <li><strong>Keep Actions Simple:</strong> "Walking while talking while ea
```

```
<li><strong>Front-Load the Important Stuff:</strong> AI pays the most att
</ul>
</div>
</div>
```

5. CSS Styling for New Elements

Add these styles to `pmg-visual-studio.css` (reusing the classes from the Text Suite upgrade for consistency):

CSS

```
/* Select Dropdown */
.pmgv3-select {
  width: 100%;
  padding: 10px 12px;
  background: rgba(255, 255, 255, 0.05);
  border: 1px solid rgba(0, 200, 150, 0.3);
  border-radius: 8px;
  color: #fff;
  font-size: 14px;
  margin-bottom: 8px;
  appearance: none;
}
.pmgv3-select:focus {
  outline: none;
  border-color: #00c896;
}

/* Input Field */
.pmgv3-input {
  width: 100%;
  padding: 10px 12px;
  background: rgba(255, 255, 255, 0.05);
  border: 1px solid rgba(255, 255, 255, 0.1);
  border-radius: 8px;
  color: #fff;
  font-size: 14px;
  box-sizing: border-box;
  margin-bottom: 8px;
}
.pmgv3-input:focus {
  outline: none;
  border-color: #00c896;
}

/* Expert Tips Panel */
```

```
.pmgv3-expert-tips-panel {
  background: rgba(0, 200, 150, 0.05);
  border: 1px solid rgba(0, 200, 150, 0.2);
  border-radius: 12px;
  padding: 16px;
  margin: 20px 0;
}

.pmgv3-expert-tips-panel .tips-header {
  display: flex;
  align-items: center;
  gap: 8px;
  margin-bottom: 12px;
}

.pmgv3-expert-tips-panel .tips-header strong {
  color: #00c896;
  font-size: 14px;
}

.pmgv3-expert-tips-panel .tips-content ul {
  margin: 0;
  padding-left: 20px;
  color: rgba(255, 255, 255, 0.8);
  font-size: 13px;
  line-height: 1.5;
}

.pmgv3-expert-tips-panel .tips-content li {
  margin-bottom: 8px;
}
```