

Fullscreen Toggle Fix — Two Bugs, Exact Locations

I pulled the latest code and found both problems. Here is exactly what went wrong and the precise fix for each.

Bug 1: Prompt box toggle appears inside the Prompt Coach result field

Root cause: `injectTriggerFor()` in `pmg-fullscreen.js` calls `liveParent.insertBefore(btn, target)` — it inserts the trigger as a sibling *before* `#resultBox` inside whatever `#resultBox.parentNode` is at that moment.

After chassis reparents `#resultBox` (wrapped in `.result-box-wrap`) into `.pmgv3-output-host`, the `liveParent` is `.result-box-wrap`. But `injectInlineTrigger()` is a **no-op** — so `injectTriggerFor()` is never called for `#resultBox`. That is correct.

The actual problem is the **native** `#resultBoxToggle` button. It is inside `.result-box-wrap` in the HTML, positioned `absolute` at `top: 8px; right: 8px` relative to `.result-box-wrap { position: relative; }`. When chassis moves `.result-box-wrap` into `.pmgv3-output-host`, the wrap goes into the chassis shell — but the chassis shell's `.pmgv3-output-host` has **no explicit position** set, so the browser walks up the stacking context. The absolute button ends up anchoring to the nearest positioned ancestor above `.pmgv3-output-host`, which in the chassis layout is the `.output-box` card — and the Prompt Coach sits inside that same card.

The fix: Add `position: relative` to `.result-box-wrap` in `pmg-chassis-v3.css` (not just in `app.html`) so the rule survives the chassis namespace with higher specificity:

CSS

```
/* In pmg-chassis-v3.css — add this rule */
html.pmg-chassis-v3 .pmgv3-output-host .result-box-wrap {
  position: relative;
}
```

The `app.html` rule `.result-box-wrap { position: relative; }` has specificity 0,1,0. The chassis stylesheet overrides it with higher-specificity rules. This explicit chassis-namespaced rule wins and keeps the wrap as the positioning context for the absolute toggle button.

Bug 2: AI response toggle not visible

Root cause: The toggle button is placed **inside** `#aiResponseOutput` in the HTML:

HTML

```
<div class="ai-response-output" id="aiResponseOutput" ...>
  <button class="ai-response-toggle" id="aiResponseToggle" ...>[</button>
</div>
```

The chassis CSS rule at `pmg-chassis-v3.css` line 1688 sets:

CSS

```
html.pmg-chassis-v3 .pmgv3-air-host .ai-response-output {
  max-height: 320px;
  overflow-y: auto;
}
```

`overflow-y: auto` on the parent **clips** `position: absolute` children when they would render outside the scroll boundary. The toggle is `position: absolute; top: 8px; right: 8px` inside a box with `overflow-y: auto` — it renders but is clipped by the scroll container, making it invisible or only partially visible depending on scroll position.

Additionally, `out.textContent = ''` on line 12620 of `app.html` **does** wipe the toggle on every "Run With AI" click (despite the comment saying it doesn't). `textContent = ''` removes all child nodes including elements. The defensive re-insert in `clampAiResponse()` only fires after the response streams in, so there is a window where the toggle is gone.

The fix — two parts:

Part A: Move the toggle outside `#aiResponseOutput`

The toggle must be a sibling of `#aiResponseOutput`, not a child. Use the `.ai-response-output-wrap` pattern from the original spec:

HTML

```
<!-- In app.html, replace: -->
<div class="ai-response-output" id="aiResponseOutput" aria-live="polite" aria-a
  <button type="button" class="ai-response-toggle" id="aiResponseToggle" ...>[<
</div>

<!-- With: -->
<div class="ai-response-output-wrap">
  <button type="button" class="ai-response-toggle" id="aiResponseToggle" aria-e
```

```
<div class="ai-response-output" id="aiResponseOutput" aria-live="polite" aria
</div>
```

Part B: Update the CSS to position relative to the wrap, not the output

CSS

```
/* In app.html inline styles – update these rules: */

/* Add the wrap as positioning context */
.ai-response-output-wrap {
  position: relative;
}

/* Change the toggle selector from scoped-to-output to scoped-to-wrap */
/* OLD: .ai-response-output .ai-response-toggle { ... } */
/* NEW: */
.ai-response-output-wrap .ai-response-toggle,
.ai-response-toggle {
  position: absolute;
  top: 8px;
  right: 8px;
  z-index: 2;
  margin: 0;
  padding: 5px;
  width: 28px;
  height: 28px;
  display: none;
  align-items: center;
  justify-content: center;
  font-size: 15px;
  line-height: 1;
  background: var(--color-surface);
  border: 1px solid var(--color-border);
  border-radius: 6px;
  color: var(--color-primary);
  cursor: pointer;
  opacity: 0.45;
  transition: opacity 120ms ease;
}
```

Part C: Remove the defensive re-insert in clampAiResponse()

The re-insert logic (`if (aiResponseToggle.parentNode !== output) { output.insertBefore(...)}`) is now wrong — the toggle should never be inside `#aiResponseOutput` . Remove these lines from

clampAiResponse() in app.html :

Plain Text

```
// DELETE these lines:
if (aiResponseToggle.parentNode !== output) {
  try { output.insertBefore(aiResponseToggle, output.firstChild); } catch (_e)
}
```

Also remove the content-check workaround that subtracts the button's text from `rawText` — it is no longer needed since the toggle is not inside the output:

Plain Text

```
// DELETE these lines:
var btnText = aiResponseToggle ? (aiResponseToggle.textContent || '') : '';
var contentText = btnText ? rawText.replace(btnText, '') : rawText;

// REPLACE with:
var contentText = rawText;
```

Part D: Also remove the `padding-right: 44px` rule on `#aiResponseOutput` in `pmg-fullscreen.css`

Line ~180 of `pmg-fullscreen.css` :

CSS

```
/* DELETE this – toggle is no longer inside the output box */
#aiResponseOutput {
  padding-right: 44px;
}
```

Keep the `#resultBox` `padding-right` rule — that one is still correct since the toggle is inside `.result-box-wrap` which wraps `#resultBox`.

Summary of All File Changes

File	Change
pmg-chassis-v3.css	Add <code>html.pmg-chassis-v3.pmgv3-output-host .result-box-wrap { position: relative; }</code>

app.html (HTML)	Wrap <code>#aiResponseOutput</code> in <code>.ai-response-output-wrap</code> , move <code>#aiResponseToggle</code> outside the output div
app.html (CSS)	Add <code>.ai-response-output-wrap { position: relative }</code> , update toggle selector
app.html (JS)	Remove defensive re-insert block and <code>btnText</code> subtraction in <code>clampAiResponse()</code>
pmg-fullscreen.css	Remove <code>#aiResponseOutput { padding-right: 44px }</code>

No changes needed to `pmg-chassis-v3.js` or `pmg-fullscreen.js` .