

Replit Fix Brief: "Start Over" Total Reset Function

Replit, the "Start Over" button is currently performing an incomplete reset. It is leaving text in the main goal input box and failing to clear pill selections and right-column states.

We need the "Start Over" button to perform a **total, absolute reset** of the entire application state, returning it exactly to how it looks on a fresh page load.

Please update the click handler for the "Start Over" button (likely in `pmg-chassis-v3.js` or `pmg-suite-handoff.js`) to explicitly clear every single element listed below.

The Total Reset Logic

Replace the current "Start Over" logic with this comprehensive reset function:

JavaScript

```
function performTotalReset() {  
  // 1. Clear all text inputs and textareas  
  const allInputs = document.querySelectorAll('.pmgv3-goal-input, .pmgv3-input,  
  allInputs.forEach(input => {  
    input.value = '';  
  });  
  
  // 2. Reset all pill selections to their default state  
  // Remove 'active' class from all pills  
  const allPills = document.querySelectorAll('.pmgv3-pill');  
  allPills.forEach(pill => {  
    pill.classList.remove('active');  
  });  
  
  // Re-apply 'active' to the default pills (adjust selectors based on your def  
  const defaultPills = document.querySelectorAll('.pmgv3-pill[data-default="tru  
  defaultPills.forEach(pill => {  
    pill.classList.add('active');  
  });  
  
  // 3. Reset the "Tune Your Prompt" accordion  
  const tuneAccordion = document.getElementById('pmgv3-tuning-host'); // Adjust  
  if (tuneAccordion) {  
    tuneAccordion.classList.remove('is-mobile-open');  
    // Reset the "7 picks" badge or similar indicators  
    const tuneBadge = document.querySelector('.tuning-badge');  
    if (tuneBadge) tuneBadge.innerText = '';  
  }  
}
```

```

// 4. Clear the Right Column Output Area
const outputArea = document.querySelector('.pmgv3-prompt-output'); // Adjust
if (outputArea) {
  outputArea.value = '';
  // If there's a placeholder state, restore it
  outputArea.placeholder = 'Add a clear goal first, then we can build your pr
}

// 5. Reset the Strength Bar
const strengthBar = document.querySelector('.pmgv3-strength-fill'); // Adjust
const strengthText = document.querySelector('.pmgv3-strength-text'); // Adjust
if (strengthBar) {
  strengthBar.style.width = '0%';
  strengthBar.style.backgroundColor = 'transparent'; // Or default color
}
if (strengthText) {
  strengthText.innerText = 'Needs more detail'; // Default text
}

// Hide the strength bar container if it should only show after generation
const strengthContainer = document.getElementById('pmgv3-strength-slot');
if (strengthContainer) {
  strengthContainer.style.display = 'none';
}

// 6. Reset the Auto-Boost Button
const autoBoostBtn = document.getElementById('btn-auto-boost'); // Adjust ID
if (autoBoostBtn) {
  autoBoostBtn.classList.remove('boosted-state');
  autoBoostBtn.innerText = '✨✨ Auto-Boost Prompt';
  autoBoostBtn.disabled = false;
}

// 7. Reset the "Run With AI Here" button state (in case it was disabled by t
const runBtn = document.getElementById('btn-run-ai'); // Adjust ID
if (runBtn) {
  runBtn.disabled = false;
  runBtn.innerText = '▶ Run With AI Here';
  runBtn.style.opacity = '1';
}

// 8. Hide any inline warnings (like the length warning)
const lengthWarning = document.getElementById('pmgv3-length-warning');
if (lengthWarning) {
  lengthWarning.style.display = 'none';
}

```

```

// 9. Scroll back to the top of the page
window.scrollTo({ top: 0, behavior: 'smooth' });

// 10. Focus the main goal input to encourage starting over
const mainGoalInput = document.querySelector('.pmgv3-goal-input');
if (mainGoalInput) {
  mainGoalInput.focus();
}
}

// Attach to all "Start Over" buttons
const startOverBtns = document.querySelectorAll('.btn-start-over, [id*="start-o');
startOverBtns.forEach(btn => {
  btn.addEventListener('click', (e) => {
    e.preventDefault();
    performTotalReset();
  });
});
});

```

Key Requirements for Replit:

1. **Ensure every selector matches the live DOM.** The class names and IDs provided above are based on the current architecture, but you must verify them against the actual HTML.
2. **Do not rely on a simple `form.reset()`** . Because the app uses custom div-based pills and dynamic state, a standard form reset will not work. You must explicitly clear the classes and values as shown in the logic above.
3. **Ensure the Strength Bar is hidden.** The strength bar should not be visible on a fresh load. The reset function must set its container to `display: none` .